

Experiment Number: 05207-04

Species/Strain: Mouse/B6C3F1

P13: ORGAN WEIGHTS BY TREATMENT GROUP

Date Report Requested: 10/26/2014

Time Report Requested: 09:16:57

First Dose M/F: NA / NA

Lab: NA

C Number: C62248

Cage Range: All

Date Range: All

Reasons For Removal: All

Removal Date Range: All

Treatment Groups: All

Study Gender: Both

Experiment Number: 05207-04

Species/Strain: Mouse/B6C3F1

P13: ORGAN WEIGHTS BY TREATMENT GROUP

Date Report Requested: 10/26/2014

Time Report Requested: 09:16:57

First Dose M/F: NA / NA

Lab: NA

SEX: MALE

TRT#: C62248_0520704_01

DOSE: 0 ppm

| Animal Id | Terminal Body Wgt(g) | Cauda Epididymis | Epididymis, Left | Heart | Kidney, Right | Liver | Lung | Spleen |
|-----------|----------------------|------------------|------------------|-------|---------------|-------|------|--------|
| 0001_04 | 32.1 | 0.0154 | 0.0258 | 0.14 | 0.26 | 1.47 | 0.2 | 0.06 |
| 0002_04 | 38.7 | 0.0166 | 0.0259 | 0.2 | 0.31 | 1.82 | 0.24 | 0.07 |
| 0003_04 | 38.1 | 0.0122 | 0.0245 | 0.21 | 0.31 | 1.6 | 0.3 | 0.07 |
| 0004_04 | 34.6 | 0.0121 | 0.0199 | 0.18 | 0.36 | 1.71 | 0.23 | 0.09 |
| 0005_04 | 38.2 | 0.0124 | 0.0211 | 0.15 | 0.34 | 1.78 | 0.24 | 0.07 |
| 0006_04 | 38.3 | 0.016 | 0.0253 | 0.21 | 0.3 | 1.92 | 0.25 | 0.07 |
| 0007_04 | 36.9 | 0.0153 | 0.0224 | 0.17 | 0.31 | 1.72 | 0.21 | 0.06 |
| 0008_04 | 36.6 | 0.0128 | 0.0267 | 0.19 | 0.36 | 1.69 | 0.3 | 0.08 |
| 0009_04 | 35.7 | 0.0159 | 0.0259 | 0.18 | 0.3 | 1.75 | 0.27 | 0.08 |
| 0010_04 | 37.3 | 0.0095 | 0.0238 | 0.16 | 0.33 | 1.67 | 0.23 | 0.07 |

All weights given in g

Experiment Number: 05207-04

Species/Strain: Mouse/B6C3F1

P13: ORGAN WEIGHTS BY TREATMENT GROUP

Date Report Requested: 10/26/2014

Time Report Requested: 09:16:57

First Dose M/F: NA / NA

Lab: NA

SEX: MALE

TRT#: C62248_0520704_01

DOSE: 0 ppm

| Animal Id | Testis, Left | Testis, Right | Thymus |
|-----------|--------------|---------------|--------|
| 0001_04 | 0.1187 | 0.119 | 0.054 |
| 0002_04 | 0.1188 | 0.123 | 0.051 |
| 0003_04 | 0.1251 | 0.131 | 0.058 |
| 0004_04 | 0.0938 | 0.08 | 0.048 |
| 0005_04 | 0.1157 | 0.123 | 0.048 |
| 0006_04 | 0.1147 | 0.124 | 0.048 |
| 0007_04 | 0.1138 | 0.115 | 0.052 |
| 0008_04 | 0.1262 | 0.135 | |
| 0009_04 | 0.1177 | 0.118 | 0.062 |
| 0010_04 | 0.1245 | 0.129 | 0.048 |

All weights given in g

Experiment Number: 05207-04

Species/Strain: Mouse/B6C3F1

P13: ORGAN WEIGHTS BY TREATMENT GROUP

Date Report Requested: 10/26/2014

Time Report Requested: 09:16:57

First Dose M/F: NA / NA

Lab: NA

SEX: MALE

TRT#: C62248_0520704_03

DOSE: 1.1 ppm

| Animal Id | Terminal Body Wgt(g) | Heart | Kidney, Right | Liver | Lung | Spleen | Testis, Right | Thymus |
|-----------|----------------------|-------|---------------|-------|------|--------|---------------|--------|
| 0201_04 | 37.6 | 0.17 | 0.35 | 2.12 | 0.25 | 0.08 | 0.128 | 0.055 |
| 0202_04 | 38.4 | 0.19 | 0.33 | 1.94 | 0.26 | 0.06 | 0.126 | 0.07 |
| 0203_04 | 37.7 | 0.19 | 0.32 | 1.93 | 0.22 | 0.07 | 0.112 | 0.056 |
| 0204_04 | 37.6 | 0.18 | 0.37 | 1.88 | 0.22 | 0.07 | 0.117 | 0.045 |
| 0205_04 | 35.8 | 0.17 | 0.34 | 1.74 | 0.26 | 0.07 | 0.122 | 0.043 |
| 0206_04 | 37.1 | 0.15 | 0.31 | 1.51 | 0.21 | 0.07 | 0.122 | 0.052 |
| 0207_04 | 36.9 | 0.22 | 0.32 | 1.86 | 0.35 | 0.09 | 0.13 | 0.06 |
| 0208_04 | 35.3 | 0.15 | 0.31 | 1.73 | 0.22 | 0.07 | 0.123 | 0.049 |
| 0209_04 | 38.6 | 0.19 | 0.36 | 1.99 | 0.34 | 0.08 | 0.14 | 0.053 |
| 0210_04 | 37.0 | 0.18 | 0.34 | 1.65 | 0.33 | 0.07 | 0.106 | 0.057 |

All weights given in g

Experiment Number: 05207-04

Species/Strain: Mouse/B6C3F1

P13: ORGAN WEIGHTS BY TREATMENT GROUP

Date Report Requested: 10/26/2014

Time Report Requested: 09:16:57

First Dose M/F: NA / NA

Lab: NA

SEX: MALE

TRT#: C62248_0520704_05

DOSE: 2.3 ppm

| Animal Id | Terminal Body Wgt(g) | Heart | Kidney, Right | Liver | Lung | Spleen | Testis, Right | Thymus |
|-----------|----------------------|-------|---------------|-------|------|--------|---------------|--------|
| 0401_04 | 31.1 | 0.15 | 0.31 | 1.52 | 0.19 | 0.06 | 0.11 | 0.035 |
| 0402_04 | 40.4 | 0.17 | 0.36 | 1.99 | 0.27 | 0.08 | 0.1233 | 0.051 |
| 0403_04 | 36.8 | 0.2 | 0.35 | 1.75 | 0.28 | 0.07 | 0.132 | 0.059 |
| 0404_04 | 39.4 | 0.19 | 0.36 | 1.92 | 0.28 | 0.07 | 0.132 | 0.06 |
| 0405_04 | 36.3 | 0.18 | 0.35 | 1.83 | 0.25 | 0.07 | 0.112 | 0.041 |
| 0406_04 | 38.1 | 0.17 | 0.36 | 2.03 | 0.24 | 0.07 | 0.129 | 0.051 |
| 0407_04 | 32.9 | 0.16 | 0.36 | 1.62 | 0.32 | 0.07 | 0.129 | 0.041 |
| 0408_04 | 38.1 | 0.18 | 0.34 | 1.77 | 0.27 | 0.07 | 0.114 | 0.059 |
| 0409_04 | 33.9 | 0.22 | 0.3 | 1.65 | 0.34 | 0.07 | 0.133 | 0.052 |
| 0410_04 | 34.7 | 0.23 | 0.35 | 2.08 | 0.28 | 0.08 | 0.122 | 0.049 |

All weights given in g

Experiment Number: 05207-04

Species/Strain: Mouse/B6C3F1

P13: ORGAN WEIGHTS BY TREATMENT GROUP

Date Report Requested: 10/26/2014

Time Report Requested: 09:16:57

First Dose M/F: NA / NA

Lab: NA

SEX: MALE

TRT#: C62248_0520704_07

DOSE: 4.5 ppm

| Animal Id | Terminal Body Wgt(g) | Cauda Epididymis | Epididymis, Left | Heart | Kidney, Right | Liver | Lung | Spleen |
|-----------|----------------------|------------------|------------------|-------|---------------|-------|------|--------|
| 0601_04 | 37.4 | 0.0117 | 0.0266 | 0.17 | 0.38 | 1.85 | 0.24 | 0.07 |
| 0602_04 | 32.7 | 0.0151 | 0.0245 | 0.2 | 0.41 | 1.75 | 0.2 | 0.07 |
| 0603_04 | 37.2 | 0.0125 | 0.0251 | 0.17 | 0.37 | 1.88 | 0.24 | 0.06 |
| 0604_04 | 34.0 | 0.0207 | 0.0121 | 0.15 | 0.36 | 1.82 | 0.23 | 0.06 |
| 0605_04 | 32.4 | 0.0144 | 0.0247 | 0.16 | 0.34 | 1.73 | 0.2 | 0.06 |
| 0606_04 | 39.1 | 0.0146 | 0.0257 | 0.19 | 0.38 | 1.98 | 0.27 | 0.08 |
| 0607_04 | 31.3 | 0.015 | 0.0266 | 0.15 | 0.3 | 1.61 | 0.21 | 0.06 |
| 0608_04 | 35.8 | 0.0131 | 0.0218 | 0.16 | 0.31 | 2.0 | 0.25 | 0.07 |
| 0609_04 | 35.7 | 0.0171 | 0.0238 | 0.16 | 0.32 | 1.74 | 0.24 | 0.06 |
| 0610_04 | 33.3 | 0.0147 | 0.0259 | 0.15 | 0.31 | 1.58 | 0.23 | 0.06 |

All weights given in g

Experiment Number: 05207-04

Species/Strain: Mouse/B6C3F1

P13: ORGAN WEIGHTS BY TREATMENT GROUP

Date Report Requested: 10/26/2014

Time Report Requested: 09:16:57

First Dose M/F: NA / NA

Lab: NA

SEX: MALE

TRT#: C62248_0520704_07

DOSE: 4.5 ppm

| Animal Id | Testis, Left | Testis, Right | Thymus |
|-----------|--------------|---------------|--------|
| 0601_04 | 0.1251 | 0.135 | 0.04 |
| 0602_04 | 0.1224 | 0.136 | 0.047 |
| 0603_04 | 0.1196 | 0.134 | 0.068 |
| 0604_04 | 0.1264 | 0.127 | 0.044 |
| 0605_04 | 0.1166 | 0.119 | 0.037 |
| 0606_04 | 0.133 | 0.128 | 0.051 |
| 0607_04 | 0.1117 | 0.116 | 0.046 |
| 0608_04 | 0.1105 | 0.123 | 0.042 |
| 0609_04 | 0.1187 | 0.131 | 0.044 |
| 0610_04 | 0.1112 | 0.121 | 0.042 |

All weights given in g

Experiment Number: 05207-04

Species/Strain: Mouse/B6C3F1

P13: ORGAN WEIGHTS BY TREATMENT GROUP

Date Report Requested: 10/26/2014

Time Report Requested: 09:16:57

First Dose M/F: NA / NA

Lab: NA

SEX: MALE

TRT#: C62248_0520704_09

DOSE: 9 ppm

| Animal Id | Terminal Body Wgt(g) | Cauda Epididymis | Epididymis, Left | Heart | Kidney, Right | Liver | Lung | Spleen |
|-----------|----------------------|------------------|------------------|-------|---------------|-------|------|--------|
| 0801_04 | 37.3 | 0.0175 | 0.026 | 0.17 | 0.34 | 2.03 | 0.2 | 0.07 |
| 0802_04 | 37.2 | 0.0119 | 0.0248 | 0.17 | 0.34 | 1.92 | 0.35 | 0.07 |
| 0803_04 | 34.4 | 0.0149 | 0.0267 | 0.16 | 0.36 | 1.78 | 0.22 | 0.06 |
| 0804_04 | 41.5 | 0.0165 | 0.0261 | 0.21 | 0.37 | 2.28 | 0.27 | 0.08 |
| 0805_04 | 37.6 | 0.0171 | 0.028 | 0.18 | 0.37 | 2.25 | 0.23 | 0.08 |
| 0806_04 | 40.0 | 0.0158 | 0.0261 | 0.21 | 0.38 | 2.22 | 0.31 | 0.08 |
| 0807_04 | 35.2 | 0.0142 | 0.0256 | 0.16 | 0.34 | 1.83 | 0.21 | 0.06 |
| 0808_04 | 39.8 | 0.009 | 0.0259 | 0.2 | 0.35 | 2.26 | 0.26 | 0.07 |
| 0809_04 | 32.2 | 0.0162 | 0.0256 | 0.16 | 0.35 | 1.83 | 0.24 | 0.07 |
| 0810_04 | 33.3 | 0.0159 | 0.0292 | 0.16 | 0.33 | 1.85 | 0.22 | 0.07 |

All weights given in g

Experiment Number: 05207-04

Species/Strain: Mouse/B6C3F1

P13: ORGAN WEIGHTS BY TREATMENT GROUP

Date Report Requested: 10/26/2014

Time Report Requested: 09:16:57

First Dose M/F: NA / NA

Lab: NA

SEX: MALE

TRT#: C62248_0520704_09

DOSE: 9 ppm

| Animal Id | Testis, Left | Testis, Right | Thymus |
|-----------|--------------|---------------|--------|
| 0801_04 | 0.1397 | 0.128 | 0.065 |
| 0802_04 | 0.1208 | 0.129 | 0.045 |
| 0803_04 | 0.118 | 0.118 | 0.041 |
| 0804_04 | 0.1147 | 0.122 | 0.051 |
| 0805_04 | 0.1246 | 0.12 | 0.044 |
| 0806_04 | 0.1306 | 0.132 | 0.05 |
| 0807_04 | 0.128 | 0.123 | 0.036 |
| 0808_04 | 0.1219 | 0.127 | 0.056 |
| 0809_04 | 0.1167 | 0.121 | 0.043 |
| 0810_04 | 0.12 | 0.126 | 0.057 |

All weights given in g

Experiment Number: 05207-04

Species/Strain: Mouse/B6C3F1

P13: ORGAN WEIGHTS BY TREATMENT GROUP

Date Report Requested: 10/26/2014

Time Report Requested: 09:16:57

First Dose M/F: NA / NA

Lab: NA

SEX: MALE

TRT#: C62248_0520704_11

DOSE: 18 ppm

| Animal Id | Terminal Body Wgt(g) | Cauda Epididymis | Epididymis, Left | Heart | Kidney, Right | Liver | Lung | Spleen |
|-----------|----------------------|------------------|------------------|-------|---------------|-------|------|--------|
| 1001_04 | 35.2 | 0.0101 | 0.0213 | 0.18 | 0.34 | 2.32 | 0.51 | 0.07 |
| 1003_04 | 36.1 | 0.0141 | 0.0247 | 0.15 | 0.34 | 2.39 | 0.22 | 0.08 |
| 1004_04 | 34.9 | 0.0144 | 0.0261 | 0.18 | 0.37 | 2.08 | 0.22 | 0.07 |
| 1005_04 | 30.7 | 0.0095 | 0.0209 | 0.14 | 0.31 | 1.75 | 0.19 | 0.07 |
| 1006_04 | 36.3 | 0.0164 | 0.0271 | 0.2 | 0.37 | 2.28 | 0.3 | 0.07 |
| 1007_04 | 36.0 | 0.0157 | 0.0248 | 0.18 | 0.39 | 2.47 | 0.22 | 0.08 |
| 1009_04 | 40.7 | 0.014 | 0.0268 | 0.19 | 0.37 | 2.74 | 0.26 | 0.09 |
| 1010_04 | 36.3 | 0.0114 | 0.0237 | 0.15 | 0.34 | 2.2 | 0.23 | 0.07 |

All weights given in g

Experiment Number: 05207-04

Species/Strain: Mouse/B6C3F1

P13: ORGAN WEIGHTS BY TREATMENT GROUP

Date Report Requested: 10/26/2014

Time Report Requested: 09:16:57

First Dose M/F: NA / NA

Lab: NA

SEX: MALE

TRT#: C62248_0520704_11

DOSE: 18 ppm

| Animal Id | Testis, Left | Testis, Right | Thymus |
|-----------|--------------|---------------|--------|
| 1001_04 | 0.117 | 0.125 | 0.053 |
| 1003_04 | 0.1201 | 0.124 | 0.062 |
| 1004_04 | 0.1289 | 0.134 | 0.057 |
| 1005_04 | 0.1129 | 0.111 | 0.028 |
| 1006_04 | 0.1204 | 0.126 | 0.033 |
| 1007_04 | 0.1173 | 0.121 | 0.049 |
| 1009_04 | 0.1142 | 0.111 | 0.05 |
| 1010_04 | 0.1156 | 0.117 | 0.053 |

All weights given in g

Experiment Number: 05207-04

Species/Strain: Mouse/B6C3F1

P13: ORGAN WEIGHTS BY TREATMENT GROUP

Date Report Requested: 10/26/2014

Time Report Requested: 09:16:57

First Dose M/F: NA / NA

Lab: NA

END OF MALE DATA

Experiment Number: 05207-04

Species/Strain: Mouse/B6C3F1

P13: ORGAN WEIGHTS BY TREATMENT GROUP

Date Report Requested: 10/26/2014

Time Report Requested: 09:16:57

First Dose M/F: NA / NA

Lab: NA

SEX: FEMALE

TRT#: C62248_0520704_02

DOSE: 0 ppm

| Animal Id | Terminal Body Wgt(g) | Heart | Kidney, Right | Liver | Lung | Spleen | Thymus |
|-----------|----------------------|-------|---------------|-------|------|--------|--------|
| 0101_04 | 29.0 | 0.13 | 0.2 | 1.33 | 0.21 | 0.08 | 0.037 |
| 0102_04 | 29.1 | 0.14 | 0.21 | 1.34 | 0.21 | 0.1 | 0.07 |
| 0103_04 | 28.9 | 0.15 | 0.19 | 1.47 | 0.2 | 0.09 | 0.063 |
| 0104_04 | 33.0 | 0.16 | 0.22 | 1.65 | 0.23 | 0.1 | 0.054 |
| 0105_04 | 35.5 | 0.15 | 0.24 | 1.45 | 0.23 | 0.09 | 0.071 |
| 0106_04 | 27.1 | 0.13 | 0.21 | 1.4 | 0.2 | 0.08 | 0.051 |
| 0107_04 | 29.4 | 0.15 | 0.15 | 1.38 | 0.26 | 0.09 | 0.061 |
| 0108_04 | 28.1 | 0.13 | 0.18 | 1.47 | 0.2 | 0.09 | 0.052 |
| 0109_04 | 31.9 | 0.15 | 0.22 | 1.71 | 0.22 | 0.11 | 0.069 |
| 0110_04 | 29.3 | 0.16 | 0.23 | 1.52 | 0.24 | 0.09 | 0.055 |

All weights given in g

Experiment Number: 05207-04

Species/Strain: Mouse/B6C3F1

P13: ORGAN WEIGHTS BY TREATMENT GROUP

Date Report Requested: 10/26/2014

Time Report Requested: 09:16:57

First Dose M/F: NA / NA

Lab: NA

SEX: FEMALE

TRT#: C62248_0520704_04

DOSE: 1.1 ppm

| Animal Id | Terminal Body Wgt(g) | Heart | Kidney, Right | Liver | Lung | Spleen | Thymus |
|-----------|----------------------|-------|---------------|-------|------|--------|--------|
| 0301_04 | 29.8 | 0.13 | 0.23 | 1.51 | 0.22 | 0.09 | 0.059 |
| 0302_04 | 32.0 | 0.15 | 0.2 | 1.53 | 0.2 | 0.08 | 0.067 |
| 0303_04 | 30.5 | 0.13 | 0.22 | 1.57 | 0.21 | 0.09 | 0.061 |
| 0304_04 | 31.9 | 0.13 | 0.2 | 1.47 | 0.22 | 0.08 | 0.058 |
| 0305_04 | 33.5 | 0.16 | 0.23 | 1.88 | 0.23 | 0.09 | 0.06 |
| 0306_04 | 31.7 | 0.14 | 0.24 | 1.64 | 0.22 | 0.09 | 0.054 |
| 0307_04 | 34.0 | 0.16 | 0.22 | 1.72 | 0.23 | 0.1 | 0.067 |
| 0308_04 | 38.4 | 0.15 | 0.24 | 1.76 | 0.22 | 0.09 | 0.082 |
| 0309_04 | 31.2 | 0.15 | 0.21 | 1.51 | 0.19 | 0.09 | 0.075 |
| 0310_04 | 32.8 | 0.14 | 0.24 | 1.66 | 0.21 | 0.1 | 0.073 |

All weights given in g

Experiment Number: 05207-04

Species/Strain: Mouse/B6C3F1

P13: ORGAN WEIGHTS BY TREATMENT GROUP

Date Report Requested: 10/26/2014

Time Report Requested: 09:16:57

First Dose M/F: NA / NA

Lab: NA

SEX: FEMALE

TRT#: C62248_0520704_06

DOSE: 2.3 ppm

| Animal Id | Terminal Body Wgt(g) | Heart | Kidney, Right | Liver | Lung | Spleen | Thymus |
|-----------|----------------------|-------|---------------|-------|------|--------|--------|
| 0501_04 | 38.0 | 0.14 | 0.24 | 1.79 | 0.22 | 0.09 | 0.055 |
| 0502_04 | 30.7 | 0.14 | 0.23 | 1.69 | 0.22 | 0.1 | 0.074 |
| 0503_04 | 40.5 | 0.16 | 0.26 | 2.05 | 0.25 | 0.1 | 0.08 |
| 0504_04 | 35.4 | 0.14 | 0.23 | 1.77 | 0.25 | 0.09 | 0.064 |
| 0505_04 | 35.5 | 0.14 | 0.24 | 1.67 | 0.23 | 0.08 | 0.081 |
| 0506_04 | 32.9 | 0.16 | 0.24 | 1.7 | 0.21 | 0.11 | 0.066 |
| 0507_04 | 34.5 | 0.15 | 0.25 | 1.88 | 0.22 | 0.09 | 0.066 |
| 0508_04 | 30.9 | 0.14 | 0.23 | 1.61 | 0.22 | 0.08 | 0.063 |
| 0509_04 | 37.1 | 0.15 | 0.23 | 1.97 | 0.22 | 0.1 | 0.072 |
| 0510_04 | 29.8 | 0.14 | 0.24 | 1.55 | 0.22 | 0.09 | 0.053 |

All weights given in g

Experiment Number: 05207-04

Species/Strain: Mouse/B6C3F1

P13: ORGAN WEIGHTS BY TREATMENT GROUP

Date Report Requested: 10/26/2014

Time Report Requested: 09:16:57

First Dose M/F: NA / NA

Lab: NA

SEX: FEMALE

TRT#: C62248_0520704_08

DOSE: 4.5 ppm

| Animal Id | Terminal Body Wgt(g) | Heart | Kidney, Right | Liver | Lung | Spleen | Thymus |
|-----------|----------------------|-------|---------------|-------|------|--------|--------|
| 0701_04 | 35.8 | 0.14 | 0.23 | 1.71 | 0.23 | 0.1 | 0.073 |
| 0702_04 | 34.3 | 0.15 | 0.22 | 1.89 | 0.29 | 0.09 | 0.053 |
| 0703_04 | 35.1 | 0.14 | 0.23 | 1.89 | 0.22 | 0.09 | 0.074 |
| 0704_04 | 32.2 | 0.14 | 0.22 | 1.59 | 0.22 | 0.09 | 0.062 |
| 0705_04 | 32.6 | 0.16 | 0.25 | 1.64 | 0.21 | 0.12 | 0.074 |
| 0706_04 | 30.1 | 0.14 | 0.23 | 1.8 | 0.29 | 0.08 | 0.06 |
| 0707_04 | 28.1 | 0.13 | 0.22 | 1.56 | 0.19 | 0.08 | 0.056 |
| 0708_04 | 33.9 | 0.14 | 0.22 | 1.6 | 0.21 | 0.09 | 0.071 |
| 0709_04 | 37.9 | 0.15 | 0.25 | 2.01 | 0.2 | 0.11 | 0.08 |
| 0710_04 | 30.1 | 0.15 | 0.24 | 1.54 | 0.2 | 0.09 | 0.063 |

All weights given in g

Experiment Number: 05207-04

Species/Strain: Mouse/B6C3F1

P13: ORGAN WEIGHTS BY TREATMENT GROUP

Date Report Requested: 10/26/2014

Time Report Requested: 09:16:57

First Dose M/F: NA / NA

Lab: NA

SEX: FEMALE

TRT#: C62248_0520704_10

DOSE: 9 ppm

| Animal Id | Terminal Body Wgt(g) | Heart | Kidney, Right | Liver | Lung | Spleen | Thymus |
|-----------|----------------------|-------|---------------|-------|------|--------|--------|
| 0901_04 | 37.7 | 0.14 | 0.24 | 2.01 | 0.22 | 0.09 | 0.077 |
| 0902_04 | 36.9 | 0.15 | 0.23 | 2.02 | 0.2 | 0.09 | 0.062 |
| 0903_04 | 39.9 | 0.14 | 0.26 | 2.16 | 0.23 | 0.09 | 0.073 |
| 0904_04 | 34.3 | 0.14 | 0.21 | 1.89 | 0.2 | 0.1 | 0.08 |
| 0905_04 | 38.0 | 0.16 | 0.24 | 1.92 | 0.25 | 0.11 | 0.071 |
| 0906_04 | 27.7 | 0.14 | 0.22 | 1.67 | 0.24 | 0.09 | 0.056 |
| 0907_04 | 30.4 | 0.15 | 0.22 | 1.7 | 0.22 | 0.09 | 0.058 |
| 0908_04 | 33.7 | 0.14 | 0.23 | 1.99 | 0.23 | 0.1 | 0.076 |
| 0909_04 | 33.8 | 0.17 | 0.34 | 1.94 | 0.21 | 0.11 | 0.068 |
| 0910_04 | 34.1 | 0.17 | 0.25 | 2.03 | 0.25 | 0.11 | 0.054 |

All weights given in g

Experiment Number: 05207-04

Species/Strain: Mouse/B6C3F1

P13: ORGAN WEIGHTS BY TREATMENT GROUP

Date Report Requested: 10/26/2014

Time Report Requested: 09:16:57

First Dose M/F: NA / NA

Lab: NA

SEX: FEMALE

TRT#: C62248_0520704_12

DOSE: 18 ppm

| Animal Id | Terminal Body Wgt(g) | Heart | Kidney, Right | Liver | Lung | Spleen | Thymus |
|-----------|----------------------|-------|---------------|-------|------|--------|--------|
| 1101_04 | 37.2 | 0.14 | 0.25 | 2.6 | 0.18 | | 0.058 |
| 1102_04 | 33.6 | 0.14 | 0.23 | 2.13 | 0.22 | 0.1 | 0.071 |
| 1103_04 | 29.3 | 0.15 | 0.24 | 1.88 | 0.19 | 0.09 | 0.05 |
| 1104_04 | 40.6 | 0.15 | 0.24 | 2.22 | 0.2 | 0.1 | 0.088 |
| 1105_04 | 40.4 | 0.14 | 0.24 | 2.4 | 0.24 | 0.11 | 0.078 |
| 1106_04 | 31.6 | 0.15 | 0.23 | 2.17 | 0.22 | 0.11 | 0.064 |
| 1107_04 | 32.9 | 0.14 | 0.25 | 2.11 | 0.2 | 0.1 | 0.074 |
| 1108_04 | 32.1 | 0.15 | 0.23 | 2.15 | 0.22 | 0.12 | 0.075 |
| 1109_04 | 29.2 | 0.13 | 0.23 | 2.2 | 0.2 | 0.08 | 0.061 |
| 1110_04 | 32.2 | 0.15 | 0.23 | 2.48 | 0.23 | 0.1 | 0.067 |

All weights given in g

Experiment Number: 05207-04

Species/Strain: Mouse/B6C3F1

P13: ORGAN WEIGHTS BY TREATMENT GROUP

Date Report Requested: 10/26/2014

Time Report Requested: 09:16:57

First Dose M/F: NA / NA

Lab: NA

**** END OF REPORT ****