Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: RATS/F 344/NCTR

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Acrylamide CAS Number: 79-06-1

1

Time Report Requested: 14:38:46 First Dose M/F: 05/23/05 / 05/23/05

Lab: NCTR

C Number: C20313

Lock Date: 01/14/2010

Cage Range: ALL

Date Range: ALL

Reasons For Removal: ALL

Removal Date Range: ALL

Treatment Groups: Include ALL

Study Gender: Both

TDMSE Version: 2.2.0

Route: DOSED WATER

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Acrylamide **CAS Number:** 79-06-1 Time Report Requested: 14:38:46 First Dose M/F: 05/23/05 / 05/23/05

Species/Strain: RATS/F 344/NCTR		3.13.13.11.			Lab: NCTR	00, 00, 2 0, 00
FISCHER 344 RATS-NCTR RATS MALE	0.70 ACRYL	0.35 ACRYL	0.175 ACRYL	0.0875 ACRYL	CONTROL WATER	
Disposition Summary						
Animals Initially In Study	48	48	48	48	48	
Early Deaths						
Moribund Sacrifice	27	23	20	20	18	
Natural Death	4		2	4	6	
Survivors						
Moribund Sacrifice	7	7	7	9	5	
Natural Death	1	2		1	2	
Terminal Sacrifice	9	16	19	14	17	
Animals Examined Microscopically	48	48	48	48	48	
ALIMENTARY SYSTEM						
Intestine Large, Cecum	(47)	(48)	(47)	(48)	(45)	
Dilatation		1				
Inflammation	1 [4.0]					
Ulcer	1 [3.0]					
Lymphoid Tissue, Hyperplasia		3 [2.0]				
Intestine Large, Colon	(48)	(48)	(47)	(47)	(45)	
Lymphoid Tissue, Hyperplasia		1 [2.0]	2 [2.5]			
Intestine Small, Duodenum	(48)	(48)	(47)	(48)	(45)	
Mucosa, Hyperplasia		1 [3.0]				
Intestine Small, Ileum	(47)	(48)	(47)	(47)	(44)	
Lymphoid Tissue, Hyperplasia		3 [2.7]	2 [2.5]	1 [3.0]	2 [3.0]	
Intestine Small, Jejunum	(45)	(48)	(46)	(46)	(43)	
Inflammation	1 [3.0]		1 [2.0]			
Ulcer	1 [3.0]					
Lymphoid Tissue, Hyperplasia		2 [2.5]	1 [2.0]			
Liver	(48)	(48)	(48)	(48)	(48)	
Angiectasis		1 [3.0]	1 [2.0]		3 [2.3]	
Basophilic Focus		· -			1	
Basophilic Focus, Multiple	1	1			2	
Cyst	1		1			
Degeneration, Cystic	11 [2.2]	6 [2.2]	7 [1.9]	4 [1.8]	5 [2.0]	
Eosinophilic Focus	3	5	1	1	2	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Acrylamide
CAS Number: 79-06-1

Time Report Requested: 14:38:46 First Dose M/F: 05/23/05 / 05/23/05

Lab: NCTR

FISCHER 344 RATS-NCTR RATS MALE	0.70 ACRYL	0.35 ACRYL	0.175 ACRYL	0.0875 ACRYL	CONTROL WATER	
Eosinophilic Focus, Multiple	1	1		1		
Granuloma	4 [1.8]	4 [1.8]	6 [1.5]	5 [1.4]	7 [1.4]	
Hematopoietic Cell Proliferation	1 [2.0]	1 [1.0]	2 [2.0]	3 [2.3]	1 [2.0]	
Hepatodiaphragmatic Nodule	2	1	1	1	-	
Infiltration Cellular, Lymphocyte	1 [1.0]			1 [1.0]		
Necrosis, Coagulative	2 [1.5]		1 [3.0]			
Pigmentation		1 [3.0]				
Regeneration		1 [4.0]				
Thrombosis		1 [2.0]				
Vacuolization Cytoplasmic	2 [2.0]	10 [2.8]	10 [2.6]	6 [3.0]	11 [2.1]	
Bile Duct, Hyperplasia	21 [2.0]	17 [1.8]	21 [2.0]	19 [1.7]	16 [1.8]	
Caudate Lobe, Developmental Malformation			1		1	
Centrilobular, Degeneration			1 [2.0]			
Centrilobular, Necrosis	1 [2.0]	2 [2.0]		1 [3.0]	3 [2.7]	
Hepatocyte, Hyperplasia	1 [3.0]			2 [3.0]	1 [4.0]	
Left Lateral Lobe, Developmental Malformation	1	2	2		3	
Median Lobe, Developmental Malformation		1				
Oval Cell, Hyperplasia		1 [3.0]		1 [4.0]		
Right Lateral Lobe, Developmental Malformation	1	2			2	
Mesentery	(4)	(7)	(7)	(4)	(2)	
Accessory Spleen		1			1	
Polyarteritis			1 [2.0]			
Fat, Necrosis	3 [2.7]	5 [2.8]	7 [2.6]	3 [3.3]		
Oral Mucosa	(3)	(6)	(2)	(0)	(0)	
Hyperplasia	2 [2.0]	2 [3.0]				
Pancreas	(48)	(48)	(48)	(48)	(46)	
Accessory Spleen			1			
Infiltration Cellular, Lymphocyte				1 [1.0]		
Inflammation	1 [2.0]					
Polyarteritis	1 [2.0]	1 [2.0]	1 [2.0]	3 [2.3]	2 [3.5]	
Acinar Cell, Atrophy	9 [1.7]	14 [1.7]	15 [2.0]	15 [2.0]	17 [1.9]	
Acinar Cell, Hyperplasia			1 [2.0]			
Mesothelium, Hyperplasia	1 [2.0]					
Salivary Glands	(48)	(48)	(48)	(48)	(48)	
Infiltration Cellular, Plasma Cell					1 [3.0]	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC

Route: DOSED WATER

Hyperplasia, Focal

Hypertrophy, Focal

Necrosis, Coagulative

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 **AVERAGE SEVERITY GRADES[b]**

Acrylamide **CAS Number:** 79-06-1 Time Report Requested: 14:38:46 First Dose M/F: 05/23/05 / 05/23/05

5 [2.2]

4 [2.5]

Species/Strain: RATS/F 344/NCTR					Lab: NCTR
FISCHER 344 RATS-NCTR RATS MALE	0.70 ACRYL	0.35 ACRYL	0.175 ACRYL	0.0875 ACRYL	CONTROL WATER
Stomach, Forestomach	(48)	(48)	(47)	(48)	(47)
Edema	2 [3.5]	1 [4.0]	3 [3.3]	3 [3.0]	3 [2.7]
Hyperplasia	4 [2.3]	2 [3.0]	4 [3.0]	6 [2.5]	2 [2.0]
Inflammation	1 [3.0]	4 [3.0]	2 [3.5]	3 [3.0]	
Ulcer		4 [3.5]	4 [3.0]	3 [2.7]	
Stomach, Glandular	(48)	(48)	(47)	(48)	(47)
Amyloid Deposition	, ,	1 [2.0]	, ,	, ,	
Edema				2 [3.5]	1 [3.0]
Erosion				1 [2.0]	
Hemorrhage		1 [2.0]			
Inflammation		1 [2.0]	2 [2.5]	2 [2.5]	
Ulcer				1 [2.0]	
Tongue	(1)	(2)	(0)	(1)	(3)
Hyperplasia	. ,	. ,	• • •	, ,	1 [4.0]
CARDIOVASCULAR SYSTEM					
Blood Vessel	(48)	(48)	(48)	(48)	(48)
Heart	(48)	(48)	(48)	(48)	(48)
Cardiomyopathy	38 [2.1]	38 [2.0]	36 [2.0]	37 [2.0]	37 [2.2]
Dilatation		1 [4.0]	1 [2.0]		
Infarct					1
Inflammation	1 [2.0]				
Atrium, Thrombosis	10	11	8	13	13
Myocardium, Hypertrophy		1 [2.0]			
ENDOCRINE SYSTEM					
Adrenal Cortex	(48)	(48)	(48)	(48)	(48)
Accessory Adrenal Cortical Nodule	1				
Angiectasis	3 [1.7]	1 [3.0]	5 [1.6]	3 [2.0]	5 [2.0]
Atrophy	2 [3.0]				1 [3.0]

8 [2.1]

8 [1.9]

2 [1.5]

3 [2.0]

1 [4.0]

2 [2.0]

6 [2.3]

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Acrylamide
CAS Number: 79-06-1

Time Report Requested: 14:38:46 First Dose M/F: 05/23/05 / 05/23/05

Lab: NCTR

FISCHER 344 RATS-NCTR RATS MALE	0.70 ACRYL	0.35 ACRYL	0.175 ACRYL	0.0875 ACRYL	CONTROL WATER	
Thrombosis		1 [2.0]				
Vacuolization Cytoplasmic	13 [2.1]	11 [2.2]	12 [2.3]	16 [2.4]	12 [2.6]	
Adrenal Medulla	(47)	(48)	(47)	(48)	(48)	
Angiectasis	2 [2.0]	2 [2.5]	4 [1.5]	3 [1.7]	1 [2.0]	
Hyperplasia, Focal	5 [2.0]	2 [2.0]	4 [2.5]	7 [3.0]	6 [2.0]	
Islets, Pancreatic	(48)	(48)	(48)	(48)	(46)	
Hyperplasia	(- /	1 [3.0]	(- /	(- /	(-)	
Parathyroid Gland	(44)	(47)	(47)	(48)	(46)	
Atrophy	1 [2.0]	(,	(· ·)	(15)	(12)	
Cyst	. [=.0]			1		
Hyperplasia, Focal				·	1 [4.0]	
Pituitary Gland	(47)	(48)	(47)	(48)	(48)	
Angiectasis	2 [2.0]	1 [2.0]	1 [2.0]	(10)	2 [2.0]	
Pigmentation	2 [2.0]	1 [2.0]	1 [2.0]		2 [2.0]	
Thrombosis		1 [2.0]	1 [4.0]			
Pars Distalis, Cyst	2		3		6	
Pars Distalis, Hyperplasia	3 [2.0]	2 [3.0]	2 [3.0]	1 [2.0]	5 [2.0]	
Pars Intermedia, Cyst	3 [2.0]	2	2 [0.0]	1	0 [2.0]	
Thyroid Gland	(48)	(48)	(47)	(48)	(47)	
C-cell, Hyperplasia	5 [2.2]	4 [1.5]	2 [1.5]	4 [1.8]	3 [2.0]	
Follicle, Cyst	2	- [1.5]	3	4 [1.0] 2	3 [2.0] 1	
Follicular Cell, Hyperplasia	3 [2.0]	2	3	2 [1.0]	ı	
i diliculai Geli, i iyperpiasia	3 [2.0]			2 [1.0]		
GENERAL BODY SYSTEM						
Peritoneum	(2)	(0)	(0)	(0)	(0)	
Tissue NOS	(1)	(1)	(1)	(1)	(0)	
Fat, Necrosis	. ,	1 [2.0]	. ,	,	. ,	
Fat, Scrotal, Necrosis	1 [3.0]					
GENITAL SYSTEM						
Epididymis	(48)	(48)	(48)	(48)	(48)	
Atrophy		1 [3.0]	2 [2.0]	1 [3.0]		
Exfoliated Germ Cell	24 [2.5]	26 [2.3]	23 [2.1]	19 [2.7]	24 [2.8]	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Route: DOSED WATER

Species/Strain: RATS/F 344/NCTR

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Acrylamide
CAS Number: 79-06-1

Time Report Requested: 14:38:46 First Dose M/F: 05/23/05 / 05/23/05

FISCHER 344 RATS-NCTR RATS MALE	0.70 ACRYL	0.35 ACRYL	0.175 ACRYL	0.0875 ACRYL	CONTROL WATER	
Granuloma Sperm					1 [2.0]	
Hypospermia	24 [3.5]	29 [3.4]	30 [3.4]	32 [3.8]	31 [3.8]	
Fat, Necrosis	[]	- 1- 1	[-]	1 [3.0]		
Mesothelium, Hyperplasia					2 [1.0]	
Serosa, Cyst			1		• •	
Penis	(1)	(1)	(0)	(0)	(1)	
Inflammation	,	· ,	()	()	1 [3.0]	
Preputial Gland	(48)	(48)	(48)	(47)	(48)	
Atrophy	,	,	1 [2.0]	1 [2.0]	,	
Inflammation	35 [2.5]	34 [2.6]	32 [2.6]	38 [2.7]	35 [2.5]	
Duct, Ectasia	10 [2.4]	14 [2.7]	11 [2.6]	6 [2.8]	4 [2.5]	
Glandular, Hyperplasia		1 [2.0]	1 [3.0]		1 [3.0]	
Prostate	(48)	(48)	(48)	(48)	(47)	
Atrophy	,	, ,	, ,	1 [3.0]	, ,	
Inflammation	25 [2.3]	32 [2.2]	28 [2.1]	29 [2.3]	25 [2.2]	
Seminal Vesicle	(48)	(48)	(47)	(48)	(48)	
Atrophy	9 [2.0]	9 [2.0]	9 [2.0]	12 [2.3]	6 [2.2]	
Decreased Secretory Fluid	1 [3.0]	1 [4.0]	5 [2.6]	6 [2.5]	3 [4.0]	
Lumen, Distended			1 [3.0]			
Testes	(48)	(48)	(48)	(48)	(48)	
Granuloma Sperm	• •	• •		1		
Mineralization				1 [2.0]	1 [2.0]	
Polyarteritis	1 [3.0]		1 [2.0]		1 [2.0]	
Interstitial Cell, Hyperplasia	3 [2.0]	3 [3.0]	2 [1.5]	6 [2.0]	6 [1.7]	
Seminiferous Tubule, Atrophy	16 [3.2]	13 [3.2]	15 [3.4]	21 [3.6]	13 [3.4]	
HEMATOPOIETIC SYSTEM						
Bone Marrow	(48)	(48)	(48)	(48)	(47)	
Atrophy	4 [3.3]	2 [2.5]	5 [3.0]	4 [3.0]	2 [3.0]	
Hyperplasia	3 [2.7]	1 [3.0]	2 [2.5]	3 [2.0]	3 [3.0]	
Myeloid Cell, Hyperplasia	1 [2.0]					
Lymph Node	(24)	(21)	(22)	(17)	(19)	
Degeneration, Cystic	1 [3.0]	\ /	` '	` '	(- /	
Hyperplasia, Lymphoid	F1			1 [2.0]		

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Test Type: CHRONIC
Route: DOSED WATER

Species/Strain: RATS/F 344/NCTR

Acrylamide CAS Number: 79-06-1

Time Report Requested: 14:38:46 First Dose M/F: 05/23/05 / 05/23/05

FISCHER 344 RATS-NCTR RATS MALE	0.70 ACRYL	0.35 ACRYL	0.175 ACRYL	0.0875 ACRYL	CONTROL WATER
Inflammation	1 [3.0]				
Axillary, Hemorrhage				1 [2.0]	
Axillary, Hyperplasia, Lymphoid					2 [2.5]
Deep Cervical, Degeneration, Cystic			1 [3.0]		
Inguinal, Degeneration, Cystic					2 [2.5]
Inguinal, Hyperplasia, Lymphoid					1 [3.0]
Inguinal, Infiltration Cellular, Plasma Cell					1 [3.0]
Lumbar, Degeneration, Cystic			2 [3.5]	2 [3.0]	3 [2.3]
Lumbar, Hyperplasia, Lymphoid	1 [2.0]				1 [3.0]
Lumbar, Infiltration Cellular, Plasma Cell					2 [3.0]
Lumbar, Medulla, Sinus, Dilatation		1 [2.0]			
Mediastinal, Degeneration, Cystic		3 [2.3]	1 [3.0]	1 [3.0]	
Mediastinal, Hemorrhage		1 [2.0]	1 [2.0]	1 [2.0]	1 [3.0]
Mediastinal, Hyperplasia, Lymphoid	1 [2.0]	,	1	,	1 [2.0]
Mediastinal, Infiltration Cellular, Mast Cell	1 [3.0]				1 -1
Mediastinal, Medulla, Sinus, Dilatation	1 [4.0]	1 [2.0]			
Medulla, Pancreatic, Sinus, Dilatation	,	2 [3.0]		1 [3.0]	
Medulla, Renal, Sinus, Dilatation	1 [4.0]	[]	1 [2.0]		
Pancreatic, Degeneration, Cystic	,		1 [2.0]		
Pancreatic, Hemorrhage			1		1 [3.0]
Pancreatic, Hyperplasia, Lymphoid	1 [2.0]		1 [2.0]	1 [2.0]	1 [3.0]
Renal, Degeneration, Cystic	3 [3.7]	4 [3.5]	5 [3.2]	1 [3.0]	3 [3.7]
Renal, Hemorrhage	2 [2]	1 [2.0]	o [c]	. []	2 [0.1.]
Renal, Hyperplasia, Lymphoid		. []	2 [2.0]	1 [2.0]	
Lymph Node, Mandibular	(48)	(48)	(48)	(46)	(48)
Degeneration, Cystic	12 [2.3]	12 [2.6]	11 [2.6]	7 [2.6]	7 [2.0]
Hemorrhage	[1	1 [3.0]	1 [2.0]	1 [3.0]	1 [2.0]
Hyperplasia, Lymphoid	2 [2.0]	6 [2.5]	1 [2.0]	1 [2.0]	5 [2.2]
Infiltration Cellular, Plasma Cell	18 [2.5]	6 [3.0]	12 [2.8]	10 [2.3]	9 [2.4]
Inflammation	- 1 - 1	1 [2.0]	r -1	- 1 -1	- 1
Lymph Node, Mesenteric	(48)	(48)	(48)	(47)	(47)
Degeneration, Cystic	5 [3.2]	4 [2.3]	2 [2.5]	2 [4.0]	3 [2.3]
Hemorrhage	3 [2.0]	3 [2.3]	[]	1 [2.0]	1 [2.0]
Hyperplasia, Lymphoid	4 [2.0]	- [1	1 [2.0]	2 [2.0]	2 [2.5]
Infiltration Cellular, Plasma Cell	r1	1 [3.0]	r1	[1	r - 1
Medulla, Sinus, Dilatation		1 [3.0]		1 [2.0]	1 [3.0]

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: RATS/F 344/NCTR

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Acrylamide

CAS Number: 79-06-1

Time Report Requested: 14:38:46 First Dose M/F: 05/23/05 / 05/23/05

FISCHER 344 RATS-NCTR RATS MALE	0.70 ACRYL	0.35 ACRYL	0.175 ACRYL	0.0875 ACRYL	CONTROL WATER	
Spleen	(48)	(48)	(47)	(48)	(48)	
Accessory Spleen	2	4	, ,	2	, ,	
Congestion			1 [3.0]			
Developmental Malformation			1			
Hematopoietic Cell Proliferation		1 [3.0]	4 [2.3]	3 [3.7]	3 [2.3]	
Hyperplasia, Lymphoid			1 [2.0]	1 [2.0]		
Infarct	9	10	11	10	4	
Pigmentation	1 [2.0]	3 [2.7]	4 [2.8]	3 [2.3]	3 [2.7]	
Capsule, Hematocyst		1				
Red Pulp, Atrophy	4 [2.5]	3 [3.0]	2 [2.5]	1 [3.0]	1 [4.0]	
Thymus	(47)	(48)	(46)	(47)	(45)	
Atrophy	43 [2.3]	35 [2.3]	40 [2.2]	41 [2.3]	40 [2.4]	
Cyst	1	1			1	
INTEGUMENTARY SYSTEM						
Mammary Gland	(44)	(43)	(43)	(44)	(44)	
Galactocele	9	11	7	10	3	
Inflammation			1 [3.0]			
Lactation	19 [2.3]	23 [2.1]	19 [2.1]	19 [2.0]	17 [2.0]	
Alveolus, Hyperplasia	10 [2.2]	14 [1.9]	12 [2.3]	13 [2.1]	11 [2.4]	
Skin	(48)	(48)	(48)	(48)	(48)	
Abscess	1 [4.0]					
Cyst Epithelial Inclusion	1	2		2		
Inflammation			1 [2.0]	1 [4.0]		
Ulcer				2 [4.0]		
Epidermis, Hyperplasia			1 [2.0]			
Fat, Subcutaneous Tissue, Necrosis	1 [3.0]				1 [3.0]	
Subcutaneous Tissue, Metaplasia, Osseous	- ·	1 [2.0]			- •	
Tail, Hyperkeratosis	1 [2.0]					
MUSCULOSKELETAL SYSTEM						
Bone	(1)	(1)	(0)	(1)	(1)	
Cranium, Fracture	1	(· /	(-)	(- /	(-)	
	•					

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Test Type: CHRONIC
Route: DOSED WATER

Species/Strain: RATS/F 344/NCTR

Acrylamide CAS Number: 79-06-1

Time Report Requested: 14:38:46 First Dose M/F: 05/23/05 / 05/23/05

FISCHER 344 RATS-NCTR RATS MALE	0.70 ACRYL	0.35 ACRYL	0.175 ACRYL	0.0875 ACRYL	CONTROL WATER
Vertebra, Fracture		1		1	1
Bone, Femur	(48)	(48)	(48)	(48)	(48)
Fibrous Osteodystrophy	,	,	,	2 [2.5]	1 [3.0]
Skeletal Muscle	(48)	(48)	(48)	(48)	(48)
NERVOUS SYSTEM					
Brain, Brain Stem	(48)	(48)	(48)	(48)	(48)
Gliosis, Focal					1 [1.0]
Hemorrhage		1 [2.0]	1 [1.0]	1 [4.0]	
Hypothalamus, Compression	9 [2.1]	16 [2.4]	13 [2.3]	13 [2.5]	6 [2.3]
Ventricle, Dilatation	-		1 [2.0]	1 [2.0]	1 [2.0]
Brain, Cerebellum	(48)	(48)	(48)	(48)	(48)
Hemorrhage	1 [2.0]				
Brain, Cerebrum	(48)	(48)	(48)	(48)	(48)
Hemorrhage	1 [1.0]				
Hydrocephalus	1 [2.0]		1 [1.0]	2 [2.0]	
Mineralization					1 [1.0]
Necrosis, Focal				1 [4.0]	
Thrombosis				1 [2.0]	
Perivascular, Infiltration Cellular, Mixed Cell, Focal			1 [1.0]		
Ventricle, Dilatation	1 [2.0]	5 [2.0]	6 [2.0]	5 [2.0]	1 [2.0]
Peripheral Nerve, Sciatic	(48)	(48)	(48)	(48)	(48)
Axon, Degeneration	23 [1.0]	11 [1.0]	7 [1.0]	7 [1.0]	5 [1.0]
Spinal Cord, Cervical	(48)	(48)	(47)	(48)	(47)
Degeneration, Focal	1 [2.0]				
Hemorrhage			1 [1.0]		
Axon, Degeneration	19 [1.0]	22 [1.0]	20 [1.0]	22 [1.0]	20 [1.0]
Nerve, Degeneration			3 [1.0]	1 [1.0]	2 [1.0]
Spinal Cord, Lumbar	(48)	(48)	(47)	(48)	(47)
Cyst					1
Gliosis, Focal				1 [1.0]	
Axon, Degeneration	1 [1.0]	1 [1.0]	5 [1.0]	4 [1.0]	6 [1.0]
Nerve, Degeneration	16 [1.1]	16 [1.0]	20 [1.0]	20 [1.1]	16 [1.1]

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: RATS/F 344/NCTR

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Acrylamide CAS Number: 79-06-1

Time Report Requested: 14:38:46 First Dose M/F: 05/23/05 / 05/23/05

Openics/Ottain: 10/110/11 044/110/11					Lab: NOTIC	
FISCHER 344 RATS-NCTR RATS MALE	0.70 ACRYL	0.35 ACRYL	0.175 ACRYL	0.0875 ACRYL	CONTROL WATER	
Spinal Cord, Thoracic Hemorrhage, Focal	(48)	(48)	(47) 1 [1.0]	(48)	(47)	
Axon, Degeneration Nerve, Degeneration	21 [1.0]	32 [1.0] 2 [1.0]	25 [1.0] 2 [1.0]	18 [1.0] 1 [1.0]	22 [1.0] 4 [1.0]	
RESPIRATORY SYSTEM						
Lung	(48)	(48)	(48)	(48)	(48)	
Granuloma		1 [2.0]	1 [1.0]		2 [2.0]	
Hemorrhage	1 [2.0]					
Inflammation	5 [2.6]	1 [2.0]	2 [2.0]	2 [2.0]		
Alveolar Epithelium, Hyperplasia	4 [2.5]		5 [2.6]	2 [1.5]	1 [2.0]	
Alveolus, Infiltration Cellular, Histiocyte	4 [2.0]	6 [1.3]	6 [2.0]	4 [1.5]	6 [1.3]	
Nose	(48)	(48)	(48)	(48)	(48)	
Fungus				1	1	
Inflammation	1 [2.0]	6 [2.3]	8 [1.6]	3 [2.0]	2 [2.5]	
Keratin Cyst					1	
Trachea	(48)	(48)	(48)	(48)	(48)	
Inflammation, Chronic				1 [2.0]		
Epithelium, Hyperplasia				1 [2.0]		
SPECIAL SENSES SYSTEM						
Eye	(45)	(46)	(47)	(47)	(44)	
Cataract	(,	,	1	1	
Phthisis Bulbi		1			1	
Cornea, Inflammation				1 [2.0]		
Retina, Degeneration	10 [2.0]	2 [3.5]	3 [2.0]	2 [3.0]	2 [2.5]	
Sclera, Metaplasia, Osseous	4 [2.0]	1 [2.0]	1 [3.0]	3 [1.7]	8 [2.1]	
Harderian Gland	(48)	(48)	(48)	(48)	(48)	
Infiltration Cellular, Lymphocyte	9 [1.1]	2 [1.0]	7 [1.0]	8 [1.1]	7 [1.4]	
Zymbal's Gland	(1)	(1)	(0)	(2)	(1)	
	, ,	• •	• •	• •	• •	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: RATS/F 344/NCTR

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Acrylamide CAS Number: 79-06-1 Time Report Requested: 14:38:46

First Dose M/F: 05/23/05 / 05/23/05

Lab: NCTR

SCHER 344 RATS-NCTR RATS MALE	0.70 ACRYL	0.35 ACRYL	0.175 ACRYL	0.0875 ACRYL	CONTROL WATER
RINARY SYSTEM					
KINAKT STSTEW					
Kidney	(48)	(48)	(48)	(48)	(47)
Accumulation, Hyaline Droplet		1 [4.0]			
Cyst			1	1	1
Hydronephrosis		2 [2.0]		2 [2.0]	1 [2.0]
Infarct				1 [3.0]	
Nephropathy	46 [2.5]	48 [2.6]	47 [2.7]	45 [2.6]	46 [2.7]
Pigmentation		1 [3.0]			
Cortex, Inflammation, Chronic		1 [2.0]		1 [2.0]	
Urethra	(1)	(0)	(1)	(0)	(0)
Bulbourethral Gland, Dilatation			1 [2.0]		
Bulbourethral Gland, Inflammation	1 [4.0]				
Urinary Bladder	(48)	(48)	(48)	(48)	(46)
Calculus Gross Observation				1	
Dilatation	1 [4.0]		2 [2.5]	3 [3.3]	3 [3.3]
Hemorrhage	1 [2.0]				

*** END OF MALE ***

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Acrylamide CAS Number: 79-06-1 Time Report Requested: 14:38:46 First Dose M/F: 05/23/05 / 05/23/05

Lab: NCTR

FISCHER 344 RATS-NCTR RATS FEMALE	0.70 ACRYL	0.35 ACRYL	0.175 ACRYL	0.0875 ACRYL	CONTROL WATER	
Disposition Summary						
•						
Animals Initially In Study	48	48	48	48	48	
Early Deaths						
Moribund Sacrifice	23	14	17	13	8	
Natural Death	2	5	2	2	3	
Survivors						
Moribund Sacrifice	10	6	7	5	2	
Natural Death			1		1	
Terminal Sacrifice	13	23	21	28	34	
Animals Examined Microscopically	48	48	48	48	48	
ALIMENTARY SYSTEM						
Esophagus	(48)	(48)	(48)	(48)	(48)	
Inflammation	1 [4.0]		, ,	` ,	, ,	
Intestine Large, Cecum	(47)	(46)	(48)	(48)	(47)	
Lymphoid Tissue, Hyperplasia	,	,	,	1 [2.0]	1 [3.0]	
Mucosa, Hyperplasia					1 [2.0]	
Intestine Large, Colon	(47)	(47)	(48)	(48)	(46)	
Diverticulum	,	,	,	1	,	
Intestine Small, Duodenum	(47)	(46)	(48)	(48)	(48)	
Intestine Small, Ileum	(46)	(46)	(48)	(48)	(47)	
Lymphoid Tissue, Hyperplasia	1 [4.0]	1 [3.0]	1 [3.0]	2 [2.5]	2 [3.0]	
Intestine Small, Jejunum	(46)	(45)	(48)	(48)	(46)	
Keratin Cyst	`1´	,	,	,	,	
Liver	(48)	(48)	(48)	(48)	(48)	
Angiectasis	,	1 [2.0]	3 [2.0]	2 [2.0]	1 [1.0]	
Apoptosis	1					
Basophilic Focus		2	1		1	
Basophilic Focus, Multiple	19	23	25	25	29	
Degeneration, Cystic	2 [3.5]	2 [2.5]	1 [2.0]	-		
Eosinophilic Focus	1	7	8	3	7	
Eosinophilic Focus, Multiple	3	4	1	2	1	
Granuloma	11 [1.7]	18 [1.8]	15 [1.9]	15 [1.9]	18 [1.7]	
Hematopoietic Cell Proliferation	5 [2.0]	2 [2.5]	4 [1.0]	r - 1	1 [3.0]	
1	> [=·-1	[]	F 3		F1	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Route: DOSED WATER

Species/Strain: RATS/F 344/NCTR

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Acrylamide CAS Number: 79-06-1 Time Report Requested: 14:38:46 First Dose M/F: 05/23/05 / 05/23/05

FISCHER 344 RATS-NCTR RATS FEMALE	0.70 ACRYL	0.35 ACRYL	0.175 ACRYL	0.0875 ACRYL	CONTROL WATER	
Hepatodiaphragmatic Nodule	3	1	2	4	3	
Infiltration Cellular, Lymphocyte	3 [1.0]	•	_	1 [2.0]	1 [1.0]	
Inflammation	1 [2.0]			1 [2.0]	. []	
Necrosis, Coagulative	,		2 [2.0]	1		
Regeneration	2 [3.5]		_ []	2 [4.0]	1 [4.0]	
Tension Lipidosis	1			,	,	
Thrombosis			1 [3.0]			
Vacuolization Cytoplasmic	4 [2.5]	3 [3.7]	7 [2.7]	6 [2.0]	7 [1.7]	
Bile Duct, Hyperplasia	5 [1.6]	4 [2.0]	4 [1.5]	8 [1.8]	7 [1.1]	
Biliary Tract, Cyst					1	
Capsule, Fibrosis			1 [1.0]	1 [2.0]		
Centrilobular, Cytoplasmic Alteration	1 [3.0]	1 [3.0]				
Centrilobular, Necrosis	3 [2.0]	1 [2.0]	1 [4.0]	1 [3.0]	2 [3.0]	
Hepatocyte, Hyperplasia	3 [2.7]		1 [3.0]			
Left Lateral Lobe, Developmental Malformation	2	6	4	10	9	
Median Lobe, Developmental Malformation		1		1	1	
Oval Cell, Hyperplasia	1 [3.0]					
Right Lateral Lobe, Developmental Malformation	1			1	1	
Mesentery	(5)	(4)	(10)	(9)	(7)	
Accessory Spleen			1			
Fat, Necrosis	4 [3.3]	4 [3.3]	6 [3.0]	9 [2.7]	5 [2.6]	
Oral Mucosa	(7)	(3)	(2)	(2)	(0)	
Hyperplasia	2 [2.5]	1 [2.0]				
Pancreas	(48)	(47)	(48)	(48)	(48)	
Accessory Spleen		1			1	
Infiltration Cellular, Lymphocyte					1 [3.0]	
Inflammation	2 [2.0]					
Polyarteritis				1 [4.0]		
Acinar Cell, Atrophy	8 [1.6]	6 [1.7]	10 [1.5]	16 [1.7]	20 [1.7]	
Salivary Glands	(48)	(48)	(48)	(48)	(48)	
Stomach, Forestomach	(48)	(48)	(48)	(48)	(48)	
Edema	1 [3.0]	1 [3.0]	•	2 [3.0]	1 [3.0]	
Hyperplasia	2 [2.5]	3 [2.3]	1 [3.0]	3 [2.0]	1 [2.0]	
Inflammation	1 [3.0]	· -	2 [3.0]		1 [2.0]	
Ulcer	2 [3.0]	1 [3.0]	1 [3.0]	1 [2.0]		
Oicei	2 [3.0]	1 [3.0]	1 [3.0]	1 [2.0]		

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Route: DOSED WATER

Species/Strain: RATS/F 344/NCTR

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Acrylamide CAS Number: 79-06-1 Time Report Requested: 14:38:46 First Dose M/F: 05/23/05 / 05/23/05

FISCHER 344 RATS-NCTR RATS FEMALE	0.70 ACRYL	0.35 ACRYL	0.175 ACRYL	0.0875 ACRYL	CONTROL WATER
Stomach, Glandular	(48)	(48)	(48)	(48)	(48)
Edema			1 [4.0]		
Hemorrhage	1 [2.0]				
Inflammation	1 [2.0]		1 [2.0]		
Tongue	(3)	(1)	(0)	(0)	(0)
Hyperplasia	1 [2.0]				
CARDIOVASCULAR SYSTEM					
Heart	(48)	(48)	(48)	(48)	(48)
Cardiomyopathy	30 [2.0]	37 [1.7]	26 [1.8]	42 [1.8]	35 [1.9]
Infiltration Cellular, Lymphocyte					1 [1.0]
Inflammation	1 [3.0]				
Mineralization					1 [2.0]
Atrium, Thrombosis	3	1			3
Myocardium, Hyperplasia	1 [4.0]				
ENDOCRINE SYSTEM					
Adrenal Cortex	(48)	(48)	(48)	(48)	(48)
Accessory Adrenal Cortical Nodule	1	,	,	. ,	1
Angiectasis	20 [2.1]	23 [2.1]	29 [2.2]	26 [2.2]	37 [2.3]
Atrophy				1 [4.0]	1 [3.0]
Hematopoietic Cell Proliferation					1 [3.0]
Hyperplasia, Focal	2 [2.0]	1 [2.0]	2 [1.5]	1 [2.0]	
Hypertrophy, Focal	10 [2.5]	4 [2.3]	5 [2.6]	5 [2.4]	4 [2.0]
Infarct				1 [2.0]	
Thrombosis	1 [3.0]				
Vacuolization Cytoplasmic	9 [2.6]	5 [2.6]	5 [3.2]	5 [2.6]	2 [3.5]
Adrenal Medulla	(48)	(47)	(48)	(48)	(48)
Angiectasis		1 [2.0]	1 [1.0]		1 [2.0]
Hyperplasia, Focal	1 [2.0]	1 [2.0]	1 [3.0]		3 [1.7]
Hypertrophy, Focal				1 [2.0]	
Islets, Pancreatic	(48)	(47)	(48)	(48)	(48)
Parathyroid Gland	(46)	(46)	(45)	(47)	(47)

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Route: DOSED WATER

Species/Strain: RATS/F 344/NCTR

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Acrylamide CAS Number: 79-06-1

Time Report Requested: 14:38:46 First Dose M/F: 05/23/05 / 05/23/05

FISCHER 344 RATS-NCTR RATS FEMALE	0.70 ACRYL	0.35 ACRYL	0.175 ACRYL	0.0875 ACRYL	CONTROL WATER	
Pituitary Gland	(48)	(48)	(47)	(48)	(48)	
Angiectasis	(15)	2 [2.5]	2 [2.0]	(1-7)	1 [3.0]	
Pars Distalis, Cyst	4	1	2	2	2	
Pars Distalis, Hyperplasia	4 [2.3]	4 [3.3]	1 [4.0]	8 [2.8]	4 [3.5]	
Pars Intermedia, Cyst			1	1		
Pars Nervosa, Cyst					1	
Thyroid Gland	(47)	(48)	(48)	(48)	(48)	
C-cell, Hyperplasia	6 [2.3]	6 [1.5]	5 [1.8]	4 [1.5]	15 [1.6]	
Follicle, Cyst	1	1		1		
Follicular Cell, Hyperplasia	2 [2.5]	1 [3.0]				
GENERAL BODY SYSTEM						
Tissue NOS	(1)	(0)	(1)	(0)	(0)	
GENITAL SYSTEM		,				
Clitoral Gland	(47)	(48)	(47)	(48)	(48)	
Hyperplasia	1 [2.0]	1 [3.0]	,	,	,	
Inflammation	22 [2.3]	28 [2.3]	22 [2.4]	24 [2.2]	29 [2.4]	
Duct, Ectasia	16 [2.9]	10 [2.9]	9 [2.4]	10 [2.5]	12 [2.6]	
Ovary	(48)	(48)	(48)	(48)	(48)	
Atrophy	43 [2.6]	44 [2.8]	43 [2.5]	41 [2.3]	38 [2.4]	
Cyst	5	3	3	5	4	
Infiltration Cellular, Histiocyte					1 [3.0]	
Infiltration Cellular, Lymphocyte					1 [3.0]	
Uterus	(48)	(48)	(48)	(48)	(48)	
Angiectasis			1 [3.0]			
Inflammation		2 [1.5]		1 [2.0]	1 [2.0]	
Prolapse		1				
Thrombosis					1	
Bilateral, Horn, Dilatation				1 [4.0]		
Cervix, Mucocyte, Metaplasia	1 [3.0]		1 [4.0]			
Cervix, Muscularis, Hypertrophy				1 [3.0]		
Endometrial Glands, Hyperplasia			1 [2.0]	2 [2.5]		

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Species/Strain: RATS/F 344/NCTR

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Test Type: CHRONIC
Route: DOSED WATER

Acrylamide CAS Number: 79-06-1

Time Report Requested: 14:38:46 First Dose M/F: 05/23/05 / 05/23/05

FISCHER 344 RATS-NCTR RATS FEMALE	0.70 ACRYL	0.35 ACRYL	0.175 ACRYL	0.0875 ACRYL	CONTROL WATER
Endometrium, Hyperplasia, Cystic	12 [1.8]	15 [1.9]	8 [2.1]	10 [1.8]	8 [2.3]
Horn, Dilatation	1 [3.0]		1 [2.0]	1 [2.0]	2 [2.5]
Vagina	(5)	(4)	(1)	(4)	(1)
Dilatation	1	()	()	()	,
Inflammation		2 [2.0]		1 [2.0]	
Mucocyte, Metaplasia	3 [3.0]	2 [3.5]	1 [3.0]	4 [3.3]	1 [3.0]
HEMATOPOIETIC SYSTEM					
Bone Marrow	(48)	(47)	(48)	(48)	(48)
Atrophy	3 [2.3]	1 [4.0]	3 [1.7]	4 [2.8]	3 [2.7]
Hyperplasia	3 [2.3]	2 [2.5]	1 [3.0]	1 [2.0]	
Thrombosis			1		
Myeloid Cell, Hyperplasia	1 [2.0]	1 [2.0]			
Lymph Node	(9)	(6)	(10)	(9)	(7)
Degeneration, Cystic		1 [2.0]			
Axillary, Infiltration Cellular, Plasma Cell	1 [3.0]				
Iliac, Degeneration, Cystic	1 [4.0]				
Lumbar, Degeneration, Cystic	1 [4.0]			2 [2.5]	
Lumbar, Medulla, Sinus, Dilatation	1 [3.0]				
Mediastinal, Hemorrhage	1 [3.0]				
Mediastinal, Hyperplasia, Lymphoid	1 [3.0]		1 [2.0]		
Mediastinal, Inflammation		1 [3.0]			
Mediastinal, Pigmentation	1 [3.0]				1 [3.0]
Mediastinal, Medulla, Sinus, Dilatation	1 [3.0]			1 [3.0]	
Medulla, Pancreatic, Sinus, Dilatation					1 [3.0]
Pancreatic, Necrosis	1 [3.0]				
Renal, Degeneration, Cystic	1 [2.0]				
Renal, Hemorrhage			1 [2.0]	1 [2.0]	1 [2.0]
Renal, Hyperplasia, Lymphoid	1 [3.0]		-	1 [2.0]	1 [3.0]
Lymph Node, Mandibular	(48)	(48)	(48)	(48)	(48)
Atrophy, Lymphocyte					1 [3.0]
Degeneration, Cystic	4 [1.8]	2 [2.0]	5 [1.8]	6 [1.8]	7 [1.9]
Hyperplasia, Lymphoid	1 [2.0]		2 [2.0]		1 [2.0]
Infiltration Cellular, Plasma Cell	8 [2.3]	6 [2.7]	2 [2.0]	7 [2.4]	4 [3.0]

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Route: DOSED WATER

Species/Strain: RATS/F 344/NCTR

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Acrylamide
CAS Number: 79-06-1

Time Report Requested: 14:38:46 First Dose M/F: 05/23/05 / 05/23/05

FISCHER 344 RATS-NCTR RATS FEMALE	0.70 ACRYL	0.35 ACRYL	0.175 ACRYL	0.0875 ACRYL	CONTROL WATER	
Medulla, Sinus, Dilatation	1 [2.0]				1 [2.0]	
Lymph Node, Mesenteric	(48)	(47)	(48)	(47)	(48)	
Degeneration, Cystic	1 [4.0]	3 [3.3]	1 [1.0]			
Hemorrhage	1 [2.0]		1 [2.0]	1 [3.0]	1 [2.0]	
Hyperplasia, Lymphoid		1 [2.0]	1 [2.0]	1 [2.0]	2 [2.0]	
Infiltration Cellular, Histiocyte				1 [3.0]		
Infiltration Cellular, Mast Cell				1 [2.0]		
Lymphocyte, Atrophy	1 [3.0]			2 [3.5]	1 [4.0]	
Medulla, Sinus, Dilatation			1 [3.0]			
Spleen	(48)	(48)	(48)	(48)	(48)	
Accessory Spleen	, ,	. ,	1		, ,	
Hematopoietic Cell Proliferation	15 [3.0]	7 [3.0]	7 [2.7]	10 [2.4]	8 [2.9]	
Hyperplasia, Lymphoid					1 [3.0]	
Infarct	3					
Pigmentation	5 [2.4]	6 [2.2]	4 [2.3]	6 [2.2]	3 [2.3]	
Capsule, Proliferation Connective Tissue		1 [3.0]				
Red Pulp, Atrophy	1 [3.0]	2 [2.0]	1 [2.0]	1 [2.0]	1 [3.0]	
Red Pulp, Hyperplasia		2 [2.5]				
Thymus	(46)	(45)	(45)	(47)	(47)	
Atrophy	40 [2.2]	39 [2.2]	40 [2.2]	44 [2.2]	44 [2.2]	
Cyst	1	1	3	1	4	
Hemorrhage					1 [2.0]	
Infiltration Cellular, Polymorphonuclear				1 [4.0]		
INTEGUMENTARY SYSTEM						
Mammary Gland	(48)	(47)	(46)	(48)	(48)	
Galactocele	6	2	5	9	6	
Inflammation	1 [3.0]		1 [3.0]			
Lactation	23 [2.0]	22 [2.0]	27 [2.3]	30 [2.3]	23 [1.9]	
Alveolus, Hyperplasia	26 [2.5]	29 [2.4]	33 [2.4]	37 [2.2]	37 [2.2]	
Skin	(48)	(48)	(48)	(48)	(48)	
Fibrosis			1 [3.0]			
Inflammation		1 [4.0]	3 [2.3]	2 [2.5]	1 [3.0]	
Ulcer		1 [4.0]	1 [2.0]		2 [2.5]	
		• =	• =		=	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Route: DOSED WATER

Species/Strain: RATS/F 344/NCTR

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Acrylamide CAS Number: 79-06-1

Time Report Requested: 14:38:46 First Dose M/F: 05/23/05 / 05/23/05

Opecies/otrain: NATO/1 344/NOTN					Lab. NOTIC	
FISCHER 344 RATS-NCTR RATS FEMALE	0.70 ACRYL	0.35 ACRYL	0.175 ACRYL	0.0875 ACRYL	CONTROL WATER	
Epidermis, Hyperplasia		1 [2.0]			1 [2.0]	
Epidermis, Necrosis				2 [2.0]		
Tail, Hyperkeratosis					1 [4.0]	
MUSCULOSKELETAL SYSTEM			,			
Bone	(1)	(0)	(0)	(0)	(0)	
Bone, Femur	(48)	(48)	(48)	(48)	(48)	
Fibrous Osteodystrophy	` ,		` '		1 [2.0]	
Osteopetrosis	3 [3.0]	6 [3.0]	2 [3.0]	2 [3.5]	5 [3.0]	
Skeletal Muscle	(48)	(48)	(48)	(48)	(48)	
NERVOUS SYSTEM						
Brain, Brain Stem	(48)	(48)	(48)	(48)	(48)	
Gliosis, Focal					1 [1.0]	
Hemorrhage			1 [3.0]			
Infiltration Cellular, Mononuclear Cell		1 [1.0]				
Hypothalamus, Compression	8 [2.4]	8 [2.1]	10 [2.1]	13 [2.5]	10 [2.2]	
Brain, Cerebellum	(48)	(48)	(48)	(48)	(48)	
Brain, Cerebrum	(48)	(48)	(48)	(48)	(48)	
Compression	1 [2.0]					
Gliosis, Focal	1 [2.0]			1 [2.0]		
Ventricle, Dilatation	2 [2.0]	1 [2.0]		2 [2.0]	1 [2.0]	
Peripheral Nerve, Sciatic	(48)	(48)	(48)	(48)	(48)	
Axon, Degeneration	19 [1.0]	4 [1.0]	1 [1.0]	3 [1.0]	4 [1.0]	
Spinal Cord	(0)	(1)	(0)	(0)	(0)	
Keratin Cyst		1				
Spinal Cord, Cervical	(48)	(48)	(48)	(48)	(48)	
Cyst	1					
Gliosis, Focal	1 [2.0]					
Hemorrhage		2 [2.0]				
Axon, Degeneration	10 [1.0]	16 [1.0]	15 [1.0]	18 [1.0]	22 [1.0]	
Nerve, Degeneration		1 [1.0]			2 [1.0]	
Spinal Cord, Lumbar	(48)	(48)	(48)	(48)	(48)	
	\ -/		· -/	· -/	` '	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Metaplasia

Route: DOSED WATER

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Acrylamide **CAS Number:** 79-06-1 Time Report Requested: 14:38:46 First Dose M/F: 05/23/05 / 05/23/05

Species/Strain: RATS/F 344/NCTR		5/10 Huill	Lab: NCTR		
FISCHER 344 RATS-NCTR RATS FEMALE	0.70 ACRYL	0.35 ACRYL	0.175 ACRYL	0.0875 ACRYL	CONTROL WATER
Gliosis, Focal	2 [2.0]		1 [1.0]		
Axon, Degeneration	2 [1.0]	1 [1.0]	4 [1.0]	2 [1.0]	1 [1.0]
Nerve, Degeneration	15 [1.0]	16 [1.0]	17 [1.1]	21 [1.1]	16 [1.1]
Spinal Cord, Thoracic	(48)	(48)	(48)	(48)	(48)
Gliosis, Focal	1 [1.0]	(1-5)	(10)	(/	()
Axon, Degeneration	16 [1.0]	15 [1.0]	20 [1.0]	22 [1.0]	18 [1.0]
Nerve, Degeneration	1 [1.0]		20 []	1 [1.0]	1 [1.0]
RESPIRATORY SYSTEM					
Lung	(48)	(48)	(48)	(48)	(48)
Foreign Body		1			
Granuloma	4 [2.0]	4 [2.0]	9 [1.8]	5 [1.8]	6 [1.3]
Inflammation	4 [1.8]	3 [2.0]	4 [2.0]	1 [2.0]	1 [2.0]
Alveolar Epithelium, Hyperplasia	2 [3.0]	1 [4.0]			1 [2.0]
Alveolus, Infiltration Cellular, Histiocyte	8 [1.6]	10 [1.6]	10 [1.5]	7 [1.7]	13 [1.8]
Nose	(48)	(48)	(48)	(48)	(47)
Foreign Body		2 [2.5]			
Fungus	1				
Inflammation	8 [1.9]	8 [2.5]	7 [1.6]	6 [1.8]	5 [2.2]
Osteopetrosis	2 [3.0]	4 [2.3]	1 [3.0]	2 [3.0]	3 [2.3]
SPECIAL SENSES SYSTEM					
Eye	(46)	(45)	(47)	(48)	(45)
Cataract	1	1	3	2	
Phthisis Bulbi		1	1		
Retina, Degeneration	23 [2.1]	21 [1.8]	16 [2.2]	16 [1.7]	14 [1.6]
Sclera, Metaplasia, Osseous	1 [2.0]		1 [2.0]		2 [2.0]
Harderian Gland	(48)	(48)	(48)	(48)	(48)
Atrophy				1 [2.0]	1 [3.0]
Infiltration Cellular, Lymphocyte	17 [1.4]	17 [1.5]	17 [1.4]	17 [1.2]	14 [1.0]
Inflammation	1 [2.0]	1 [2.0]		1 [2.0]	1 [1.0]
Lacrimal Gland	(1)	(0)	(1)	(1)	(0)
		* *			

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

1 [2.0]

1 [2.0]

Test Type: CHRONIC

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/15/2010 AVERAGE SEVERITY GRADES[b]

Acrylamide CAS Number: 79-06-1

Time Report Requested: 14:38:46 First Dose M/F: 05/23/05 / 05/23/05

Lab: NCTR

FISCHER 344 RATS-NCTR RATS FEMALE	0.70 ACRYL	0.35 ACRYL	0.175 ACRYL	0.0875 ACRYL	CONTROL WATER	
Zymbal's Gland Hyperplasia	(3) 1 [3.0]	(0)	(0)	(1)	(0)	
URINARY SYSTEM						
Kidney	(48)	(48)	(48)	(48)	(48)	
Accumulation, Hyaline Droplet		1 [3.0]				
Cyst	2					
Hydronephrosis	1 [2.0]			1 [2.0]		
Infarct				1 [2.0]		
Infiltration Cellular, Lymphocyte				1 [2.0]		
Mineralization	24 [1.5]	24 [1.8]	22 [1.7]	21 [1.8]	21 [1.8]	
Nephropathy	26 [1.7]	33 [1.7]	32 [1.8]	34 [2.1]	44 [1.8]	
Pigmentation		2 [3.0]				
Cortex, Inflammation, Chronic		1 [2.0]				
Renal Tubule, Necrosis			1 [3.0]			
Urinary Bladder	(47)	(48)	(48)	(48)	(48)	
Dilatation	1 [4.0]	3 [3.0]		1 [4.0]	1 [3.0]	
Infiltration Cellular, Lymphocyte	1 [1.0]		1 [1.0]		2 [1.0]	

^{***} END OF REPORT ***

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)