

Experiment Number: 96019-02
Test Type: 14-DAY
Route: DOSED WATER
Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY
Test Compound: Water disinfection byproducts (Bromochloroacetic acid)
CAS Number: 5589-96-8

Date Report Requested: 10/19/2014
Time Report Requested: 23:03:20
First Dose M/F: NA / NA
Lab: SRI

C Number:	C96019
Lock Date:	10/09/2000
Cage Range:	All
Date Range:	All
Reasons For Removal:	All
Removal Date Range:	All
Treatment Groups:	All
Study Gender:	Both
PWG Approval Date	NONE

Experiment Number: 96019-02

Test Type: 14-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/19/2014

Time Report Requested: 23:03:20

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: MALE

DOSE LEVEL: 0 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
1	00001	00-90241	Y N
2	00002	00-90242	Y N
3	00003	00-90243	Y N
4	00004	00-90244	Y N
5	00005	00-90245	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96019-02

Test Type: 14-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/19/2014

Time Report Requested: 23:03:20

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: MALE

DOSE LEVEL: 1000 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
26	00026	00-90266	Y N
27	00027	00-90267	Y N
28	00028	00-90268	Y N
29	00029	00-90269	Y N
30	00030	00-90270	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96019-02

Test Type: 14-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/19/2014

Time Report Requested: 23:03:20

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: MALE

DOSE LEVEL: 62.5 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00006	Y N
	00007	Y N
	00010	Y N
	00009	Y N
	00008	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96019-02

Test Type: 14-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/19/2014

Time Report Requested: 23:03:20

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: MALE

DOSE LEVEL: 125 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00011	Y N
	00012	Y N
	00015	Y N
	00014	Y N
	00013	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96019-02

Test Type: 14-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/19/2014

Time Report Requested: 23:03:20

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: MALE

DOSE LEVEL: 250 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00016	Y N
	00017	Y N
	00020	Y N
	00019	Y N
	00018	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96019-02

Test Type: 14-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/19/2014

Time Report Requested: 23:03:20

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: MALE

DOSE LEVEL: 500 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00021	Y N
	00022	Y N
	00025	Y N
	00024	Y N
	00023	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96019-02

Test Type: 14-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/19/2014

Time Report Requested: 23:03:20

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: FEMALE

DOSE LEVEL: 0 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
31	00031	00-90271	Y N
32	00032	00-90272	Y N
33	00033	00-90273	Y N
34	00034	00-90274	Y N
35	00035	00-90275	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96019-02

Test Type: 14-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/19/2014

Time Report Requested: 23:03:20

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: FEMALE

DOSE LEVEL: 1000 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
56	00056	00-90296	Y N
57	00057	00-90297	Y N
58	00058	00-90298	Y N
59	00059	00-90299	Y N
60	00060	00-90300	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96019-02

Test Type: 14-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/19/2014

Time Report Requested: 23:03:20

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: FEMALE

DOSE LEVEL: 62.5 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00036	Y N
	00037	Y N
	00040	Y N
	00039	Y N
	00038	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96019-02

Test Type: 14-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/19/2014

Time Report Requested: 23:03:20

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: FEMALE

DOSE LEVEL: 125 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00041	Y N
	00042	Y N
	00045	Y N
	00044	Y N
	00043	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96019-02

Test Type: 14-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/19/2014

Time Report Requested: 23:03:20

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: FEMALE

DOSE LEVEL: 250 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00046	Y N
	00047	Y N
	00050	Y N
	00049	Y N
	00048	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96019-02

Test Type: 14-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/19/2014

Time Report Requested: 23:03:20

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: FEMALE

DOSE LEVEL: 500 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00051	Y N
	00052	Y N
	00055	Y N
	00054	Y N
	00053	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)