

Experiment Number: 96019-03

Test Type: 90-DAY

Species/Strain: Rat/F 344/N

E08 : Water and Compound Consumption Table

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/19/2014

Time Report Requested: 16:38:11

First Dose M/F: NA / NA

Lab: SRI

C Number:	C96019
Lock Date:	07/13/2001
Cage Range:	All
Date Range:	All
Reasons For Removal:	All
Removal Date Range:	All
Treatment Groups:	All
Study Gender:	Both
PWG Approval Date	NONE

Experiment Number: 96019-03

Test Type: 90-DAY

Species/Strain: Rat/F 344/N

E08 : Water and Compound Consumption Table

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/19/2014

Time Report Requested: 16:38:11

First Dose M/F: NA / NA

Lab: SRI

MALE

week	0 MG/L				62.5 MG/L						125 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	15.9	1462	112.3	10	16.2	1462	110.7	10	1.02	9.1	17.1	969	112.3	10	1.08	19.0
2	16.1	1174	136.5	10	17.0	694	144.4	10	1.06	7.4	17.6	694	149.5	10	1.09	14.7
3	16.8	1202	177.6	10	17.2	1686	182.8	10	1.02	5.9	17.1	1685	189.0	10	1.02	11.3
4	18.1	1686	206.8	10	20.5	1342	205.9	10	1.13	6.2	19.2	1686	208.8	10	1.06	11.5
5	16.8	1710	228.7	10	18.4	855	236.6	10	1.10	4.9	17.1	1710	238.4	10	1.02	9.0
6	15.3	1650	243.7	10	15.7	1650	251.3	10	1.03	3.9	15.8	1650	253.5	10	1.03	7.8
7	16.0	1663	258.6	10	15.7	1664	262.6	10	0.98	3.7	16.2	1668	265.9	10	1.01	7.6
8	15.5	1710	270.9	10	14.8	1708	271.8	10	0.95	3.4	16.0	1708	278.0	10	1.03	7.2
9	16.5	1664	281.6	10	14.8	1664	276.0	10	0.90	3.4	16.2	1666	287.0	10	0.98	7.1
10	17.7	1648	295.9	10	13.5	1648	280.9	10	0.76	3.0	15.6	1648	298.8	10	0.88	6.5
11	15.7	1728	307.9	10	14.0	1728	289.0	10	0.89	3.0	15.7	1728	308.4	10	1.00	6.4
12	15.6	1684	310.6	10	13.4	1686	297.8	10	0.86	2.8	15.9	1688	314.7	10	1.02	6.3
13	15.5	1674	326.3	10	13.4	1674	302.9	10	0.86	2.8	14.9	1672	323.2	10	0.96	5.8

Experiment Number: 96019-03

Test Type: 90-DAY

Species/Strain: Rat/F 344/N

E08 : Water and Compound Consumption Table

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/19/2014

Time Report Requested: 16:38:12

First Dose M/F: NA / NA

Lab: SRI

MALE

week	250 MG/L						500 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	17.0	1461	111.2	10	1.07	38.2	17.2	1462	112.5	10	1.08	76.4
2	16.9	1174	142.6	10	1.05	29.6	18.0	696	148.9	10	1.12	60.4
3	17.3	1686	182.1	10	1.03	23.8	15.8	1684	182.0	10	0.94	43.4
4	18.3	1199	208.4	10	1.01	22.0	19.3	1684	205.4	10	1.07	47.0
5	17.0	1710	233.1	10	1.01	18.2	18.3	1710	235.4	10	1.09	38.9
6	16.1	1650	253.2	10	1.05	15.9	16.4	1179	255.4	10	1.07	32.1
7	16.6	1666	268.4	10	1.04	15.5	18.2	1668	275.2	10	1.14	33.1
8	16.1	1708	282.5	10	1.04	14.2	17.2	1599	290.1	10	1.11	29.6
9	16.3	1666	293.0	10	0.99	13.9	17.1	1666	300.3	10	1.04	28.5
10	15.9	1648	302.1	10	0.90	13.2	15.6	1648	310.7	10	0.88	25.1
11	15.8	1728	315.2	10	1.01	12.5	15.6	1728	321.9	10	0.99	24.2
12	15.6	1686	324.1	10	1.00	12.0	16.1	1688	328.6	10	1.03	24.5
13	14.6	1672	332.7	10	0.94	11.0	15.4	1672	340.8	10	0.99	22.6

Experiment Number: 96019-03

Test Type: 90-DAY

Species/Strain: Rat/F 344/N

E08 : Water and Compound Consumption Table

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/19/2014

Time Report Requested: 16:38:12

First Dose M/F: NA / NA

Lab: SRI

MALE

week	1000 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	15.9	1461	112.0	10	1.00	142.0
2	17.1	696	140.3	10	1.06	121.9
3	17.5	1684	178.2	10	1.04	98.2
4	18.0	1681	205.9	10	0.99	87.4
5	17.1	1712	228.8	10	1.02	74.7
6	15.5	1648	250.7	10	1.01	61.8
7	18.7	1670	269.4	10	1.17	69.4
8	15.5	1706	285.6	10	1.00	54.3
9	15.5	1666	295.8	10	0.94	52.4
10	15.3	1648	305.8	10	0.86	50.0
11	14.9	1728	317.7	10	0.95	46.9
12	15.7	1688	322.4	10	1.01	48.7
13	15.0	1670	333.2	10	0.97	45.0

Experiment Number: 96019-03

Test Type: 90-DAY

Species/Strain: Rat/F 344/N

E08 : Water and Compound Consumption Table

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/19/2014

Time Report Requested: 16:38:12

First Dose M/F: NA / NA

Lab: SRI

END OF MALE DATA

Experiment Number: 96019-03

Test Type: 90-DAY

Species/Strain: Rat/F 344/N

E08 : Water and Compound Consumption Table

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/19/2014

Time Report Requested: 16:38:12

First Dose M/F: NA / NA

Lab: SRI

FEMALE

week	0 MG/L				62.5 MG/L						125 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	13.7	1218	94.3	10	13.9	1218	93.5	10	1.01	9.3	14.0	1218	92.8	10	1.02	18.9
2	13.3	1654	117.5	10	13.2	1654	114.8	10	0.99	7.2	13.6	1654	116.6	10	1.02	14.6
3	13.4	1686	134.5	10	13.4	1686	134.0	10	1.00	6.3	13.9	1685	135.1	10	1.04	12.9
4	13.4	1686	144.4	10	14.5	1686	147.4	10	1.08	6.1	13.9	1686	146.9	10	1.04	11.8
5	12.7	1710	154.7	10	13.3	1710	154.7	10	1.05	5.4	13.4	1710	156.7	10	1.06	10.7
6	12.3	1650	160.4	10	13.0	1650	164.1	10	1.06	5.0	13.5	1650	165.4	10	1.10	10.2
7	12.8	1561	167.4	10	12.9	1665	171.9	10	1.01	4.7	12.6	1668	171.9	10	0.98	9.2
8	12.0	1710	171.5	10	12.5	1708	177.0	10	1.04	4.4	12.2	1708	176.9	10	1.02	8.6
9	13.1	1664	174.9	10	12.1	1664	181.1	10	0.92	4.2	12.0	1666	180.8	10	0.92	8.3
10	12.0	1648	181.2	10	11.8	1648	186.2	10	0.98	4.0	11.7	1648	186.6	10	0.98	7.8
11	11.7	1728	184.3	10	11.9	1728	189.1	10	1.02	3.9	11.9	1728	191.9	10	1.02	7.8
12	11.4	1684	190.2	10	11.0	1686	193.0	10	0.96	3.6	11.0	1686	194.5	10	0.96	7.1
13	10.8	1674	188.0	10	11.1	1672	192.6	10	1.03	3.6	11.2	1672	193.5	10	1.04	7.2

Experiment Number: 96019-03

Test Type: 90-DAY

Species/Strain: Rat/F 344/N

E08 : Water and Compound Consumption Table

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/19/2014

Time Report Requested: 16:38:12

First Dose M/F: NA / NA

Lab: SRI

FEMALE

week	250 MG/L						500 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	14.2	1218	92.1	10	1.04	38.5	14.2	1219	94.2	10	1.04	75.4
2	14.0	1654	115.5	10	1.05	30.3	13.8	1656	116.4	10	1.04	59.3
3	13.9	1686	134.4	10	1.04	25.9	14.0	1684	134.4	10	1.04	52.1
4	14.6	1686	147.2	10	1.09	24.8	14.5	1197	149.1	10	1.08	48.6
5	13.7	1710	156.4	10	1.08	21.9	14.3	1475	151.9	10	1.13	47.1
6	12.8	1650	164.0	10	1.04	19.5	13.5	1650	163.0	10	1.10	41.4
7	13.6	1422	171.0	10	1.06	19.9	12.6	1668	168.6	10	0.98	37.4
8	11.8	1708	172.3	10	0.98	17.1	12.4	1706	175.5	10	1.03	35.3
9	12.3	1666	177.5	10	0.94	17.3	12.2	1666	177.8	10	0.93	34.3
10	12.0	1648	183.9	10	1.00	16.3	12.2	1648	184.4	10	1.02	33.1
11	11.7	1728	188.3	10	1.00	15.5	12.0	1728	188.4	10	1.03	31.8
12	11.0	1686	191.8	10	0.96	14.3	12.0	1688	191.9	10	1.05	31.3
13	10.6	1672	189.7	10	0.98	14.0	11.2	1672	192.0	10	1.04	29.2

Experiment Number: 96019-03

Test Type: 90-DAY

Species/Strain: Rat/F 344/N

E08 : Water and Compound Consumption Table

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/19/2014

Time Report Requested: 16:38:12

First Dose M/F: NA / NA

Lab: SRI

FEMALE

week	1000 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	13.3	1220	93.7	10	0.97	141.9
2	13.2	1656	114.7	10	0.99	115.1
3	13.5	1684	133.1	10	1.01	101.4
4	14.5	1680	143.9	10	1.08	100.8
5	13.3	1712	153.1	10	1.05	86.9
6	12.9	1648	161.4	10	1.05	79.9
7	12.7	1671	167.4	10	0.99	75.9
8	12.6	1706	171.7	10	1.05	73.4
9	12.5	1666	176.5	10	0.95	70.8
10	12.2	1648	182.9	10	1.02	66.7
11	11.7	1727	185.5	10	1.00	63.1
12	11.2	1688	188.7	10	0.98	59.4
13	11.2	1670	186.3	10	1.04	60.1

Experiment Number: 96019-03

Test Type: 90-DAY

Species/Strain: Rat/F 344/N

E08 : Water and Compound Consumption Table

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/19/2014

Time Report Requested: 16:38:12

First Dose M/F: NA / NA

Lab: SRI

**** END OF REPORT ****