

**Experiment Number:** 96019-04  
**Test Type:** 90-DAY  
**Species/Strain:** Mouse/B6C3F1

**E08 : Water and Compound Consumption Table**  
**Test Compound:** Water disinfection byproducts (Bromochloroacetic acid)  
**CAS Number:** 5589-96-8

**Date Report Requested:** 10/16/2014  
**Time Report Requested:** 13:14:05  
**First Dose M/F:** NA / NA  
**Lab:** SRI

**C Number:** C96019  
**Lock Date:** 07/13/2001  
**Cage Range:** All  
**Date Range:** All  
**Reasons For Removal:** All  
**Removal Date Range:** All  
**Treatment Groups:** All  
**Study Gender:** Both  
**PWG Approval Date** NONE

Experiment Number: 96019-04

Test Type: 90-DAY

Species/Strain: Mouse/B6C3F1

**E08 : Water and Compound Consumption Table**  
Test Compound: Water disinfection byproducts (Bromochloroacetic acid)  
CAS Number: 5589-96-8

Date Report Requested: 10/16/2014

Time Report Requested: 13:14:05

First Dose M/F: NA / NA

Lab: SRI

**MALE**

week	0 MG/L				62.5 MG/L						125 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	4.4	574	21.7	10	4.0	575	22.0	10	0.91	11.4	4.5	667	22.2	10	1.02	25.3
2	4.6	1561	23.9	10	4.6	1583	24.0	10	1.00	12.0	4.6	1616	25.1	10	1.00	22.9
3	4.1	1585	25.3	10	3.9	1680	25.9	10	0.95	9.4	4.2	1635	26.8	10	1.02	19.6
4	3.8	1680	26.7	10	3.6	1659	27.4	10	0.95	8.2	3.9	1680	28.6	10	1.03	17.0
5	4.3	1560	27.8	10	3.9	1464	28.5	10	0.91	8.6	4.1	1528	30.0	10	0.95	17.1
6	4.2	1680	29.7	10	3.9	1680	29.5	10	0.93	8.3	4.1	1506	31.6	10	0.98	16.2
7	3.8	1653	30.0	10	3.5	1680	30.6	10	0.92	7.1	3.9	1521	33.1	10	1.03	14.7
8	4.0	1524	32.0	10	3.7	1581	32.0	10	0.93	7.2	3.9	1700	34.4	10	0.98	14.2
9	3.8	1620	33.0	10	3.6	1446	33.3	10	0.95	6.8	3.5	1660	35.4	10	0.92	12.4
10	4.0	1561	35.0	10	3.5	1690	35.1	10	0.88	6.2	3.8	1621	37.3	10	0.95	12.7
11	4.0	1406	36.2	10	3.8	1536	36.2	10	0.95	6.6	4.0	1607	38.6	10	1.00	13.0
12	4.3	1539	37.6	10	3.8	1659	37.8	10	0.88	6.3	3.9	1680	39.6	10	0.91	12.3
13	3.5	1670	38.5	10	3.2	1670	38.9	10	0.91	5.1	3.3	1670	41.0	10	0.94	10.1
14	3.6	980			2.8	878			0.78		3.4	980			0.94	

Experiment Number: 96019-04

Test Type: 90-DAY

Species/Strain: Mouse/B6C3F1

**E08 : Water and Compound Consumption Table**

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/16/2014

Time Report Requested: 13:14:06

First Dose M/F: NA / NA

Lab: SRI

**MALE**

week	250 MG/L						500 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	5.5	621	21.8	10	1.25	63.1	4.3	667	21.9	10	0.98	98.2
2	4.2	1677	24.5	10	0.91	42.9	4.0	1654	24.0	10	0.87	83.3
3	3.8	1660	26.2	10	0.93	36.3	3.9	1637	25.9	10	0.95	75.3
4	3.6	1563	28.0	10	0.95	32.1	3.6	1587	27.5	10	0.95	65.5
5	3.8	1652	29.2	10	0.88	32.5	3.8	1632	28.8	10	0.88	66.0
6	3.7	1700	30.6	10	0.88	30.2	3.9	1625	30.2	10	0.93	64.6
7	3.7	1660	31.5	10	0.97	29.4	3.6	1546	31.6	10	0.95	57.0
8	3.9	1649	33.5	10	0.98	29.1	3.8	1635	32.3	10	0.95	58.8
9	3.5	1640	34.6	10	0.92	25.3	3.7	1623	33.7	10	0.97	54.9
10	4.0	1661	36.2	10	1.00	27.6	4.0	1602	35.2	10	1.00	56.8
11	3.4	1680	38.0	10	0.85	22.4	3.6	1654	36.6	10	0.90	49.2
12	3.7	1659	39.0	10	0.86	23.7	3.5	1608	37.7	10	0.81	46.4
13	3.5	1670	40.0	10	1.00	21.9	3.6	1680	38.5	10	1.03	46.8
14	3.2	882			0.89		3.7	980			1.03	

Experiment Number: 96019-04

Test Type: 90-DAY

Species/Strain: Mouse/B6C3F1

**E08 : Water and Compound Consumption Table**

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/16/2014

Time Report Requested: 13:14:06

First Dose M/F: NA / NA

Lab: SRI

**MALE**

week	1000 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	4.8	654	22.4	10	1.09	214.3
2	3.9	1622	24.7	10	0.85	157.9
3	4.0	1511	26.1	10	0.98	153.3
4	3.6	1690	27.5	10	0.95	130.9
5	3.6	1680	28.6	10	0.84	125.9
6	3.6	1700	29.6	10	0.86	121.6
7	3.7	1660	31.4	10	0.97	117.8
8	3.6	1635	32.5	10	0.90	110.8
9	3.8	1542	33.8	10	1.00	112.4
10	3.5	1690	35.4	10	0.88	98.9
11	3.4	1532	36.5	10	0.85	93.2
12	3.4	1680	37.3	10	0.79	91.2
13	3.4	1680	38.5	10	0.97	88.3
14	3.3	882			0.92	

\*\*\*END OF MALE DATA\*\*\*

Experiment Number: 96019-04

Test Type: 90-DAY

Species/Strain: Mouse/B6C3F1

**E08 : Water and Compound Consumption Table**  
**Test Compound:** Water disinfection byproducts (Bromochloroacetic acid)  
**CAS Number:** 5589-96-8

Date Report Requested: 10/16/2014

Time Report Requested: 13:14:06

First Dose M/F: NA / NA

Lab: SRI

**FEMALE**

week	0 MG/L				62.5 MG/L						125 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	4.2	1980	18.5	10	3.1	1980	18.6	10	0.74	10.4	3.1	1980	18.1	10	0.74	21.4
2	5.7	1662	20.5	10	3.2	1664	20.4	10	0.56	9.8	2.6	1558	17.8	10	0.46	18.3
3	4.1	1427	21.7	10	3.3	1680	21.5	10	0.80	9.6	3.2	1678	20.9	10	0.78	19.1
4	4.1	1675	22.2	10	3.1	1672	22.0	10	0.76	8.8	3.4	1200	20.7	10	0.83	20.5
5	4.6	1057	23.6	10	3.6	1564	23.9	10	0.78	9.4	3.5	1564	22.4	10	0.76	19.5
6	3.6	1688	25.2	10	3.4	1688	24.9	10	0.94	8.5	3.1	1688	23.3	10	0.86	16.6
7	3.6	1678	25.9	10	3.7	1570	25.8	10	1.03	9.0	3.6	1678	24.1	10	1.00	18.7
8	4.3	1699	27.9	10	3.4	1698	26.8	10	0.79	7.9	3.5	1700	25.2	10	0.81	17.4
9	4.0	1654	28.8	10	3.7	1654	28.6	10	0.93	8.1	3.5	1652	26.4	10	0.88	16.6
10	3.4	1686	30.7	10	3.2	1688	28.8	10	0.94	6.9	3.3	1688	26.4	10	0.97	15.6
11	4.0	1682	32.1	10	3.4	1680	30.5	10	0.85	7.0	3.5	1682	28.1	10	0.88	15.6
12	4.3	1680	32.2	10	3.4	1576	31.3	10	0.79	6.8	3.5	1543	28.3	10	0.81	15.5
13	2.9	1434	31.8	10	3.1	1676	32.5	10	1.07	6.0	3.2	1676	29.7	10	1.10	13.5
14	3.0	458			3.0	915			1.00		3.2	916			1.07	

Experiment Number: 96019-04

Test Type: 90-DAY

Species/Strain: Mouse/B6C3F1

**E08 : Water and Compound Consumption Table**  
Test Compound: Water disinfection byproducts (Bromochloroacetic acid)  
CAS Number: 5589-96-8

Date Report Requested: 10/16/2014

Time Report Requested: 13:14:06

First Dose M/F: NA / NA

Lab: SRI

FEMALE

week	250 MG/L						500 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	3.1	1980	18.5	10	0.74	41.9	2.7	1980	18.5	10	0.64	73.0
2	2.6	1679	18.7	10	0.46	34.8	2.9	1562	20.0	10	0.51	72.5
3	3.3	1664	21.1	10	0.80	39.1	3.2	1664	20.9	10	0.78	76.6
4	3.5	1553	22.1	10	0.85	39.6	3.5	1553	21.9	10	0.85	79.9
5	3.4	1682	22.5	10	0.74	37.8	3.5	1682	23.5	10	0.76	74.5
6	3.1	1702	23.4	10	0.86	33.1	3.2	1702	24.0	10	0.89	66.7
7	3.3	1664	24.1	10	0.92	34.2	3.5	1662	24.6	10	0.97	71.1
8	4.0	1696	25.2	10	0.93	39.7	3.6	1682	25.8	10	0.84	69.8
9	3.6	1654	25.4	10	0.90	35.4	3.3	1576	26.8	10	0.83	61.6
10	3.3	1688	27.0	10	0.97	30.6	3.9	1688	27.1	10	1.15	72.0
11	3.4	1682	28.9	10	0.85	29.4	3.1	1684	28.5	10	0.78	54.4
12	3.2	1680	29.0	10	0.74	27.6	3.6	1680	29.3	10	0.84	61.4
13	3.8	1680	28.4	10	1.31	33.5	3.1	1680	30.2	10	1.07	51.3
14	3.7	914			1.23		3.1	914			1.03	

Experiment Number: 96019-04

Test Type: 90-DAY

Species/Strain: Mouse/B6C3F1

**E08 : Water and Compound Consumption Table**

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/16/2014

Time Report Requested: 13:14:06

First Dose M/F: NA / NA

Lab: SRI

**FEMALE**

week	1000 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	3.1	1980	18.6	10	0.74	166.7
2	3.1	1576	20.1	10	0.54	154.2
3	3.4	1654	21.2	10	0.83	160.4
4	3.5	1678	21.8	10	0.85	160.6
5	3.6	1570	23.0	10	0.78	156.5
6	3.3	1702	23.9	10	0.92	138.1
7	3.5	1557	24.2	10	0.97	144.6
8	3.8	1678	24.9	10	0.88	152.6
9	3.4	1237	25.3	10	0.85	134.4
10	3.2	1342	25.6	10	0.94	125.0
11	3.8	1682	28.2	10	0.95	134.8
12	3.2	1680	29.0	10	0.74	110.3
13	3.0	1680	29.1	10	1.03	103.1
14	3.1	913			1.03	

**Experiment Number:** 96019-04

**Test Type:** 90-DAY

**Species/Strain:** Mouse/B6C3F1

**E08 : Water and Compound Consumption Table**

**Test Compound:** Water disinfection byproducts (Bromochloroacetic acid)

**CAS Number:** 5589-96-8

**Date Report Requested:** 10/16/2014

**Time Report Requested:** 13:14:06

**First Dose M/F:** NA / NA

**Lab:** SRI

**\*\* END OF REPORT \*\***