

Experiment Number: 96019-04

Test Type: 90-DAY

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/16/2014

Time Report Requested: 13:12:15

First Dose M/F: NA / NA

Lab: SRI

C Number:	C96019
Lock Date:	07/13/2001
Cage Range:	All
Date Range:	All
Reasons For Removal:	All
Removal Date Range:	All
Treatment Groups:	All
Study Gender:	Both
PWG Approval Date	NONE

Experiment Number: 96019-04

Test Type: 90-DAY

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/16/2014

Time Report Requested: 13:12:15

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: MALE

DOSE LEVEL: 0 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
1	00001	91660	Y N
2	00002	91661	Y N
3	00003	91662	Y N
4	00004	91663	Y N
5	00005	91664	Y N
6	00006	91665	Y N
7	00007	91666	Y N
8	00008	91667	Y N
9	00009	91668	Y N
10	00010	91669	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96019-04

Test Type: 90-DAY

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/16/2014

Time Report Requested: 13:12:15

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: MALE

DOSE LEVEL: 62.5 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
11	00011	91670	Y N
12	00012	91671	Y N
13	00013	91672	Y N
14	00014	91673	Y N
15	00015	91674	Y N
16	00016	91675	Y N
17	00017	91676	Y N
18	00018	91677	Y N
19	00019	91678	Y N
20	00020	91679	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96019-04

Test Type: 90-DAY

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/16/2014

Time Report Requested: 13:12:15

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: MALE

DOSE LEVEL: 125 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
21	00021	91680	Y N
22	00022	91681	Y N
23	00023	91682	Y N
24	00024	91683	Y N
25	00025	91684	Y N
26	00026	91685	Y N
27	00027	91686	Y N
28	00028	91687	Y N
29	00029	91688	Y N
30	00030	91689	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96019-04

Test Type: 90-DAY

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/16/2014

Time Report Requested: 13:12:15

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: MALE

DOSE LEVEL: 250 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
31	00031	91690	Y N
32	00032	91691	Y N
33	00033	91692	Y N
34	00034	91693	Y N
35	00035	91694	Y N
36	00036	91695	Y N
37	00037	91696	Y N
38	00038	91697	Y N
39	00039	91698	Y N
40	00040	91699	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96019-04

Test Type: 90-DAY

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/16/2014

Time Report Requested: 13:12:15

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: MALE

DOSE LEVEL: 500 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
41	00041	91700	Y N
42	00042	91701	Y N
43	00043	91702	Y N
44	00044	91703	Y N
45	00045	91704	Y N
46	00046	91705	Y N
47	00047	91706	Y N
48	00048	91707	Y N
49	00049	91708	Y N
50	00050	91709	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96019-04

Test Type: 90-DAY

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/16/2014

Time Report Requested: 13:12:15

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: MALE

DOSE LEVEL: 1000 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
51	00051	91710	Y N
52	00052	91711	Y N
53	00053	91712	Y N
54	00054	91713	Y N
55	00055	91714	Y N
56	00056	91715	Y N
57	00057	91716	Y N
58	00058	91717	Y N
59	00059	91718	Y N
60	00060	91719	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96019-04

Test Type: 90-DAY

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/16/2014

Time Report Requested: 13:12:15

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: FEMALE

DOSE LEVEL: 0 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
61	00061	91720	Y N
62	00062	91721	Y N
63	00063	91722	Y N
64	00064	91723	Y N
65	00065	91724	Y N
66	00066	91725	Y N
67	00067	91726	Y N
68	00068	91727	Y N
69	00069	91728	Y N
70	00070	91729	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96019-04

Test Type: 90-DAY

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/16/2014

Time Report Requested: 13:12:15

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: FEMALE

DOSE LEVEL: 62.5 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
71	00071	91730	Y N
72	00072	91731	Y N
73	00073	91732	Y N
74	00074	91733	Y N
75	00075	91734	Y N
76	00076	91735	Y N
77	00077	91736	Y N
78	00078	91737	Y N
79	00079	91738	Y N
80	00080	91739	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96019-04

Test Type: 90-DAY

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/16/2014

Time Report Requested: 13:12:15

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: FEMALE

DOSE LEVEL: 125 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
81	00081	91740	Y N
82	00082	91741	Y N
83	00083	91742	Y N
84	00084	91743	Y N
85	00085	91744	Y N
86	00086	91745	Y N
87	00087	91746	Y N
88	00088	91747	Y N
89	00089	91748	Y N
90	00090	91749	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96019-04

Test Type: 90-DAY

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/16/2014

Time Report Requested: 13:12:15

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: FEMALE

DOSE LEVEL: 250 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
91	00091	91750	Y N
92	00092	91751	Y N
93	00093	91752	Y N
94	00094	91753	Y N
95	00095	91754	Y N
96	00096	91755	Y N
97	00097	91756	Y N
98	00098	91757	Y N
99	00099	91758	Y N
100	00100	91759	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96019-04

Test Type: 90-DAY

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/16/2014

Time Report Requested: 13:12:15

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: FEMALE

DOSE LEVEL: 500 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
101	00101	91760	Y N
102	00102	91761	Y N
103	00103	91762	Y N
104	00104	91763	Y N
105	00105	91764	Y N
106	00106	91765	Y N
107	00107	91766	Y N
108	00108	91767	Y N
109	00109	91768	Y N
110	00110	91769	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96019-04

Test Type: 90-DAY

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Bromochloroacetic acid)

CAS Number: 5589-96-8

Date Report Requested: 10/16/2014

Time Report Requested: 13:12:15

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: FEMALE

DOSE LEVEL: 1000 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
111	00111	91770	Y N
112	00112	91771	Y N
113	00113	91772	Y N
114	00114	91773	Y N
115	00115	91774	Y N
116	00116	91775	Y N
117	00117	91776	Y N
118	00118	91777	Y N
119	00119	91778	Y N
120	00120	91779	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)