

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

E08: WATER AND COMPOUND CONSUMPTION TABLE
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 01/12/2012
Time Report Requested: 13:24:30
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

NTP Study Number: C96014B
Lock Date: 09/09/2009
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL
Control List: Male: 001 Female: 002
Study Gender: Both
TDMSE Version: 2.6.0.0_007
PWG Approval Date: NONE

Experiment Number: 96014 - 06

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

E08: WATER AND COMPOUND CONSUMPTION TABLE
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 01/12/2012

Time Report Requested: 13:24:30

First Dose M/F: 09/26/06 / 09/25/06

Lab: BAT

MALE

WEEK	0 mg/L				250 mg/L				500 mg/L							
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1			23.5	66			23.5	66					23.5	66		
4	3.5	4623			3.5	4646			1.00		3.4	4554			0.97	
5	3.4	6300	30.1	66	3.3	6279	30.1	66	0.97	27.4	3.3	6364	29.9	66	0.97	55.2
8	3.4	4434			3.4	4611			1.00		3.2	4659			0.94	
9	3.5	6242	37.2	66	3.4	6332	37.1	66	0.97	22.9	3.3	6361	36.5	66	0.94	45.2
12	3.3	4664			3.2	4672			0.97		3.2	4747			0.97	
13	3.4	6006	42.3	66	3.5	6094	42.5	66	1.03	20.6	3.3	6182	41.6	66	0.97	39.6
16	3.4	4577			3.5	4578			1.03		3.4	4517			1.00	
17	3.3	6296	46.6	66	3.2	6188	46.3	66	0.97	17.3	3.2	6339	46.2	66	0.97	34.6
20	3.5	4647			3.5	4773			1.00		3.5	4630			1.00	
21	3.7	6261	48.4	66	3.6	6277	48.3	66	0.97	18.6	3.5	6283	48.3	66	0.95	36.2
24	3.9	4734			3.9	4703			1.00		3.7	4591			0.95	
25	3.8	6342	49.7	66	3.8	6234	49.5	66	1.00	19.2	3.6	6292	49.9	66	0.95	36.1
28	4.2	3631			4.1	3929			0.98		4.1	3993			0.98	
29	4.0	5142	50.9	58	3.7	5565	50.7	58	0.93	18.2	3.6	5350	50.7	58	0.90	35.5
32	4.3	4091			4.4	4043			1.02		4.2	4187			0.98	
33	4.4	5429	52.3	58	4.3	5435	51.7	58	0.98	20.8	4.0	5434	51.9	58	0.91	38.6
36	4.0	4070			3.9	4201			0.97		3.7	4051			0.93	
37	4.0	5689	53.1	58	3.9	5605	52.3	58	0.97	18.6	3.8	5412	52.5	57	0.95	36.2
40	4.5	3712			4.5	4065			1.00		4.5	3812			1.00	
41	4.3	5541	54.1	58	4.2	5416	53.3	58	0.98	19.7	4.1	5071	53.4	57	0.95	38.4
44	4.6	4149			4.5	4157			0.98		4.4	4040			0.96	
45	4.3	5618	54.5	58	4.2	5594	53.6	58	0.98	19.6	4.0	5472	53.8	57	0.93	37.2
48	4.7	4080			4.7	4072			1.00		4.5	3949			0.96	
49	4.9	5439	55.6	58	4.7	5471	54.7	58	0.96	21.5	4.5	5404	54.8	57	0.92	41.0
52	4.5	4172			4.5	4174			1.00		4.3	4097			0.96	
53	4.2	5453	55.6	58	4.3	5552	54.7	58	1.02	19.6	4.2	5509	54.6	57	1.00	38.4
56	5.4	4103			5.6	4095			1.04		5.5	3999			1.02	
57	5.0	5553	55.8	58	5.1	5643	54.9	58	1.02	23.2	4.9	5324	55.2	57	0.98	44.4
60	5.3	3307			5.4	3458			1.02		5.3	3098			1.00	
61	4.8	4562	55.9	50	4.9	4288	55.3	50	1.02	22.2	5.0	4485	54.7	49	1.04	45.7
64	5.2	3408			5.3	3408			1.02		5.5	3253			1.06	
65	5.0	4440	55.4	50	5.0	4315	54.6	48	1.00	22.9	5.0	4315	53.4	49	1.00	46.8
68	5.1	2851			5.2	3137			1.02		5.4	2834			1.06	
69	5.4	4146	55.3	47	5.2	4241	53.3	48	0.96	24.4	5.4	3852	51.1	49	1.00	52.8
72	5.4	2902			5.7	2959			1.06		5.3	1999			0.98	
73	5.2	4136	55.2	46	5.4	4229	53.3	47	1.04	25.3	5.4	2878	50.8	42	1.04	53.2
76	6.1	2831			6.4	2957			1.05		8.0	2532			1.31	
77	5.5	4328	54.9	44	5.9	4310	53.4	44	1.07	27.6	7.4	3917	47.3	40	1.35	78.2
80	5.7	3030			6.8	3017			1.19		8.0	2685			1.40	
81	5.2	4058	54.6	43	6.3	4173	52.3	43	1.21	30.1	7.5	3590	44.8	37	1.44	83.7
84	5.1	3046			6.4	3044			1.25		7.0	2391			1.37	
85	5.3	3573	54.7	37	6.0	3959	51.2	42	1.13	29.3	7.0	3086	44.0	32	1.32	79.6

Experiment Number: 96014 - 06

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

E08: WATER AND COMPOUND CONSUMPTION TABLE
Water disinfection byproducts (Bromodichloroacetic acid)

CAS Number: 71133-14-7

Date Report Requested: 01/12/2012

Time Report Requested: 13:24:30

First Dose M/F: 09/26/06 / 09/25/06

Lab: BAT

MALE

WEEK	0 mg/L				250 mg/L				500 mg/L							
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
88	6.0	2392			7.2	2833			1.20		7.5	1862			1.25	
89	5.2	3382	54.3	35	6.2	3773	49.5	39	1.19	31.3	6.6	2410	41.4	27	1.27	79.8
92	5.4	2070			6.8	2006			1.26		7.8	1491			1.44	
93	4.9	2832	52.9	31	5.8	2626	47.8	34	1.18	30.3	6.9	1736	38.8	21	1.41	88.9
96	5.7	2117			7.2	2393			1.26		7.1	1323			1.25	
97	5.2	2765	50.1	29	6.8	3244	45.1	34	1.31	37.7	6.6	1716	37.3	18	1.27	88.5
100	6.0	1874			6.7	2153			1.12		6.8	1073			1.13	
101	5.5	2521	48.1	26	6.2	2518	43.1	27	1.13	35.9	6.1	1455	35.7	14	1.11	85.3

Experiment Number: 96014 - 06

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

E08: WATER AND COMPOUND CONSUMPTION TABLE
Water disinfection byproducts (Bromodichloroacetic acid)

CAS Number: 71133-14-7

Date Report Requested: 01/12/2012

Time Report Requested: 13:24:30

First Dose M/F: 09/26/06 / 09/25/06

Lab: BAT

MALE

WEEK	1000 mg/L		BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
	DAILY WATER(G)	WATER HOURS				
1			23.5	66		
4	3.4	4618			0.97	
5	3.2	6213	28.8	66	0.94	110.9
8	3.2	4573			0.94	
9	3.4	6230	35.2	66	0.97	96.7
12	3.1	4679			0.94	
13	3.2	6153	39.6	66	0.94	80.8
16	3.4	4635			1.00	
17	3.1	6034	44.5	66	0.94	69.6
20	3.5	4738			1.00	
21	3.3	6111	47.2	66	0.89	70.0
24	3.6	4712			0.92	
25	3.3	6318	49.3	66	0.87	67.0
28	3.6	3953			0.86	
29	3.2	5453	50.2	58	0.80	63.7
32	3.9	4173			0.91	
33	3.7	5513	51.1	58	0.84	72.4
36	3.5	4212			0.88	
37	3.5	5545	51.8	58	0.88	67.6
40	4.1	4022			0.91	
41	3.9	5294	52.5	57	0.91	74.3
44	4.2	4142			0.91	
45	3.8	5537	52.3	57	0.88	72.6
48	4.4	3883			0.94	
49	4.5	5271	53.1	56	0.92	84.8
52	4.2	3766			0.93	
53	4.1	5167	52.3	55	0.98	78.5
56	5.5	3831			1.02	
57	4.9	5264	51.2	55	0.98	95.7
60	5.3	3119			1.00	
61	4.9	4190	50.4	47	1.02	97.2
64	5.7	2874			1.10	
65	5.4	3744	47.8	47	1.08	112.9
68	5.4	2584		2	1.06	
69	5.2	3182	44.2	44	0.96	117.8
72	5.9	2306			1.09	
73	5.8	3272	42.8	43	1.12	135.5
76	7.4	2790			1.21	
77	6.3	3916	39.6	40	1.15	159.1
80	7.3	2562			1.28	
81	6.5	3466	38.3	36	1.25	169.8
84	6.2	2256			1.22	
85	6.0	2952	36.8	31	1.13	163.3

Experiment Number: 96014 - 06

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

E08: WATER AND COMPOUND CONSUMPTION TABLE
Water disinfection byproducts (Bromodichloroacetic acid)

CAS Number: 71133-14-7

Date Report Requested: 01/12/2012

Time Report Requested: 13:24:30

First Dose M/F: 09/26/06 / 09/25/06

Lab: BAT

MALE

WEEK	1000 mg/L					
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
88	6.1	2072			1.02	
89	5.8	2714	34.2	28	1.12	169.8
92	6.4	1400			1.19	
93	5.9	1869	32.2	20	1.20	183.5
96	6.8	1177			1.19	
97	6.3	1525	31.7	16	1.21	198.6
100	5.8	1013			0.97	
101	5.9	1356	30.3	14	1.07	194.4

END OF MALES

Experiment Number: 96014 - 06

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

E08: WATER AND COMPOUND CONSUMPTION TABLE

Water disinfection byproducts (Bromodichloroacetic acid)

CAS Number: 71133-14-7

Date Report Requested: 01/12/2012

Time Report Requested: 13:24:30

First Dose M/F: 09/26/06 / 09/25/06

Lab: BAT

FEMALE

WEEK	0 mg/L				250 mg/L				500 mg/L							
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1			17.9	66			17.7	66					17.8	66		
4	2.6	4720			2.7	4713			1.04		2.6	4704			1.00	
5	2.6	6063	22.7	66	2.6	6115	22.8	66	1.00	28.6	2.6	6194	22.5	66	1.00	57.7
8	2.7	4696			2.8	4731			1.04		2.7	4732			1.00	
9	2.7	6333	27.8	66	2.7	6370	28.1	66	1.00	24.0	2.7	6399	27.3	66	1.00	49.4
12	2.9	4632			2.7	4682			0.93		2.7	4704			0.93	
13	2.7	6256	33.0	66	2.6	6261	33.4	66	0.96	19.4	2.5	6267	32.2	66	0.93	38.8
16	2.7	4822			2.6	4824			0.96		2.7	4814			1.00	
17	2.5	6214	38.4	66	2.5	6268	38.9	66	1.00	16.1	2.5	6307	36.8	66	1.00	34.0
20	2.8	4916			2.9	4900			1.04		2.9	4820			1.04	
21	2.4	6214	42.7	66	2.5	6258	43.3	66	1.04	14.4	2.6	6186	42.3	65	1.08	30.7
24	2.9	4726			2.9	4735			1.00		2.9	4679			1.00	
25	2.6	6354	46.6	66	2.6	6389	47.1	66	1.00	13.8	2.6	6294	45.7	65	1.00	28.5
28	2.4	4069			2.5	4086			1.04		2.5	4034			1.04	
29	2.4	5683	50.1	58	2.3	5654	50.0	58	0.96	11.5	2.5	5489	49.5	57	1.04	25.2
32	2.8	4232			2.9	4250			1.04		2.8	4136			1.00	
33	2.7	5625	53.2	58	2.8	5633	52.6	58	1.04	13.3	2.8	5554	52.2	57	1.04	26.8
36	2.3	4107			2.3	3902			1.00		2.3	4152			1.00	
37	2.3	5657	54.5	58	2.3	5715	53.2	58	1.00	10.8	2.3	5625	53.2	57	1.00	21.6
40	2.8	4106			3.0	4171			1.07		2.9	4084			1.04	
41	2.4	5144	56.3	57	2.7	5621	55.7	58	1.13	12.1	2.5	5548	55.5	57	1.04	22.5
44	3.0	3863			3.2	3855			1.07		2.9	3789			0.97	
45	2.8	5452	57.2	57	2.9	5509	56.5	57	1.04	12.8	2.7	5416	56.3	56	0.96	24.0
48	3.0	4051			3.0	4046			1.00		2.9	3977			0.97	
49	2.7	5386	58.5	57	2.9	5303	57.8	57	1.07	12.5	2.7	5228	57.5	56	1.00	23.5
52	2.9	4032			3.0	4042			1.03		2.9	4002			1.00	
53	2.6	5482	59.5	57	2.8	5551	59.0	57	1.08	11.9	2.6	5470	58.4	56	1.00	22.3
56	3.1	3934			3.3	3850			1.06		3.1	3845			1.00	
57	2.8	5510	60.7	57	3.0	5441	59.7	56	1.07	12.6	2.7	5497	59.3	56	0.96	22.8
60	3.1	3541			3.3	3419			1.06		3.3	3420			1.06	
61	2.9	4732	61.3	49	3.0	4575	60.0	47	1.03	12.5	2.8	4575	60.3	47	0.97	23.2
64	3.4	3570			3.6	3422			1.06		3.2	3429			0.94	
65	2.7	4736	61.4	49	3.0	4552	59.9	47	1.11	12.5	2.8	4577	60.8	47	1.04	23.0
68	3.6	3525			3.7	3377			1.03		3.2	3374			0.89	
69	3.2	4722	61.6	49	3.4	4522	59.9	47	1.06	14.2	3.1	4497	61.0	47	0.97	25.4
72	3.7	3364			4.1	3298			1.11		3.4	3307			0.92	
73	3.3	4633	61.9	48	3.8	4550	60.0	47	1.15	15.8	3.1	4565	61.1	47	0.94	25.4
76	4.2	3178			4.1	2972			0.98		3.8	3149			0.90	
77	3.8	4757	62.1	48	3.8	4572	60.6	46	1.00	15.7	3.5	4709	60.8	47	0.92	28.8
80	3.6	2924			4.8	3203			1.33		4.5	3343			1.25	
81	4.0	4385	62.3	44	4.3	4326	60.3	44	1.07	17.8	4.3	4566	60.4	47	1.07	35.6
84	4.2	3131			5.4	3157			1.29		4.6	3379			1.10	
85	4.1	4050	63.0	42	5.2	4123	58.5	44	1.27	22.2	4.3	4399	58.2	46	1.05	36.9

Experiment Number: 96014 - 06

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

E08: WATER AND COMPOUND CONSUMPTION TABLE
Water disinfection byproducts (Bromodichloroacetic acid)

CAS Number: 71133-14-7

Date Report Requested: 01/12/2012

Time Report Requested: 13:24:30

First Dose M/F: 09/26/06 / 09/25/06

Lab: BAT

FEMALE

WEEK	0 mg/L				250 mg/L				500 mg/L							
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
88	4.3	2848			6.6	3133			1.53		5.4	3115			1.26	
89	3.8	3689	63.5	38	6.4	4135	55.9	44	1.68	28.6	4.9	4141	56.4	43	1.29	43.4
92	4.7	2704			7.7	3056			1.64		6.6	3128			1.40	
93	4.6	3572	63.5	37	6.5	3606	53.3	42	1.41	30.5	5.5	4062	52.8	42	1.20	52.1
96	5.2	2471			6.4	2265			1.23		6.9	2548			1.33	
97	4.6	3438	62.5	37	5.9	3154	51.8	38	1.28	28.5	6.1	3464	47.9	39	1.33	63.7
100	5.8	2505			6.7	2429			1.16		7.8	2573			1.34	
101	5.4	3465	59.5	35	5.4	2972	49.6	35	1.00	27.2	6.9	3477	42.4	34	1.28	81.5

Experiment Number: 96014 - 06

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

E08: WATER AND COMPOUND CONSUMPTION TABLE
Water disinfection byproducts (Bromodichloroacetic acid)

CAS Number: 71133-14-7

Date Report Requested: 01/12/2012

Time Report Requested: 13:24:30

First Dose M/F: 09/26/06 / 09/25/06

Lab: BAT

FEMALE

WEEK	1000 mg/L		BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
	DAILY WATER(G)	WATER HOURS				
1			17.6	66		
4	2.6	4717			1.00	
5	2.4	6184	22.4	66	0.92	106.9
8	2.7	4719			1.00	
9	2.6	6387	27.5	66	0.96	94.7
12	2.7	4704			0.93	
13	2.5	6255	32.0	66	0.93	78.2
16	2.5	4800			0.93	
17	2.4	6309	36.7	66	0.96	65.4
20	2.7	4902			0.96	
21	2.4	6265	40.4	66	1.00	59.4
24	2.8	4755			0.97	
25	2.5	6378	43.9	66	0.96	57.0
28	2.3	4120			0.96	
29	2.3	5578	46.9	58	0.96	49.0
32	2.7	4250			0.96	
33	2.6	5753	49.7	58	0.96	52.4
36	2.3	4239			1.00	
37	2.1	5719	50.9	58	0.91	41.3
40	2.6	4097			0.93	
41	2.4	5524	53.8	57	1.00	44.6
44	2.9	3865			0.97	
45	2.6	5501	54.8	57	0.93	47.4
48	2.7	4047			0.90	
49	2.6	5298	56.1	57	0.96	46.4
52	2.6	4051			0.90	
53	2.4	5573	56.5	57	0.92	42.5
56	2.9	3921			0.94	
57	2.6	5555	57.8	57	0.93	45.0
60	2.9	3327			0.94	
61	2.5	4362	58.5	49	0.86	42.8
64	3.0	3572			0.88	
65	2.6	4761	58.0	49	0.96	44.8
68	3.2	3522			0.89	
69	3.0	4712	56.7	49	0.94	52.9
72	3.6	3442			0.97	
73	3.3	4696	55.8	48	1.00	59.1
76	4.0	3136			0.95	
77	3.7	4676	52.6	47	0.97	70.4
80	4.5	3272			1.25	
81	4.1	4400	50.8	45	1.02	80.7
84	4.2	3305			1.00	
85	3.9	4314	48.5	45	0.95	80.4

Experiment Number: 96014 - 06

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

E08: WATER AND COMPOUND CONSUMPTION TABLE
Water disinfection byproducts (Bromodichloroacetic acid)

CAS Number: 71133-14-7

Date Report Requested: 01/12/2012

Time Report Requested: 13:24:30

First Dose M/F: 09/26/06 / 09/25/06

Lab: BAT

FEMALE

WEEK	1000 mg/L					
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
88	4.4	3120			1.02	
89	3.9	4050	45.5	41	1.03	85.6
92	4.6	2839			0.98	
93	4.3	3779	42.1	39	0.93	102.2
96	4.6	2614			0.88	
97	4.7	3468	38.6	35	1.02	121.8
100	5.3	2286			0.91	
101	4.8	3080	36.3	31	0.89	132.1

END OF REPORT