

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

F1_Rev.1_M3

NTP Study Number: C96014B
Lock Date: 09/09/2009
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL
Study Gender: Both
TDMSE Version: 2.6.0.0_007
PWG Approval Date: 02/02/2012

Experiment Number: 96014 - 06

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Water disinfection byproducts (Bromodichloroacetic acid)

CAS Number: 71133-14-7

Date Report Requested: 07/05/2012

Time Report Requested: 09:41:46

First Dose M/F: 09/26/06 / 09/25/06

Lab: BAT

**SUMMARY OF STATISTICALLY SIGNIFICANT (P<=.05) RESULTS IN THE ANALYSIS OF WATER DISINFECTION BYPRODUCTS
(BROMODICHLOROACETIC ACID)**

MALE MICE

Organ

Adrenal Cortex

Bone Marrow

Epididymis

Epididymis: Epithelium

Eye

Harderian Gland: Epithelium

Heart

Intestine Small, Ileum

Kidney

Kidney: Renal Tubule

Liver

Lung

Lung: Alveolus

Lymph Node, Mesenteric

Nose: Glands

Pituitary Gland

Preputial Gland: Duct

Spleen

Stomach, Glandular

Testes

Tooth: Peridontal Tissue

FEMALE MICE

Morphology

Hypertrophy

Angiectasis

Atrophy

Hypospermia

Degeneration

Phthisis Bulbi

Hyperplasia

Cardiomyopathy

Inflammation

Metaplasia Osseous

Nephropathy

Cyst

Basophilic Focus

Clear Cell Focus

Eosinophilic Focus

Fatty Change

Focus of Cellular Alteration Atypical

Mixed Cell Focus

Tension Lipidosis

Inflammation

Infiltration Cellular Histiocyte

Hemorrhage

Hyperplasia

Cyst

Ectasia

Atrophy

Hematopoietic Cell Proliferation

Amyloid Deposition

Atrophy

Fibrosis

Experiment Number: 96014 - 06

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Water disinfection byproducts (Bromodichloroacetic acid)

CAS Number: 71133-14-7

Date Report Requested: 07/05/2012

Time Report Requested: 09:41:46

First Dose M/F: 09/26/06 / 09/25/06

Lab: BAT

SUMMARY OF STATISTICALLY SIGNIFICANT ($P \leq .05$) RESULTS IN THE ANALYSIS OF WATER DISINFECTION BYPRODUCTS (BROMODICHLOROACETIC ACID)

Organ

Adrenal Cortex

Bone

Kidney

Liver

Lung: Alveolus

Lung: Perivascular

Lymph Node, Mesenteric

Oral Mucosa: Pharyngeal

Ovary

Pancreas: Acinus

Pituitary Gland

Stomach, Forestomach: Epithelium

Stomach, Glandular: Epithelium

Thyroid Gland: Follicle

Uterus

Uterus: Endometrium

Morphology

Hematopoietic Cell Proliferation

Hyperplasia

Fibro-osseous Lesion

Nephropathy

Angiectasis

Eosinophilic Focus

Fatty Change Focal

Focus of Cellular Alteration Atypical

Inflammation

Mixed Cell Focus

Tension Lipidosis

Infiltration Cellular Histiocyte

Infiltration Cellular Mononuclear Cell

Hyperplasia

Hyperplasia

Atrophy

Atrophy

Angiectasis

Hyperplasia

Hyperplasia

Cyst

Angiectasis

Inflammation

Hyperplasia Cystic

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Adrenal Cortex				
Degeneration Cystic				
<hr/>				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
POLY-3 RATE (b)	0/38.82	0/40.00	0/32.51	0/31.33
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---
<hr/>				
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Adrenal Cortex				
Hematopoietic Cell Proliferation				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
POLY-3 RATE (b)	0/38.82	0/40.00	0/32.51	0/31.33
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Adrenal Cortex Hyperplasia				
LESION RATES				
OVERALL (a)	0/50 (0%)	2/50 (4%)	0/49 (0%)	1/50 (2%)
POLY-3 RATE (b)	0/38.82	2/40.00	0/32.51	1/31.57
POLY-3 PERCENT (g)	0%	5%	0%	3.2%
TERMINAL (d)	0/25 (0%)	2/21 (10%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	730 (T)	---	666
STATISTICAL TESTS				
POLY 3	P=0.462	P=0.243	(e)	P=0.459
POLY 1.5	P=0.496	P=0.241	(e)	P=0.476
POLY 6	P=0.408	P=0.245	(e)	P=0.434
COCH-ARM / FISHERS	P=0.538	P=0.247	(e)	P=0.500
MAX-ISO-POLY-3	P=0.332	P=0.082	(e)	P=0.158

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Adrenal Cortex Hypertrophy				
LESION RATES				
OVERALL (a)	14/50 (28%)	21/50 (42%)	9/49 (18%)	9/50 (18%)
POLY-3 RATE (b)	14/39.11	21/41.91	9/34.13	9/33.07
POLY-3 PERCENT (g)	35.8%	50.1%	26.4%	27.2%
TERMINAL (d)	12/25 (48%)	12/21 (57%)	4/12 (33%)	3/10 (30%)
FIRST INCIDENCE	666	613	480	618
STATISTICAL TESTS				
POLY 3	P=0.093N	P=0.132	P=0.264N	P=0.295N
POLY 1.5	P=0.061N	P=0.116	P=0.221N	P=0.239N
POLY 6	P=0.165N	P=0.163	P=0.350N	P=0.381N
COCH-ARM / FISHERS	P=0.036N*	P=0.104	P=0.185N	P=0.171N
MAX-ISO-POLY-3	P=0.132N	P=0.095	P=0.201N	P=0.230N

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Adrenal Cortex				
Vacuolization Cytoplasmic				
<hr/>				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
POLY-3 RATE (b)	0/38.82	0/40.00	0/32.51	0/31.33
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---
<hr/>				
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Adrenal Medulla				
Hyperplasia				
<hr/>				
LESION RATES				
OVERALL (a)	0/50 (0%)	1/50 (2%)	1/49 (2%)	1/50 (2%)
POLY-3 RATE (b)	0/38.82	1/40.35	1/32.96	1/31.71
POLY-3 PERCENT (g)	0%	2.5%	3%	3.2%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	631	599	625
<hr/>				
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Bone Marrow				
Angiectasis				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	0/49 (0%)	2/51 (4%)
POLY-3 RATE (b)	0/38.82	0/40.00	0/32.51	2/32.40
POLY-3 PERCENT (g)	0%	0%	0%	6.2%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	624
STATISTICAL TESTS				
POLY 3	P=0.038*	(e)	(e)	P=0.199
POLY 1.5	P=0.042*	(e)	(e)	P=0.216
POLY 6	P=0.034*	(e)	(e)	P=0.176
COCH-ARM / FISHERS	P=0.048*	(e)	(e)	P=0.252
MAX-ISO-POLY-3	P=0.033*	(e)	(e)	P=0.075

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Bone Marrow Hyperplasia				
LESION RATES				
OVERALL (a)	0/50 (0%)	2/50 (4%)	0/49 (0%)	0/51 (0%)
POLY-3 RATE (b)	0/38.82	2/40.67	0/32.51	0/31.76
POLY-3 PERCENT (g)	0%	4.9%	0%	0%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	581	---	---
STATISTICAL TESTS				
POLY 3	P=0.450N	P=0.247	(e)	(e)
POLY 1.5	P=0.426N	P=0.243	(e)	(e)
POLY 6	P=0.497N	P=0.252	(e)	(e)
COCH-ARM / FISHERS	P=0.402N	P=0.247	(e)	(e)
MAX-ISO-POLY-3	P=0.342N	P=0.086	(e)	(e)

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Bone				
Fibro-osseous Lesion				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/51 (0%)
POLY-3 RATE (b)	0/38.82	0/40.00	0/32.51	0/31.76
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Epididymis Atrophy				
LESION RATES				
OVERALL (a)	0/50 (0%)	7/50 (14%)	10/49 (20%)	17/51 (33%)
POLY-3 RATE (b)	0/38.82	7/40.81	10/35.51	17/36.61
POLY-3 PERCENT (g)	0%	17.2%	28.2%	46.4%
TERMINAL (d)	0/25 (0%)	2/21 (10%)	2/12 (17%)	2/10 (20%)
FIRST INCIDENCE	---	631	477	534
STATISTICAL TESTS				
POLY 3	P<0.001**	P=0.009**	P<0.001**	P<0.001**
POLY 1.5	P<0.001**	P=0.008**	P<0.001**	P<0.001**
POLY 6	P<0.001**	P=0.009**	P<0.001**	P<0.001**
COCH-ARM / FISHERS	P<0.001**	P=0.006**	P<0.001**	P<0.001**
MAX-ISO-POLY-3	P<0.001**	P=0.003**	P<0.001**	P<0.001**

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Epididymis				
Hypospermia				
LESION RATES				
OVERALL (a)	0/50 (0%)	1/50 (2%)	0/49 (0%)	17/51 (33%)
POLY-3 RATE (b)	0/38.82	1/40.17	0/32.51	17/36.70
POLY-3 PERCENT (g)	0%	2.5%	0%	46.3%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	3/10 (30%)
FIRST INCIDENCE	---	684	---	534
STATISTICAL TESTS				
POLY 3	P<0.001**	P=0.507	(e)	P<0.001**
POLY 1.5	P<0.001**	P=0.504	(e)	P<0.001**
POLY 6	P<0.001**	P=0.510	(e)	P<0.001**
COCH-ARM / FISHERS	P<0.001**	P=0.500	(e)	P<0.001**
MAX-ISO-POLY-3	P<0.001**	P=0.167	(e)	P<0.001**

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Epididymis Inflammation				
LESION RATES				
OVERALL (a)	2/50 (4%)	1/50 (2%)	1/49 (2%)	0/51 (0%)
POLY-3 RATE (b)	2/39.75	1/40.17	1/33.10	0/31.76
POLY-3 PERCENT (g)	5%	2.5%	3%	0%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	449	684	543	---
STATISTICAL TESTS				
POLY 3	P=0.192N	P=0.496N	P=0.564N	P=0.290N
POLY 1.5	P=0.174N	P=0.498N	P=0.537N	P=0.265N
POLY 6	P=0.222N	P=0.495N	P=0.606N	P=0.330N
COCH-ARM / FISHERS	P=0.151N	P=0.500N	P=0.508N	P=0.243N
MAX-ISO-POLY-3	P=0.207N	P=0.278N	P=0.346N	P=0.127N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Epididymis: Epithelium Degeneration				
LESION RATES				
OVERALL (a)	1/50 (2%)	1/50 (2%)	10/49 (20%)	6/51 (12%)
POLY-3 RATE (b)	1/39.29	1/40.20	10/35.96	6/34.31
POLY-3 PERCENT (g)	2.6%	2.5%	27.8%	17.5%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	1/12 (8%)	0/10 (0%)
FIRST INCIDENCE	590	677	502	496
STATISTICAL TESTS				
POLY 3	P=0.005**	P=0.756N	P=0.002**	P=0.035*
POLY 1.5	P=0.008**	P=0.758N	P=0.002**	P=0.044*
POLY 6	P=0.002**	P=0.755N	P<0.001**	P=0.025*
COCH-ARM / FISHERS	P=0.020*	P=0.753N	P=0.003**	P=0.059
MAX-ISO-POLY-3	P=0.007**	P=0.493N	P<0.001**	P=0.019*

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Eye Cataract				
LESION RATES				
OVERALL (a)	1/50 (2%)	0/50 (0%)	1/49 (2%)	1/51 (2%)
POLY-3 RATE (b)	1/38.82	0/40.00	1/32.94	1/31.76
POLY-3 PERCENT (g)	2.6%	0%	3%	3.2%
TERMINAL (d)	1/25 (4%)	0/21 (0%)	0/12 (0%)	1/10 (10%)
FIRST INCIDENCE	730 (T)	---	603	730 (T)
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Eye				
Phthisis Bulbi				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	0/49 (0%)	2/51 (4%)
POLY-3 RATE (b)	0/38.82	0/40.00	0/32.51	2/31.76
POLY-3 PERCENT (g)	0%	0%	0%	6.3%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	2/10 (20%)
FIRST INCIDENCE	---	---	---	730 (T)
STATISTICAL TESTS				
POLY 3	P=0.037*	(e)	(e)	P=0.195
POLY 1.5	P=0.041*	(e)	(e)	P=0.214
POLY 6	P=0.033*	(e)	(e)	P=0.169
COCH-ARM / FISHERS	P=0.048*	(e)	(e)	P=0.252
MAX-ISO-POLY-3	P=0.033*	(e)	(e)	P=0.075

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Eye: Cornea Inflammation				
LESION RATES				
OVERALL (a)	0/50 (0%)	2/50 (4%)	2/49 (4%)	1/51 (2%)
POLY-3 RATE (b)	0/38.82	2/40.33	2/32.83	1/32.50
POLY-3 PERCENT (g)	0%	5%	6.1%	3.1%
TERMINAL (d)	0/25 (0%)	1/21 (5%)	1/12 (8%)	0/10 (0%)
FIRST INCIDENCE	---	637	640	462
STATISTICAL TESTS				
POLY 3	P=0.364	P=0.245	P=0.201	P=0.465
POLY 1.5	P=0.411	P=0.242	P=0.216	P=0.481
POLY 6	P=0.298	P=0.249	P=0.178	P=0.440
COCH-ARM / FISHERS	P=0.476	P=0.247	P=0.242	P=0.505
MAX-ISO-POLY-3	P=0.264	P=0.084	P=0.073	P=0.159

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Harderian Gland: Epithelium Hyperplasia				
LESION RATES				
OVERALL (a)	1/50 (2%)	1/50 (2%)	3/49 (6%)	4/51 (8%)
POLY-3 RATE (b)	1/38.82	1/40.20	3/33.27	4/32.78
POLY-3 PERCENT (g)	2.6%	2.5%	9%	12.2%
TERMINAL (d)	1/25 (4%)	0/21 (0%)	0/12 (0%)	2/10 (20%)
FIRST INCIDENCE	730 (T)	677	638	548
STATISTICAL TESTS				
POLY 3	P=0.044*	P=0.753N	P=0.251	P=0.130
POLY 1.5	P=0.056	P=0.756N	P=0.273	P=0.151
POLY 6	P=0.030*	P=0.750N	P=0.218	P=0.102
COCH-ARM / FISHERS	P=0.079	P=0.753N	P=0.301	P=0.187
MAX-ISO-POLY-3	P=0.068	P=0.489N	P=0.133	P=0.071

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Heart				
Cardiomyopathy				
LESION RATES				
OVERALL (a)	31/50 (62%)	41/50 (82%)	30/49 (61%)	33/51 (65%)
POLY-3 RATE (b)	31/44.20	41/46.29	30/39.73	33/41.75
POLY-3 PERCENT (g)	70.1%	88.6%	75.5%	79%
TERMINAL (d)	17/25 (68%)	19/21 (91%)	11/12 (92%)	9/10 (90%)
FIRST INCIDENCE	449	433	490	360
STATISTICAL TESTS				
POLY 3	P=0.376	P=0.016*	P=0.367	P=0.219
POLY 1.5	P=0.531	P=0.017*	P=0.488	P=0.313
POLY 6	P=0.179	P=0.019*	P=0.203	P=0.122
COCH-ARM / FISHERS	P=0.357N	P=0.022*	P=0.551N	P=0.470
MAX-ISO-POLY-3	P=0.124	P=0.009**	P=0.280	P=0.154

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Heart: Atrium Thrombosis				
LESION RATES				
OVERALL (a)	2/50 (4%)	0/50 (0%)	1/49 (2%)	0/51 (0%)
POLY-3 RATE (b)	2/39.86	0/40.00	1/32.75	0/31.76
POLY-3 PERCENT (g)	5%	0%	3.1%	0%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	503	---	664	---
STATISTICAL TESTS				
POLY 3	P=0.216N	P=0.236N	P=0.568N	P=0.291N
POLY 1.5	P=0.203N	P=0.236N	P=0.539N	P=0.265N
POLY 6	P=0.234N	P=0.237N	P=0.614N	P=0.332N
COCH-ARM / FISHERS	P=0.186N	P=0.247N	P=0.508N	P=0.243N
MAX-ISO-POLY-3	P=0.153N	P=0.075N	P=0.351N	P=0.128N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Heart: Myocardium Mineralization				
LESION RATES				
OVERALL (a)	1/50 (2%)	0/50 (0%)	1/49 (2%)	2/51 (4%)
POLY-3 RATE (b)	1/39.58	0/40.00	1/32.79	2/32.92
POLY-3 PERCENT (g)	2.5%	0%	3.1%	6.1%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	449	---	655	458
STATISTICAL TESTS				
POLY 3	P=0.203	P=0.498N	P=0.718	P=0.436
POLY 1.5	P=0.223	P=0.499N	P=0.736	P=0.466
POLY 6	P=0.179	P=0.497N	P=0.686	P=0.394
COCH-ARM / FISHERS	P=0.253	P=0.500N	P=0.747	P=0.508
MAX-ISO-POLY-3	P=0.210	P=0.158N	P=0.450	P=0.248

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Intestine Small, Ileum Inflammation				
LESION RATES				
OVERALL (a)	3/50 (6%)	1/50 (2%)	0/49 (0%)	0/51 (0%)
POLY-3 RATE (b)	3/38.82	1/40.33	0/32.51	0/31.76
POLY-3 PERCENT (g)	7.7%	2.5%	0%	0%
TERMINAL (d)	3/25 (12%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	730 (T)	637	---	---
STATISTICAL TESTS				
POLY 3	P=0.051N	P=0.291N	P=0.152N	P=0.158N
POLY 1.5	P=0.047N*	P=0.297N	P=0.137N	P=0.138N
POLY 6	P=0.058N	P=0.283N	P=0.181N	P=0.191N
COCH-ARM / FISHERS	P=0.044N*	P=0.309N	P=0.125N	P=0.118N
MAX-ISO-POLY-3	P=0.061N	P=0.147N	P=0.067N	P=0.073N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Intestine Small, Ileum: Epithelium Hyperplasia				
LESION RATES				
OVERALL (a)	2/50 (4%)	0/50 (0%)	0/49 (0%)	0/51 (0%)
POLY-3 RATE (b)	2/38.82	0/40.00	0/32.51	0/31.76
POLY-3 PERCENT (g)	5.2%	0%	0%	0%
TERMINAL (d)	2/25 (8%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	730 (T)	---	---	---
STATISTICAL TESTS				
POLY 3	P=0.114N	P=0.230N	P=0.278N	P=0.284N
POLY 1.5	P=0.113N	P=0.233N	P=0.260N	P=0.261N
POLY 6	P=0.116N	P=0.227N	P=0.310N	P=0.321N
COCH-ARM / FISHERS	P=0.114N	P=0.247N	P=0.253N	P=0.243N
MAX-ISO-POLY-3	P=0.078N	P=0.075N	P=0.113N	P=0.121N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Intestine Small, Jejunum Inflammation				
LESION RATES				
OVERALL (a)	1/50 (2%)	0/50 (0%)	0/49 (0%)	2/51 (4%)
POLY-3 RATE (b)	1/38.82	0/40.00	0/32.51	2/32.09
POLY-3 PERCENT (g)	2.6%	0%	0%	6.2%
TERMINAL (d)	1/25 (4%)	0/21 (0%)	0/12 (0%)	1/10 (10%)
FIRST INCIDENCE	730 (T)	---	---	639
STATISTICAL TESTS				
POLY 3	P=0.218	P=0.494N	P=0.535N	P=0.434
POLY 1.5	P=0.231	P=0.497N	P=0.520N	P=0.465
POLY 6	P=0.201	P=0.492N	P=0.560N	P=0.390
COCH-ARM / FISHERS	P=0.251	P=0.500N	P=0.505N	P=0.508
MAX-ISO-POLY-3	P=0.127	P=0.158N	P=0.200N	P=0.246

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Intestine Small, Jejunum: Peyer's Patch				
Hyperplasia Lymphoid				
LESION RATES				
OVERALL (a)	0/50 (0%)	2/50 (4%)	0/49 (0%)	1/51 (2%)
POLY-3 RATE (b)	0/38.82	2/40.41	0/32.51	1/31.76
POLY-3 PERCENT (g)	0%	5%	0%	3.2%
TERMINAL (d)	0/25 (0%)	1/21 (5%)	0/12 (0%)	1/10 (10%)
FIRST INCIDENCE	---	611	---	730 (T)
STATISTICAL TESTS				
POLY 3	P=0.462	P=0.246	(e)	P=0.460
POLY 1.5	P=0.499	P=0.242	(e)	P=0.479
POLY 6	P=0.403	P=0.250	(e)	P=0.433
COCH-ARM / FISHERS	P=0.544	P=0.247	(e)	P=0.505
MAX-ISO-POLY-3	P=0.335	P=0.084	(e)	P=0.159

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Kidney				
Hydronephrosis				
LESION RATES				
OVERALL (a)	2/50 (4%)	0/50 (0%)	1/49 (2%)	1/51 (2%)
POLY-3 RATE (b)	2/38.82	0/40.00	1/32.61	1/31.76
POLY-3 PERCENT (g)	5.2%	0%	3.1%	3.2%
TERMINAL (d)	2/25 (8%)	0/21 (0%)	0/12 (0%)	1/10 (10%)
FIRST INCIDENCE	730 (T)	---	704	730 (T)
STATISTICAL TESTS				
POLY 3	P=0.539N	P=0.230N	P=0.561N	P=0.570N
POLY 1.5	P=0.521N	P=0.233N	P=0.535N	P=0.537N
POLY 6	P=0.564N	P=0.227N	P=0.603N	P=0.617N
COCH-ARM / FISHERS	P=0.495N	P=0.247N	P=0.508N	P=0.492N
MAX-ISO-POLY-3	P=0.377N	P=0.075N	P=0.343N	P=0.354N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Kidney Infarct				
LESION RATES				
OVERALL (a)	3/50 (6%)	3/50 (6%)	0/49 (0%)	5/51 (10%)
POLY-3 RATE (b)	3/39.19	3/41.18	0/32.51	5/32.76
POLY-3 PERCENT (g)	7.7%	7.3%	0%	15.3%
TERMINAL (d)	2/25 (8%)	0/21 (0%)	0/12 (0%)	2/10 (20%)
FIRST INCIDENCE	625	511	---	548
STATISTICAL TESTS				
POLY 3	P=0.213	P=0.640N	P=0.154N	P=0.260
POLY 1.5	P=0.246	P=0.650N	P=0.138N	P=0.304
POLY 6	P=0.168	P=0.631N	P=0.186N	P=0.202
COCH-ARM / FISHERS	P=0.291	P=0.661N	P=0.125N	P=0.369
MAX-ISO-POLY-3	P=0.117	P=0.474N	P=0.069N	P=0.175

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Kidney				
Infiltration Cellular Mononuclear Cell				
LESION RATES				
OVERALL (a)	0/50 (0%)	1/50 (2%)	0/49 (0%)	2/51 (4%)
POLY-3 RATE (b)	0/38.82	1/40.00	0/32.51	2/31.76
POLY-3 PERCENT (g)	0%	2.5%	0%	6.3%
TERMINAL (d)	0/25 (0%)	1/21 (5%)	0/12 (0%)	2/10 (20%)
FIRST INCIDENCE	---	730 (T)	---	730 (T)
STATISTICAL TESTS				
POLY 3	P=0.110	P=0.506	(e)	P=0.195
POLY 1.5	P=0.124	P=0.503	(e)	P=0.214
POLY 6	P=0.092	P=0.508	(e)	P=0.169
COCH-ARM / FISHERS	P=0.144	P=0.500	(e)	P=0.252
MAX-ISO-POLY-3	P=0.079	P=0.166	(e)	P=0.075

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Kidney Inflammation				
LESION RATES				
OVERALL (a)	3/50 (6%)	4/50 (8%)	2/49 (4%)	3/51 (6%)
POLY-3 RATE (b)	3/39.08	4/40.05	2/33.16	3/32.73
POLY-3 PERCENT (g)	7.7%	10%	6%	9.2%
TERMINAL (d)	2/25 (8%)	3/21 (14%)	1/12 (8%)	1/10 (10%)
FIRST INCIDENCE	658	717	511	548
STATISTICAL TESTS				
POLY 3	P=0.548	P=0.513	P=0.575N	P=0.579
POLY 1.5	P=0.551N	P=0.508	P=0.543N	P=0.619
POLY 6	P=0.470	P=0.517	P=0.629N	P=0.518
COCH-ARM / FISHERS	P=0.490N	P=0.500	P=0.510N	P=0.652N
MAX-ISO-POLY-3	P=0.648	P=0.360	P=0.398N	P=0.416

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Kidney				
Metaplasia Osseous				
LESION RATES				
OVERALL (a)	0/50 (0%)	3/50 (6%)	0/49 (0%)	0/51 (0%)
POLY-3 RATE (b)	0/38.82	3/40.38	0/32.51	0/31.76
POLY-3 PERCENT (g)	0%	7.4%	0%	0%
TERMINAL (d)	0/25 (0%)	1/21 (5%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	637	---	---
STATISTICAL TESTS				
POLY 3	P=0.370N	P=0.125	(e)	(e)
POLY 1.5	P=0.338N	P=0.122	(e)	(e)
POLY 6	P=0.430N	P=0.128	(e)	(e)
COCH-ARM / FISHERS	P=0.308N	P=0.121	(e)	(e)
MAX-ISO-POLY-3	P=0.257N	P=0.043*	(e)	(e)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Kidney Mineralization				
LESION RATES				
OVERALL (a)	2/50 (4%)	1/50 (2%)	1/49 (2%)	0/51 (0%)
POLY-3 RATE (b)	2/38.82	1/40.79	1/33.19	0/31.76
POLY-3 PERCENT (g)	5.2%	2.5%	3%	0%
TERMINAL (d)	2/25 (8%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	730 (T)	433	499	---
STATISTICAL TESTS				
POLY 3	P=0.191N	P=0.483N	P=0.555N	P=0.284N
POLY 1.5	P=0.173N	P=0.490N	P=0.531N	P=0.261N
POLY 6	P=0.218N	P=0.476N	P=0.594N	P=0.321N
COCH-ARM / FISHERS	P=0.151N	P=0.500N	P=0.508N	P=0.243N
MAX-ISO-POLY-3	P=0.198N	P=0.270N	P=0.337N	P=0.121N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Kidney Nephropathy				
LESION RATES				
OVERALL (a)	49/50 (98%)	47/50 (94%)	45/49 (92%)	42/51 (82%)
POLY-3 RATE (b)	49/49.50	47/47.85	45/46.91	42/44.48
POLY-3 PERCENT (g)	99%	98.2%	95.9%	94.4%
TERMINAL (d)	25/25 (100%)	21/21 (100%)	11/12 (92%)	10/10 (100%)
FIRST INCIDENCE	449	433	477	496
STATISTICAL TESTS				
POLY 3	P=0.061N	P=0.812N	P=0.350N	P=0.173N
POLY 1.5	P=0.017N*	P=0.532N	P=0.254N	P=0.047N*
POLY 6	P=0.188N	P=1.000N	P=0.471N	P=0.462N
COCH-ARM / FISHERS	P=0.003N**	P=0.309N	P=0.175N	P=0.009N**
MAX-ISO-POLY-3	P=0.077N	P=0.304N	P=0.121N	P=0.047N*

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Kidney: Renal Tubule Cyst				
LESION RATES				
OVERALL (a)	4/50 (8%)	3/50 (6%)	1/49 (2%)	0/51 (0%)
POLY-3 RATE (b)	4/39.78	3/40.79	1/32.83	0/31.76
POLY-3 PERCENT (g)	10.1%	7.4%	3.1%	0%
TERMINAL (d)	2/25 (8%)	2/21 (10%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	584	433	640	---
STATISTICAL TESTS				
POLY 3	P=0.042N*	P=0.486N	P=0.240N	P=0.094N
POLY 1.5	P=0.033N*	P=0.491N	P=0.212N	P=0.076N
POLY 6	P=0.059N	P=0.486N	P=0.291N	P=0.126N
COCH-ARM / FISHERS	P=0.025N*	P=0.500N	P=0.187N	P=0.056N
MAX-ISO-POLY-3	P=0.065N	P=0.335N	P=0.141N	P=0.049N*

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Kidney: Renal Tubule Hyperplasia				
LESION RATES				
OVERALL (a)	0/50 (0%)	2/50 (4%)	0/49 (0%)	0/51 (0%)
POLY-3 RATE (b)	0/38.82	2/40.00	0/32.51	0/31.76
POLY-3 PERCENT (g)	0%	5%	0%	0%
TERMINAL (d)	0/25 (0%)	2/21 (10%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	730 (T)	---	---
STATISTICAL TESTS				
POLY 3	P=0.451N	P=0.243	(e)	(e)
POLY 1.5	P=0.427N	P=0.241	(e)	(e)
POLY 6	P=0.498N	P=0.245	(e)	(e)
COCH-ARM / FISHERS	P=0.402N	P=0.247	(e)	(e)
MAX-ISO-POLY-3	P=0.339N	P=0.082	(e)	(e)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver				
Angiectasis				
LESION RATES				
OVERALL (a)	1/50 (2%)	0/50 (0%)	1/49 (2%)	1/51 (2%)
POLY-3 RATE (b)	1/38.82	0/40.00	1/32.51	1/32.41
POLY-3 PERCENT (g)	2.6%	0%	3.1%	3.1%
TERMINAL (d)	1/25 (4%)	0/21 (0%)	1/12 (8%)	0/10 (0%)
FIRST INCIDENCE	730 (T)	---	730 (T)	511
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver				
Basophilic Focus				
LESION RATES				
OVERALL (a)	1/50 (2%)	2/50 (4%)	6/49 (12%)	3/51 (6%)
POLY-3 RATE (b)	1/39.19	2/40.71	6/35.38	3/33.17
POLY-3 PERCENT (g)	2.6%	4.9%	17%	9.1%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	1/12 (8%)	1/10 (10%)
FIRST INCIDENCE	625	513	499	360
STATISTICAL TESTS				
POLY 3	P=0.116	P=0.513	P=0.039*	P=0.247
POLY 1.5	P=0.154	P=0.508	P=0.045*	P=0.275
POLY 6	P=0.072	P=0.518	P=0.029*	P=0.208
COCH-ARM / FISHERS	P=0.219	P=0.500	P=0.053	P=0.316
MAX-ISO-POLY-3	P=0.105	P=0.294	P=0.019*	P=0.134

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver				
Clear Cell Focus				
LESION RATES				
OVERALL (a)	18/50 (36%)	14/50 (28%)	4/49 (8%)	14/51 (27%)
POLY-3 RATE (b)	18/41.46	14/42.63	4/33.16	14/35.62
POLY-3 PERCENT (g)	43.4%	32.8%	12.1%	39.3%
TERMINAL (d)	14/25 (56%)	9/21 (43%)	3/12 (25%)	5/10 (50%)
FIRST INCIDENCE	449	433	511	360
STATISTICAL TESTS				
POLY 3	P=0.308N	P=0.213N	P=0.002N**	P=0.445N
POLY 1.5	P=0.233N	P=0.233N	P<0.001N**	P=0.353N
POLY 6	P=0.434N	P=0.191N	P=0.006N**	P=0.575N
COCH-ARM / FISHERS	P=0.162N	P=0.260N	P<0.001N**	P=0.239N
MAX-ISO-POLY-3	P=0.093N	P=0.156N	P=0.002N**	P=0.362N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver				
Eosinophilic Focus				
LESION RATES				
OVERALL (a)	30/50 (60%)	33/50 (66%)	30/49 (61%)	16/51 (31%)
POLY-3 RATE (b)	30/44.61	33/44.45	30/43.02	16/37.09
POLY-3 PERCENT (g)	67.3%	74.2%	69.7%	43.1%
TERMINAL (d)	16/25 (64%)	16/21 (76%)	6/12 (50%)	2/10 (20%)
FIRST INCIDENCE	458	433	477	511
STATISTICAL TESTS				
POLY 3	P=0.007N**	P=0.300	P=0.491	P=0.017N*
POLY 1.5	P=0.002N**	P=0.319	P=0.514	P=0.008N**
POLY 6	P=0.027N*	P=0.270	P=0.453	P=0.046N*
COCH-ARM / FISHERS	P<0.001N**	P=0.339	P=0.532	P=0.003N**
MAX-ISO-POLY-3	P=0.009N**	P=0.221	P=0.395	P=0.016N*

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver				
Fatty Change				
LESION RATES				
OVERALL (a)	11/50 (22%)	1/50 (2%)	0/49 (0%)	4/51 (8%)
POLY-3 RATE (b)	11/43.74	1/40.79	0/32.51	4/34.12
POLY-3 PERCENT (g)	25.2%	2.5%	0%	11.7%
TERMINAL (d)	2/25 (8%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	449	433	---	462
STATISTICAL TESTS				
POLY 3	P=0.044N*	P=0.003N**	P=0.002N**	P=0.115N
POLY 1.5	P=0.037N*	P=0.002N**	P<0.001N**	P=0.076N
POLY 6	P=0.059N	P=0.003N**	P=0.007N**	P=0.191N
COCH-ARM / FISHERS	P=0.038N*	P=0.002N**	P<0.001N**	P=0.042N*
MAX-ISO-POLY-3	P=0.005N**	P<0.001N**	P=0.002N**	P=0.091N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver				
Fatty Change Focal				
LESION RATES				
OVERALL (a)	0/50 (0%)	1/50 (2%)	0/49 (0%)	0/51 (0%)
POLY-3 RATE (b)	0/38.82	1/40.00	0/32.51	0/31.76
POLY-3 PERCENT (g)	0%	2.5%	0%	0%
TERMINAL (d)	0/25 (0%)	1/21 (5%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	730 (T)	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver				
Focus of Cellular Alteration Atypical				
LESION RATES				
OVERALL (a)	0/50 (0%)	19/50 (38%)	42/49 (86%)	43/51 (84%)
POLY-3 RATE (b)	0/38.82	19/42.93	42/45.23	43/46.73
POLY-3 PERCENT (g)	0%	44.3%	92.9%	92%
TERMINAL (d)	0/25 (0%)	8/21 (38%)	12/12 (100%)	8/10 (80%)
FIRST INCIDENCE	---	433	480	322
STATISTICAL TESTS				
POLY 3	P<0.001**	P<0.001**	P<0.001**	P<0.001**
POLY 1.5	P<0.001**	P<0.001**	P<0.001**	P<0.001**
POLY 6	P<0.001**	P<0.001**	P<0.001**	P<0.001**
COCH-ARM / FISHERS	P<0.001**	P<0.001**	P<0.001**	P<0.001**
MAX-ISO-POLY-3	P<0.001**	P<0.001**	P<0.001**	P<0.001**

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver				
Hematopoietic Cell Proliferation				
LESION RATES				
OVERALL (a)	1/50 (2%)	0/50 (0%)	1/49 (2%)	0/51 (0%)
POLY-3 RATE (b)	1/38.82	0/40.00	1/32.66	0/31.76
POLY-3 PERCENT (g)	2.6%	0%	3.1%	0%
TERMINAL (d)	1/25 (4%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	730 (T)	---	690	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver Inflammation				
LESION RATES				
OVERALL (a)	7/50 (14%)	6/50 (12%)	3/49 (6%)	4/51 (8%)
POLY-3 RATE (b)	7/39.37	6/40.61	3/33.27	4/32.86
POLY-3 PERCENT (g)	17.8%	14.8%	9%	12.2%
TERMINAL (d)	5/25 (20%)	4/21 (19%)	1/12 (8%)	2/10 (20%)
FIRST INCIDENCE	581	611	511	414
STATISTICAL TESTS				
POLY 3	P=0.258N	P=0.475N	P=0.229N	P=0.370N
POLY 1.5	P=0.213N	P=0.486N	P=0.197N	P=0.315N
POLY 6	P=0.340N	P=0.464N	P=0.294N	P=0.460N
COCH-ARM / FISHERS	P=0.163N	P=0.500N	P=0.167N	P=0.251N
MAX-ISO-POLY-3	P=0.342N	P=0.358N	P=0.157N	P=0.273N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver				
Mixed Cell Focus				
LESION RATES				
OVERALL (a)	13/50 (26%)	6/50 (12%)	4/49 (8%)	5/51 (10%)
POLY-3 RATE (b)	13/42.40	6/40.79	4/34.54	5/33.15
POLY-3 PERCENT (g)	30.7%	14.7%	11.6%	15.1%
TERMINAL (d)	6/25 (24%)	5/21 (24%)	1/12 (8%)	2/10 (20%)
FIRST INCIDENCE	458	434	490	462
STATISTICAL TESTS				
POLY 3	P=0.056N	P=0.067N	P=0.038N*	P=0.094N
POLY 1.5	P=0.039N*	P=0.063N	P=0.026N*	P=0.058N
POLY 6	P=0.094N	P=0.076N	P=0.073N	P=0.176N
COCH-ARM / FISHERS	P=0.025N*	P=0.062N	P=0.017N*	P=0.030N*
MAX-ISO-POLY-3	P=0.065N	P=0.041N*	P=0.030N*	P=0.077N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver				
Tension Lipidosis				
LESION RATES				
OVERALL (a)	3/50 (6%)	1/50 (2%)	0/49 (0%)	0/51 (0%)
POLY-3 RATE (b)	3/40.41	1/40.00	0/32.51	0/31.76
POLY-3 PERCENT (g)	7.4%	2.5%	0%	0%
TERMINAL (d)	0/25 (0%)	1/21 (5%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	449	730 (T)	---	---
STATISTICAL TESTS				
POLY 3	P=0.051N	P=0.308N	P=0.161N	P=0.167N
POLY 1.5	P=0.047N*	P=0.307N	P=0.142N	P=0.143N
POLY 6	P=0.060N	P=0.312N	P=0.198N	P=0.209N
COCH-ARM / FISHERS	P=0.044N*	P=0.309N	P=0.125N	P=0.118N
MAX-ISO-POLY-3	P=0.071N	P=0.157N	P=0.075N	P=0.082N

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L

Liver: Bile Duct
Hyperplasia

LESION RATES

OVERALL (a)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/51 (0%)
POLY-3 RATE (b)	0/38.82	0/40.00	0/32.51	0/31.76
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---

STATISTICAL TESTS

POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver: Centrilobular Fatty Change				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	1/49 (2%)	1/51 (2%)
POLY-3 RATE (b)	0/38.82	0/40.00	1/32.79	1/32.44
POLY-3 PERCENT (g)	0%	0%	3.1%	3.1%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	655	496
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver: Hepatocyte Necrosis				
LESION RATES				
OVERALL (a)	5/50 (10%)	9/50 (18%)	10/49 (20%)	8/51 (16%)
POLY-3 RATE (b)	5/40.36	9/41.21	10/36.96	8/35.24
POLY-3 PERCENT (g)	12.4%	21.8%	27.1%	22.7%
TERMINAL (d)	2/25 (8%)	4/21 (19%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	503	611	477	414
STATISTICAL TESTS				
POLY 3	P=0.165	P=0.199	P=0.086	P=0.188
POLY 1.5	P=0.221	P=0.196	P=0.102	P=0.227
POLY 6	P=0.104	P=0.203	P=0.066	P=0.141
COCH-ARM / FISHERS	P=0.317	P=0.194	P=0.122	P=0.290
MAX-ISO-POLY-3	P=0.168	P=0.130	P=0.054	P=0.132

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver: Oval Cell Hyperplasia				
LESION RATES				
OVERALL (a)	1/50 (2%)	0/50 (0%)	3/49 (6%)	0/51 (0%)
POLY-3 RATE (b)	1/38.82	0/40.00	3/33.03	0/31.76
POLY-3 PERCENT (g)	2.6%	0%	9.1%	0%
TERMINAL (d)	1/25 (4%)	0/21 (0%)	1/12 (8%)	0/10 (0%)
FIRST INCIDENCE	730 (T)	---	612	---
STATISTICAL TESTS				
POLY 3	P=0.595N	P=0.494N	P=0.248	P=0.540N
POLY 1.5	P=0.554N	P=0.497N	P=0.272	P=0.521N
POLY 6	P=0.578	P=0.492N	P=0.213	P=0.567N
COCH-ARM / FISHERS	P=0.495N	P=0.500N	P=0.301	P=0.495N
MAX-ISO-POLY-3	P=0.336N	P=0.158N	P=0.132	P=0.208N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Lung Inflammation				
LESION RATES				
OVERALL (a)	1/50 (2%)	0/50 (0%)	3/49 (6%)	4/51 (8%)
POLY-3 RATE (b)	1/38.82	0/40.00	3/33.16	4/33.41
POLY-3 PERCENT (g)	2.6%	0%	9.1%	12%
TERMINAL (d)	1/25 (4%)	0/21 (0%)	2/12 (17%)	0/10 (0%)
FIRST INCIDENCE	730 (T)	---	511	521
STATISTICAL TESTS				
POLY 3	P=0.026*	P=0.494N	P=0.249	P=0.134
POLY 1.5	P=0.033*	P=0.497N	P=0.273	P=0.154
POLY 6	P=0.019*	P=0.492N	P=0.213	P=0.111
COCH-ARM / FISHERS	P=0.047*	P=0.500N	P=0.301	P=0.187
MAX-ISO-POLY-3	P=0.040*	P=0.158N	P=0.133	P=0.072

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Lung Thrombosis				
LESION RATES				
OVERALL (a)	1/50 (2%)	2/50 (4%)	0/49 (0%)	2/51 (4%)
POLY-3 RATE (b)	1/38.82	2/40.98	0/32.51	2/31.96
POLY-3 PERCENT (g)	2.6%	4.9%	0%	6.3%
TERMINAL (d)	1/25 (4%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	730 (T)	511	---	684
STATISTICAL TESTS				
POLY 3	P=0.399	P=0.519	P=0.535N	P=0.432
POLY 1.5	P=0.433	P=0.511	P=0.520N	P=0.464
POLY 6	P=0.349	P=0.528	P=0.560N	P=0.387
COCH-ARM / FISHERS	P=0.476	P=0.500	P=0.505N	P=0.508
MAX-ISO-POLY-3	P=0.367	P=0.301	P=0.200N	P=0.246

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Lung: Alveolar Epithelium Hyperplasia				
LESION RATES				
OVERALL (a)	2/50 (4%)	2/50 (4%)	4/49 (8%)	4/51 (8%)
POLY-3 RATE (b)	2/39.29	2/40.47	4/33.88	4/32.65
POLY-3 PERCENT (g)	5.1%	4.9%	11.8%	12.3%
TERMINAL (d)	1/25 (4%)	0/21 (0%)	1/12 (8%)	2/10 (20%)
FIRST INCIDENCE	588	633	505	578
STATISTICAL TESTS				
POLY 3	P=0.128	P=0.684N	P=0.269	P=0.254
POLY 1.5	P=0.163	P=0.688N	P=0.297	P=0.292
POLY 6	P=0.089	P=0.680N	P=0.227	P=0.205
COCH-ARM / FISHERS	P=0.219	P=0.691N	P=0.329	P=0.348
MAX-ISO-POLY-3	P=0.205	P=0.487N	P=0.164	P=0.160

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Lung: Alveolus Infiltration Cellular Histiocyte				
LESION RATES				
OVERALL (a)	0/50 (0%)	1/50 (2%)	4/49 (8%)	1/51 (2%)
POLY-3 RATE (b)	0/38.82	1/40.19	4/32.94	1/32.39
POLY-3 PERCENT (g)	0%	2.5%	12.1%	3.1%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	3/12 (25%)	0/10 (0%)
FIRST INCIDENCE	---	679	603	521
STATISTICAL TESTS				
POLY 3	P=0.222	P=0.507	P=0.041*	P=0.464
POLY 1.5	P=0.269	P=0.504	P=0.048*	P=0.481
POLY 6	P=0.165	P=0.510	P=0.030*	P=0.439
COCH-ARM / FISHERS	P=0.344	P=0.500	P=0.056	P=0.505
MAX-ISO-POLY-3	P=0.112	P=0.167	P=0.017*	P=0.159

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Lung: Perivascular Infiltration Cellular Mononuclear Cell				
LESION RATES				
OVERALL (a)	1/50 (2%)	0/50 (0%)	0/49 (0%)	0/51 (0%)
POLY-3 RATE (b)	1/38.82	0/40.00	0/32.51	0/31.76
POLY-3 PERCENT (g)	2.6%	0%	0%	0%
TERMINAL (d)	1/25 (4%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	730 (T)	---	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Lymph Node, Mandibular Hyperplasia				
LESION RATES				
OVERALL (a)	3/50 (6%)	1/50 (2%)	0/49 (0%)	1/51 (2%)
POLY-3 RATE (b)	3/38.87	1/40.17	0/32.51	1/32.41
POLY-3 PERCENT (g)	7.7%	2.5%	0%	3.1%
TERMINAL (d)	2/25 (8%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	717	684	---	511
STATISTICAL TESTS				
POLY 3	P=0.223N	P=0.292N	P=0.152N	P=0.372N
POLY 1.5	P=0.211N	P=0.298N	P=0.137N	P=0.340N
POLY 6	P=0.245N	P=0.287N	P=0.182N	P=0.423N
COCH-ARM / FISHERS	P=0.197N	P=0.309N	P=0.125N	P=0.301N
MAX-ISO-POLY-3	P=0.159N	P=0.148N	P=0.067N	P=0.222N

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Lymph Node, Mandibular Hyperplasia Lymphoid				
LESION RATES				
OVERALL (a)	0/50 (0%)	1/50 (2%)	0/49 (0%)	0/51 (0%)
POLY-3 RATE (b)	0/38.82	1/40.40	0/32.51	0/31.76
POLY-3 PERCENT (g)	0%	2.5%	0%	0%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	613	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Lymph Node, Mesenteric				
Hematopoietic Cell Proliferation				
LESION RATES				
OVERALL (a)	0/50 (0%)	1/48 (2%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/38.82	1/38.78	0/32.04	0/30.58
POLY-3 PERCENT (g)	0%	2.6%	0%	0%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	702	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Lymph Node, Mesenteric Hemorrhage				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/48 (0%)	0/48 (0%)	2/48 (4%)
POLY-3 RATE (b)	0/38.82	0/38.67	0/32.04	2/31.17
POLY-3 PERCENT (g)	0%	0%	0%	6.4%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	6/11
STATISTICAL TESTS				
POLY 3	P=0.036*	(e)	(e)	P=0.191
POLY 1.5	P=0.039*	(e)	(e)	P=0.206
POLY 6	P=0.032*	(e)	(e)	P=0.169
COCH-ARM / FISHERS	P=0.045*	(e)	(e)	P=0.237
MAX-ISO-POLY-3	P=0.031*	(e)	(e)	P=0.072

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Lymph Node, Mesenteric Hyperplasia				
LESION RATES				
OVERALL (a)	2/50 (4%)	4/48 (8%)	0/48 (0%)	1/48 (2%)
POLY-3 RATE (b)	2/39.49	4/39.82	0/32.04	1/30.58
POLY-3 PERCENT (g)	5.1%	10.1%	0%	3.3%
TERMINAL (d)	1/25 (4%)	2/21 (10%)	0/12 (0%)	1/10 (10%)
FIRST INCIDENCE	503	513	---	730 (T)
STATISTICAL TESTS				
POLY 3	P=0.272N	P=0.340	P=0.286N	P=0.588N
POLY 1.5	P=0.240N	P=0.331	P=0.266N	P=0.555N
POLY 6	P=0.333N	P=0.350	P=0.319N	P=0.636N
COCH-ARM / FISHERS	P=0.209N	P=0.319	P=0.258N	P=0.515N
MAX-ISO-POLY-3	P=0.251N	P=0.205	P=0.120N	P=0.371N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Lymph Node, Mesenteric Hyperplasia Lymphoid				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/48 (0%)	0/48 (0%)	1/48 (2%)
POLY-3 RATE (b)	0/38.82	0/38.67	0/32.04	1/30.58
POLY-3 PERCENT (g)	0%	0%	0%	3.3%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	730 (T)
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Lymph Node, Mesenteric Inflammation				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/38.82	0/38.67	0/32.04	0/30.58
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Mesentery Necrosis				
LESION RATES				
OVERALL (a)	5/7 (71%)	1/1 (100%)	1/3 (33%)	2/6 (33%)
POLY-3 RATE (b)	5/7.00	1/1.00	1/1.60	2/4.45
POLY-3 PERCENT (g)	71.4%	100%	62.6%	45%
TERMINAL (d)	5/7 (71%)	1/1 (100%)	0/0 (0%)	1/1 (100%)
FIRST INCIDENCE	730 (T)	730 (T)	673	684
STATISTICAL TESTS				
POLY 3	P=0.259N	P=0.708	P=0.717N	P=0.394N
POLY 1.5	P=0.173N	P=0.708	P=0.569N	P=0.295N
POLY 6	P=0.467N	P=0.708	P=0.709	P=0.579N
COCH-ARM / FISHERS	P=0.111N	P=0.750	P=0.333N	P=0.209N
MAX-ISO-POLY-3	P=0.298N	P=0.339	P=0.447N	P=0.225N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Nose				
Accumulation, Hyaline Droplet				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/51 (0%)
POLY-3 RATE (b)	0/38.82	0/40.00	0/32.51	0/31.76
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Nose Inflammation				
LESION RATES				
OVERALL (a)	5/50 (10%)	9/50 (18%)	7/49 (14%)	9/51 (18%)
POLY-3 RATE (b)	5/40.46	9/41.21	7/34.29	9/35.69
POLY-3 PERCENT (g)	12.4%	21.8%	20.4%	25.2%
TERMINAL (d)	1/25 (4%)	4/21 (19%)	2/12 (17%)	2/10 (20%)
FIRST INCIDENCE	512	609	491	322
STATISTICAL TESTS				
POLY 3	P=0.127	P=0.198	P=0.264	P=0.122
POLY 1.5	P=0.173	P=0.196	P=0.311	P=0.155
POLY 6	P=0.075	P=0.199	P=0.198	P=0.084
COCH-ARM / FISHERS	P=0.244	P=0.194	P=0.365	P=0.206
MAX-ISO-POLY-3	P=0.146	P=0.128	P=0.189	P=0.085

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Nose: Glands				
Hyperplasia				
<hr/>				
LESION RATES				
OVERALL (a)	0/50 (0%)	3/50 (6%)	2/49 (4%)	0/51 (0%)
POLY-3 RATE (b)	0/38.82	3/40.40	2/33.35	0/31.76
POLY-3 PERCENT (g)	0%	7.4%	6%	0%
TERMINAL (d)	0/25 (0%)	1/21 (5%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	633	599	---
<hr/>				
STATISTICAL TESTS				
POLY 3	P=0.519N	P=0.125	P=0.204	(e)
POLY 1.5	P=0.467N	P=0.122	P=0.217	(e)
POLY 6	P=0.598N	P=0.128	P=0.184	(e)
COCH-ARM / FISHERS	P=0.404N	P=0.121	P=0.242	(e)
MAX-ISO-POLY-3	P=0.270	P=0.043*	P=0.073	(e)

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L

Nose: Goblet Cell Hypertrophy

LESION RATES

OVERALL (a)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/51 (0%)
POLY-3 RATE (b)	0/38.82	0/40.00	0/32.51	0/31.76
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---

STATISTICAL TESTS

POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Oral Mucosa: Pharyngeal Hyperplasia				
LESION RATES				
OVERALL (a)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)
POLY-3 RATE (b)	0/0.00	0/0.00	0/0.00	0/0.00
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)
FIRST INCIDENCE	---	---	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Pancreas: Acinus Atrophy				
LESION RATES				
OVERALL (a)	2/50 (4%)	0/50 (0%)	0/49 (0%)	0/51 (0%)
POLY-3 RATE (b)	2/38.82	0/40.00	0/32.51	0/31.76
POLY-3 PERCENT (g)	5.2%	0%	0%	0%
TERMINAL (d)	2/25 (8%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	730 (T)	---	---	---
STATISTICAL TESTS				
POLY 3	P=0.114N	P=0.230N	P=0.278N	P=0.284N
POLY 1.5	P=0.113N	P=0.233N	P=0.260N	P=0.261N
POLY 6	P=0.116N	P=0.227N	P=0.310N	P=0.321N
COCH-ARM / FISHERS	P=0.114N	P=0.247N	P=0.253N	P=0.243N
MAX-ISO-POLY-3	P=0.078N	P=0.075N	P=0.113N	P=0.121N

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Parathyroid Gland Cyst				
LESION RATES				
OVERALL (a)	0/44 (0%)	0/45 (0%)	0/44 (0%)	0/44 (0%)
POLY-3 RATE (b)	0/34.64	0/36.52	0/29.58	0/27.96
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/22 (0%)	0/21 (0%)	0/11 (0%)	0/9 (0%)
FIRST INCIDENCE	---	---	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Pituitary Gland				
Angiectasis				
<hr/>				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/51 (0%)
POLY-3 RATE (b)	0/38.82	0/39.06	0/32.51	0/31.76
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---
<hr/>				
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Pituitary Gland Cyst				
LESION RATES				
OVERALL (a)	0/50 (0%)	5/49 (10%)	0/49 (0%)	2/51 (4%)
POLY-3 RATE (b)	0/38.82	5/39.16	0/32.51	2/32.66
POLY-3 PERCENT (g)	0%	12.8%	0%	6.1%
TERMINAL (d)	0/25 (0%)	4/21 (19%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	704	---	568
STATISTICAL TESTS				
POLY 3	P=0.431	P=0.030*	(e)	P=0.200
POLY 1.5	P=0.478	P=0.030*	(e)	P=0.217
POLY 6	P=0.356	P=0.030*	(e)	P=0.178
COCH-ARM / FISHERS	P=0.536	P=0.027*	(e)	P=0.252
MAX-ISO-POLY-3	P=0.180	P=0.010**	(e)	P=0.075

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Pituitary Gland: Pars Distalis Hyperplasia				
LESION RATES				
OVERALL (a)	1/50 (2%)	2/49 (4%)	4/49 (8%)	0/51 (0%)
POLY-3 RATE (b)	1/39.39	2/39.06	4/33.80	0/31.76
POLY-3 PERCENT (g)	2.5%	5.1%	11.8%	0%
TERMINAL (d)	0/25 (0%)	2/21 (10%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	548	730 (T)	590	---
STATISTICAL TESTS				
POLY 3	P=0.509N	P=0.497	P=0.133	P=0.543N
POLY 1.5	P=0.445N	P=0.495	P=0.151	P=0.523N
POLY 6	P=0.568	P=0.497	P=0.110	P=0.572N
COCH-ARM / FISHERS	P=0.364N	P=0.492	P=0.175	P=0.495N
MAX-ISO-POLY-3	P=0.225N	P=0.277	P=0.070	P=0.211N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Preputial Gland Inflammation				
LESION RATES				
OVERALL (a)	7/50 (14%)	4/50 (8%)	3/49 (6%)	8/51 (16%)
POLY-3 RATE (b)	7/38.82	4/40.79	3/32.51	8/35.19
POLY-3 PERCENT (g)	18%	9.8%	9.2%	22.7%
TERMINAL (d)	7/25 (28%)	1/21 (5%)	3/12 (25%)	1/10 (10%)
FIRST INCIDENCE	730 (T)	613	730 (T)	414
STATISTICAL TESTS				
POLY 3	P=0.265	P=0.229N	P=0.234N	P=0.415
POLY 1.5	P=0.306	P=0.244N	P=0.198N	P=0.455
POLY 6	P=0.211	P=0.211N	P=0.303N	P=0.360
COCH-ARM / FISHERS	P=0.365	P=0.262N	P=0.167N	P=0.517
MAX-ISO-POLY-3	P=0.189	P=0.148N	P=0.161N	P=0.315

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Preputial Gland: Duct Ectasia				
LESION RATES				
OVERALL (a)	6/50 (12%)	6/50 (12%)	5/49 (10%)	10/51 (20%)
POLY-3 RATE (b)	6/39.56	6/40.86	5/33.87	10/34.65
POLY-3 PERCENT (g)	15.2%	14.7%	14.8%	28.9%
TERMINAL (d)	4/25 (16%)	2/21 (10%)	2/12 (17%)	1/10 (10%)
FIRST INCIDENCE	548	609	505	521
STATISTICAL TESTS				
POLY 3	P=0.073	P=0.600N	P=0.610N	P=0.122
POLY 1.5	P=0.100	P=0.609N	P=0.564N	P=0.156
POLY 6	P=0.047*	P=0.588N	P=0.575	P=0.087
COCH-ARM / FISHERS	P=0.149	P=0.620N	P=0.514N	P=0.220
MAX-ISO-POLY-3	P=0.112	P=0.475N	P=0.481N	P=0.087

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Prostate Inflammation				
LESION RATES				
OVERALL (a)	3/50 (6%)	3/50 (6%)	1/49 (2%)	2/51 (4%)
POLY-3 RATE (b)	3/39.14	3/40.17	1/33.16	2/32.15
POLY-3 PERCENT (g)	7.7%	7.5%	3%	6.2%
TERMINAL (d)	1/25 (4%)	2/21 (10%)	0/12 (0%)	1/10 (10%)
FIRST INCIDENCE	658	684	511	618
STATISTICAL TESTS				
POLY 3	P=0.419N	P=0.651N	P=0.366N	P=0.589N
POLY 1.5	P=0.382N	P=0.656N	P=0.339N	P=0.547N
POLY 6	P=0.479N	P=0.649N	P=0.414N	P=0.649N
COCH-ARM / FISHERS	P=0.337N	P=0.661N	P=0.316N	P=0.491N
MAX-ISO-POLY-3	P=0.506N	P=0.486N	P=0.213N	P=0.413N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Seminal Vesicle Inflammation				
LESION RATES				
OVERALL (a)	2/50 (4%)	2/50 (4%)	3/49 (6%)	1/51 (2%)
POLY-3 RATE (b)	2/38.87	2/40.28	3/34.01	1/32.17
POLY-3 PERCENT (g)	5.2%	5%	8.8%	3.1%
TERMINAL (d)	1/25 (4%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	717	684	511	611
STATISTICAL TESTS				
POLY 3	P=0.506N	P=0.682N	P=0.439	P=0.566N
POLY 1.5	P=0.459N	P=0.687N	P=0.464	P=0.535N
POLY 6	P=0.572N	P=0.676N	P=0.397	P=0.610N
COCH-ARM / FISHERS	P=0.397N	P=0.691N	P=0.490	P=0.492N
MAX-ISO-POLY-3	P=0.491N	P=0.485N	P=0.281	P=0.350N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Skin				
Ulcer				
LESION RATES				
OVERALL (a)	1/50 (2%)	2/50 (4%)	1/49 (2%)	1/51 (2%)
POLY-3 RATE (b)	1/39.39	2/40.49	1/32.51	1/32.41
POLY-3 PERCENT (g)	2.5%	4.9%	3.1%	3.1%
TERMINAL (d)	0/25 (0%)	1/21 (5%)	1/12 (8%)	0/10 (0%)
FIRST INCIDENCE	548	581	730 (T)	511
STATISTICAL TESTS				
POLY 3	P=0.601N	P=0.510	P=0.717	P=0.716
POLY 1.5	P=0.567N	P=0.506	P=0.736	P=0.738
POLY 6	P=0.554	P=0.513	P=0.682	P=0.681
COCH-ARM / FISHERS	P=0.524N	P=0.500	P=0.747	P=0.748N
MAX-ISO-POLY-3	P=0.621	P=0.291	P=0.449	P=0.449

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Spleen Atrophy				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	3/49 (6%)	1/50 (2%)
POLY-3 RATE (b)	0/38.82	0/40.00	3/33.93	1/32.11
POLY-3 PERCENT (g)	0%	0%	8.8%	3.1%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	490	534
STATISTICAL TESTS				
POLY 3	P=0.165	(e)	P=0.095	P=0.462
POLY 1.5	P=0.196	(e)	P=0.104	P=0.478
POLY 6	P=0.127	(e)	P=0.081	P=0.439
COCH-ARM / FISHERS	P=0.247	(e)	P=0.117	P=0.500
MAX-ISO-POLY-3	P=0.126	(e)	P=0.036*	P=0.158

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Spleen				
Hematopoietic Cell Proliferation				
LESION RATES				
OVERALL (a)	1/50 (2%)	3/50 (6%)	5/49 (10%)	4/50 (8%)
POLY-3 RATE (b)	1/39.32	3/40.70	5/35.00	4/32.98
POLY-3 PERCENT (g)	2.5%	7.4%	14.3%	12.1%
TERMINAL (d)	0/25 (0%)	2/21 (10%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	578	484	491	511
STATISTICAL TESTS				
POLY 3	P=0.082	P=0.317	P=0.074	P=0.128
POLY 1.5	P=0.108	P=0.312	P=0.085	P=0.148
POLY 6	P=0.054	P=0.320	P=0.059	P=0.103
COCH-ARM / FISHERS	P=0.154	P=0.309	P=0.098	P=0.181
MAX-ISO-POLY-3	P=0.114	P=0.166	P=0.037*	P=0.069

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Spleen				
Hyperplasia Lymphoid				
LESION RATES				
OVERALL (a)	4/50 (8%)	7/50 (14%)	5/49 (10%)	5/50 (10%)
POLY-3 RATE (b)	4/38.82	7/40.40	5/33.45	5/32.58
POLY-3 PERCENT (g)	10.3%	17.3%	15%	15.4%
TERMINAL (d)	4/25 (16%)	6/21 (29%)	2/12 (17%)	3/10 (30%)
FIRST INCIDENCE	730 (T)	613	596	548
STATISTICAL TESTS				
POLY 3	P=0.384	P=0.281	P=0.406	P=0.389
POLY 1.5	P=0.452	P=0.272	P=0.445	P=0.436
POLY 6	P=0.287	P=0.290	P=0.345	P=0.323
COCH-ARM / FISHERS	P=0.545	P=0.262	P=0.487	P=0.500
MAX-ISO-POLY-3	P=0.431	P=0.187	P=0.289	P=0.279

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Spleen				
Pigmentation Hemosiderin				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
POLY-3 RATE (b)	0/38.82	0/40.00	0/32.51	0/31.50
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Stomach, Forestomach Ulcer				
LESION RATES				
OVERALL (a)	3/50 (6%)	1/50 (2%)	1/49 (2%)	2/51 (4%)
POLY-3 RATE (b)	3/38.87	1/40.65	1/33.22	2/32.42
POLY-3 PERCENT (g)	7.7%	2.5%	3%	6.2%
TERMINAL (d)	2/25 (8%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	717	511	480	624
STATISTICAL TESTS				
POLY 3	P=0.529N	P=0.288N	P=0.362N	P=0.582N
POLY 1.5	P=0.503N	P=0.296N	P=0.337N	P=0.544N
POLY 6	P=0.566N	P=0.281N	P=0.407N	P=0.636N
COCH-ARM / FISHERS	P=0.467N	P=0.309N	P=0.316N	P=0.491N
MAX-ISO-POLY-3	P=0.394N	P=0.147N	P=0.210N	P=0.407N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Stomach, Forestomach: Epithelium Hyperplasia				
LESION RATES				
OVERALL (a)	2/50 (4%)	0/50 (0%)	1/49 (2%)	1/51 (2%)
POLY-3 RATE (b)	2/38.82	0/40.00	1/32.98	1/31.76
POLY-3 PERCENT (g)	5.2%	0%	3%	3.2%
TERMINAL (d)	2/25 (8%)	0/21 (0%)	0/12 (0%)	1/10 (10%)
FIRST INCIDENCE	730 (T)	---	588	730 (T)
STATISTICAL TESTS				
POLY 3	P=0.538N	P=0.230N	P=0.557N	P=0.570N
POLY 1.5	P=0.520N	P=0.233N	P=0.533N	P=0.537N
POLY 6	P=0.561N	P=0.227N	P=0.596N	P=0.617N
COCH-ARM / FISHERS	P=0.495N	P=0.247N	P=0.508N	P=0.492N
MAX-ISO-POLY-3	P=0.376N	P=0.075N	P=0.339N	P=0.354N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Stomach, Glandular Amyloid Deposition				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	3/49 (6%)	1/51 (2%)
POLY-3 RATE (b)	0/38.82	0/40.00	3/33.63	1/32.02
POLY-3 PERCENT (g)	0%	0%	8.9%	3.1%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	599	658
STATISTICAL TESTS				
POLY 3	P=0.161	(e)	P=0.093	P=0.462
POLY 1.5	P=0.195	(e)	P=0.103	P=0.480
POLY 6	P=0.121	(e)	P=0.080	P=0.436
COCH-ARM / FISHERS	P=0.253	(e)	P=0.117	P=0.505
MAX-ISO-POLY-3	P=0.127	(e)	P=0.036*	P=0.159

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Stomach, Glandular Mineralization				
LESION RATES				
OVERALL (a)	1/50 (2%)	0/50 (0%)	0/49 (0%)	0/51 (0%)
POLY-3 RATE (b)	1/38.82	0/40.00	0/32.51	0/31.76
POLY-3 PERCENT (g)	2.6%	0%	0%	0%
TERMINAL (d)	1/25 (4%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	730 (T)	---	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Stomach, Glandular Ulcer				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	2/49 (4%)	0/51 (0%)
POLY-3 RATE (b)	0/38.82	0/40.00	2/33.54	0/31.76
POLY-3 PERCENT (g)	0%	0%	6%	0%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	490	---
STATISTICAL TESTS				
POLY 3	P=0.477	(e)	P=0.205	(e)
POLY 1.5	P=0.528	(e)	P=0.218	(e)
POLY 6	P=0.408	(e)	P=0.185	(e)
COCH-ARM / FISHERS	P=0.598	(e)	P=0.242	(e)
MAX-ISO-POLY-3	P=0.265	(e)	P=0.073	(e)

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L

Stomach, Glandular: Epithelium
Hyperplasia

LESION RATES

OVERALL (a)	2/50 (4%)	0/50 (0%)	0/49 (0%)	0/51 (0%)
POLY-3 RATE (b)	2/38.82	0/40.00	0/32.51	0/31.76
POLY-3 PERCENT (g)	5.2%	0%	0%	0%
TERMINAL (d)	2/25 (8%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	730 (T)	---	---	---

STATISTICAL TESTS

POLY 3	P=0.114N	P=0.230N	P=0.278N	P=0.284N
POLY 1.5	P=0.113N	P=0.233N	P=0.260N	P=0.261N
POLY 6	P=0.116N	P=0.227N	P=0.310N	P=0.321N
COCH-ARM / FISHERS	P=0.114N	P=0.247N	P=0.253N	P=0.243N
MAX-ISO-POLY-3	P=0.078N	P=0.075N	P=0.113N	P=0.121N

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L

Stomach, Glandular: Glands
Ectasia

LESION RATES

OVERALL (a)	0/50 (0%)	1/50 (2%)	0/49 (0%)	1/51 (2%)
POLY-3 RATE (b)	0/38.82	1/40.00	0/32.51	1/31.76
POLY-3 PERCENT (g)	0%	2.5%	0%	3.2%
TERMINAL (d)	0/25 (0%)	1/21 (5%)	0/12 (0%)	1/10 (10%)
FIRST INCIDENCE	---	730 (T)	---	730 (T)

STATISTICAL TESTS

POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Testes				
Atrophy				
LESION RATES				
OVERALL (a)	4/50 (8%)	6/50 (12%)	13/49 (27%)	23/51 (45%)
POLY-3 RATE (b)	4/38.82	6/40.45	13/35.79	23/36.93
POLY-3 PERCENT (g)	10.3%	14.8%	36.3%	62.3%
TERMINAL (d)	4/25 (16%)	2/21 (10%)	5/12 (42%)	6/10 (60%)
FIRST INCIDENCE	730 (T)	684	477	534
STATISTICAL TESTS				
POLY 3	P<0.001**	P=0.394	P=0.006**	P<0.001**
POLY 1.5	P<0.001**	P=0.383	P=0.009**	P<0.001**
POLY 6	P<0.001**	P=0.409	P=0.003**	P<0.001**
COCH-ARM / FISHERS	P<0.001**	P=0.370	P=0.014*	P<0.001**
MAX-ISO-POLY-3	P<0.001**	P=0.276	P=0.003**	P<0.001**

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Thyroid Gland Inflammation				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/51 (0%)
POLY-3 RATE (b)	0/38.82	0/40.00	0/32.51	0/31.76
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/25 (0%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Thyroid Gland: C-Cell Hyperplasia				
LESION RATES				
OVERALL (a)	0/50 (0%)	1/50 (2%)	0/49 (0%)	0/51 (0%)
POLY-3 RATE (b)	0/38.82	1/40.00	0/32.51	0/31.76
POLY-3 PERCENT (g)	0%	2.5%	0%	0%
TERMINAL (d)	0/25 (0%)	1/21 (5%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	---	730 (T)	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Thyroid Gland: Follicle Cyst				
LESION RATES				
OVERALL (a)	1/50 (2%)	3/50 (6%)	1/49 (2%)	1/51 (2%)
POLY-3 RATE (b)	1/38.87	3/40.06	1/32.86	1/31.76
POLY-3 PERCENT (g)	2.6%	7.5%	3%	3.2%
TERMINAL (d)	0/25 (0%)	2/21 (10%)	0/12 (0%)	1/10 (10%)
FIRST INCIDENCE	717	714	631	730 (T)
STATISTICAL TESTS				
POLY 3	P=0.529N	P=0.315	P=0.723	P=0.714
POLY 1.5	P=0.488N	P=0.311	P=0.739	P=0.737
POLY 6	P=0.593N	P=0.319	P=0.694	P=0.677
COCH-ARM / FISHERS	P=0.438N	P=0.309	P=0.747	P=0.748N
MAX-ISO-POLY-3	P=0.541	P=0.164	P=0.455	P=0.447

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Tooth Malformation				
LESION RATES				
OVERALL (a)	34/35 (97%)	20/22 (91%)	13/13 (100%)	0/0 (0%)
POLY-3 RATE (b)	34/35.00	20/21.79	13/13.00	0/0.00
POLY-3 PERCENT (g)	97.1%	91.8%	100%	0%
TERMINAL (d)	18/19 (95%)	10/11 (91%)	2/2 (100%)	0/0 (0%)
FIRST INCIDENCE	449	433	511	---
STATISTICAL TESTS				
POLY 3	(e)	P=0.390N	P=0.696	(e)
POLY 1.5	(e)	P=0.365N	P=0.696	(e)
POLY 6	(e)	P=0.436N	P=0.696	(e)
COCH-ARM / FISHERS	P=0.766	P=0.329N	P=0.729	(e)
MAX-ISO-POLY-3	(e)	P=0.204N	P=0.308	(e)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Tooth: Periodontal Tissue Fibrosis				
LESION RATES				
OVERALL (a)	0/35 (0%)	2/22 (9%)	0/13 (0%)	0/0 (0%)
POLY-3 RATE (b)	0/28.20	2/18.85	0/8.65	0/0.00
POLY-3 PERCENT (g)	0%	10.6%	0%	0%
TERMINAL (d)	0/19 (0%)	0/11 (0%)	0/2 (0%)	0/0 (0%)
FIRST INCIDENCE	---	631	---	---
STATISTICAL TESTS				
POLY 3	(e)	P=0.147	(e)	(e)
POLY 1.5	(e)	P=0.143	(e)	(e)
POLY 6	(e)	P=0.151	(e)	(e)
COCH-ARM / FISHERS	P=0.636	P=0.145	(e)	(e)
MAX-ISO-POLY-3	(e)	P=0.047*	(e)	(e)

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Tooth: Pulp Inflammation				
LESION RATES				
OVERALL (a)	0/35 (0%)	0/22 (0%)	0/13 (0%)	0/0 (0%)
POLY-3 RATE (b)	0/28.20	0/18.28	0/8.65	0/0.00
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/19 (0%)	0/11 (0%)	0/2 (0%)	0/0 (0%)
FIRST INCIDENCE	---	---	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Urinary Bladder Inflammation				
LESION RATES				
OVERALL (a)	2/50 (4%)	0/50 (0%)	0/49 (0%)	1/51 (2%)
POLY-3 RATE (b)	2/39.57	0/40.00	0/32.51	1/32.15
POLY-3 PERCENT (g)	5.1%	0%	0%	3.1%
TERMINAL (d)	1/25 (4%)	0/21 (0%)	0/12 (0%)	0/10 (0%)
FIRST INCIDENCE	458	---	---	618
STATISTICAL TESTS				
POLY 3	P=0.467N	P=0.234N	P=0.283N	P=0.572N
POLY 1.5	P=0.462N	P=0.236N	P=0.263N	P=0.539N
POLY 6	P=0.476N	P=0.233N	P=0.317N	P=0.618N
COCH-ARM / FISHERS	P=0.456N	P=0.247N	P=0.253N	P=0.492N
MAX-ISO-POLY-3	P=0.226N	P=0.075N	P=0.118N	P=0.356N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Adrenal Cortex Degeneration Cystic				
LESION RATES				
OVERALL (a)	0/49 (0%)	2/50 (4%)	0/47 (0%)	0/49 (0%)
POLY-3 RATE (b)	0/42.11	2/43.24	0/41.28	0/41.74
POLY-3 PERCENT (g)	0%	4.6%	0%	0%
TERMINAL (d)	0/30 (0%)	2/33 (6%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	---	729 (T)	---	---
STATISTICAL TESTS				
POLY 3	P=0.406N	P=0.243	(e)	(e)
POLY 1.5	P=0.408N	P=0.242	(e)	(e)
POLY 6	P=0.404N	P=0.245	(e)	(e)
COCH-ARM / FISHERS	P=0.408N	P=0.253	(e)	(e)
MAX-ISO-POLY-3	P=0.261N	P=0.080	(e)	(e)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Adrenal Cortex				
Hematopoietic Cell Proliferation				
LESION RATES				
OVERALL (a)	0/49 (0%)	3/50 (6%)	1/47 (2%)	1/49 (2%)
POLY-3 RATE (b)	0/42.11	3/43.90	1/41.52	1/41.86
POLY-3 PERCENT (g)	0%	6.8%	2.4%	2.4%
TERMINAL (d)	0/30 (0%)	0/33 (0%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	---	642	666	697
STATISTICAL TESTS				
POLY 3	P=0.586	P=0.126	P=0.497	P=0.499
POLY 1.5	P=0.586	P=0.124	P=0.493	P=0.499
POLY 6	P=0.583	P=0.130	P=0.503	P=0.497
COCH-ARM / FISHERS	P=0.587	P=0.125	P=0.490	P=0.500
MAX-ISO-POLY-3	P=0.235	P=0.043*	P=0.158	P=0.158

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Adrenal Cortex Hyperplasia				
LESION RATES				
OVERALL (a)	7/49 (14%)	12/50 (24%)	5/47 (11%)	1/49 (2%)
POLY-3 RATE (b)	7/42.54	12/44.06	5/41.34	1/41.96
POLY-3 PERCENT (g)	16.5%	27.2%	12.1%	2.4%
TERMINAL (d)	6/30 (20%)	11/33 (33%)	4/29 (14%)	0/27 (0%)
FIRST INCIDENCE	604	410	716	669
STATISTICAL TESTS				
POLY 3	P=0.007N**	P=0.169	P=0.399N	P=0.030N*
POLY 1.5	P=0.007N**	P=0.166	P=0.410N	P=0.030N*
POLY 6	P=0.007N**	P=0.172	P=0.383N	P=0.031N*
COCH-ARM / FISHERS	P=0.008N**	P=0.166	P=0.410N	P=0.030N*
MAX-ISO-POLY-3	P=0.008N**	P=0.114	P=0.286N	P=0.013N*

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Adrenal Cortex Hypertrophy				
LESION RATES				
OVERALL (a)	5/49 (10%)	10/50 (20%)	3/47 (6%)	5/49 (10%)
POLY-3 RATE (b)	5/42.13	10/44.04	3/41.28	5/42.60
POLY-3 PERCENT (g)	11.9%	22.7%	7.3%	11.7%
TERMINAL (d)	4/30 (13%)	8/33 (24%)	3/29 (10%)	1/27 (4%)
FIRST INCIDENCE	725	549	729 (T)	662
STATISTICAL TESTS				
POLY 3	P=0.311N	P=0.147	P=0.367N	P=0.624N
POLY 1.5	P=0.316N	P=0.142	P=0.378N	P=0.627N
POLY 6	P=0.305N	P=0.157	P=0.352N	P=0.621N
COCH-ARM / FISHERS	P=0.321N	P=0.140	P=0.381N	P=0.630N
MAX-ISO-POLY-3	P=0.234N	P=0.095	P=0.239N	P=0.492N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Adrenal Cortex				
Vacuolization Cytoplasmic				
LESION RATES				
OVERALL (a)	0/49 (0%)	2/50 (4%)	0/47 (0%)	0/49 (0%)
POLY-3 RATE (b)	0/42.11	2/43.24	0/41.28	0/41.74
POLY-3 PERCENT (g)	0%	4.6%	0%	0%
TERMINAL (d)	0/30 (0%)	2/33 (6%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	---	729 (T)	---	---
STATISTICAL TESTS				
POLY 3	P=0.406N	P=0.243	(e)	(e)
POLY 1.5	P=0.408N	P=0.242	(e)	(e)
POLY 6	P=0.404N	P=0.245	(e)	(e)
COCH-ARM / FISHERS	P=0.408N	P=0.253	(e)	(e)
MAX-ISO-POLY-3	P=0.261N	P=0.080	(e)	(e)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Adrenal Medulla Hyperplasia				
LESION RATES				
OVERALL (a)	2/50 (4%)	1/50 (2%)	0/48 (0%)	0/49 (0%)
POLY-3 RATE (b)	2/42.42	1/43.24	0/42.10	0/41.74
POLY-3 PERCENT (g)	4.7%	2.3%	0%	0%
TERMINAL (d)	1/30 (3%)	1/33 (3%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	726	729 (T)	---	---
STATISTICAL TESTS				
POLY 3	P=0.103N	P=0.493N	P=0.239N	P=0.240N
POLY 1.5	P=0.104N	P=0.497N	P=0.244N	P=0.241N
POLY 6	P=0.103N	P=0.488N	P=0.232N	P=0.242N
COCH-ARM / FISHERS	P=0.104N	P=0.500N	P=0.258N	P=0.253N
MAX-ISO-POLY-3	P=0.081N	P=0.276N	P=0.078N	P=0.078N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Bone Marrow				
Angiectasis				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)
POLY-3 RATE (b)	0/42.40	0/43.24	0/43.48	1/42.31
POLY-3 PERCENT (g)	0%	0%	0%	2.4%
TERMINAL (d)	0/30 (0%)	0/33 (0%)	0/29 (0%)	1/27 (4%)
FIRST INCIDENCE	---	---	---	729 (T)
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Bone Marrow Hyperplasia				
LESION RATES				
OVERALL (a)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	1/42.91	0/43.24	0/43.48	0/42.31
POLY-3 PERCENT (g)	2.3%	0%	0%	0%
TERMINAL (d)	0/30 (0%)	0/33 (0%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	576	---	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Bone				
Fibro-osseous Lesion				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	0/50 (0%)	3/50 (6%)
POLY-3 RATE (b)	0/42.40	0/43.24	0/43.48	3/42.53
POLY-3 PERCENT (g)	0%	0%	0%	7.1%
TERMINAL (d)	0/30 (0%)	0/33 (0%)	0/29 (0%)	2/27 (7%)
FIRST INCIDENCE	---	---	---	673
STATISTICAL TESTS				
POLY 3	P=0.011*	(e)	(e)	P=0.119
POLY 1.5	P=0.011*	(e)	(e)	P=0.119
POLY 6	P=0.011*	(e)	(e)	P=0.117
COCH-ARM / FISHERS	P=0.012*	(e)	(e)	P=0.121
MAX-ISO-POLY-3	P=0.009**	(e)	(e)	P=0.038*

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Eye Cataract				
LESION RATES				
OVERALL (a)	2/48 (4%)	1/50 (2%)	0/46 (0%)	0/46 (0%)
POLY-3 RATE (b)	2/40.95	1/43.24	0/39.90	0/39.73
POLY-3 PERCENT (g)	4.9%	2.3%	0%	0%
TERMINAL (d)	0/30 (0%)	1/33 (3%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	712	729 (T)	---	---
STATISTICAL TESTS				
POLY 3	P=0.106N	P=0.481N	P=0.243N	P=0.244N
POLY 1.5	P=0.106N	P=0.484N	P=0.246N	P=0.245N
POLY 6	P=0.106N	P=0.477N	P=0.238N	P=0.243N
COCH-ARM / FISHERS	P=0.106N	P=0.485N	P=0.258N	P=0.258N
MAX-ISO-POLY-3	P=0.081N	P=0.268N	P=0.079N	P=0.080N

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Eye Phthisis Bulbi				
LESION RATES				
OVERALL (a)	0/48 (0%)	0/50 (0%)	0/46 (0%)	0/46 (0%)
POLY-3 RATE (b)	0/40.87	0/43.24	0/39.90	0/39.73
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/30 (0%)	0/33 (0%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	---	---	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Eye: Cornea Inflammation				
LESION RATES				
OVERALL (a)	1/48 (2%)	3/50 (6%)	1/46 (2%)	0/46 (0%)
POLY-3 RATE (b)	1/41.46	3/43.35	1/40.22	0/39.73
POLY-3 PERCENT (g)	2.4%	6.9%	2.5%	0%
TERMINAL (d)	0/30 (0%)	2/33 (6%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	540	701	641	---
STATISTICAL TESTS				
POLY 3	P=0.212N	P=0.321	P=0.754	P=0.509N
POLY 1.5	P=0.213N	P=0.320	P=0.751	P=0.508N
POLY 6	P=0.213N	P=0.324	P=0.758	P=0.510N
COCH-ARM / FISHERS	P=0.213N	P=0.324	P=0.742	P=0.511N
MAX-ISO-POLY-3	P=0.176N	P=0.168	P=0.491	P=0.166N

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Harderian Gland: Epithelium Hyperplasia				
LESION RATES				
OVERALL (a)	2/48 (4%)	3/50 (6%)	1/46 (2%)	2/46 (4%)
POLY-3 RATE (b)	2/41.82	3/43.40	1/39.90	2/39.73
POLY-3 PERCENT (g)	4.8%	6.9%	2.5%	5%
TERMINAL (d)	1/30 (3%)	2/33 (6%)	1/29 (3%)	2/27 (7%)
FIRST INCIDENCE	274	688	729 (T)	729 (T)
STATISTICAL TESTS				
POLY 3	P=0.530N	P=0.517	P=0.516N	P=0.676
POLY 1.5	P=0.530N	P=0.514	P=0.520N	P=0.676
POLY 6	P=0.530N	P=0.523	P=0.510N	P=0.676
COCH-ARM / FISHERS	P=0.527N	P=0.520	P=0.516N	P=0.675
MAX-ISO-POLY-3	P=0.528N	P=0.340	P=0.296N	P=0.478

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Heart				
Cardiomyopathy				
LESION RATES				
OVERALL (a)	38/50 (76%)	34/50 (68%)	33/48 (69%)	35/48 (73%)
POLY-3 RATE (b)	38/45.42	34/45.50	33/43.36	35/44.42
POLY-3 PERCENT (g)	83.7%	74.7%	76.1%	78.8%
TERMINAL (d)	27/30 (90%)	28/33 (85%)	22/29 (76%)	22/27 (82%)
FIRST INCIDENCE	484	298	666	503
STATISTICAL TESTS				
POLY 3	P=0.411N	P=0.195N	P=0.252N	P=0.364N
POLY 1.5	P=0.449N	P=0.216N	P=0.290N	P=0.405N
POLY 6	P=0.361N	P=0.170N	P=0.192N	P=0.313N
COCH-ARM / FISHERS	P=0.482N	P=0.252N	P=0.282N	P=0.453N
MAX-ISO-POLY-3	P=0.307N	P=0.127N	P=0.173N	P=0.261N

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Heart: Atrium Thrombosis				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	0/48 (0%)	1/48 (2%)
POLY-3 RATE (b)	0/42.40	0/43.24	0/42.05	1/41.68
POLY-3 PERCENT (g)	0%	0%	0%	2.4%
TERMINAL (d)	0/30 (0%)	0/33 (0%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	---	---	---	558
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Heart: Myocardium Mineralization				
LESION RATES				
OVERALL (a)	1/50 (2%)	0/50 (0%)	0/48 (0%)	0/48 (0%)
POLY-3 RATE (b)	1/43.11	0/43.24	0/42.05	0/41.13
POLY-3 PERCENT (g)	2.3%	0%	0%	0%
TERMINAL (d)	0/30 (0%)	0/33 (0%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	484	---	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Water disinfection byproducts (Bromodichloroacetic acid)

CAS Number: 71133-14-7

Date Report Requested: 07/05/2012

Time Report Requested: 09:41:46

First Dose M/F: 09/26/06 / 09/25/06

Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Intestine Small, Ileum Inflammation				
LESION RATES				
OVERALL (a)	1/50 (2%)	1/50 (2%)	1/50 (2%)	0/49 (0%)
POLY-3 RATE (b)	1/42.40	1/43.24	1/43.48	0/41.31
POLY-3 PERCENT (g)	2.4%	2.3%	2.3%	0%
TERMINAL (d)	1/30 (3%)	1/33 (3%)	1/29 (3%)	0/26 (0%)
FIRST INCIDENCE	729 (T)	729 (T)	729 (T)	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Intestine Small, Ileum: Epithelium Hyperplasia				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)
POLY-3 RATE (b)	0/42.40	0/43.24	0/43.48	0/41.31
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/30 (0%)	0/33 (0%)	0/29 (0%)	0/26 (0%)
FIRST INCIDENCE	---	---	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Intestine Small, Jejunum Inflammation				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)
POLY-3 RATE (b)	0/42.40	0/43.24	0/43.48	1/42.31
POLY-3 PERCENT (g)	0%	0%	0%	2.4%
TERMINAL (d)	0/30 (0%)	0/33 (0%)	0/29 (0%)	1/27 (4%)
FIRST INCIDENCE	---	---	---	729 (T)
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Intestine Small, Jejunum: Peyer's Patch				
Hyperplasia Lymphoid				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)
POLY-3 RATE (b)	0/42.40	0/43.24	0/43.48	1/42.31
POLY-3 PERCENT (g)	0%	0%	0%	2.4%
TERMINAL (d)	0/30 (0%)	0/33 (0%)	0/29 (0%)	1/27 (4%)
FIRST INCIDENCE	---	---	---	729 (T)
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Kidney				
Hydronephrosis				
LESION RATES				
OVERALL (a)	3/50 (6%)	2/50 (4%)	2/50 (4%)	1/49 (2%)
POLY-3 RATE (b)	3/42.42	2/43.40	2/43.48	1/41.74
POLY-3 PERCENT (g)	7.1%	4.6%	4.6%	2.4%
TERMINAL (d)	2/30 (7%)	1/33 (3%)	2/29 (7%)	1/27 (4%)
FIRST INCIDENCE	725	688	729 (T)	729 (T)
STATISTICAL TESTS				
POLY 3	P=0.239N	P=0.490N	P=0.489N	P=0.311N
POLY 1.5	P=0.239N	P=0.495N	P=0.497N	P=0.311N
POLY 6	P=0.243N	P=0.481N	P=0.480N	P=0.313N
COCH-ARM / FISHERS	P=0.238N	P=0.500N	P=0.500N	P=0.316N
MAX-ISO-POLY-3	P=0.255N	P=0.316N	P=0.316N	P=0.158N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Kidney Infarct				
LESION RATES				
OVERALL (a)	4/50 (8%)	2/50 (4%)	5/50 (10%)	7/49 (14%)
POLY-3 RATE (b)	4/42.92	2/43.24	5/43.97	7/42.28
POLY-3 PERCENT (g)	9.3%	4.6%	11.4%	16.6%
TERMINAL (d)	1/30 (3%)	2/33 (6%)	3/29 (10%)	4/27 (15%)
FIRST INCIDENCE	634	729 (T)	641	660
STATISTICAL TESTS				
POLY 3	P=0.097	P=0.333N	P=0.515	P=0.250
POLY 1.5	P=0.098	P=0.336N	P=0.504	P=0.251
POLY 6	P=0.094	P=0.330N	P=0.527	P=0.245
COCH-ARM / FISHERS	P=0.098	P=0.339N	P=0.500	P=0.251
MAX-ISO-POLY-3	P=0.117	P=0.198N	P=0.377	P=0.160

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Kidney				
Infiltration Cellular Mononuclear Cell				
LESION RATES				
OVERALL (a)	2/50 (4%)	0/50 (0%)	2/50 (4%)	1/49 (2%)
POLY-3 RATE (b)	2/42.40	0/43.24	2/43.48	1/41.93
POLY-3 PERCENT (g)	4.7%	0%	4.6%	2.4%
TERMINAL (d)	2/30 (7%)	0/33 (0%)	2/29 (7%)	0/27 (0%)
FIRST INCIDENCE	729 (T)	---	729 (T)	677
STATISTICAL TESTS				
POLY 3	P=0.538N	P=0.233N	P=0.685N	P=0.504N
POLY 1.5	P=0.537N	P=0.235N	P=0.691N	P=0.505N
POLY 6	P=0.543N	P=0.229N	P=0.678N	P=0.505N
COCH-ARM / FISHERS	P=0.538N	P=0.247N	P=0.691N	P=0.508N
MAX-ISO-POLY-3	P=0.418N	P=0.076N	P=0.489N	P=0.283N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Kidney Inflammation				
LESION RATES				
OVERALL (a)	3/50 (6%)	4/50 (8%)	1/50 (2%)	1/49 (2%)
POLY-3 RATE (b)	3/42.44	4/43.35	1/43.60	1/41.77
POLY-3 PERCENT (g)	7.1%	9.2%	2.3%	2.4%
TERMINAL (d)	2/30 (7%)	3/33 (9%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	720	701	701	721
STATISTICAL TESTS				
POLY 3	P=0.139N	P=0.512	P=0.295N	P=0.310N
POLY 1.5	P=0.140N	P=0.505	P=0.302N	P=0.311N
POLY 6	P=0.139N	P=0.522	P=0.287N	P=0.313N
COCH-ARM / FISHERS	P=0.141N	P=0.500	P=0.309N	P=0.316N
MAX-ISO-POLY-3	P=0.188N	P=0.359	P=0.150N	P=0.158N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Kidney				
Metaplasia Osseous				
LESION RATES				
OVERALL (a)	1/50 (2%)	3/50 (6%)	0/50 (0%)	1/49 (2%)
POLY-3 RATE (b)	1/42.40	3/43.24	0/43.48	1/42.07
POLY-3 PERCENT (g)	2.4%	6.9%	0%	2.4%
TERMINAL (d)	1/30 (3%)	3/33 (9%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	729 (T)	729 (T)	---	636
STATISTICAL TESTS				
POLY 3	P=0.410N	P=0.312	P=0.495N	P=0.759
POLY 1.5	P=0.413N	P=0.308	P=0.499N	P=0.758
POLY 6	P=0.407N	P=0.318	P=0.491N	P=0.759
COCH-ARM / FISHERS	P=0.416N	P=0.309	P=0.500N	P=0.747
MAX-ISO-POLY-3	P=0.275N	P=0.161	P=0.158N	P=0.497

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Kidney Mineralization				
LESION RATES				
OVERALL (a)	0/50 (0%)	2/50 (4%)	1/50 (2%)	0/49 (0%)
POLY-3 RATE (b)	0/42.40	2/43.33	1/43.70	0/41.74
POLY-3 PERCENT (g)	0%	4.6%	2.3%	0%
TERMINAL (d)	0/30 (0%)	1/33 (3%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	---	705	673	---
STATISTICAL TESTS				
POLY 3	P=0.462N	P=0.242	P=0.506	(e)
POLY 1.5	P=0.464N	P=0.239	P=0.502	(e)
POLY 6	P=0.463N	P=0.246	P=0.511	(e)
COCH-ARM / FISHERS	P=0.466N	P=0.247	P=0.500	(e)
MAX-ISO-POLY-3	P=0.339N	P=0.080	P=0.166	(e)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Kidney Nephropathy				
LESION RATES				
OVERALL (a)	40/50 (80%)	38/50 (76%)	31/50 (62%)	30/49 (61%)
POLY-3 RATE (b)	40/45.80	38/46.06	31/45.97	30/45.34
POLY-3 PERCENT (g)	87.4%	82.5%	67.4%	66.2%
TERMINAL (d)	27/30 (90%)	29/33 (88%)	22/29 (76%)	19/27 (70%)
FIRST INCIDENCE	549	549	126	534
STATISTICAL TESTS				
POLY 3	P=0.004N**	P=0.349N	P=0.014N*	P=0.010N**
POLY 1.5	P=0.006N**	P=0.383N	P=0.020N*	P=0.016N*
POLY 6	P=0.003N**	P=0.297N	P=0.010N**	P=0.007N**
COCH-ARM / FISHERS	P=0.015N*	P=0.405N	P=0.038N*	P=0.033N*
MAX-ISO-POLY-3	P=0.006N**	P=0.242N	P=0.007N**	P=0.005N**

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Kidney: Renal Tubule Cyst				
LESION RATES				
OVERALL (a)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/49 (0%)
POLY-3 RATE (b)	1/42.40	1/43.24	0/43.48	0/41.74
POLY-3 PERCENT (g)	2.4%	2.3%	0%	0%
TERMINAL (d)	1/30 (3%)	1/33 (3%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	729 (T)	729 (T)	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Kidney: Renal Tubule Hyperplasia				
LESION RATES				
OVERALL (a)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/49 (0%)
POLY-3 RATE (b)	0/42.40	1/43.24	0/43.48	0/41.74
POLY-3 PERCENT (g)	0%	2.3%	0%	0%
TERMINAL (d)	0/30 (0%)	1/33 (3%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	---	729 (T)	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver				
Angiectasis				
LESION RATES				
OVERALL (a)	0/49 (0%)	1/50 (2%)	6/49 (12%)	3/50 (6%)
POLY-3 RATE (b)	0/42.11	1/43.24	6/43.37	3/43.62
POLY-3 PERCENT (g)	0%	2.3%	13.8%	6.9%
TERMINAL (d)	0/30 (0%)	1/33 (3%)	5/29 (17%)	0/27 (0%)
FIRST INCIDENCE	---	729 (T)	603	503
STATISTICAL TESTS				
POLY 3	P=0.080	P=0.505	P=0.016*	P=0.125
POLY 1.5	P=0.079	P=0.504	P=0.016*	P=0.124
POLY 6	P=0.077	P=0.508	P=0.018*	P=0.124
COCH-ARM / FISHERS	P=0.080	P=0.505	P=0.013*	P=0.125
MAX-ISO-POLY-3	P=0.031*	P=0.164	P=0.006**	P=0.042*

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver				
Basophilic Focus				
LESION RATES				
OVERALL (a)	3/49 (6%)	1/50 (2%)	1/49 (2%)	3/50 (6%)
POLY-3 RATE (b)	3/42.11	1/43.24	1/43.17	3/43.27
POLY-3 PERCENT (g)	7.1%	2.3%	2.3%	6.9%
TERMINAL (d)	3/30 (10%)	1/33 (3%)	0/29 (0%)	1/27 (4%)
FIRST INCIDENCE	729 (T)	729 (T)	669	558
STATISTICAL TESTS				
POLY 3	P=0.508	P=0.295N	P=0.296N	P=0.650N
POLY 1.5	P=0.508	P=0.298N	P=0.303N	P=0.651N
POLY 6	P=0.506	P=0.291N	P=0.287N	P=0.652N
COCH-ARM / FISHERS	P=0.506	P=0.301N	P=0.309N	P=0.651N
MAX-ISO-POLY-3	P=0.388N	P=0.148N	P=0.150N	P=0.486N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver				
Clear Cell Focus				
LESION RATES				
OVERALL (a)	5/49 (10%)	5/50 (10%)	8/49 (16%)	5/50 (10%)
POLY-3 RATE (b)	5/42.51	5/43.61	8/44.49	5/43.72
POLY-3 PERCENT (g)	11.8%	11.5%	18%	11.4%
TERMINAL (d)	4/30 (13%)	4/33 (12%)	5/29 (17%)	2/27 (7%)
FIRST INCIDENCE	614	625	283	512
STATISTICAL TESTS				
POLY 3	P=0.533	P=0.615N	P=0.305	P=0.613N
POLY 1.5	P=0.532	P=0.618N	P=0.290	P=0.614N
POLY 6	P=0.526	P=0.608N	P=0.322	P=0.617N
COCH-ARM / FISHERS	P=0.525	P=0.617N	P=0.276	P=0.617N
MAX-ISO-POLY-3	P=0.534	P=0.482N	P=0.214	P=0.480N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver				
Eosinophilic Focus				
LESION RATES				
OVERALL (a)	22/49 (45%)	33/50 (66%)	38/49 (78%)	40/50 (80%)
POLY-3 RATE (b)	22/43.72	33/46.05	38/46.19	40/47.99
POLY-3 PERCENT (g)	50.3%	71.7%	82.3%	83.4%
TERMINAL (d)	16/30 (53%)	23/33 (70%)	23/29 (79%)	22/27 (82%)
FIRST INCIDENCE	540	549	403	503
STATISTICAL TESTS				
POLY 3	P<0.001**	P=0.026*	P<0.001**	P<0.001**
POLY 1.5	P<0.001**	P=0.023*	P<0.001**	P<0.001**
POLY 6	P<0.001**	P=0.036*	P<0.001**	P<0.001**
COCH-ARM / FISHERS	P<0.001**	P=0.028*	P<0.001**	P<0.001**
MAX-ISO-POLY-3	P<0.001**	P=0.017*	P<0.001**	P<0.001**

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver				
Fatty Change				
LESION RATES				
OVERALL (a)	4/49 (8%)	2/50 (4%)	2/49 (4%)	1/50 (2%)
POLY-3 RATE (b)	4/42.70	2/44.99	2/43.99	1/42.40
POLY-3 PERCENT (g)	9.4%	4.5%	4.6%	2.4%
TERMINAL (d)	3/30 (10%)	0/33 (0%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	540	298	283	708
STATISTICAL TESTS				
POLY 3	P=0.141N	P=0.313N	P=0.323N	P=0.180N
POLY 1.5	P=0.139N	P=0.319N	P=0.331N	P=0.177N
POLY 6	P=0.146N	P=0.307N	P=0.314N	P=0.186N
COCH-ARM / FISHERS	P=0.134N	P=0.329N	P=0.339N	P=0.175N
MAX-ISO-POLY-3	P=0.121N	P=0.187N	P=0.193N	P=0.086N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver				
Fatty Change Focal				
LESION RATES				
OVERALL (a)	0/49 (0%)	0/50 (0%)	0/49 (0%)	2/50 (4%)
POLY-3 RATE (b)	0/42.11	0/43.24	0/42.94	2/42.64
POLY-3 PERCENT (g)	0%	0%	0%	4.7%
TERMINAL (d)	0/30 (0%)	0/33 (0%)	0/29 (0%)	1/27 (4%)
FIRST INCIDENCE	---	---	---	638
STATISTICAL TESTS				
POLY 3	P=0.046*	(e)	(e)	P=0.240
POLY 1.5	P=0.046*	(e)	(e)	P=0.241
POLY 6	P=0.045*	(e)	(e)	P=0.237
COCH-ARM / FISHERS	P=0.047*	(e)	(e)	P=0.253
MAX-ISO-POLY-3	P=0.034*	(e)	(e)	P=0.077

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver				
Focus of Cellular Alteration Atypical				
LESION RATES				
OVERALL (a)	0/49 (0%)	2/50 (4%)	6/49 (12%)	16/50 (32%)
POLY-3 RATE (b)	0/42.11	2/43.38	6/43.37	16/43.56
POLY-3 PERCENT (g)	0%	4.6%	13.8%	36.7%
TERMINAL (d)	0/30 (0%)	1/33 (3%)	5/29 (17%)	11/27 (41%)
FIRST INCIDENCE	---	691	603	558
STATISTICAL TESTS				
POLY 3	P<0.001**	P=0.244	P=0.016*	P<0.001**
POLY 1.5	P<0.001**	P=0.242	P=0.016*	P<0.001**
POLY 6	P<0.001**	P=0.247	P=0.018*	P<0.001**
COCH-ARM / FISHERS	P<0.001**	P=0.253	P=0.013*	P<0.001**
MAX-ISO-POLY-3	P<0.001**	P=0.081	P=0.006**	P<0.001**

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver				
Hematopoietic Cell Proliferation				
LESION RATES				
OVERALL (a)	1/49 (2%)	2/50 (4%)	2/49 (4%)	0/50 (0%)
POLY-3 RATE (b)	1/42.62	2/43.58	2/43.18	0/42.31
POLY-3 PERCENT (g)	2.4%	4.6%	4.6%	0%
TERMINAL (d)	0/30 (0%)	0/33 (0%)	1/29 (3%)	0/27 (0%)
FIRST INCIDENCE	576	666	666	---
STATISTICAL TESTS				
POLY 3	P=0.302N	P=0.508	P=0.505	P=0.501N
POLY 1.5	P=0.298N	P=0.506	P=0.500	P=0.499N
POLY 6	P=0.312N	P=0.512	P=0.511	P=0.506N
COCH-ARM / FISHERS	P=0.292N	P=0.508	P=0.500	P=0.495N
MAX-ISO-POLY-3	P=0.240N	P=0.288	P=0.286	P=0.162N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver Inflammation				
LESION RATES				
OVERALL (a)	27/49 (55%)	18/50 (36%)	9/49 (18%)	15/50 (30%)
POLY-3 RATE (b)	27/42.75	18/43.33	9/45.10	15/43.27
POLY-3 PERCENT (g)	63.2%	41.5%	20%	34.7%
TERMINAL (d)	22/30 (73%)	17/33 (52%)	5/29 (17%)	11/27 (41%)
FIRST INCIDENCE	634	705	283	558
STATISTICAL TESTS				
POLY 3	P=0.003N**	P=0.030N*	P<0.001N**	P=0.005N**
POLY 1.5	P=0.004N**	P=0.035N*	P<0.001N**	P=0.006N**
POLY 6	P=0.003N**	P=0.024N*	P<0.001N**	P=0.004N**
COCH-ARM / FISHERS	P=0.007N**	P=0.044N*	P<0.001N**	P=0.010N**
MAX-ISO-POLY-3	P<0.001N**	P=0.018N*	P<0.001N**	P=0.002N**

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver				
Mixed Cell Focus				
LESION RATES				
OVERALL (a)	4/49 (8%)	10/50 (20%)	4/49 (8%)	4/50 (8%)
POLY-3 RATE (b)	4/42.11	10/43.58	4/43.69	4/43.24
POLY-3 PERCENT (g)	9.5%	22.9%	9.2%	9.3%
TERMINAL (d)	4/30 (13%)	8/33 (24%)	2/29 (7%)	1/27 (4%)
FIRST INCIDENCE	729 (T)	666	603	614
STATISTICAL TESTS				
POLY 3	P=0.278N	P=0.080	P=0.623N	P=0.629N
POLY 1.5	P=0.282N	P=0.078	P=0.637N	P=0.630N
POLY 6	P=0.274N	P=0.084	P=0.605N	P=0.630N
COCH-ARM / FISHERS	P=0.288N	P=0.080	P=0.643N	P=0.631N
MAX-ISO-POLY-3	P=0.262N	P=0.046*	P=0.477N	P=0.484N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver				
Tension Lipidosis				
LESION RATES				
OVERALL (a)	4/49 (8%)	1/50 (2%)	3/49 (6%)	0/50 (0%)
POLY-3 RATE (b)	4/42.51	1/43.55	3/44.27	0/42.31
POLY-3 PERCENT (g)	9.4%	2.3%	6.8%	0%
TERMINAL (d)	3/30 (10%)	0/33 (0%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	614	642	283	---
STATISTICAL TESTS				
POLY 3	P=0.072N	P=0.171N	P=0.478N	P=0.060N
POLY 1.5	P=0.070N	P=0.173N	P=0.490N	P=0.059N
POLY 6	P=0.076N	P=0.167N	P=0.464N	P=0.063N
COCH-ARM / FISHERS	P=0.070N	P=0.175N	P=0.500N	P=0.056N
MAX-ISO-POLY-3	P=0.031N*	P=0.080N	P=0.330N	P=0.020N*

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver: Bile Duct Hyperplasia				
LESION RATES				
OVERALL (a)	2/49 (4%)	4/50 (8%)	3/49 (6%)	3/50 (6%)
POLY-3 RATE (b)	2/42.13	4/43.44	3/42.94	3/42.47
POLY-3 PERCENT (g)	4.8%	9.2%	7%	7.1%
TERMINAL (d)	1/30 (3%)	2/33 (6%)	3/29 (10%)	1/27 (4%)
FIRST INCIDENCE	725	701	729 (T)	697
STATISTICAL TESTS				
POLY 3	P=0.499	P=0.351	P=0.509	P=0.504
POLY 1.5	P=0.503	P=0.347	P=0.501	P=0.507
POLY 6	P=0.490	P=0.358	P=0.518	P=0.497
COCH-ARM / FISHERS	P=0.507	P=0.349	P=0.500	P=0.510
MAX-ISO-POLY-3	P=0.474	P=0.213	P=0.332	P=0.327

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver: Centrilobular Fatty Change				
LESION RATES				
OVERALL (a)	0/49 (0%)	2/50 (4%)	0/49 (0%)	0/50 (0%)
POLY-3 RATE (b)	0/42.11	2/44.20	0/42.94	0/42.31
POLY-3 PERCENT (g)	0%	4.5%	0%	0%
TERMINAL (d)	0/30 (0%)	0/33 (0%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	---	386	---	---
STATISTICAL TESTS				
POLY 3	P=0.399N	P=0.248	(e)	(e)
POLY 1.5	P=0.401N	P=0.245	(e)	(e)
POLY 6	P=0.397N	P=0.252	(e)	(e)
COCH-ARM / FISHERS	P=0.402N	P=0.253	(e)	(e)
MAX-ISO-POLY-3	P=0.261N	P=0.085	(e)	(e)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver: Hepatocyte Necrosis				
LESION RATES				
OVERALL (a)	2/49 (4%)	4/50 (8%)	2/49 (4%)	6/50 (12%)
POLY-3 RATE (b)	2/42.15	4/43.70	2/42.94	6/43.63
POLY-3 PERCENT (g)	4.8%	9.2%	4.7%	13.8%
TERMINAL (d)	1/30 (3%)	1/33 (3%)	2/29 (7%)	1/27 (4%)
FIRST INCIDENCE	720	659	729 (T)	558
STATISTICAL TESTS				
POLY 3	P=0.118	P=0.354	P=0.688N	P=0.143
POLY 1.5	P=0.117	P=0.349	P=0.693N	P=0.142
POLY 6	P=0.117	P=0.363	P=0.681N	P=0.144
COCH-ARM / FISHERS	P=0.116	P=0.349	P=0.691N	P=0.141
MAX-ISO-POLY-3	P=0.103	P=0.216	P=0.492N	P=0.077

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Liver: Oval Cell Hyperplasia				
LESION RATES				
OVERALL (a)	0/49 (0%)	0/50 (0%)	1/49 (2%)	1/50 (2%)
POLY-3 RATE (b)	0/42.11	0/43.24	1/42.94	1/42.35
POLY-3 PERCENT (g)	0%	0%	2.3%	2.4%
TERMINAL (d)	0/30 (0%)	0/33 (0%)	1/29 (3%)	0/27 (0%)
FIRST INCIDENCE	---	---	729 (T)	721
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Lung Inflammation				
LESION RATES				
OVERALL (a)	4/50 (8%)	5/50 (10%)	2/48 (4%)	3/48 (6%)
POLY-3 RATE (b)	4/43.11	5/43.24	2/42.41	3/41.13
POLY-3 PERCENT (g)	9.3%	11.6%	4.7%	7.3%
TERMINAL (d)	3/30 (10%)	5/33 (15%)	0/29 (0%)	3/27 (11%)
FIRST INCIDENCE	484	729 (T)	666	729 (T)
STATISTICAL TESTS				
POLY 3	P=0.344N	P=0.502	P=0.344N	P=0.526N
POLY 1.5	P=0.344N	P=0.499	P=0.354N	P=0.524N
POLY 6	P=0.345N	P=0.508	P=0.331N	P=0.531N
COCH-ARM / FISHERS	P=0.344N	P=0.500	P=0.359N	P=0.523N
MAX-ISO-POLY-3	P=0.379N	P=0.364	P=0.206N	P=0.372N

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Lung Thrombosis				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	0/48 (0%)	1/48 (2%)
POLY-3 RATE (b)	0/42.40	0/43.24	0/42.05	1/41.26
POLY-3 PERCENT (g)	0%	0%	0%	2.4%
TERMINAL (d)	0/30 (0%)	0/33 (0%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	---	---	---	697
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Lung: Alveolar Epithelium Hyperplasia				
LESION RATES				
OVERALL (a)	3/50 (6%)	2/50 (4%)	2/48 (4%)	1/48 (2%)
POLY-3 RATE (b)	3/42.40	2/43.24	2/42.17	1/41.13
POLY-3 PERCENT (g)	7.1%	4.6%	4.7%	2.4%
TERMINAL (d)	3/30 (10%)	2/33 (6%)	1/29 (3%)	1/27 (4%)
FIRST INCIDENCE	729 (T)	729 (T)	698	729 (T)
STATISTICAL TESTS				
POLY 3	P=0.245N	P=0.491N	P=0.502N	P=0.316N
POLY 1.5	P=0.246N	P=0.496N	P=0.513N	P=0.317N
POLY 6	P=0.246N	P=0.483N	P=0.489N	P=0.316N
COCH-ARM / FISHERS	P=0.247N	P=0.500N	P=0.520N	P=0.324N
MAX-ISO-POLY-3	P=0.262N	P=0.317N	P=0.327N	P=0.162N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Lung: Alveolus Infiltration Cellular Histiocyte				
LESION RATES				
OVERALL (a)	3/50 (6%)	2/50 (4%)	0/48 (0%)	3/48 (6%)
POLY-3 RATE (b)	3/42.47	2/44.00	0/42.05	3/41.68
POLY-3 PERCENT (g)	7.1%	4.6%	0%	7.2%
TERMINAL (d)	2/30 (7%)	0/33 (0%)	0/29 (0%)	2/27 (7%)
FIRST INCIDENCE	712	559	---	558
STATISTICAL TESTS				
POLY 3	P=0.580	P=0.484N	P=0.120N	P=0.654
POLY 1.5	P=0.579	P=0.492N	P=0.124N	P=0.650
POLY 6	P=0.579	P=0.472N	P=0.115N	P=0.656
COCH-ARM / FISHERS	P=0.577	P=0.500N	P=0.129N	P=0.641
MAX-ISO-POLY-3	P=0.367N	P=0.312N	P=0.039N*	P=0.490

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Lung: Perivascular Infiltration Cellular Mononuclear Cell				
LESION RATES				
OVERALL (a)	0/50 (0%)	4/50 (8%)	1/48 (2%)	2/48 (4%)
POLY-3 RATE (b)	0/42.40	4/43.33	1/42.05	2/41.13
POLY-3 PERCENT (g)	0%	9.2%	2.4%	4.9%
TERMINAL (d)	0/30 (0%)	3/33 (9%)	1/29 (3%)	2/27 (7%)
FIRST INCIDENCE	---	705	729 (T)	729 (T)
STATISTICAL TESTS				
POLY 3	P=0.411	P=0.063	P=0.498	P=0.230
POLY 1.5	P=0.408	P=0.061	P=0.494	P=0.230
POLY 6	P=0.412	P=0.065	P=0.504	P=0.229
COCH-ARM / FISHERS	P=0.404	P=0.059	P=0.490	P=0.237
MAX-ISO-POLY-3	P=0.164	P=0.021*	P=0.159	P=0.073

Experiment Number: 96014 - 06

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Water disinfection byproducts (Bromodichloroacetic acid)

CAS Number: 71133-14-7

Date Report Requested: 07/05/2012

Time Report Requested: 09:41:46

First Dose M/F: 09/26/06 / 09/25/06

Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Lymph Node, Mandibular Hyperplasia				
LESION RATES				
OVERALL (a)	0/48 (0%)	0/49 (0%)	0/44 (0%)	0/45 (0%)
POLY-3 RATE (b)	0/40.96	0/42.90	0/38.51	0/38.95
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/30 (0%)	0/33 (0%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	---	---	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Lymph Node, Mandibular Hyperplasia Lymphoid				
LESION RATES				
OVERALL (a)	1/48 (2%)	2/49 (4%)	0/44 (0%)	0/45 (0%)
POLY-3 RATE (b)	1/40.96	2/42.90	0/38.51	0/38.95
POLY-3 PERCENT (g)	2.4%	4.7%	0%	0%
TERMINAL (d)	1/30 (3%)	2/33 (6%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	729 (T)	729 (T)	---	---
STATISTICAL TESTS				
POLY 3	P=0.199N	P=0.516	P=0.512N	P=0.510N
POLY 1.5	P=0.201N	P=0.512	P=0.516N	P=0.511N
POLY 6	P=0.196N	P=0.522	P=0.507N	P=0.509N
COCH-ARM / FISHERS	P=0.202N	P=0.508	P=0.522N	P=0.516N
MAX-ISO-POLY-3	P=0.195N	P=0.297	P=0.168N	P=0.167N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Lymph Node, Mesenteric Hematopoietic Cell Proliferation				
LESION RATES				
OVERALL (a)	0/48 (0%)	2/50 (4%)	0/47 (0%)	0/47 (0%)
POLY-3 RATE (b)	0/41.34	2/43.35	0/41.77	0/39.40
POLY-3 PERCENT (g)	0%	4.6%	0%	0%
TERMINAL (d)	0/30 (0%)	1/33 (3%)	0/29 (0%)	0/25 (0%)
FIRST INCIDENCE	---	701	---	---
STATISTICAL TESTS				
POLY 3	P=0.413N	P=0.248	(e)	(e)
POLY 1.5	P=0.413N	P=0.247	(e)	(e)
POLY 6	P=0.414N	P=0.249	(e)	(e)
COCH-ARM / FISHERS	P=0.412N	P=0.258	(e)	(e)
MAX-ISO-POLY-3	P=0.276N	P=0.084	(e)	(e)

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Lymph Node, Mesenteric Hemorrhage				
LESION RATES				
OVERALL (a)	0/48 (0%)	0/50 (0%)	0/47 (0%)	0/47 (0%)
POLY-3 RATE (b)	0/41.34	0/43.24	0/41.77	0/39.40
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/30 (0%)	0/33 (0%)	0/29 (0%)	0/25 (0%)
FIRST INCIDENCE	---	---	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Lymph Node, Mesenteric Hyperplasia				
LESION RATES				
OVERALL (a)	0/48 (0%)	3/50 (6%)	0/47 (0%)	0/47 (0%)
POLY-3 RATE (b)	0/41.34	3/43.24	0/41.77	0/39.40
POLY-3 PERCENT (g)	0%	6.9%	0%	0%
TERMINAL (d)	0/30 (0%)	3/33 (9%)	0/29 (0%)	0/25 (0%)
FIRST INCIDENCE	---	729 (T)	---	---
STATISTICAL TESTS				
POLY 3	P=0.319N	P=0.126	(e)	(e)
POLY 1.5	P=0.319N	P=0.126	(e)	(e)
POLY 6	P=0.323N	P=0.127	(e)	(e)
COCH-ARM / FISHERS	P=0.319N	P=0.129	(e)	(e)
MAX-ISO-POLY-3	P=0.190N	P=0.043*	(e)	(e)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Lymph Node, Mesenteric Hyperplasia Lymphoid				
LESION RATES				
OVERALL (a)	1/48 (2%)	2/50 (4%)	1/47 (2%)	0/47 (0%)
POLY-3 RATE (b)	1/41.34	2/43.24	1/41.77	0/39.40
POLY-3 PERCENT (g)	2.4%	4.6%	2.4%	0%
TERMINAL (d)	1/30 (3%)	2/33 (6%)	1/29 (3%)	0/25 (0%)
FIRST INCIDENCE	729 (T)	729 (T)	729 (T)	---
STATISTICAL TESTS				
POLY 3	P=0.261N	P=0.516	P=0.758N	P=0.510N
POLY 1.5	P=0.259N	P=0.514	P=0.759	P=0.507N
POLY 6	P=0.267N	P=0.518	P=0.755N	P=0.515N
COCH-ARM / FISHERS	P=0.255N	P=0.515	P=0.747	P=0.505N
MAX-ISO-POLY-3	P=0.253N	P=0.296	P=0.496N	P=0.169N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Lymph Node, Mesenteric Inflammation				
LESION RATES				
OVERALL (a)	0/48 (0%)	2/50 (4%)	1/47 (2%)	0/47 (0%)
POLY-3 RATE (b)	0/41.34	2/43.24	1/41.77	0/39.40
POLY-3 PERCENT (g)	0%	4.6%	2.4%	0%
TERMINAL (d)	0/30 (0%)	2/33 (6%)	1/29 (3%)	0/25 (0%)
FIRST INCIDENCE	---	729 (T)	729 (T)	---
STATISTICAL TESTS				
POLY 3	P=0.478N	P=0.247	P=0.502	(e)
POLY 1.5	P=0.474N	P=0.246	P=0.499	(e)
POLY 6	P=0.486N	P=0.248	P=0.505	(e)
COCH-ARM / FISHERS	P=0.470N	P=0.258	P=0.495	(e)
MAX-ISO-POLY-3	P=0.347	P=0.083	P=0.162	(e)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Mesentery Necrosis				
LESION RATES				
OVERALL (a)	7/10 (70%)	11/13 (85%)	11/13 (85%)	9/10 (90%)
POLY-3 RATE (b)	7/9.46	11/12.84	11/13.00	9/9.78
POLY-3 PERCENT (g)	74%	85.7%	84.6%	92.1%
TERMINAL (d)	3/5 (60%)	8/9 (89%)	5/7 (71%)	8/8 (100%)
FIRST INCIDENCE	274	386	597	512
STATISTICAL TESTS				
POLY 3	P=0.253	P=0.442	P=0.467	P=0.321
POLY 1.5	P=0.245	P=0.413	P=0.426	P=0.310
POLY 6	P=0.256	P=0.472	P=0.516	P=0.326
COCH-ARM / FISHERS	P=0.222	P=0.367	P=0.367	P=0.291
MAX-ISO-POLY-3	P=0.232	P=0.263	P=0.288	P=0.140

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Nose				
Accumulation, Hyaline Droplet				
LESION RATES				
OVERALL (a)	1/50 (2%)	2/50 (4%)	0/50 (0%)	1/50 (2%)
POLY-3 RATE (b)	1/42.83	2/43.38	0/43.48	1/42.31
POLY-3 PERCENT (g)	2.3%	4.6%	0%	2.4%
TERMINAL (d)	0/30 (0%)	1/33 (3%)	0/29 (0%)	1/27 (4%)
FIRST INCIDENCE	604	691	---	729 (T)
STATISTICAL TESTS				
POLY 3	P=0.500N	P=0.504	P=0.497N	P=0.758
POLY 1.5	P=0.501N	P=0.502	P=0.500N	P=0.760
POLY 6	P=0.502N	P=0.509	P=0.494N	P=0.754
COCH-ARM / FISHERS	P=0.500N	P=0.500	P=0.500N	P=0.753N
MAX-ISO-POLY-3	P=0.392N	P=0.285	P=0.158N	P=0.496

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Nose Inflammation				
LESION RATES				
OVERALL (a)	3/50 (6%)	4/50 (8%)	7/50 (14%)	4/50 (8%)
POLY-3 RATE (b)	3/43.91	4/43.70	7/44.08	4/44.03
POLY-3 PERCENT (g)	6.8%	9.2%	15.9%	9.1%
TERMINAL (d)	0/30 (0%)	2/33 (6%)	3/29 (10%)	0/27 (0%)
FIRST INCIDENCE	274	642	666	265
STATISTICAL TESTS				
POLY 3	P=0.404	P=0.497	P=0.158	P=0.502
POLY 1.5	P=0.405	P=0.494	P=0.153	P=0.501
POLY 6	P=0.397	P=0.506	P=0.166	P=0.499
COCH-ARM / FISHERS	P=0.401	P=0.500	P=0.159	P=0.500
MAX-ISO-POLY-3	P=0.309	P=0.345	P=0.091	P=0.348

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Nose: Glands				
Hyperplasia				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
POLY-3 RATE (b)	0/42.40	0/43.24	1/43.48	1/42.31
POLY-3 PERCENT (g)	0%	0%	2.3%	2.4%
TERMINAL (d)	0/30 (0%)	0/33 (0%)	1/29 (3%)	1/27 (4%)
FIRST INCIDENCE	---	---	729 (T)	729 (T)
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Nose: Goblet Cell Hypertrophy				
LESION RATES				
OVERALL (a)	0/50 (0%)	2/50 (4%)	0/50 (0%)	1/50 (2%)
POLY-3 RATE (b)	0/42.40	2/43.24	0/43.48	1/42.31
POLY-3 PERCENT (g)	0%	4.6%	0%	2.4%
TERMINAL (d)	0/30 (0%)	2/33 (6%)	0/29 (0%)	1/27 (4%)
FIRST INCIDENCE	---	729 (T)	---	729 (T)
STATISTICAL TESTS				
POLY 3	P=0.541	P=0.241	(e)	P=0.500
POLY 1.5	P=0.540	P=0.239	(e)	P=0.500
POLY 6	P=0.538	P=0.245	(e)	P=0.497
COCH-ARM / FISHERS	P=0.539	P=0.247	(e)	P=0.500
MAX-ISO-POLY-3	P=0.332	P=0.080	(e)	P=0.158

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Oral Mucosa: Pharyngeal Hyperplasia				
LESION RATES				
OVERALL (a)	0/2 (0%)	2/2 (100%)	0/0 (0%)	0/0 (0%)
POLY-3 RATE (b)	0/1.44	2/2.00	0/0.00	0/0.00
POLY-3 PERCENT (g)	0%	100%	0%	0%
TERMINAL (d)	0/0 (0%)	2/2 (100%)	0/0 (0%)	0/0 (0%)
FIRST INCIDENCE	---	729 (T)	---	---
STATISTICAL TESTS				
POLY 3	(e)	P=0.015*	(e)	(e)
POLY 1.5	(e)	P<0.001**	(e)	(e)
POLY 6	(e)	P=0.166	(e)	(e)
COCH-ARM / FISHERS	P=0.500	P=0.167	(e)	(e)
MAX-ISO-POLY-3	(e)	P<0.001**	(e)	(e)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Ovary Atrophy				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)
POLY-3 RATE (b)	0/42.40	0/43.24	0/43.48	2/43.09
POLY-3 PERCENT (g)	0%	0%	0%	4.6%
TERMINAL (d)	0/30 (0%)	0/33 (0%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	---	---	---	558
STATISTICAL TESTS				
POLY 3	P=0.046*	(e)	(e)	P=0.240
POLY 1.5	P=0.046*	(e)	(e)	P=0.239
POLY 6	P=0.045*	(e)	(e)	P=0.240
COCH-ARM / FISHERS	P=0.046*	(e)	(e)	P=0.247
MAX-ISO-POLY-3	P=0.035*	(e)	(e)	P=0.079

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Ovary Cyst				
LESION RATES				
OVERALL (a)	4/50 (8%)	3/50 (6%)	5/50 (10%)	4/50 (8%)
POLY-3 RATE (b)	4/43.18	3/43.47	5/44.64	4/42.40
POLY-3 PERCENT (g)	9.3%	6.9%	11.2%	9.4%
TERMINAL (d)	2/30 (7%)	2/33 (6%)	3/29 (10%)	3/27 (11%)
FIRST INCIDENCE	604	666	126	708
STATISTICAL TESTS				
POLY 3	P=0.487	P=0.496N	P=0.521	P=0.634
POLY 1.5	P=0.495	P=0.499N	P=0.512	P=0.639
POLY 6	P=0.469	P=0.492N	P=0.529	P=0.621
COCH-ARM / FISHERS	P=0.500	P=0.500N	P=0.500	P=0.643N
MAX-ISO-POLY-3	P=0.570	P=0.344N	P=0.383	P=0.488

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Pancreas: Acinus Atrophy				
LESION RATES				
OVERALL (a)	0/49 (0%)	3/50 (6%)	1/50 (2%)	0/48 (0%)
POLY-3 RATE (b)	0/42.11	3/43.51	1/43.48	0/40.82
POLY-3 PERCENT (g)	0%	6.9%	2.3%	0%
TERMINAL (d)	0/30 (0%)	1/33 (3%)	1/29 (3%)	0/27 (0%)
FIRST INCIDENCE	---	688	729 (T)	---
STATISTICAL TESTS				
POLY 3	P=0.374N	P=0.124	P=0.506	(e)
POLY 1.5	P=0.373N	P=0.123	P=0.504	(e)
POLY 6	P=0.376N	P=0.127	P=0.510	(e)
COCH-ARM / FISHERS	P=0.373N	P=0.125	P=0.505	(e)
MAX-ISO-POLY-3	P=0.239N	P=0.042*	P=0.165	(e)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Parathyroid Gland Cyst				
LESION RATES				
OVERALL (a)	2/45 (4%)	0/46 (0%)	0/41 (0%)	1/38 (3%)
POLY-3 RATE (b)	2/39.96	0/41.06	0/35.82	1/32.50
POLY-3 PERCENT (g)	5%	0%	0%	3.1%
TERMINAL (d)	0/28 (0%)	0/32 (0%)	0/27 (0%)	1/21 (5%)
FIRST INCIDENCE	576	---	---	729 (T)
STATISTICAL TESTS				
POLY 3	P=0.510N	P=0.231N	P=0.261N	P=0.572N
POLY 1.5	P=0.511N	P=0.231N	P=0.263N	P=0.566N
POLY 6	P=0.507N	P=0.230N	P=0.259N	P=0.580N
COCH-ARM / FISHERS	P=0.509N	P=0.242N	P=0.271N	P=0.564N
MAX-ISO-POLY-3	P=0.197N	P=0.074N	P=0.094N	P=0.350N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Pituitary Gland				
Angiectasis				
LESION RATES				
OVERALL (a)	3/49 (6%)	0/49 (0%)	0/46 (0%)	0/48 (0%)
POLY-3 RATE (b)	3/41.42	0/42.90	0/39.90	0/41.07
POLY-3 PERCENT (g)	7.2%	0%	0%	0%
TERMINAL (d)	3/30 (10%)	0/33 (0%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	729 (T)	---	---	---
STATISTICAL TESTS				
POLY 3	P=0.049N*	P=0.112N	P=0.125N	P=0.119N
POLY 1.5	P=0.048N*	P=0.115N	P=0.129N	P=0.121N
POLY 6	P=0.049N*	P=0.108N	P=0.120N	P=0.119N
COCH-ARM / FISHERS	P=0.050N*	P=0.121N	P=0.133N	P=0.125N
MAX-ISO-POLY-3	P=0.010N**	P=0.038N*	P=0.041N*	P=0.038N*

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Pituitary Gland Cyst				
LESION RATES				
OVERALL (a)	2/49 (4%)	1/49 (2%)	0/46 (0%)	2/48 (4%)
POLY-3 RATE (b)	2/41.42	1/42.90	0/39.90	2/41.82
POLY-3 PERCENT (g)	4.8%	2.3%	0%	4.8%
TERMINAL (d)	2/30 (7%)	1/33 (3%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	729 (T)	729 (T)	---	558
STATISTICAL TESTS				
POLY 3	P=0.584	P=0.488N	P=0.245N	P=0.691N
POLY 1.5	P=0.583	P=0.494N	P=0.250N	P=0.693
POLY 6	P=0.584	P=0.479N	P=0.239N	P=0.687N
COCH-ARM / FISHERS	P=0.581	P=0.500N	P=0.263N	P=0.684
MAX-ISO-POLY-3	P=0.423N	P=0.273N	P=0.080N	P=0.495N

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L

Pituitary Gland: Pars Distalis
Hyperplasia

LESION RATES

OVERALL (a)	14/49 (29%)	12/49 (24%)	8/46 (17%)	11/48 (23%)
POLY-3 RATE (b)	14/41.77	12/42.90	8/40.63	11/42.16
POLY-3 PERCENT (g)	33.5%	28%	19.7%	26.1%
TERMINAL (d)	12/30 (40%)	12/33 (36%)	5/29 (17%)	8/27 (30%)
FIRST INCIDENCE	673	729 (T)	597	534

STATISTICAL TESTS

POLY 3	P=0.254N	P=0.375N	P=0.118N	P=0.305N
POLY 1.5	P=0.265N	P=0.392N	P=0.135N	P=0.320N
POLY 6	P=0.247N	P=0.354N	P=0.099N	P=0.295N
COCH-ARM / FISHERS	P=0.281N	P=0.410N	P=0.147N	P=0.343N
MAX-ISO-POLY-3	P=0.223N	P=0.292N	P=0.076N	P=0.229N

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
<hr/>				
Skin Ulcer				
<hr/>				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	0/42.40	0/43.24	0/43.48	0/42.31
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/30 (0%)	0/33 (0%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	---	---	---	---
<hr/>				
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Spleen Atrophy				
LESION RATES				
OVERALL (a)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/42.11	0/43.24	0/43.48	0/41.13
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/30 (0%)	0/33 (0%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	---	---	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Spleen				
Hematopoietic Cell Proliferation				
LESION RATES				
OVERALL (a)	5/49 (10%)	4/50 (8%)	2/50 (4%)	4/48 (8%)
POLY-3 RATE (b)	5/43.23	4/43.90	2/43.94	4/42.26
POLY-3 PERCENT (g)	11.6%	9.1%	4.6%	9.5%
TERMINAL (d)	2/30 (7%)	2/33 (6%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	561	559	666	534
STATISTICAL TESTS				
POLY 3	P=0.425N	P=0.490N	P=0.209N	P=0.514N
POLY 1.5	P=0.425N	P=0.491N	P=0.212N	P=0.514N
POLY 6	P=0.426N	P=0.487N	P=0.205N	P=0.517N
COCH-ARM / FISHERS	P=0.424N	P=0.487N	P=0.210N	P=0.513N
MAX-ISO-POLY-3	P=0.366N	P=0.353N	P=0.115N	P=0.376N

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Spleen Hyperplasia Lymphoid				
LESION RATES				
OVERALL (a)	16/49 (33%)	16/50 (32%)	11/50 (22%)	10/48 (21%)
POLY-3 RATE (b)	16/42.57	16/43.47	11/44.96	10/41.59
POLY-3 PERCENT (g)	37.6%	36.8%	24.5%	24%
TERMINAL (d)	13/30 (43%)	15/33 (46%)	8/29 (28%)	8/27 (30%)
FIRST INCIDENCE	673	666	126	660
STATISTICAL TESTS				
POLY 3	P=0.068N	P=0.559N	P=0.133N	P=0.130N
POLY 1.5	P=0.071N	P=0.563N	P=0.148N	P=0.133N
POLY 6	P=0.067N	P=0.552N	P=0.119N	P=0.131N
COCH-ARM / FISHERS	P=0.077N	P=0.558N	P=0.168N	P=0.139N
MAX-ISO-POLY-3	P=0.106N	P=0.469N	P=0.094N	P=0.088N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Spleen				
Pigmentation Hemosiderin				
LESION RATES				
OVERALL (a)	2/49 (4%)	4/50 (8%)	0/50 (0%)	0/48 (0%)
POLY-3 RATE (b)	2/42.45	4/43.24	0/43.48	0/41.13
POLY-3 PERCENT (g)	4.7%	9.3%	0%	0%
TERMINAL (d)	1/30 (3%)	4/33 (12%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	634	729 (T)	---	---
STATISTICAL TESTS				
POLY 3	P=0.061N	P=0.345	P=0.232N	P=0.244N
POLY 1.5	P=0.061N	P=0.345	P=0.234N	P=0.243N
POLY 6	P=0.062N	P=0.347	P=0.229N	P=0.247N
COCH-ARM / FISHERS	P=0.063N	P=0.349	P=0.242N	P=0.253N
MAX-ISO-POLY-3	P=0.064N	P=0.207	P=0.075N	P=0.081N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Stomach, Forestomach Ulcer				
LESION RATES				
OVERALL (a)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)
POLY-3 RATE (b)	1/42.42	0/43.24	0/43.48	1/43.26
POLY-3 PERCENT (g)	2.4%	0%	0%	2.3%
TERMINAL (d)	0/30 (0%)	0/33 (0%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	725	---	---	265
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Stomach, Forestomach: Epithelium Hyperplasia				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)
POLY-3 RATE (b)	0/42.40	0/43.24	0/43.48	2/43.46
POLY-3 PERCENT (g)	0%	0%	0%	4.6%
TERMINAL (d)	0/30 (0%)	0/33 (0%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	---	---	---	265
STATISTICAL TESTS				
POLY 3	P=0.046*	(e)	(e)	P=0.242
POLY 1.5	P=0.046*	(e)	(e)	P=0.242
POLY 6	P=0.045*	(e)	(e)	P=0.241
COCH-ARM / FISHERS	P=0.046*	(e)	(e)	P=0.247
MAX-ISO-POLY-3	P=0.037*	(e)	(e)	P=0.081

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Stomach, Glandular Amyloid Deposition				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	0/42.40	0/43.24	0/43.48	0/42.31
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/30 (0%)	0/33 (0%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	---	---	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Stomach, Glandular Mineralization				
LESION RATES				
OVERALL (a)	1/50 (2%)	3/50 (6%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	1/42.40	3/43.90	0/43.48	0/42.31
POLY-3 PERCENT (g)	2.4%	6.8%	0%	0%
TERMINAL (d)	1/30 (3%)	1/33 (3%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	729 (T)	549	---	---
STATISTICAL TESTS				
POLY 3	P=0.148N	P=0.318	P=0.495N	P=0.500N
POLY 1.5	P=0.150N	P=0.311	P=0.499N	P=0.500N
POLY 6	P=0.148N	P=0.327	P=0.491N	P=0.503N
COCH-ARM / FISHERS	P=0.153N	P=0.309	P=0.500N	P=0.500N
MAX-ISO-POLY-3	P=0.124N	P=0.167	P=0.158N	P=0.159N

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Stomach, Glandular Ulcer				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	0/42.40	0/43.24	0/43.48	0/42.31
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/30 (0%)	0/33 (0%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	---	---	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Stomach, Glandular: Epithelium Hyperplasia				
LESION RATES				
OVERALL (a)	0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)
POLY-3 RATE (b)	0/42.40	0/43.24	0/43.48	2/42.64
POLY-3 PERCENT (g)	0%	0%	0%	4.7%
TERMINAL (d)	0/30 (0%)	0/33 (0%)	0/29 (0%)	1/27 (4%)
FIRST INCIDENCE	---	---	---	638
STATISTICAL TESTS				
POLY 3	P=0.045*	(e)	(e)	P=0.238
POLY 1.5	P=0.045*	(e)	(e)	P=0.238
POLY 6	P=0.045*	(e)	(e)	P=0.236
COCH-ARM / FISHERS	P=0.046*	(e)	(e)	P=0.247
MAX-ISO-POLY-3	P=0.033*	(e)	(e)	P=0.077

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Stomach, Glandular: Glands Ectasia				
LESION RATES				
OVERALL (a)	2/50 (4%)	0/50 (0%)	0/50 (0%)	2/50 (4%)
POLY-3 RATE (b)	2/42.91	0/43.24	0/43.48	2/42.51
POLY-3 PERCENT (g)	4.7%	0%	0%	4.7%
TERMINAL (d)	1/30 (3%)	0/33 (0%)	0/29 (0%)	1/27 (4%)
FIRST INCIDENCE	576	---	---	677
STATISTICAL TESTS				
POLY 3	P=0.498	P=0.235N	P=0.234N	P=0.691
POLY 1.5	P=0.499	P=0.237N	P=0.237N	P=0.693
POLY 6	P=0.494	P=0.233N	P=0.231N	P=0.686
COCH-ARM / FISHERS	P=0.500	P=0.247N	P=0.247N	P=0.691N
MAX-ISO-POLY-3	P=0.271	P=0.076N	P=0.076N	P=0.495

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Thyroid Gland Inflammation				
LESION RATES				
OVERALL (a)	0/49 (0%)	2/50 (4%)	0/46 (0%)	1/45 (2%)
POLY-3 RATE (b)	0/42.11	2/43.45	0/40.30	1/38.95
POLY-3 PERCENT (g)	0%	4.6%	0%	2.6%
TERMINAL (d)	0/30 (0%)	1/33 (3%)	0/29 (0%)	1/27 (4%)
FIRST INCIDENCE	---	673	---	729 (T)
STATISTICAL TESTS				
POLY 3	P=0.517	P=0.244	(e)	P=0.484
POLY 1.5	P=0.515	P=0.242	(e)	P=0.484
POLY 6	P=0.520	P=0.248	(e)	P=0.485
COCH-ARM / FISHERS	P=0.513	P=0.253	(e)	P=0.479
MAX-ISO-POLY-3	P=0.321	P=0.081	(e)	P=0.153

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Thyroid Gland: C-Cell Hyperplasia				
LESION RATES				
OVERALL (a)	0/49 (0%)	2/50 (4%)	0/46 (0%)	1/45 (2%)
POLY-3 RATE (b)	0/42.11	2/43.24	0/40.30	1/38.95
POLY-3 PERCENT (g)	0%	4.6%	0%	2.6%
TERMINAL (d)	0/30 (0%)	2/33 (6%)	0/29 (0%)	1/27 (4%)
FIRST INCIDENCE	---	729 (T)	---	729 (T)
STATISTICAL TESTS				
POLY 3	P=0.517	P=0.243	(e)	P=0.484
POLY 1.5	P=0.514	P=0.242	(e)	P=0.484
POLY 6	P=0.520	P=0.245	(e)	P=0.485
COCH-ARM / FISHERS	P=0.513	P=0.253	(e)	P=0.479
MAX-ISO-POLY-3	P=0.321	P=0.080	(e)	P=0.153

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Thyroid Gland: Follicle Cyst				
LESION RATES				
OVERALL (a)	1/49 (2%)	6/50 (12%)	4/46 (9%)	3/45 (7%)
POLY-3 RATE (b)	1/42.11	6/43.46	4/40.31	3/39.08
POLY-3 PERCENT (g)	2.4%	13.8%	9.9%	7.7%
TERMINAL (d)	1/30 (3%)	5/33 (15%)	3/29 (10%)	2/27 (7%)
FIRST INCIDENCE	729 (T)	669	725	697
STATISTICAL TESTS				
POLY 3	P=0.412	P=0.060	P=0.165	P=0.278
POLY 1.5	P=0.408	P=0.059	P=0.160	P=0.277
POLY 6	P=0.417	P=0.062	P=0.171	P=0.280
COCH-ARM / FISHERS	P=0.405	P=0.059	P=0.162	P=0.277
MAX-ISO-POLY-3	P=0.152	P=0.027*	P=0.076	P=0.139

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Tooth Malformation				
LESION RATES				
OVERALL (a)	0/0 (0%)	0/2 (0%)	0/0 (0%)	1/1 (100%)
POLY-3 RATE (b)	0/0.00	0/2.00	0/0.00	1/1.00
POLY-3 PERCENT (g)	0%	0%	0%	100%
TERMINAL (d)	0/0 (0%)	0/2 (0%)	0/0 (0%)	0/0 (0%)
FIRST INCIDENCE	---	---	---	660
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Water disinfection byproducts (Bromodichloroacetic acid)
CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
Time Report Requested: 09:41:46
First Dose M/F: 09/26/06 / 09/25/06
Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Tooth: Periodontal Tissue Fibrosis				
LESION RATES				
OVERALL (a)	0/0 (0%)	0/2 (0%)	0/0 (0%)	0/1 (0%)
POLY-3 RATE (b)	0/0.00	0/2.00	0/0.00	0/0.74
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/0 (0%)	0/2 (0%)	0/0 (0%)	0/0 (0%)
FIRST INCIDENCE	---	---	---	---
STATISTICAL TESTS				
POLY 3	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Tooth: Pulp Inflammation				
LESION RATES				
OVERALL (a)	0/0 (0%)	2/2 (100%)	0/0 (0%)	0/1 (0%)
POLY-3 RATE (b)	0/0.00	2/2.00	0/0.00	0/0.74
POLY-3 PERCENT (g)	0%	100%	0%	0%
TERMINAL (d)	0/0 (0%)	2/2 (100%)	0/0 (0%)	0/0 (0%)
FIRST INCIDENCE	---	729 (T)	---	---
STATISTICAL TESTS				
POLY 3	(e)	(e)	(e)	(e)
POLY 1.5	(e)	(e)	(e)	(e)
POLY 6	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	P=0.193N	(e)	(e)	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Urinary Bladder Inflammation				
LESION RATES				
OVERALL (a)	0/50 (0%)	2/50 (4%)	1/50 (2%)	0/50 (0%)
POLY-3 RATE (b)	0/42.40	2/43.24	1/43.60	0/42.31
POLY-3 PERCENT (g)	0%	4.6%	2.3%	0%
TERMINAL (d)	0/30 (0%)	2/33 (6%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	---	729 (T)	701	---
STATISTICAL TESTS				
POLY 3	P=0.459N	P=0.241	P=0.506	(e)
POLY 1.5	P=0.460N	P=0.239	P=0.502	(e)
POLY 6	P=0.462N	P=0.245	P=0.510	(e)
COCH-ARM / FISHERS	P=0.461N	P=0.247	P=0.500	(e)
MAX-ISO-POLY-3	P=0.336N	P=0.080	P=0.165	(e)

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Uterus				
Angiectasis				
LESION RATES				
OVERALL (a)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	2/42.40	0/43.24	0/43.48	0/42.31
POLY-3 PERCENT (g)	4.7%	0%	0%	0%
TERMINAL (d)	2/30 (7%)	0/33 (0%)	0/29 (0%)	0/27 (0%)
FIRST INCIDENCE	729 (T)	---	---	---
STATISTICAL TESTS				
POLY 3	P=0.114N	P=0.233N	P=0.231N	P=0.237N
POLY 1.5	P=0.114N	P=0.235N	P=0.235N	P=0.237N
POLY 6	P=0.114N	P=0.229N	P=0.227N	P=0.240N
COCH-ARM / FISHERS	P=0.115N	P=0.247N	P=0.247N	P=0.247N
MAX-ISO-POLY-3	P=0.033N*	P=0.076N	P=0.076N	P=0.076N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Uterus Inflammation				
LESION RATES				
OVERALL (a)	4/50 (8%)	2/50 (4%)	0/50 (0%)	2/50 (4%)
POLY-3 RATE (b)	4/43.11	2/43.44	0/43.48	2/42.64
POLY-3 PERCENT (g)	9.3%	4.6%	0%	4.7%
TERMINAL (d)	3/30 (10%)	0/33 (0%)	0/29 (0%)	1/27 (4%)
FIRST INCIDENCE	484	701	---	638
STATISTICAL TESTS				
POLY 3	P=0.232N	P=0.333N	P=0.059N	P=0.342N
POLY 1.5	P=0.232N	P=0.337N	P=0.061N	P=0.340N
POLY 6	P=0.234N	P=0.326N	P=0.057N	P=0.347N
COCH-ARM / FISHERS	P=0.232N	P=0.339N	P=0.059N	P=0.339N
MAX-ISO-POLY-3	P=0.100N	P=0.198N	P=0.019N*	P=0.205N

Experiment Number: 96014 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Water disinfection byproducts (Bromodichloroacetic acid)
 CAS Number: 71133-14-7

Date Report Requested: 07/05/2012
 Time Report Requested: 09:41:46
 First Dose M/F: 09/26/06 / 09/25/06
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Uterus: Endometrium Hyperplasia Cystic				
LESION RATES				
OVERALL (a)	44/50 (88%)	45/50 (90%)	37/50 (74%)	38/50 (76%)
POLY-3 RATE (b)	44/47.38	45/47.68	37/46.95	38/46.77
POLY-3 PERCENT (g)	92.9%	94.4%	78.8%	81.3%
TERMINAL (d)	30/30 (100%)	32/33 (97%)	26/29 (90%)	21/27 (78%)
FIRST INCIDENCE	540	298	283	534
STATISTICAL TESTS				
POLY 3	P=0.016N*	P=0.554	P=0.035N*	P=0.069N
POLY 1.5	P=0.019N*	P=0.543	P=0.043N*	P=0.075N
POLY 6	P=0.013N*	P=0.566	P=0.033N*	P=0.066N
COCH-ARM / FISHERS	P=0.031N*	P=0.500	P=0.062N	P=0.096N
MAX-ISO-POLY-3	P=0.023N*	P=0.364	P=0.017N*	P=0.036N*

Experiment Number: 96014 - 06

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Water disinfection byproducts (Bromodichloroacetic acid)

CAS Number: 71133-14-7

Date Report Requested: 07/05/2012

Time Report Requested: 09:41:46

First Dose M/F: 09/26/06 / 09/25/06

Lab: BAT

LEGEND

- (a) Number of tumor-bearing animals/number of animals examined at site.
 - (b) Number of tumor-bearing animals/Poly-3 number
 - (d) Observed incidence at terminal kill.
 - (e) Value of statistic cannot be computed.
 - (f) Beneath the control incidence are the P-values associated with the trend test. Beneath the dosed group incidence are the P-values corresponding to pairwise comparisons between the controls and that dosed group.
 - (g) Poly-3 adjusted lifetime tumor incidence.
 - (n) No statistics are calculated if all dose groups have fewer than two tumors.
 - (I) Interim sacrifice
 - (T) Terminal sacrifice
 - # Tumor rates based on numbers of animals necropsied.
 - * To the right of any statistical result, indicates significance at ($P \leq 0.05$).
 - ** To the right of any statistical result, indicates significance at ($P \leq 0.01$).
 - N Indicates a negative trend for all tests
- The Cochran-Armitage and Fishers exact tests compare directly the overall incidence rates.

*** END OF REPORT ***