

**Experiment Number:** 96017-01

**Test Type:** 14-DAY

**Species/Strain:** Rat/F 344/N

**P15: TDMS SLIDE/BLOCK INVENTORY**

**Test Compound:** Water disinfection byproducts (Dibromoacetic acid)

**CAS Number:** 631-64-1

**Date Report Requested:** 10/19/2014

**Time Report Requested:** 04:59:40

**First Dose M/F:** NA / NA

**Lab:** SRI

**C Number:** C96017

**Lock Date:** Not Entered.

**Cage Range:** All

**Date Range:** All

**Reasons For Removal:** All

**Removal Date Range:** All

**Treatment Groups:** All

**Study Gender:** Both

**PWG Approval Date:** NONE

Experiment Number: 96017-01

Test Type: 14-DAY

Species/Strain: Rat/F 344/N

**P15: TDMS SLIDE/BLOCK INVENTORY**

Test Compound: Water disinfection byproducts (Dibromoacetic acid)

CAS Number: 631-64-1

Date Report Requested: 10/19/2014

Time Report Requested: 04:59:40

First Dose M/F: NA / NA

Lab: SRI

**SPECIES:** Rat

**STRAIN:** F 344/N

**SEX:** MALE

**DOSE LEVEL:** 0 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
1	00001	98-85072	.....	.....	Y N
2	00002	98-85073	.....	.....	Y N
3	00003	98-85074	.....	.....	Y N
4	00004	98-85075	.....	.....	Y N
5	00005	98-85076	.....	.....	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

\_\_\_\_\_  
(INITIALS)

\_\_\_\_\_  
(DATE)

\_\_\_\_\_  
(SIGNATURE)

\_\_\_\_\_  
(DATE)

Experiment Number: 96017-01

Test Type: 14-DAY

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dibromoacetic acid)

CAS Number: 631-64-1

Date Report Requested: 10/19/2014

Time Report Requested: 04:59:40

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: MALE

DOSE LEVEL: 125 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
6	00006	98-85077	.....	.....	Y N
7	00007	98-85078	.....	.....	Y N
8	00008	98-85079	.....	.....	Y N
9	00009	98-85080	.....	.....	Y N
10	00010	98-85081	.....	.....	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96017-01

Test Type: 14-DAY

Species/Strain: Rat/F 344/N

**P15: TDMS SLIDE/BLOCK INVENTORY**

Test Compound: Water disinfection byproducts (Dibromoacetic acid)

CAS Number: 631-64-1

Date Report Requested: 10/19/2014

Time Report Requested: 04:59:40

First Dose M/F: NA / NA

Lab: SRI

**SPECIES:** Rat

**STRAIN:** F 344/N

**SEX:** MALE

**DOSE LEVEL:** 250 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
11	00011	98-85082	.....	.....	Y N
12	00012	98-85083	.....	.....	Y N
13	00013	98-85084	.....	.....	Y N
14	00014	98-85085	.....	.....	Y N
15	00015	98-85086	.....	.....	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

\_\_\_\_\_  
(INITIALS)

\_\_\_\_\_  
(DATE)

\_\_\_\_\_  
(SIGNATURE)

\_\_\_\_\_  
(DATE)

Experiment Number: 96017-01

Test Type: 14-DAY

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dibromoacetic acid)

CAS Number: 631-64-1

Date Report Requested: 10/19/2014

Time Report Requested: 04:59:40

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: MALE

DOSE LEVEL: 500 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
16	00016	98-85087	.....	.....	Y N
17	00017	98-85088	.....	.....	Y N
18	00018	98-85089	.....	.....	Y N
19	00019	98-85090	.....	.....	Y N
20	00020	98-85091	.....	.....	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96017-01

Test Type: 14-DAY

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dibromoacetic acid)

CAS Number: 631-64-1

Date Report Requested: 10/19/2014

Time Report Requested: 04:59:40

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: MALE

DOSE LEVEL: 1000 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
21	00021	98-85092	.....	.....	Y N
22	00022	98-85093	.....	.....	Y N
23	00023	98-85094	.....	.....	Y N
24	00024	98-85095	.....	.....	Y N
25	00025	98-85096	.....	.....	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96017-01

Test Type: 14-DAY

Species/Strain: Rat/F 344/N

**P15: TDMS SLIDE/BLOCK INVENTORY**

Test Compound: Water disinfection byproducts (Dibromoacetic acid)

CAS Number: 631-64-1

Date Report Requested: 10/19/2014

Time Report Requested: 04:59:40

First Dose M/F: NA / NA

Lab: SRI

**SPECIES:** Rat

**STRAIN:** F 344/N

**SEX:** MALE

**DOSE LEVEL:** 2000 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
26	00026	98-85097	.....	.....	Y N
27	00027	98-85098	.....	.....	Y N
28	00028	98-85099	.....	.....	Y N
29	00029	98-85100	.....	.....	Y N
30	00030	98-85101	.....	.....	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

\_\_\_\_\_  
(INITIALS)

\_\_\_\_\_  
(DATE)

\_\_\_\_\_  
(SIGNATURE)

\_\_\_\_\_  
(DATE)

**Experiment Number:** 96017-01

**Test Type:** 14-DAY

**Species/Strain:** Rat/F 344/N

**P15: TDMS SLIDE/BLOCK INVENTORY**

**Test Compound:** Water disinfection byproducts (Dibromoacetic acid)

**CAS Number:** 631-64-1

**Date Report Requested:** 10/19/2014

**Time Report Requested:** 04:59:40

**First Dose M/F:** NA / NA

**Lab:** SRI

---

**SPECIES:** Rat

**STRAIN:** F 344/N

**SEX:** FEMALE

**DOSE LEVEL:** 0 MG/L

---

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
31	00031	98-85102	.....	.....	Y N
32	00032	98-85103	.....	.....	Y N
33	00033	98-85104	.....	.....	Y N
34	00034	98-85105	.....	.....	Y N
35	00035	98-85106	.....	.....	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

\_\_\_\_\_  
(INITIALS)

\_\_\_\_\_  
(DATE)

\_\_\_\_\_  
(SIGNATURE)

\_\_\_\_\_  
(DATE)



Experiment Number: 96017-01

Test Type: 14-DAY

Species/Strain: Rat/F 344/N

**P15: TDMS SLIDE/BLOCK INVENTORY**

Test Compound: Water disinfection byproducts (Dibromoacetic acid)

CAS Number: 631-64-1

Date Report Requested: 10/19/2014

Time Report Requested: 04:59:40

First Dose M/F: NA / NA

Lab: SRI

**SPECIES:** Rat

**STRAIN:** F 344/N

**SEX:** FEMALE

**DOSE LEVEL:** 1000 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
51	00051	98-85122	.....	.....	Y N
52	00052	98-85123	.....	.....	Y N
53	00053	98-85124	.....	.....	Y N
54	00054	98-85125	.....	.....	Y N
55	00055	98-85126	.....	.....	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

\_\_\_\_\_  
(INITIALS)

\_\_\_\_\_  
(DATE)

\_\_\_\_\_  
(SIGNATURE)

\_\_\_\_\_  
(DATE)

Experiment Number: 96017-01

Test Type: 14-DAY

Species/Strain: Rat/F 344/N

**P15: TDMS SLIDE/BLOCK INVENTORY**

Test Compound: Water disinfection byproducts (Dibromoacetic acid)

CAS Number: 631-64-1

Date Report Requested: 10/19/2014

Time Report Requested: 04:59:40

First Dose M/F: NA / NA

Lab: SRI

**SPECIES:** Rat

**STRAIN:** F 344/N

**SEX:** FEMALE

**DOSE LEVEL:** 2000 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
56	00056	98-85127	.....	.....	Y N
57	00057	98-85128	.....	.....	Y N
58	00058	98-85129	.....	.....	Y N
59	00059	98-85130	.....	.....	Y N
60	00060	98-85131	.....	.....	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

\_\_\_\_\_  
(INITIALS)

\_\_\_\_\_  
(DATE)

\_\_\_\_\_  
(SIGNATURE)

\_\_\_\_\_  
(DATE)

Experiment Number: 96017-01

Test Type: 14-DAY

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dibromoacetic acid)

CAS Number: 631-64-1

Date Report Requested: 10/19/2014

Time Report Requested: 04:59:40

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: FEMALE

DOSE LEVEL: 250 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00041	.....	.....	.....	Y N
	00042	.....	.....	.....	Y N
	00045	.....	.....	.....	Y N
	00044	.....	.....	.....	Y N
	00043	.....	.....	.....	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96017-01

Test Type: 14-DAY

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dibromoacetic acid)

CAS Number: 631-64-1

Date Report Requested: 10/19/2014

Time Report Requested: 04:59:40

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: FEMALE

DOSE LEVEL: 500 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00046	.....	.....	.....	Y N
	00047	.....	.....	.....	Y N
	00050	.....	.....	.....	Y N
	00049	.....	.....	.....	Y N
	00048	.....	.....	.....	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96017-01

Test Type: 14-DAY

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dibromoacetic acid)

CAS Number: 631-64-1

Date Report Requested: 10/19/2014

Time Report Requested: 04:59:40

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: FEMALE

DOSE LEVEL: 125 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00036	.....	.....	.....	Y N
	00037	.....	.....	.....	Y N
	00040	.....	.....	.....	Y N
	00039	.....	.....	.....	Y N
	00038	.....	.....	.....	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)