

Experiment Number: 96017-03
Test Type: 90-DAY
Route: DOSED WATER
Species/Strain: Rat/F 344/N

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetic acid)
CAS Number: 631-64-1

Date Report Requested: 10/22/2014
Time Report Requested: 18:43:40
First Dose M/F: NA / NA
Lab: SRI

C Number:	C96017
Lock Date:	10/04/1999
Cage Range:	All
Date Range:	All
Reasons For Removal:	All
Removal Date Range:	All
Treatment Groups:	All
Study Gender:	Both
PWG Approval Date	NONE

Experiment Number: 96017-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetic acid)
CAS Number: 631-64-1

Date Report Requested: 10/22/2014

Time Report Requested: 18:43:40

First Dose M/F: NA / NA

Lab: SRI

MALE

week	0 MG/L				125 MG/L						250 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	13.8	1450	81.8	10	13.8	1456	80.2	10	1.00	21.5	14.3	1456	82.1	10	1.04	43.5
2	15.2	1679	111.3	10	15.4	1673	113.3	10	1.01	17.0	16.8	1672	117.7	10	1.11	35.7
3	16.6	1728	144.3	10	17.1	1731	147.4	10	1.03	14.5	17.4	1727	156.3	10	1.05	27.8
4	17.1	1612	174.2	10	17.9	1608	181.9	10	1.05	12.3	18.6	1612	186.0	10	1.09	25.0
5	17.4	1698	202.2	10	17.8	1697	210.3	10	1.02	10.6	17.9	1696	212.4	10	1.03	21.1
6	16.6	746	226.2	10	16.6	746	236.1	10	1.00	8.8	17.5	624	236.7	10	1.05	18.5
7	17.5	2613	247.8	10	17.6	2614	251.0	10	1.01	8.8	17.6	2253	251.1	10	1.01	17.5
8	17.2	1705	265.4	10	16.8	1704	273.5	10	0.98	7.7	16.8	1704	273.8	10	0.98	15.3
9	17.7	1676	277.2	10	14.1	1675	286.3	10	0.80	6.2	17.2	1674	288.4	10	0.97	14.9
10	17.2	1710	295.2	10	17.5	1710	304.4	10	1.02	7.2	17.2	1709	310.1	10	1.00	13.9
11	16.9	1670	307.3	10	17.3	1668	317.5	10	1.02	6.8	17.0	1668	319.5	10	1.01	13.3
12	17.0	1668	321.4	10	16.8	1670	327.5	10	0.99	6.4	16.2	1670	330.8	10	0.95	12.2
13	16.4	1666	326.5	10	15.2	1664	333.6	10	0.93	5.7	16.1	1664	335.1	10	0.98	12.0
14	17.6	212			18.2	212			1.03		19.2	212			1.09	

Experiment Number: 96017-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetic acid)
CAS Number: 631-64-1

Date Report Requested: 10/22/2014

Time Report Requested: 18:43:40

First Dose M/F: NA / NA

Lab: SRI

MALE

week	500 MG/L						1000 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	14.6	1458	81.6	10	1.06	89.5	15.7	1459	82.6	10	1.14	190.1
2	16.8	1672	115.3	10	1.11	72.9	19.0	1670	117.5	10	1.25	161.7
3	17.5	1729	152.4	10	1.05	57.4	19.2	1732	158.2	10	1.16	121.4
4	19.3	1614	184.6	10	1.13	52.3	19.8	1611	191.7	10	1.16	103.3
5	16.9	1696	213.6	10	0.97	39.6	18.6	1696	211.8	10	1.07	87.8
6	17.1	746	236.4	10	1.03	36.2	16.7	746	238.2	10	1.01	70.1
7	17.6	2614	255.2	10	1.01	34.5	17.6	2614	256.7	10	1.01	68.6
8	16.6	1704	276.3	10	0.97	30.0	17.3	1704	275.6	10	1.01	62.8
9	17.2	1674	289.7	10	0.97	29.7	17.2	1674	286.9	10	0.97	60.0
10	17.2	1708	304.7	10	1.00	28.2	17.6	1710	301.3	10	1.02	58.4
11	17.6	1668	320.3	10	1.04	27.5	18.4	1574	312.3	10	1.09	58.9
12	16.7	1668	330.2	10	0.98	25.3	17.3	1668	327.9	10	1.02	52.8
13	16.4	1666	334.3	10	1.00	24.5	16.4	1668	333.5	10	1.00	49.2
14	18.0	212			1.02		19.0	214			1.08	

Experiment Number: 96017-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetic acid)
CAS Number: 631-64-1

Date Report Requested: 10/22/2014

Time Report Requested: 18:43:40

First Dose M/F: NA / NA

Lab: SRI

MALE

week	2000 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	12.5	1462	81.2	10	0.91	307.9
2	15.1	1437	106.4	10	0.99	283.8
3	15.9	1726	143.2	10	0.96	222.1
4	18.2	1385	173.0	10	1.06	210.4
5	16.1	1695	195.7	10	0.93	164.5
6	15.6	746	216.3	10	0.94	144.2
7	15.6	2613	234.3	10	0.89	133.2
8	15.7	1704	250.1	10	0.91	125.5
9	15.1	1674	261.3	10	0.85	115.6
10	15.4	1710	274.2	10	0.90	112.3
11	15.4	1668	284.5	10	0.91	108.3
12	15.8	1666	293.2	10	0.93	107.8
13	15.7	1669	297.9	10	0.96	105.4
14	17.7	214			1.01	

END OF MALE DATA

Experiment Number: 96017-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetic acid)
CAS Number: 631-64-1

Date Report Requested: 10/22/2014

Time Report Requested: 18:43:40

First Dose M/F: NA / NA

Lab: SRI

FEMALE

week	0 MG/L				125 MG/L						250 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	14.2	672	78.3	10	13.8	1150	78.9	10	0.97	21.9	12.9	1150	76.9	10	0.91	41.9
2	13.1	1310	100.1	10	14.0	1437	101.4	10	1.07	17.3	14.7	1670	101.2	10	1.12	36.3
3	13.5	1728	116.3	10	13.6	1730	115.8	10	1.01	14.7	13.3	1728	117.5	10	0.99	28.3
4	14.1	1612	132.9	10	14.5	1608	132.9	10	1.03	13.6	14.0	1612	135.6	10	0.99	25.8
5	13.3	1698	145.2	10	13.0	1601	144.6	10	0.98	11.2	13.4	1696	147.5	10	1.01	22.7
6	14.1	1916	155.7	10	15.0	1916	149.4	10	1.06	12.6	13.3	1916	157.2	10	0.94	21.2
7	14.5	1444	164.3	10	13.4	1444	160.4	10	0.92	10.4	12.7	1444	165.2	10	0.88	19.2
8	13.3	1704	171.5	10	13.3	1584	167.9	10	1.00	9.9	12.5	1704	171.3	10	0.94	18.2
9	15.6	1676	177.3	10	12.2	1674	173.2	10	0.78	8.8	12.2	1674	177.6	10	0.78	17.2
10	12.8	1710	182.6	10	10.2	1710	170.7	10	0.80	7.5	12.0	1708	181.2	10	0.94	16.6
11	13.6	1670	186.0	10	13.8	1668	181.5	10	1.01	9.5	12.3	1668	183.4	10	0.90	16.8
12	14.0	1668	188.5	10	13.5	1670	182.9	10	0.96	9.2	12.3	1670	187.4	10	0.88	16.4
13	13.1	1666	192.0	10	12.7	1664	189.7	10	0.97	8.4	12.0	1664	189.7	10	0.92	15.8
14	14.3	452			13.4	452			0.94		12.9	452			0.90	

Experiment Number: 96017-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetic acid)
CAS Number: 631-64-1

Date Report Requested: 10/22/2014

Time Report Requested: 18:43:40

First Dose M/F: NA / NA

Lab: SRI

FEMALE

week	500 MG/L						1000 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	14.7	1150	76.2	10	1.04	96.5	14.0	1154	76.2	10	0.99	183.7
2	14.3	1672	101.5	10	1.09	70.4	14.1	1424	100.9	10	1.08	139.7
3	14.2	1728	119.8	10	1.05	59.3	13.7	1732	120.3	10	1.01	113.9
4	14.6	1614	138.1	10	1.04	52.9	16.0	1383	139.9	10	1.13	114.4
5	16.4	1696	150.4	10	1.23	54.5	12.8	1696	149.6	10	0.96	85.6
6	13.9	1916	159.3	10	0.99	43.6	13.0	1679	160.2	10	0.92	81.1
7	14.0	1444	167.7	10	0.97	41.7	13.2	1444	166.5	10	0.91	79.3
8	13.9	1704	175.5	10	1.05	39.6	12.9	1704	173.9	10	0.97	74.2
9	13.1	1674	177.5	10	0.84	36.9	12.7	1674	178.5	10	0.81	71.1
10	12.2	1708	183.6	10	0.95	33.2	13.7	1710	182.0	10	1.07	75.3
11	12.8	1668	185.8	10	0.94	34.4	12.6	1668	185.0	10	0.93	68.1
12	13.1	1668	186.0	10	0.94	35.2	12.1	1668	184.1	10	0.86	65.7
13	12.5	1666	189.8	10	0.95	32.9	11.6	1668	187.5	10	0.89	61.9
14	12.4	452			0.87		12.4	452			0.87	

Experiment Number: 96017-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetic acid)
CAS Number: 631-64-1

Date Report Requested: 10/22/2014

Time Report Requested: 18:43:40

First Dose M/F: NA / NA

Lab: SRI

FEMALE

week	2000 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	12.4	1154	76.8	10	0.87	322.9
2	12.9	1670	97.6	10	0.98	264.3
3	11.9	1726	113.8	10	0.88	209.1
4	12.3	1616	129.1	10	0.87	190.5
5	11.8	1694	140.5	10	0.89	168.0
6	12.6	1795	146.0	10	0.89	172.6
7	11.6	1442	149.9	10	0.80	154.8
8	11.7	1704	155.1	10	0.88	150.9
9	11.8	1674	160.9	10	0.76	146.7
10	11.9	1710	162.8	10	0.93	146.2
11	12.0	1668	164.8	10	0.88	145.6
12	12.3	1569	165.3	10	0.88	148.8
13	11.4	1670	168.7	10	0.87	135.2
14	11.6	453			0.81	

Experiment Number: 96017-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

E08 : Water and Compound Consumption Table

Test Compound: Water disinfection byproducts (Dibromoacetic acid)

CAS Number: 631-64-1

Date Report Requested: 10/22/2014

Time Report Requested: 18:43:40

First Dose M/F: NA / NA

Lab: SRI

**** END OF REPORT ****