

Experiment Number: 96017-04
Test Type: 90-DAY
Route: DOSED WATER
Species/Strain: Mouse/B6C3F1

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetic acid)
CAS Number: 631-64-1

Date Report Requested: 10/15/2014
Time Report Requested: 13:54:24
First Dose M/F: NA / NA
Lab: SRI

C Number:	C96017
Lock Date:	10/04/1999
Cage Range:	All
Date Range:	All
Reasons For Removal:	All
Removal Date Range:	All
Treatment Groups:	All
Study Gender:	Both
PWG Approval Date	NONE

Experiment Number: 96017-04

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetic acid)
CAS Number: 631-64-1

Date Report Requested: 10/15/2014

Time Report Requested: 13:54:24

First Dose M/F: NA / NA

Lab: SRI

MALE

week	0 MG/L				125 MG/L						250 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	5.1	1160	23.0	10	4.4	1082	22.9	10	0.86	24.0	4.8	1155	23.6	10	0.94	50.8
2	4.1	1643	24.6	10	4.1	1660	24.1	10	1.00	21.3	4.7	1564	25.3	10	1.15	46.4
3	3.6	1690	26.0	10	4.0	1617	25.4	10	1.11	19.7	4.2	1667	27.3	10	1.17	38.5
4	3.6	1589	27.0	10	4.0	1660	27.5	10	1.11	18.2	4.2	1660	28.7	10	1.17	36.6
5	3.9	1680	29.1	10	4.3	1629	29.0	10	1.10	18.5	4.0	1680	30.6	10	1.03	32.7
6	3.9	1690	30.8	10	4.1	1695	30.4	10	1.05	16.9	4.0	1650	31.9	10	1.03	31.3
7	3.8	1670	32.4	10	3.9	1665	32.1	10	1.03	15.2	3.8	1660	33.5	10	1.00	28.4
8	3.6	1680	33.4	10	4.1	1634	33.6	10	1.14	15.3	3.7	1654	34.8	10	1.03	26.6
9	3.5	1690	34.4	10	3.8	1700	35.0	10	1.09	13.6	3.6	1680	36.1	10	1.03	24.9
10	3.4	1677	35.2	10	3.8	1660	35.9	10	1.12	13.2	3.9	1660	37.3	10	1.15	26.1
11	3.7	1658	36.9	10	3.8	1680	37.4	10	1.03	12.7	3.6	1656	38.7	10	0.97	23.3
12	3.5	1631	37.1	10	3.6	1700	38.2	10	1.03	11.8	3.7	1677	39.0	10	1.06	23.7
13	3.7	1582	38.2	10	3.6	1630	39.1	10	0.97	11.5	3.6	1553	40.1	10	0.97	22.4
14	3.6	460			4.1	460			1.14		4.0	449			1.11	

Experiment Number: 96017-04

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetic acid)
CAS Number: 631-64-1

Date Report Requested: 10/15/2014

Time Report Requested: 13:54:25

First Dose M/F: NA / NA

Lab: SRI

MALE

week	500 MG/L						1000 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	4.7	1180	22.7	10	0.92	103.5	4.8	1123	23.1	10	0.94	207.8
2	3.9	1496	25.2	10	0.95	77.4	4.1	1644	25.4	10	1.00	161.4
3	3.5	1677	27.1	10	0.97	64.6	3.8	1597	27.1	10	1.06	140.2
4	3.7	1608	28.2	10	1.03	65.6	3.6	1671	27.8	10	1.00	129.5
5	3.9	1453	29.6	10	1.00	65.9	3.6	1599	29.4	10	0.92	122.4
6	3.9	1709	31.3	10	1.00	62.3	3.5	1599	30.2	10	0.90	115.9
7	3.5	1680	33.1	10	0.92	52.9	3.3	1675	31.7	10	0.87	104.1
8	3.4	1610	34.3	10	0.94	49.6	3.7	1537	33.1	10	1.03	111.8
9	3.1	1690	36.1	10	0.89	42.9	3.6	1680	34.3	10	1.03	105.0
10	3.4	1660	36.3	10	1.00	46.8	3.3	1660	35.0	10	0.97	94.3
11	3.3	1680	38.0	10	0.89	43.4	3.1	1690	36.0	10	0.84	86.1
12	3.1	1700	38.6	10	0.89	40.2	3.2	1680	36.6	10	0.91	87.4
13	3.1	1650	39.6	10	0.84	39.1	3.1	1485	37.6	10	0.84	82.4
14	3.6	450			1.00		3.7	450			1.03	

Experiment Number: 96017-04

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetic acid)
CAS Number: 631-64-1

Date Report Requested: 10/15/2014

Time Report Requested: 13:54:25

First Dose M/F: NA / NA

Lab: SRI

MALE

week	2000 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	4.4	1191	23.1	10	0.86	381.0
2	3.6	1670	24.5	10	0.88	293.9
3	3.7	1690	25.9	10	1.03	285.7
4	3.4	1670	27.1	10	0.94	250.9
5	3.4	1660	28.2	10	0.87	241.1
6	3.5	1677	28.8	10	0.90	243.1
7	3.5	1627	29.9	10	0.92	234.1
8	3.3	1686	30.9	10	0.92	213.6
9	3.1	1680	31.7	10	0.89	195.6
10	3.3	1680	32.5	10	0.97	203.1
11	3.1	1645	33.7	10	0.84	184.0
12	3.2	1680	34.3	10	0.91	186.6
13	2.9	1650	35.1	10	0.78	165.2
14	3.1	450			0.86	

END OF MALE DATA

Experiment Number: 96017-04

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetic acid)
CAS Number: 631-64-1

Date Report Requested: 10/15/2014

Time Report Requested: 13:54:25

First Dose M/F: NA / NA

Lab: SRI

FEMALE

week	0 MG/L				125 MG/L						250 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	3.3	1422	18.4	10	2.9	1438	18.4	10	0.88	19.7	3.0	1444	18.6	10	0.91	40.3
2	2.8	1672	18.9	10	3.2	1202	19.6	10	1.14	20.4	3.3	1656	19.6	10	1.18	42.1
3	2.8	1696	19.9	10	3.0	1696	20.7	10	1.07	18.1	3.4	1696	21.1	10	1.21	40.3
4	3.4	1666	20.9	10	3.4	1664	21.2	10	1.00	20.0	3.3	1662	21.8	10	0.97	37.8
5	3.4	1676	22.1	10	3.3	1676	22.8	10	0.97	18.1	3.8	1676	23.5	10	1.12	40.4
6	3.4	1688	23.2	10	3.3	1686	23.1	10	0.97	17.9	3.3	1337	24.2	10	0.97	34.1
7	3.5	1674	24.1	10	3.4	1317	24.8	10	0.97	17.1	3.6	1568	25.5	10	1.03	35.3
8	3.8	1445	25.5	10	3.6	1690	25.7	10	0.95	17.5	3.2	1706	27.0	10	0.84	29.6
9	3.4	1333	26.8	10	4.0	1676	26.6	10	1.18	18.8	3.7	1659	27.4	10	1.09	33.8
10	3.5	1674	26.7	10	3.4	1313	27.6	10	0.97	15.4	3.5	1674	28.3	10	1.00	30.9
11	3.4	1680	29.2	10	3.3	1664	28.9	10	0.97	14.3	3.6	1680	30.5	10	1.06	29.5
12	3.2	1684	30.2	10	2.9	1686	29.6	10	0.91	12.2	3.2	1684	30.6	10	1.00	26.1
13	3.1	1655	30.0	10	3.0	1656	30.4	10	0.97	12.3	3.1	1658	30.5	10	1.00	25.4
14	3.7	224			3.5	222			0.95		4.6	220			1.24	

Experiment Number: 96017-04

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetic acid)
CAS Number: 631-64-1

Date Report Requested: 10/15/2014

Time Report Requested: 13:54:25

First Dose M/F: NA / NA

Lab: SRI

FEMALE

week	500 MG/L						1000 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	3.0	1446	18.7	10	0.91	80.2	3.0	1448	18.2	10	0.91	164.8
2	3.2	1654	19.9	10	1.14	80.4	3.1	1669	20.4	10	1.11	152.0
3	3.2	1698	21.1	10	1.14	75.8	3.3	1682	21.2	10	1.18	155.7
4	3.2	1660	21.9	10	0.94	73.1	3.3	1660	21.9	10	0.97	150.7
5	3.3	1675	22.7	10	0.97	72.7	3.2	1674	23.2	10	0.94	137.9
6	4.1	1684	23.7	10	1.21	86.5	3.5	1682	23.6	10	1.03	148.3
7	3.4	1676	25.1	10	0.97	67.7	3.2	1676	26.2	10	0.91	122.1
8	3.1	1706	26.7	10	0.82	58.1	3.1	1709	27.0	10	0.82	114.8
9	3.5	1660	27.1	10	1.03	64.6	3.4	1658	27.2	10	1.00	125.0
10	3.4	1313	27.9	10	0.97	60.9	3.6	1542	27.4	10	1.03	131.4
11	3.2	1680	29.2	10	0.94	54.8	3.4	1680	28.9	10	1.00	117.6
12	3.0	1686	30.4	10	0.94	49.3	3.1	1686	29.7	10	0.97	104.4
13	3.0	1551	29.7	10	0.97	50.5	3.1	1674	29.5	10	1.00	105.1
14	4.1	210			1.11		3.6	206			0.97	

Experiment Number: 96017-04

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetic acid)
CAS Number: 631-64-1

Date Report Requested: 10/15/2014

Time Report Requested: 13:54:25

First Dose M/F: NA / NA

Lab: SRI

FEMALE

week	2000 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	2.6	1452	18.7	10	0.79	278.1
2	2.9	1666	19.7	10	1.04	294.4
3	3.1	1682	20.9	10	1.11	296.7
4	3.0	1676	21.5	10	0.88	279.1
5	3.1	1660	22.4	10	0.91	276.8
6	3.2	1332	23.4	10	0.94	273.5
7	3.0	1676	24.2	10	0.86	247.9
8	3.0	1712	24.6	10	0.79	243.9
9	3.4	1655	25.5	10	1.00	266.7
10	3.2	1674	25.6	10	0.91	250.0
11	3.3	1680	26.7	10	0.97	247.2
12	3.1	1686	26.7	10	0.97	232.2
13	3.0	1674	26.5	10	0.97	226.4
14	3.3	206			0.89	

Experiment Number: 96017-04
Test Type: 90-DAY
Route: DOSED WATER
Species/Strain: Mouse/B6C3F1

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetic acid)
CAS Number: 631-64-1

Date Report Requested: 10/15/2014
Time Report Requested: 13:54:25
First Dose M/F: NA / NA
Lab: SRI

**** END OF REPORT ****