

Experiment Number: 96015-03
Test Type: 90-DAY
Route: DOSED WATER
Species/Strain: Rat/F 344/N

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetonitrile)
CAS Number: 3252-43-5

Date Report Requested: 10/18/2014
Time Report Requested: 17:34:30
First Dose M/F: NA / NA
Lab: SRI

C Number:	C96015
Lock Date:	07/20/2001
Cage Range:	All
Date Range:	All
Reasons For Removal:	All
Removal Date Range:	All
Treatment Groups:	All
Study Gender:	Both
PWG Approval Date	NONE

Experiment Number: 96015-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetonitrile)
CAS Number: 3252-43-5

Date Report Requested: 10/18/2014

Time Report Requested: 17:34:30

First Dose M/F: NA / NA

Lab: SRI

MALE

week	0 MG/L				12.5 MG/L						25 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	14.6	1446	106.9	10	15.1	1444	107.5	10	1.03	1.8	15.4	1442	108.5	10	1.05	3.5
2	15.9	1644	139.5	10	16.1	1647	136.6	10	1.01	1.5	16.5	1650	140.8	10	1.04	2.9
3	16.6	1704	175.1	10	16.1	1704	172.5	10	0.97	1.2	17.0	1704	177.8	10	1.02	2.4
4	16.4	1686	203.9	10	16.2	1664	199.0	10	0.99	1.0	17.0	1687	208.8	10	1.04	2.0
5	17.2	1676	225.6	10	18.0	1200	220.7	10	1.05	1.0	18.2	1576	230.8	10	1.06	2.0
6	16.2	1668	247.4	10	16.3	1535	240.9	10	1.01	0.8	16.8	1666	251.0	10	1.04	1.7
7	17.4	1682	260.4	10	18.3	1680	255.0	10	1.05	0.9	15.8	1201	269.4	10	0.91	1.5
8	15.6	1662	277.7	10	14.6	1662	270.3	10	0.94	0.7	16.1	1663	281.7	10	1.03	1.4
9	14.7	1704	292.5	10	15.4	1704	287.2	10	1.05	0.7	17.4	1448	298.7	10	1.18	1.5
10	15.5	1202	300.4	10	15.7	1692	294.6	10	1.01	0.7	15.6	1595	308.0	10	1.01	1.3
11	14.0	1673	311.0	10	14.6	1673	303.8	10	1.04	0.6	14.8	1672	317.4	10	1.06	1.2
12	14.3	1676	313.4	10	13.3	1676	315.3	10	0.93	0.5	14.0	1676	329.4	10	0.98	1.1
13	13.5	1650	325.9	10	14.1	1544	325.0	10	1.04	0.5	14.9	1650	341.6	10	1.10	1.1

Experiment Number: 96015-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetonitrile)
CAS Number: 3252-43-5

Date Report Requested: 10/18/2014

Time Report Requested: 17:34:31

First Dose M/F: NA / NA

Lab: SRI

MALE

week	50 MG/L						100 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	12.8	1438	106.8	10	0.88	6.0	10.3	1436	108.0	10	0.71	9.5
2	14.5	1652	135.9	10	0.91	5.3	13.9	1644	135.0	10	0.87	10.3
3	15.2	1704	170.7	10	0.92	4.5	14.3	1704	168.4	10	0.86	8.5
4	15.0	1688	197.8	10	0.91	3.8	14.4	1688	196.3	10	0.88	7.3
5	15.4	1680	219.3	10	0.90	3.5	14.7	1680	218.5	10	0.85	6.7
6	15.2	1666	241.9	10	0.94	3.1	14.1	1666	239.9	10	0.87	5.9
7	16.6	1684	257.9	10	0.95	3.2	15.4	1684	254.0	10	0.89	6.1
8	15.5	1658	272.9	10	0.99	2.8	13.2	1660	270.1	10	0.85	4.9
9	13.0	1702	287.2	10	0.88	2.3	12.8	1560	277.8	10	0.87	4.6
10	13.3	1595	295.1	10	0.86	2.3	12.6	1690	293.2	10	0.81	4.3
11	13.1	1556	297.9	10	0.94	2.2	12.6	1672	298.8	10	0.90	4.2
12	11.9	1674	320.6	10	0.83	1.9	12.3	1196	308.9	10	0.86	4.0
13	12.2	1650	319.8	10	0.90	1.9	12.7	1652	319.8	10	0.94	4.0

Experiment Number: 96015-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetonitrile)
CAS Number: 3252-43-5

Date Report Requested: 10/18/2014

Time Report Requested: 17:34:31

First Dose M/F: NA / NA

Lab: SRI

MALE

week

200 MG/L

	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	7.4	1434	106.9	10	0.51	13.8
2	11.8	1656	126.2	10	0.74	18.7
3	11.3	1704	160.8	10	0.68	14.1
4	13.3	1688	187.0	10	0.81	14.2
5	12.6	1680	207.6	10	0.73	12.1
6	12.7	1666	229.4	10	0.78	11.1
7	14.5	1684	243.8	10	0.83	11.9
8	13.0	1658	256.4	10	0.83	10.1
9	11.3	1562	269.1	10	0.77	8.4
10	11.6	1692	280.4	10	0.75	8.3
11	10.6	1672	288.9	10	0.76	7.3
12	10.1	1672	288.7	10	0.71	7.0
13	11.5	1652	305.8	10	0.85	7.5

Experiment Number: 96015-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

E08 : Water and Compound Consumption Table

Test Compound: Water disinfection byproducts (Dibromoacetonitrile)

CAS Number: 3252-43-5

Date Report Requested: 10/18/2014

Time Report Requested: 17:34:31

First Dose M/F: NA / NA

Lab: SRI

END OF MALE DATA

Experiment Number: 96015-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetonitrile)
CAS Number: 3252-43-5

Date Report Requested: 10/18/2014

Time Report Requested: 17:34:31

First Dose M/F: NA / NA

Lab: SRI

FEMALE

week	0 MG/L				12.5 MG/L						25 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	11.6	1212	96.9	10	12.3	1234	97.3	10	1.06	1.6	11.8	1232	97.4	10	1.02	3.0
2	12.4	1644	114.4	10	12.9	1648	114.3	10	1.04	1.4	12.2	1650	113.2	10	0.98	2.7
3	12.3	1704	129.1	10	15.0	1704	129.4	10	1.22	1.4	12.0	1704	127.8	10	0.98	2.3
4	12.8	1685	138.9	10	13.2	1687	140.2	10	1.03	1.2	11.8	1686	137.2	10	0.92	2.2
5	12.0	1679	148.5	10	12.3	1679	148.4	10	1.03	1.0	12.0	1681	145.6	10	1.00	2.1
6	12.0	1668	155.4	10	12.7	1545	155.0	10	1.06	1.0	11.5	1667	152.3	10	0.96	1.9
7	11.8	1682	162.9	10	12.7	1682	160.9	10	1.08	1.0	11.3	1680	157.9	10	0.96	1.8
8	11.7	1662	168.6	10	12.3	1664	165.1	10	1.05	0.9	11.2	1552	164.3	10	0.96	1.7
9	10.6	1704	170.9	10	11.9	1561	171.7	10	1.12	0.9	11.0	1704	170.7	10	1.04	1.6
10	10.9	1690	175.2	10	11.9	1690	175.4	10	1.09	0.8	11.3	1688	174.2	10	1.04	1.6
11	10.9	1674	180.5	10	11.3	1672	181.5	10	1.04	0.8	10.5	1673	179.8	10	0.96	1.5
12	10.0	1676	187.7	10	11.1	1676	185.9	10	1.11	0.7	10.3	1676	182.8	10	1.03	1.4
13	10.1	1544	190.3	10	11.4	1649	189.7	10	1.13	0.8	10.7	1650	186.8	10	1.06	1.4

Experiment Number: 96015-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetonitrile)
CAS Number: 3252-43-5

Date Report Requested: 10/18/2014

Time Report Requested: 17:34:31

First Dose M/F: NA / NA

Lab: SRI

FEMALE

week	50 MG/L						100 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	11.8	1103	96.6	10	1.02	6.1	8.9	1227	96.9	10	0.77	9.2
2	11.8	1652	112.4	10	0.95	5.2	9.7	1654	111.7	10	0.78	8.7
3	11.9	1704	128.5	10	0.97	4.6	10.6	1704	126.5	10	0.86	8.4
4	11.9	1686	138.4	10	0.93	4.3	10.5	1686	136.7	10	0.82	7.7
5	11.7	1442	146.2	10	0.98	4.0	11.1	1682	146.1	10	0.92	7.6
6	11.5	1666	154.8	10	0.96	3.7	10.4	1534	153.5	10	0.87	6.8
7	13.0	1324	161.7	10	1.10	4.0	10.1	1684	159.0	10	0.86	6.4
8	10.9	1660	165.5	10	0.93	3.3	10.0	1659	164.7	10	0.85	6.1
9	10.3	1704	172.8	10	0.97	3.0	10.0	1705	172.0	10	0.94	5.8
10	11.8	1688	177.2	10	1.08	3.3	9.4	1690	176.2	10	0.86	5.3
11	10.2	1672	181.8	10	0.94	2.8	9.6	1672	181.3	10	0.88	5.3
12	9.8	1674	186.9	10	0.98	2.6	10.5	1673	185.3	10	1.05	5.7
13	9.5	1650	188.4	10	0.94	2.5	9.3	1545	188.5	10	0.92	4.9

Experiment Number: 96015-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetonitrile)
CAS Number: 3252-43-5

Date Report Requested: 10/18/2014

Time Report Requested: 17:34:31

First Dose M/F: NA / NA

Lab: SRI

FEMALE

week

200 MG/L

	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	6.3	1224	97.9	10	0.54	12.9
2	9.0	1656	107.9	10	0.73	16.7
3	9.1	1704	123.4	10	0.74	14.7
4	8.7	1686	133.9	10	0.68	13.0
5	11.7	1682	142.7	10	0.98	16.4
6	9.5	1545	146.5	10	0.79	13.0
7	8.8	1684	154.0	10	0.75	11.4
8	8.8	1660	159.9	10	0.75	11.0
9	8.5	1704	163.7	10	0.80	10.4
10	13.0	1690	167.1	10	1.19	15.6
11	8.1	1674	171.3	10	0.74	9.5
12	8.4	1672	175.8	10	0.84	9.6
13	7.8	1652	179.4	10	0.77	8.7

Experiment Number: 96015-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

E08 : Water and Compound Consumption Table

Test Compound: Water disinfection byproducts (Dibromoacetonitrile)

CAS Number: 3252-43-5

Date Report Requested: 10/18/2014

Time Report Requested: 17:34:31

First Dose M/F: NA / NA

Lab: SRI

**** END OF REPORT ****