

Experiment Number: 96015-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dibromoacetonitrile)

CAS Number: 3252-43-5

Date Report Requested: 10/18/2014

Time Report Requested: 17:32:42

First Dose M/F: NA / NA

Lab: SRI

C Number:

C96015

Lock Date:

07/20/2001

Cage Range:

All

Date Range:

All

Reasons For Removal:

All

Removal Date Range:

All

Treatment Groups:

All

Study Gender:

Both

PWG Approval Date

NONE

Experiment Number: 96015-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dibromoacetonitrile)

CAS Number: 3252-43-5

Date Report Requested: 10/18/2014

Time Report Requested: 17:32:42

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: MALE

DOSE LEVEL: 0 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
1	00001	93375	Y N
2	00002	93376	Y N
3	00003	93377	Y N
4	00004	93378	Y N
5	00005	93379	Y N
6	00006	93380	Y N
7	00007	93381	Y N
8	00008	93382	Y N
9	00009	93383	Y N
10	00010	93384	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96015-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dibromoacetonitrile)

CAS Number: 3252-43-5

Date Report Requested: 10/18/2014

Time Report Requested: 17:32:42

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: MALE

DOSE LEVEL: 12.5 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
12	00012	93386	Y N
15	00015	93389	Y N
	00013	Y N
	00014	Y N
	00020	Y N
	00016	Y N
	00017	Y N
	00018	Y N
	00019	Y N
	00011	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96015-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dibromoacetonitrile)

CAS Number: 3252-43-5

Date Report Requested: 10/18/2014

Time Report Requested: 17:32:42

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: MALE

DOSE LEVEL: 25 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
24	00024	93398	Y N
26	00026	93400	Y N
	00023	Y N
	00030	Y N
	00027	Y N
	00028	Y N
	00029	Y N
	00022	Y N
	00021	Y N
	00025	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96015-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dibromoacetonitrile)

CAS Number: 3252-43-5

Date Report Requested: 10/18/2014

Time Report Requested: 17:32:42

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: MALE

DOSE LEVEL: 50 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
34	00034	93408	Y N
35	00035	93409	Y N
	00033	Y N
	00031	Y N
	00040	Y N
	00036	Y N
	00037	Y N
	00038	Y N
	00039	Y N
	00032	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96015-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dibromoacetonitrile)

CAS Number: 3252-43-5

Date Report Requested: 10/18/2014

Time Report Requested: 17:32:42

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: MALE

DOSE LEVEL: 200 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
51	00051	93425	Y N
52	00052	93426	Y N
53	00053	93427	Y N
54	00054	93428	Y N
55	00055	93429	Y N
56	00056	93430	Y N
57	00057	93431	Y N
58	00058	93432	Y N
59	00059	93433	Y N
60	00060	93434	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96015-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dibromoacetonitrile)

CAS Number: 3252-43-5

Date Report Requested: 10/18/2014

Time Report Requested: 17:32:42

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: MALE

DOSE LEVEL: 100 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00041	Y N
	00042	Y N
	00043	Y N
	00044	Y N
	00050	Y N
	00046	Y N
	00047	Y N
	00048	Y N
	00049	Y N
	00045	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96015-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dibromoacetonitrile)

CAS Number: 3252-43-5

Date Report Requested: 10/18/2014

Time Report Requested: 17:32:42

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: FEMALE

DOSE LEVEL: 0 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
61	00061	93435	Y N
62	00062	93436	Y N
63	00063	93437	Y N
64	00064	93438	Y N
65	00065	93439	Y N
66	00066	93440	Y N
67	00067	93441	Y N
68	00068	93442	Y N
69	00069	93443	Y N
70	00070	93444	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96015-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dibromoacetonitrile)

CAS Number: 3252-43-5

Date Report Requested: 10/18/2014

Time Report Requested: 17:32:42

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: FEMALE

DOSE LEVEL: 12.5 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
71	00071	93445	Y N
	00073	Y N
	00074	Y N
	00080	Y N
	00076	Y N
	00077	Y N
	00078	Y N
	00079	Y N
	00072	Y N
	00075	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96015-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dibromoacetonitrile)

CAS Number: 3252-43-5

Date Report Requested: 10/18/2014

Time Report Requested: 17:32:42

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: FEMALE

DOSE LEVEL: 25 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
82	00082	93456	Y N
87	00087	93461	Y N
	00084	Y N
	00090	Y N
	00086	Y N
	00088	Y N
	00089	Y N
	00083	Y N
	00081	Y N
	00085	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96015-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dibromoacetonitrile)

CAS Number: 3252-43-5

Date Report Requested: 10/18/2014

Time Report Requested: 17:32:42

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: FEMALE

DOSE LEVEL: 50 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
97	00097	93471	Y N
98	00098	93472	Y N
	00093	Y N
	00094	Y N
	00100	Y N
	00096	Y N
	00099	Y N
	00092	Y N
	00091	Y N
	00095	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96015-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dibromoacetonitrile)

CAS Number: 3252-43-5

Date Report Requested: 10/18/2014

Time Report Requested: 17:32:42

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: FEMALE

DOSE LEVEL: 100 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
103	00103	93477	Y N
104	00104	93478	Y N
109	00109	93483	Y N
	00106	Y N
	00107	Y N
	00108	Y N
	00110	Y N
	00102	Y N
	00101	Y N
	00105	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96015-03

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Rat/F 344/N

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Dibromoacetonitrile)

CAS Number: 3252-43-5

Date Report Requested: 10/18/2014

Time Report Requested: 17:32:42

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Rat

STRAIN: F 344/N

SEX: FEMALE

DOSE LEVEL: 200 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
111	00111	93485	Y N
112	00112	93486	Y N
113	00113	93487	Y N
114	00114	93488	Y N
115	00115	93489	Y N
116	00116	93490	Y N
117	00117	93491	Y N
118	00118	93492	Y N
119	00119	93493	Y N
120	00120	93494	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)