

Experiment Number: 96015-04
Test Type: 90-DAY
Route: DOSED WATER
Species/Strain: Mouse/B6C3F1

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetonitrile)
CAS Number: 3252-43-5

Date Report Requested: 10/19/2014
Time Report Requested: 17:36:18
First Dose M/F: NA / NA
Lab: SRI

C Number:	C96015
Lock Date:	07/20/2001
Cage Range:	All
Date Range:	All
Reasons For Removal:	All
Removal Date Range:	All
Treatment Groups:	All
Study Gender:	Both
PWG Approval Date	NONE

Experiment Number: 96015-04

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetonitrile)
CAS Number: 3252-43-5

Date Report Requested: 10/19/2014

Time Report Requested: 17:36:18

First Dose M/F: NA / NA

Lab: SRI

MALE

week	0 MG/L				12.5 MG/L						25 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	3.8	700	22.4	10	4.4	656	21.6	10	1.16	2.5	4.3	656	22.1	10	1.13	4.9
2	4.0	1303	23.2	10	4.0	1500	23.4	10	1.00	2.1	4.2	1522	23.7	10	1.05	4.4
3	3.8	1680	25.4	10	4.3	1680	25.4	10	1.13	2.1	3.7	1680	25.2	10	0.97	3.7
4	3.8	1698	26.8	10	4.0	1693	27.2	10	1.05	1.8	3.6	1646	26.0	10	0.95	3.5
5	4.3	1596	27.7	10	4.2	1670	27.8	10	0.98	1.9	3.8	1644	26.9	10	0.88	3.5
6	4.0	1645	29.1	10	3.8	1650	28.3	10	0.95	1.7	4.0	1534	28.2	10	1.00	3.5
7	3.7	1653	30.4	10	3.9	1680	30.5	10	1.05	1.6	3.5	1557	29.3	10	0.95	3.0
8	3.8	1683	31.6	10	3.2	1676	31.4	10	0.84	1.3	3.5	1676	30.5	10	0.92	2.9
9	3.7	1631	33.5	10	3.7	1588	33.2	10	1.00	1.4	3.9	1602	32.0	10	1.05	3.0
10	3.4	1594	35.1	10	3.4	1620	35.0	10	1.00	1.2	3.7	1690	33.6	10	1.09	2.8
11	3.4	1680	36.8	10	3.4	1551	36.2	10	1.00	1.2	3.4	1700	34.8	10	1.00	2.4
12	3.7	1700	37.7	10	3.3	1688	37.3	10	0.89	1.1	3.3	1680	35.9	10	0.89	2.3
13	3.6	1636	39.1	10	3.4	1588	38.5	10	0.94	1.1	3.2	1588	36.7	10	0.89	2.2

Experiment Number: 96015-04

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetonitrile)
CAS Number: 3252-43-5

Date Report Requested: 10/19/2014

Time Report Requested: 17:36:18

First Dose M/F: NA / NA

Lab: SRI

MALE

week	50 MG/L						100 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	3.2	700	22.3	10	0.84	7.2	2.8	700	22.5	10	0.74	12.4
2	3.6	1610	23.9	10	0.90	7.5	3.2	1635	23.6	10	0.80	13.6
3	3.1	1680	25.4	10	0.82	6.1	3.0	1680	25.1	10	0.79	12.0
4	3.4	1600	27.0	10	0.89	6.3	3.1	1720	26.5	10	0.82	11.7
5	3.6	1678	27.4	10	0.84	6.6	3.6	1536	26.9	10	0.84	13.4
6	3.9	1534	28.7	10	0.98	6.8	3.6	1629	28.4	10	0.90	12.7
7	3.3	1557	30.2	10	0.89	5.5	3.0	1549	29.4	10	0.81	10.2
8	3.2	1613	31.3	10	0.84	5.1	2.8	1684	30.9	10	0.74	9.1
9	4.1	1660	33.6	10	1.11	6.1	3.5	1580	32.7	10	0.95	10.7
10	3.0	1670	35.2	10	0.88	4.3	3.0	1486	33.9	10	0.88	8.8
11	3.2	1629	36.5	10	0.94	4.4	3.3	1629	35.2	10	0.97	9.4
12	3.1	1584	37.6	10	0.84	4.1	2.7	1608	36.3	10	0.73	7.4
13	2.8	1564	38.4	10	0.78	3.6	3.2	1618	37.3	10	0.89	8.6

Experiment Number: 96015-04

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetonitrile)
CAS Number: 3252-43-5

Date Report Requested: 10/19/2014

Time Report Requested: 17:36:18

First Dose M/F: NA / NA

Lab: SRI

MALE

week

200 MG/L

	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	3.3	612	22.2	10	0.87	29.7
2	2.8	1603	23.3	10	0.70	24.0
3	2.6	1558	24.9	10	0.68	20.9
4	2.7	1720	26.8	10	0.71	20.1
5	2.7	1611	27.0	10	0.63	20.0
6	2.5	1579	28.3	10	0.63	17.7
7	2.6	1595	29.4	10	0.70	17.7
8	2.5	1710	30.8	10	0.66	16.2
9	2.6	1522	32.4	10	0.70	16.0
10	2.3	1680	33.3	10	0.68	13.8
11	2.3	1700	33.9	10	0.68	13.6
12	2.2	1680	35.8	10	0.59	12.3
13	2.9	1468	36.8	10	0.81	15.8

Experiment Number: 96015-04
Test Type: 90-DAY
Route: DOSED WATER
Species/Strain: Mouse/B6C3F1

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetonitrile)
CAS Number: 3252-43-5

Date Report Requested: 10/19/2014
Time Report Requested: 17:36:18
First Dose M/F: NA / NA
Lab: SRI

END OF MALE DATA

Experiment Number: 96015-04

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetonitrile)
CAS Number: 3252-43-5

Date Report Requested: 10/19/2014

Time Report Requested: 17:36:18

First Dose M/F: NA / NA

Lab: SRI

FEMALE

week	0 MG/L				12.5 MG/L						25 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	2.9	985	18.7	10	2.9	986	18.7	10	1.00	1.9	3.1	622	18.8	10	1.07	4.1
2	2.8	1652	20.5	10	2.9	1530	20.0	10	1.04	1.8	2.8	1529	20.3	10	1.00	3.4
3	3.1	1680	21.6	10	3.0	1678	21.2	10	0.97	1.8	3.5	1680	21.1	10	1.13	4.1
4	3.1	1715	22.4	10	3.3	1716	22.0	10	1.06	1.9	3.0	1716	22.3	10	0.97	3.4
5	3.1	1677	22.8	10	3.2	1678	22.1	10	1.03	1.8	2.8	1676	23.0	10	0.90	3.0
6	3.7	1648	24.2	10	3.7	1411	24.1	10	1.00	1.9	3.3	1648	23.8	10	0.89	3.5
7	3.6	1421	24.1	10	3.6	1541	25.6	10	1.00	1.8	3.0	1676	24.6	10	0.83	3.0
8	3.4	1589	26.1	10	3.1	1710	26.3	10	0.91	1.5	3.1	1710	25.8	10	0.91	3.0
9	3.0	1654	26.8	10	3.0	1511	27.1	10	1.00	1.4	2.8	1511	27.2	10	0.93	2.6
10	3.2	1682	28.0	10	3.4	1680	28.6	10	1.06	1.5	2.9	1682	26.6	10	0.91	2.7
11	3.3	1688	29.0	10	2.9	1706	30.4	10	0.88	1.2	2.8	1708	28.6	10	0.85	2.4
12	3.3	1696	30.1	10	2.8	1422	31.5	10	0.85	1.1	3.0	1678	30.1	10	0.91	2.5
13	3.0	1656	30.5	10	2.8	1656	32.6	10	0.93	1.1	2.6	1658	31.0	10	0.87	2.1

Experiment Number: 96015-04

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetonitrile)
CAS Number: 3252-43-5

Date Report Requested: 10/19/2014

Time Report Requested: 17:36:18

First Dose M/F: NA / NA

Lab: SRI

FEMALE

week	50 MG/L						100 MG/L					
	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	2.5	986	18.8	10	0.86	6.6	2.1	984	18.7	10	0.72	11.2
2	2.6	1532	19.8	10	0.93	6.6	2.7	1411	20.0	10	0.96	13.5
3	2.8	1680	21.3	10	0.90	6.6	2.4	1678	21.1	10	0.77	11.4
4	2.9	1716	21.3	10	0.94	6.8	2.4	1717	21.5	10	0.77	11.2
5	2.7	1676	22.7	10	0.87	5.9	2.8	1675	22.4	10	0.90	12.5
6	4.2	1401	23.6	10	1.14	8.9	3.0	1402	23.4	10	0.81	12.8
7	3.5	1052	25.4	10	0.97	6.9	2.7	1053	24.2	10	0.75	11.2
8	2.6	1710	25.9	10	0.76	5.0	2.6	1710	25.3	10	0.76	10.3
9	3.6	1513	27.3	10	1.20	6.6	2.8	1370	26.6	10	0.93	10.5
10	2.9	1582	26.6	10	0.91	5.5	2.5	1680	28.3	10	0.78	8.8
11	2.6	1708	30.5	10	0.79	4.3	2.3	1708	29.3	10	0.70	7.8
12	2.7	1676	30.7	10	0.82	4.4	4.9	1676	28.7	10	1.48	17.1
13	2.5	1658	30.5	10	0.83	4.1	2.3	1660	29.4	10	0.77	7.8

Experiment Number: 96015-04

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetonitrile)
CAS Number: 3252-43-5

Date Report Requested: 10/19/2014

Time Report Requested: 17:36:18

First Dose M/F: NA / NA

Lab: SRI

FEMALE

week

200 MG/L

	DAILY WATER	WATER hour	BODY WT (g)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	1.6	984	18.0	10	0.55	17.8
2	2.5	1411	19.8	10	0.89	25.3
3	2.1	1678	20.7	10	0.68	20.3
4	2.1	1721	22.0	10	0.68	19.1
5	2.2	1198	21.7	10	0.71	20.3
6	2.0	1527	23.7	10	0.54	16.9
7	2.5	1542	24.1	10	0.69	20.7
8	2.1	1710	25.1	10	0.62	16.7
9	2.1	1654	26.1	10	0.70	16.1
10	1.8	1678	25.1	10	0.56	14.3
11	2.3	1710	28.9	10	0.70	15.9
12	2.1	1676	28.7	10	0.64	14.6
13	1.9	1660	29.2	10	0.63	13.0

Experiment Number: 96015-04
Test Type: 90-DAY
Route: DOSED WATER
Species/Strain: Mouse/B6C3F1

E08 : Water and Compound Consumption Table
Test Compound: Water disinfection byproducts (Dibromoacetonitrile)
CAS Number: 3252-43-5

Date Report Requested: 10/19/2014
Time Report Requested: 17:36:18
First Dose M/F: NA / NA
Lab: SRI

**** END OF REPORT ****