

**Experiment Number:** 93021-02  
**Test Type:** 14-DAY  
**Route:** SKIN APPLICATION  
**Species/Strain:** Mouse/B6C3F1

**P11: STATISTICAL ANALYSIS OF SURVIVAL DATA**  
**Test Compound:** Dicyclohexylcarbodiimide  
**CAS Number:** 538-75-0

**Date Report Requested:** 10/17/2014  
**Time Report Requested:** 12:09:40  
**First Dose M/F:** NA / NA  
**Lab:** MBA

|                             |            |
|-----------------------------|------------|
| <b>C Number:</b>            | C93021     |
| <b>Lock Date:</b>           | 05/17/1995 |
| <b>Cage Range:</b>          | All        |
| <b>Date Range:</b>          | All        |
| <b>Reasons For Removal:</b> | All        |
| <b>Removal Date Range:</b>  | All        |
| <b>Treatment Groups:</b>    | All        |
| <b>Study Gender:</b>        | Both       |
| <b>PWG Approval Date</b>    | NONE       |

**Experiment Number:** 93021-02  
**Test Type:** 14-DAY  
**Route:** SKIN APPLICATION  
**Species/Strain:** Mouse/B6C3F1

**P11: STATISTICAL ANALYSIS OF SURVIVAL DATA**  
**Test Compound:** Dicyclohexylcarbodiimide  
**CAS Number:** 538-75-0

**Date Report Requested:** 10/17/2014  
**Time Report Requested:** 12:09:40  
**First Dose M/F:** NA / NA  
**Lab:** MBA

**Male MOUSE**  
**FIRST TERMINAL SACRIFICE AT 17 DAYS**  
**INDIVIDUAL SURVIVAL TIMES (DAYS)**

| DOSE = 0                     | MG/ML | UNCENSORED DEATHS | CENSORED DEATHS | TERMINAL |
|------------------------------|-------|-------------------|-----------------|----------|
| TOTAL                        | 5     | 0                 | 0               | 5        |
| <b>UNCENSORED DEATH DAYS</b> |       |                   |                 |          |
| none                         |       |                   |                 |          |
| <b>CENSORED DEATH DAYS</b>   |       |                   |                 |          |
| none                         |       |                   |                 |          |
| DOSE = 2                     | MG/ML | UNCENSORED DEATHS | CENSORED DEATHS | TERMINAL |
| TOTAL                        | 5     | 0                 | 0               | 5        |
| <b>UNCENSORED DEATH DAYS</b> |       |                   |                 |          |
| none                         |       |                   |                 |          |
| <b>CENSORED DEATH DAYS</b>   |       |                   |                 |          |
| none                         |       |                   |                 |          |
| DOSE = 6                     | MG/ML | UNCENSORED DEATHS | CENSORED DEATHS | TERMINAL |
| TOTAL                        | 5     | 0                 | 0               | 5        |
| <b>UNCENSORED DEATH DAYS</b> |       |                   |                 |          |
| none                         |       |                   |                 |          |
| <b>CENSORED DEATH DAYS</b>   |       |                   |                 |          |
| none                         |       |                   |                 |          |
| DOSE = 17                    | MG/ML | UNCENSORED DEATHS | CENSORED DEATHS | TERMINAL |
| TOTAL                        | 5     | 5                 | 0               | 0        |
| <b>UNCENSORED DEATH DAYS</b> |       |                   |                 |          |
| 4                            | 4     | 4                 | 4               | 6        |
| <b>CENSORED DEATH DAYS</b>   |       |                   |                 |          |
| none                         |       |                   |                 |          |

(A) FIRST TERMINAL SACRIFICE

(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

**Experiment Number:** 93021-02  
**Test Type:** 14-DAY  
**Route:** SKIN APPLICATION  
**Species/Strain:** Mouse/B6C3F1

**P11: STATISTICAL ANALYSIS OF SURVIVAL DATA**  
**Test Compound:** Dicyclohexylcarbodiimide  
**CAS Number:** 538-75-0

**Date Report Requested:** 10/17/2014  
**Time Report Requested:** 12:09:40  
**First Dose M/F:** NA / NA  
**Lab:** MBA

**Male MOUSE**  
**FIRST TERMINAL SACRIFICE AT 17 DAYS**  
**INDIVIDUAL SURVIVAL TIMES (DAYS)**

---

| <b>DOSE = 50 MG/ML</b>       |   |                     |   |                   |  |
|------------------------------|---|---------------------|---|-------------------|--|
| TOTAL 5                      |   | UNCENSORED DEATHS 5 |   | CENSORED DEATHS 0 |  |
| TERMINAL 0                   |   |                     |   |                   |  |
| <b>UNCENSORED DEATH DAYS</b> |   |                     |   |                   |  |
| 3                            | 3 | 3                   | 3 |                   |  |
| <b>CENSORED DEATH DAYS</b>   |   |                     |   |                   |  |
| none                         |   |                     |   |                   |  |

---

| <b>DOSE = 150 MG/ML</b>      |   |                     |   |                   |  |
|------------------------------|---|---------------------|---|-------------------|--|
| TOTAL 5                      |   | UNCENSORED DEATHS 5 |   | CENSORED DEATHS 0 |  |
| TERMINAL 0                   |   |                     |   |                   |  |
| <b>UNCENSORED DEATH DAYS</b> |   |                     |   |                   |  |
| 2                            | 2 | 2                   | 2 |                   |  |
| <b>CENSORED DEATH DAYS</b>   |   |                     |   |                   |  |
| none                         |   |                     |   |                   |  |

(A) FIRST TERMINAL SACRIFICE

(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

**Experiment Number:** 93021-02  
**Test Type:** 14-DAY  
**Route:** SKIN APPLICATION  
**Species/Strain:** Mouse/B6C3F1

**P11: STATISTICAL ANALYSIS OF SURVIVAL DATA**  
**Test Compound:** Dicyclohexylcarbodiimide  
**CAS Number:** 538-75-0

**Date Report Requested:** 10/17/2014  
**Time Report Requested:** 12:09:40  
**First Dose M/F:** NA / NA  
**Lab:** MBA

**Male MOUSE**  
**FIRST TERMINAL SACRIFICE AT 17 DAYS**

**KAPLAN-MEIER SURVIVAL PROBABILITY ESTIMATES (%)**

| DOSE             | TIME (DAYS) |       |       |       |       |       |       |       |       |       |
|------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                  | 2           | 4     | 6     | 8     | 10    | 12    | 14    | 16    | 18    | 17(A) |
| <b>0 MG/ML</b>   | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| <b>2 MG/ML</b>   | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| <b>6 MG/ML</b>   | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| <b>17 MG/ML</b>  | 100.0       | 20.0  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| <b>50 MG/ML</b>  | 100.0       | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| <b>150 MG/ML</b> | 0.0         | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |

(A) FIRST TERMINAL SACRIFICE

(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

**Experiment Number:** 93021-02  
**Test Type:** 14-DAY  
**Route:** SKIN APPLICATION  
**Species/Strain:** Mouse/B6C3F1

**P11: STATISTICAL ANALYSIS OF SURVIVAL DATA**  
**Test Compound:** Dicyclohexylcarbodiimide  
**CAS Number:** 538-75-0

**Date Report Requested:** 10/17/2014  
**Time Report Requested:** 12:09:40  
**First Dose M/F:** NA / NA  
**Lab:** MBA

**Male MOUSE**  
**FIRST TERMINAL SACRIFICE AT 17 DAYS**

**SURVIVAL SUMMARY STATISTICS**

| <b>DOSE</b>   | <b>0 MG/ML</b> | <b>2 MG/ML</b> | <b>6 MG/ML</b> | <b>17 MG/ML</b> |
|---|----------------|----------------|----------------|-----------------|
| <b>SURVIVAL AT END OF STUDY</b><br>(KAPLAN-MEIER)         | 100.0%         | 100.0%         | 100.0%         | 0.0%            |
| <b>SIGNIFICANCE (B)</b><br>(LIFE TABLE)                   | P=0.000        | -----          | -----          | P=0.009         |
| <b>MEAN DAY OF NATURAL DEATHS (C)</b><br>(STANDARD ERROR) | .<br>(.)       | .<br>(.)       | .<br>(.)       | 4.4<br>(0.4)    |
| <b>MEAN LIFE SPAN (D)</b><br>(STANDARD ERROR)             | 17.0<br>(0.0)  | 17.0<br>(0.0)  | 17.0<br>(0.0)  | 4.4<br>(0.4)    |

(A) FIRST TERMINAL SACRIFICE

(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

**Experiment Number:** 93021-02  
**Test Type:** 14-DAY  
**Route:** SKIN APPLICATION  
**Species/Strain:** Mouse/B6C3F1

**P11: STATISTICAL ANALYSIS OF SURVIVAL DATA**  
**Test Compound:** Dicyclohexylcarbodiimide  
**CAS Number:** 538-75-0

**Date Report Requested:** 10/17/2014  
**Time Report Requested:** 12:09:40  
**First Dose M/F:** NA / NA  
**Lab:** MBA

**Male MOUSE**  
**FIRST TERMINAL SACRIFICE AT 17 DAYS**

**SURVIVAL SUMMARY STATISTICS**

| <b>DOSE</b>   | <b>50 MG/ML</b> | <b>150 MG/ML</b> |
|---|-----------------|------------------|
| <b>SURVIVAL AT END OF STUDY</b><br>(KAPLAN-MEIER)         | 0.0%            | 0.0%             |
| <b>SIGNIFICANCE (B)</b><br>(LIFE TABLE)                   | P=0.016         | P=0.016          |
| <b>MEAN DAY OF NATURAL DEATHS (C)</b><br>(STANDARD ERROR) | 3.0<br>(.)      | 2.0<br>(.)       |
| <b>MEAN LIFE SPAN (D)</b><br>(STANDARD ERROR)             | 3.0<br>(0.0)    | 2.0<br>(0.0)     |

(A) FIRST TERMINAL SACRIFICE

(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

**Experiment Number:** 93021-02  
**Test Type:** 14-DAY  
**Route:** SKIN APPLICATION  
**Species/Strain:** Mouse/B6C3F1

**P11: STATISTICAL ANALYSIS OF SURVIVAL DATA**  
**Test Compound:** Dicyclohexylcarbodiimide  
**CAS Number:** 538-75-0

**Date Report Requested:** 10/17/2014  
**Time Report Requested:** 12:09:40  
**First Dose M/F:** NA / NA  
**Lab:** MBA

**Female MOUSE**  
**FIRST TERMINAL SACRIFICE AT 17 DAYS**  
**INDIVIDUAL SURVIVAL TIMES (DAYS)**

| DOSE = 0                     | MG/ML | UNCENSORED DEATHS | CENSORED DEATHS | TERMINAL |
|------------------------------|-------|-------------------|-----------------|----------|
| TOTAL 5                      |       | 0                 | 0               | 5        |
| <b>UNCENSORED DEATH DAYS</b> |       |                   |                 |          |
| none                         |       |                   |                 |          |
| <b>CENSORED DEATH DAYS</b>   |       |                   |                 |          |
| none                         |       |                   |                 |          |
| DOSE = 2                     | MG/ML | UNCENSORED DEATHS | CENSORED DEATHS | TERMINAL |
| TOTAL 5                      |       | 0                 | 0               | 5        |
| <b>UNCENSORED DEATH DAYS</b> |       |                   |                 |          |
| none                         |       |                   |                 |          |
| <b>CENSORED DEATH DAYS</b>   |       |                   |                 |          |
| none                         |       |                   |                 |          |
| DOSE = 6                     | MG/ML | UNCENSORED DEATHS | CENSORED DEATHS | TERMINAL |
| TOTAL 5                      |       | 1                 | 0               | 4        |
| <b>UNCENSORED DEATH DAYS</b> |       |                   |                 |          |
| 15                           |       |                   |                 |          |
| <b>CENSORED DEATH DAYS</b>   |       |                   |                 |          |
| none                         |       |                   |                 |          |
| DOSE = 17                    | MG/ML | UNCENSORED DEATHS | CENSORED DEATHS | TERMINAL |
| TOTAL 5                      |       | 5                 | 0               | 0        |
| <b>UNCENSORED DEATH DAYS</b> |       |                   |                 |          |
| 3                            | 3     | 3                 | 3               | 3        |
| <b>CENSORED DEATH DAYS</b>   |       |                   |                 |          |
| none                         |       |                   |                 |          |

(A) FIRST TERMINAL SACRIFICE

(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

**Experiment Number:** 93021-02  
**Test Type:** 14-DAY  
**Route:** SKIN APPLICATION  
**Species/Strain:** Mouse/B6C3F1

**P11: STATISTICAL ANALYSIS OF SURVIVAL DATA**  
**Test Compound:** Dicyclohexylcarbodiimide  
**CAS Number:** 538-75-0

**Date Report Requested:** 10/17/2014  
**Time Report Requested:** 12:09:40  
**First Dose M/F:** NA / NA  
**Lab:** MBA

**Female MOUSE**  
**FIRST TERMINAL SACRIFICE AT 17 DAYS**  
**INDIVIDUAL SURVIVAL TIMES (DAYS)**

---

|                              |              |                   |   |                   |
|------------------------------|--------------|-------------------|---|-------------------|
| <b>DOSE = 50</b>             | <b>MG/ML</b> |                   |   |                   |
| TOTAL                        | 5            | UNCENSORED DEATHS | 5 | CENSORED DEATHS 0 |
|                              |              | TERMINAL          | 0 |                   |
| <b>UNCENSORED DEATH DAYS</b> |              |                   |   |                   |
| 2                            | 2            | 3                 | 3 |                   |
| <b>CENSORED DEATH DAYS</b>   |              |                   |   |                   |
| none                         |              |                   |   |                   |

---

|                              |              |                   |   |                   |
|------------------------------|--------------|-------------------|---|-------------------|
| <b>DOSE = 150</b>            | <b>MG/ML</b> |                   |   |                   |
| TOTAL                        | 5            | UNCENSORED DEATHS | 5 | CENSORED DEATHS 0 |
|                              |              | TERMINAL          | 0 |                   |
| <b>UNCENSORED DEATH DAYS</b> |              |                   |   |                   |
| 2                            | 2            | 2                 | 2 |                   |
| <b>CENSORED DEATH DAYS</b>   |              |                   |   |                   |
| none                         |              |                   |   |                   |

- (A) FIRST TERMINAL SACRIFICE
- (B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
- (C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
- (D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)



**Experiment Number:** 93021-02  
**Test Type:** 14-DAY  
**Route:** SKIN APPLICATION  
**Species/Strain:** Mouse/B6C3F1

**P11: STATISTICAL ANALYSIS OF SURVIVAL DATA**  
**Test Compound:** Dicyclohexylcarbodiimide  
**CAS Number:** 538-75-0

**Date Report Requested:** 10/17/2014  
**Time Report Requested:** 12:09:40  
**First Dose M/F:** NA / NA  
**Lab:** MBA

**Female MOUSE**  
**FIRST TERMINAL SACRIFICE AT 17 DAYS**

**KAPLAN-MEIER SURVIVAL PROBABILITY ESTIMATES (%)**

| DOSE             | TIME (DAYS) |       |       |       |       |       |       |       |       |       |       |
|------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                  | 2           | 4     | 6     | 8     | 10    | 12    | 14    | 16    | 18    | 17(A) |       |
| <b>0 MG/ML</b>   | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| <b>2 MG/ML</b>   | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| <b>6 MG/ML</b>   | 100.0       | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 80.0  | 80.0  | 80.0  | 80.0  |
| <b>17 MG/ML</b>  | 100.0       | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| <b>50 MG/ML</b>  | 60.0        | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| <b>150 MG/ML</b> | 0.0         | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |

(A) FIRST TERMINAL SACRIFICE

(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

**Experiment Number:** 93021-02  
**Test Type:** 14-DAY  
**Route:** SKIN APPLICATION  
**Species/Strain:** Mouse/B6C3F1

**P11: STATISTICAL ANALYSIS OF SURVIVAL DATA**  
**Test Compound:** Dicyclohexylcarbodiimide  
**CAS Number:** 538-75-0

**Date Report Requested:** 10/17/2014  
**Time Report Requested:** 12:09:40  
**First Dose M/F:** NA / NA  
**Lab:** MBA

**Female MOUSE**  
**FIRST TERMINAL SACRIFICE AT 17 DAYS**

**SURVIVAL SUMMARY STATISTICS**

| <b>DOSE</b>   | <b>0 MG/ML</b> | <b>2 MG/ML</b> | <b>6 MG/ML</b> | <b>17 MG/ML</b> |
|---|----------------|----------------|----------------|-----------------|
| <b>SURVIVAL AT END OF STUDY</b><br>(KAPLAN-MEIER)         | 100.0%         | 100.0%         | 80.0%          | 0.0%            |
| <b>SIGNIFICANCE (B)</b><br>(LIFE TABLE)                   | P=0.000        | -----          | P=1.000        | P=0.016         |
| <b>MEAN DAY OF NATURAL DEATHS (C)</b><br>(STANDARD ERROR) | .<br>(.)       | .<br>(.)       | 15.0<br>(.)    | 3.0<br>(.)      |
| <b>MEAN LIFE SPAN (D)</b><br>(STANDARD ERROR)             | 17.0<br>(0.0)  | 17.0<br>(0.0)  | 16.6<br>(0.4)  | 3.0<br>(0.0)    |

(A) FIRST TERMINAL SACRIFICE

(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

**Experiment Number:** 93021-02  
**Test Type:** 14-DAY  
**Route:** SKIN APPLICATION  
**Species/Strain:** Mouse/B6C3F1

**P11: STATISTICAL ANALYSIS OF SURVIVAL DATA**  
**Test Compound:** Dicyclohexylcarbodiimide  
**CAS Number:** 538-75-0

**Date Report Requested:** 10/17/2014  
**Time Report Requested:** 12:09:40  
**First Dose M/F:** NA / NA  
**Lab:** MBA

**Female MOUSE**  
**FIRST TERMINAL SACRIFICE AT 17 DAYS**

**SURVIVAL SUMMARY STATISTICS**

| <b>DOSE</b>   | <b>50 MG/ML</b> | <b>150 MG/ML</b> |
|---|-----------------|------------------|
| <b>SURVIVAL AT END OF STUDY</b><br>(KAPLAN-MEIER)         | 0.0%            | 0.0%             |
| <b>SIGNIFICANCE (B)</b><br>(LIFE TABLE)                   | P=0.015         | P=0.016          |
| <b>MEAN DAY OF NATURAL DEATHS (C)</b><br>(STANDARD ERROR) | 2.6<br>(0.2)    | 2.0<br>(.)       |
| <b>MEAN LIFE SPAN (D)</b><br>(STANDARD ERROR)             | 2.6<br>(0.2)    | 2.0<br>(0.0)     |

(A) FIRST TERMINAL SACRIFICE

(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

**Experiment Number:** 93021-02  
**Test Type:** 14-DAY  
**Route:** SKIN APPLICATION  
**Species/Strain:** Mouse/B6C3F1

**P11: STATISTICAL ANALYSIS OF SURVIVAL DATA**  
**Test Compound:** Dicyclohexylcarbodiimide  
**CAS Number:** 538-75-0

**Date Report Requested:** 10/17/2014  
**Time Report Requested:** 12:09:40  
**First Dose M/F:** NA / NA  
**Lab:** MBA

**\*\* END OF REPORT \*\***

(A) FIRST TERMINAL SACRIFICE

(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)