

Experiment Number: 93020-03

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Diisopropylcarbodiimide

CAS Number: 693-13-0

Date Report Requested: 10/22/2014

Time Report Requested: 19:34:33

First Dose M/F: NA / NA

Lab: MBA

C Number: C93020

Lock Date: 05/16/1995

Cage Range: All

Date Range: All

Reasons For Removal: All

Removal Date Range: All

Treatment Groups: All

Study Gender: Both

PWG Approval Date NONE

Experiment Number: 93020-03
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Test Compound: Diisopropylcarbodiimide
 CAS Number: 693-13-0

Date Report Requested: 10/22/2014
 Time Report Requested: 19:34:33
 First Dose M/F: NA / NA
 Lab: MBA

F 344/N Rat Male 0 MG/KG	DAY ON TEST	0 0 0 0 0 0 0 0 0 0										
		0 0 0 0 0 0 0 0 0 0										
ANIMAL ID	9 9 9 9 9 9 9 9 9 9	2 2 2 2 2 2 2 2 2 2										
	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0										
	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0										
	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0										
	1 2 3 4 5 6 7 8 9 0											*TOTALS

Alimentary System

Esophagus	+	+	+	+	+	+	+	+	+	+	10
Intestine Large, Cecum	+	+	+	+	+	+	+	+	+	+	10
Intestine Large, Colon	+	+	+	+	+	+	+	+	+	+	10
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	10
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	+	10
Intestine Small, Ileum	+	+	+	+	+	+	+	+	+	+	10
Intestine Small, Jejunum	+	+	+	+	+	+	+	+	+	+	10
Liver	+	+	+	+	+	+	+	+	+	+	10
Periportal, Vacuolization Cytoplasmic					1						1 1.0
Pancreas	+	+	+	+	+	+	+	+	+	+	10
Acinus, Atrophy, Focal						1					1 1.0
Salivary Glands	+	+	+	+	+	+	+	+	+	+	10
Stomach, Forestomach	+	+	+	+	+	+	+	+	+	+	10
Stomach, Glandular	+	+	+	+	+	+	+	+	+	+	10

Cardiovascular System

Blood Vessel	+	+	+	+	+	+	+	+	+	+	10
Heart	+	+	+	+	+	+	+	+	+	+	10
Cardiomyopathy	2			1	1			1		4	1.3

Endocrine System

Adrenal Cortex	+	+	+	+	+	+	+	+	+	+	10
----------------	---	---	---	---	---	---	---	---	---	---	----

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 93020-03
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Test Compound: Diisopropylcarbodiimide
 CAS Number: 693-13-0

Date Report Requested: 10/22/2014
 Time Report Requested: 19:34:33
 First Dose M/F: NA / NA
 Lab: MBA

F 344/N Rat Male
0 MG/KG

DAY ON TEST										
	0	0	0	0	0	0	0	0	0	0
ANIMAL ID	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	1
	1	2	3	4	5	6	7	8	9	0

*TOTALS

Adrenal Medulla	+	+	+	+	+	+	+	+	+	+	10
Islets, Pancreatic	+	+	+	+	+	+	+	+	+	+	10
Parathyroid Gland	M	+	+	M	+	+	+	M	+	M	6
Pituitary Gland	+	+	+	+	+	+	+	+	+	+	10
Thyroid Gland	+	+	+	+	+	+	+	M	+	+	9

General Body System

NONE

Genital System

Epididymis	+	+	+	+	+	+	+	+	+	+	10
Preputial Gland	+	+	+	+	+	+	+	+	+	+	10
Inflammation, Chronic Active			3		1				2	2.0	
Prostate	+	+	+	+	+	+	+	+	+	+	10
Seminal Vesicle	+	+	+	+	+	+	+	+	+	+	10
Testes	+	+	+	+	+	+	+	+	+	+	10

Hematopoietic System

Bone Marrow	+	+	+	+	+	+	+	+	+	+	10
Lymph Node, Mandibular	+	+	+	+	+	+	+	+	+	+	10
Hyperplasia, Lymphoid					2				1	2.0	
Hyperplasia, Plasma Cell					2				1	2.0	
Lymph Node, Mesenteric	+	+	+	+	+	+	+	+	+	+	10
Necrosis					1				1	1.0	

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 93020-03
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Test Compound: Diisopropylcarbodiimide
 CAS Number: 693-13-0

Date Report Requested: 10/22/2014
 Time Report Requested: 19:34:33
 First Dose M/F: NA / NA
 Lab: MBA

F 344/N Rat Male 0 MG/KG	DAY ON TEST										
		0	0	0	0	0	0	0	0	0	0
	ANIMAL ID	0	0	0	0	0	0	0	0	0	0
		2	2	2	2	2	2	2	2	2	2
		1	2	3	4	5	6	7	8	9	0
		*TOTALS									
Spleen		+	+	+	+	+	+	+	+	+	10
Thymus		+	+	+	+	+	+	+	+	+	10
Integumentary System											
Mammary Gland		+	+	+	+	+	+	+	+	+	10
Skin		+	+	+	+	+	+	+	+	+	10
Musculoskeletal System											
Bone		+	+	+	+	+	+	+	+	+	10
Skeletal Muscle		+	+	+	+	+	+	+	M	+	9
Nervous System											
Brain		+	+	+	+	+	+	+	+	+	10
Peripheral Nerve		+	+	+	+	+	+	+	+	+	10
Spinal Cord		+	+	+	+	+	+	+	+	+	10
Respiratory System											
Lung		+	+	+	+	+	+	+	+	+	10
Alveolus, Infiltration Cellular, Histiocyte							1			1	1.0
Interstitium, Inflammation, Chronic Active						1				1	1.0
Perivascular, Infiltration Cellular, Lymphocyte	1				1		3			3	1.7
Nose		+	+	+	+	+	+	+	+	+	10
Respirat Epith, Inflammation, Chronic Active					2	1			1	3	1.3
Trachea		+	+	+	+	+	+	+	+	+	10

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 93020-03

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Diisopropylcarbodiimide

CAS Number: 693-13-0

Date Report Requested: 10/22/2014

Time Report Requested: 19:34:33

First Dose M/F: NA / NA

Lab: MBA

F 344/N Rat Male
0 MG/KG

DAY ON TEST										
	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0
9	9	9	9	9	9	9	9	9	9	9
2	2	2	2	2	2	2	2	2	2	2
ANIMAL ID	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	1
1	2	3	4	5	6	7	8	9	0	

*TOTALS

Special Senses System

NONE

Urinary System

Kidney	+	+	+	+	+	+	+	+	+	+	10
Nephropathy		1	1	1	1		1				5 1.0
Urinary Bladder	+	+	+	+	+	+	+	+	+	+	10

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

L ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 93020-03

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Diisopropylcarbodiimide

CAS Number: 693-13-0

Date Report Requested: 10/22/2014

Time Report Requested: 19:34:33

First Dose M/F: NA / NA

Lab: MBA

F 344/N Rat Male
10 MG/KG

DAY ON TEST										
	0	0	0	0	0	0	0	0	0	0
ANIMAL ID	0	0	0	0	0	0	0	0	0	0
	9	9	9	9	9	9	9	9	9	9
	2	2	2	2	2	2	2	2	2	2
	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0
	1	1	1	1	1	1	1	1	1	2
	1	2	3	4	5	6	7	8	9	0

*TOTALS

NONE

Nervous System

Brain

+ + + + + + + + + + 10

Respiratory System

NONE

Special Senses System

NONE

Urinary System

NONE

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 93020-03

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Diisopropylcarbodiimide

CAS Number: 693-13-0

Date Report Requested: 10/22/2014

Time Report Requested: 19:34:33

First Dose M/F: NA / NA

Lab: MBA

F 344/N Rat Male
20 MG/KG

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 |
| 1 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

Alimentary System

NONE

Cardiovascular System

Heart

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|-------|
| + | + | + | + | + | + | + | + | + | + | 10 |
| 1 | 1 | 1 | 1 | | | | 1 | 1 | | 6 1.0 |

Cardiomyopathy

Endocrine System

NONE

General Body System

NONE

Genital System

NONE

Hematopoietic System

Spleen

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|----|
| + | + | + | + | + | + | + | + | + | + | 10 |
|---|---|---|---|---|---|---|---|---|---|----|

Thymus

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|----|
| + | + | + | + | + | + | + | + | + | + | 10 |
|---|---|---|---|---|---|---|---|---|---|----|

Integumentary System

Skin

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|----|
| + | + | + | + | + | + | + | + | + | + | 10 |
|---|---|---|---|---|---|---|---|---|---|----|

Epidermis, SOA, Hyperplasia

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|--|--|-------|
| 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | 7 1.0 |
|---|---|---|---|---|---|---|---|--|--|-------|

Musculoskeletal System

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 93020-03

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Diisopropylcarbodiimide

CAS Number: 693-13-0

Date Report Requested: 10/22/2014

Time Report Requested: 19:34:34

First Dose M/F: NA / NA

Lab: MBA

**F 344/N Rat Male
20 MG/KG**

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

NONE

Nervous System

Brain

+ + + + + + + + + + 10

Respiratory System

NONE

Special Senses System

NONE

Urinary System

NONE

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 93020-03
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Test Compound: Diisopropylcarbodiimide
 CAS Number: 693-13-0

Date Report Requested: 10/22/2014
 Time Report Requested: 19:34:34
 First Dose M/F: NA / NA
 Lab: MBA

| F 344/N Rat Male
40 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|------------------------------|-------------|---|---|---|---|---|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

*TOTALS

Alimentary System

| | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|-----|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | 10 |
| Liver | + | + | + | + | + | + | + | + | + | + | 10 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | 10 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | 10 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | 10 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | 10 |
| Cyst | | | | | | 2 | | | 1 | 2.0 | |
| Infiltration Cellular, Mixed Cell | | | | | 1 | | | | 1 | 1.0 | |

Cardiovascular System

| | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|-----|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | 10 |
| Heart | + | + | + | + | + | + | + | + | + | + | 10 |
| Cardiomyopathy | 1 | 1 | | 1 | | 1 | | | 4 | 1.0 | |

Endocrine System

| | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | 10 |
|----------------|---|---|---|---|---|---|---|---|---|---|----|

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 93020-03
Test Type: 90-DAY
Route: SKIN APPLICATION
Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Test Compound: Diisopropylcarbodiimide
CAS Number: 693-13-0

Date Report Requested: 10/22/2014
Time Report Requested: 19:34:34
First Dose M/F: NA / NA
Lab: MBA

F 344/N Rat Male
40 MG/KG

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

| | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | 10 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | 10 |
| Parathyroid Gland | + | + | + | M | + | M | + | M | + | + | 7 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | 10 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | 10 |

General Body System

NONE

Genital System

| | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|-----|----|
| Epididymis | + | + | + | + | + | + | + | + | + | + | 10 |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | 10 |
| Inflammation, Chronic Active | | | | | | 2 | 3 | | 2 | 2.5 | |
| Prostate | + | + | + | + | + | + | + | + | + | + | 10 |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | 10 |
| Testes | + | + | + | + | + | + | + | + | + | + | 10 |

Hematopoietic System

| | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|-----|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | 10 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | 10 |
| Hemorrhage | | | | | | | 1 | | 1 | 1.0 | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | 10 |
| Spleen | + | + | + | + | + | + | + | + | + | + | 10 |
| Thymus | + | + | + | + | + | + | + | + | + | + | 10 |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 93020-03

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Diisopropylcarbodiimide

CAS Number: 693-13-0

Date Report Requested: 10/22/2014

Time Report Requested: 19:34:34

First Dose M/F: NA / NA

Lab: MBA

**F 344/N Rat Male
40 MG/KG**

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

Integumentary System

| | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|--------|
| Mammary Gland | + | + | + | + | + | M | + | + | + | + | 9 |
| Skin | + | + | + | + | + | + | + | + | + | + | 10 |
| Epidermis, SOA, Hyperplasia | 1 | 2 | 2 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 10 1.6 |
| SOA, Inflammation, Chronic Active | | | | | | 1 | | | | | 1 1.0 |

Musculoskeletal System

| | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | 10 |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | 10 |

Nervous System

| | | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | 10 |
| Peripheral Nerve | + | + | + | + | + | M | + | + | + | + | 9 |
| Spinal Cord | + | + | + | + | + | + | + | + | + | + | 10 |

Respiratory System

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|-------|
| Lung | + | + | + | + | + | + | + | + | + | + | 10 |
| Perivascular, Infiltration Cellular, Lymphocyte | | 1 | 1 | 1 | | 1 | 1 | 1 | | | 6 1.0 |
| Nose | + | + | + | + | + | + | + | + | + | + | 10 |
| Respirat Epith, Inflammation, Chronic Active | | | | | 1 | | | | | | 1 1.0 |
| Squam Epithel, Inflammation, Chronic | | | | | | 1 | | | | | 1 1.0 |
| Trachea | + | + | + | + | + | + | + | + | + | + | 10 |

Special Senses System

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 93020-03

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Diisopropylcarbodiimide

CAS Number: 693-13-0

Date Report Requested: 10/22/2014

Time Report Requested: 19:34:34

First Dose M/F: NA / NA

Lab: MBA

**F 344/N Rat Male
40 MG/KG**

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

NONE

Urinary System

| | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|-------|
| Kidney | + | + | + | + | + | + | + | + | + | + | 10 |
| Nephropathy | | | | | | 1 | | | 1 | | 2 1.0 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | 10 |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 93020-03
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Test Compound: Diisopropylcarbodiimide
 CAS Number: 693-13-0

Date Report Requested: 10/22/2014
 Time Report Requested: 19:34:34
 First Dose M/F: NA / NA
 Lab: MBA

| F 344/N Rat Male
80 MG/KG | DAY ON TEST | | | | | | | | | | |
|------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 2 | 4 | 2 | 2 | 2 | 3 | 2 | 2 | 1 | 2 |
| | | 5 | 6 | 4 | 5 | 5 | 2 | 1 | 4 | 8 | 1 |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

Alimentary System

| | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|-----|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | 10 |
| Liver | + | + | + | + | + | + | + | + | + | + | 10 |
| Centrilobular, Congestion | 2 | 2 | 1 | | | 1 | | | 4 | 1.5 | |
| Centrilobular, Vacuolization Cytoplasmic | | | | | | 1 | | | 1 | 1.0 | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | 10 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | 10 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | 10 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | 10 |

Cardiovascular System

| | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|-----|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | 10 |
| Heart | + | + | + | + | + | + | + | + | + | + | 10 |
| Artery, Inflammation, Chronic Active | | 1 | | | | | | | 1 | 1.0 | |
| Cardiomyopathy | 2 | 1 | 1 | | 1 | 1 | | | 5 | 1.2 | |

Endocrine System

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 93020-03
Test Type: 90-DAY
Route: SKIN APPLICATION
Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Test Compound: Diisopropylcarbodiimide
CAS Number: 693-13-0

Date Report Requested: 10/22/2014
Time Report Requested: 19:34:34
First Dose M/F: NA / NA
Lab: MBA

F 344/N Rat Male
80 MG/KG

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

| | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | 10 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | 10 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | 10 |
| Parathyroid Gland | M | + | + | + | + | + | + | + | + | + | 9 |
| Pituitary Gland | + | + | + | + | + | + | + | M | + | + | 9 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | 10 |

General Body System

NONE

Genital System

| | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|-----|----|
| Epididymis | + | + | + | + | + | + | + | + | + | + | 10 |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | 10 |
| Inflammation, Chronic Active | | | | | | 2 | | | 1 | 2.0 | |
| Prostate | + | + | + | + | + | + | + | + | + | + | 10 |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | 10 |
| Testes | + | + | + | + | + | + | + | + | + | + | 10 |

Hematopoietic System

| | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | 10 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | 10 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | 10 |
| Spleen | + | + | + | + | + | + | + | + | + | + | 10 |
| Thymus | + | + | + | + | + | + | + | + | + | + | 10 |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 93020-03

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Diisopropylcarbodiimide

CAS Number: 693-13-0

Date Report Requested: 10/22/2014

Time Report Requested: 19:34:34

First Dose M/F: NA / NA

Lab: MBA

**F 344/N Rat Male
80 MG/KG**

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 4 | 2 | 2 | 2 | 3 | 2 | 2 | 1 | 2 | |
| 5 | 6 | 4 | 5 | 5 | 2 | 1 | 4 | 8 | 1 | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

***TOTALS**

| | | | | | |
|------------|---|---|---|---|-----|
| Atrophy | | 2 | 3 | 2 | 2.5 |
| Hemorrhage | | 3 | | 2 | 2.5 |
| Necrosis | 2 | 2 | | 2 | 2.0 |

Integumentary System

| | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | + | + | + | + | + | + | + | + | + | 10 |
| Skin | + | + | + | + | + | + | + | + | + | 10 |
| Epidermis, SOA, Hyperplasia | 3 | 1 | 1 | 2 | 1 | 1 | 3 | 2 | 3 | 3 |
| SOA, Inflammation, Chronic Active | 2 | 1 | 1 | | | | 3 | 1 | 2 | 2 |

Musculoskeletal System

| | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | 10 |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | 10 |

Nervous System

| | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|-------|
| Brain | + | + | + | + | + | + | + | + | + | 10 |
| Edema, Focal | 1 | 1 | 1 | 1 | | 1 | | | | 5 1.0 |
| Hemorrhage | | | | | | 1 | | | | 1 1.0 |
| Neuron, Necrosis | 3 | 4 | 3 | 3 | 1 | 2 | 2 | | 3 | 8 2.6 |
| Peripheral Nerve | + | + | + | + | + | + | + | + | + | 10 |
| Spinal Cord | + | + | + | + | + | + | + | + | + | 10 |

Respiratory System

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|-------|
| Lung | + | + | + | + | + | + | + | + | + | 10 |
| Alveolus, Infiltration Cellular, Histiocyte | | | | | | | 1 | | 1 | 1 1.0 |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 93020-03

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Diisopropylcarbodiimide

CAS Number: 693-13-0

Date Report Requested: 10/22/2014

Time Report Requested: 19:34:34

First Dose M/F: NA / NA

Lab: MBA

**F 344/N Rat Male
80 MG/KG**

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 4 | 2 | 2 | 2 | 3 | 2 | 2 | 1 | 2 | |
| 5 | 6 | 4 | 5 | 5 | 2 | 1 | 4 | 8 | 1 | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

***TOTALS**

| | | | | | | | | |
|---|---|---|---|---|---|---|---|-----|
| Congestion | 4 | 4 | 2 | 2 | 2 | 2 | 5 | 2.8 |
| Hemorrhage | 2 | | | | | | 1 | 2.0 |
| Interstitial, Inflammation, Chronic Active | 2 | | | | | | 1 | 2.0 |
| Perivascular, Infiltration Cellular, Lymphocyte | 2 | | | | | | 1 | 2.0 |
| Nose | + | + | + | + | + | + | + | 10 |
| Respirat Epith, Inflammation, Chronic Active | | 2 | | | | | 1 | 2.0 |
| Trachea | + | + | + | + | + | + | + | 10 |

Special Senses System

| | | | |
|--|---|--|-------|
| Eye | + | | 1 |
| Bilateral, Cornea, Degeneration, Focal | 2 | | 1 2.0 |

Urinary System

| | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|----|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | 10 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | 10 |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 93020-03
Test Type: 90-DAY
Route: SKIN APPLICATION
Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Test Compound: Diisopropylcarbodiimide
CAS Number: 693-13-0

Date Report Requested: 10/22/2014
Time Report Requested: 19:34:34
First Dose M/F: NA / NA
Lab: MBA

| F 344/N Rat Male
160 MG/KG | DAY ON TEST | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
|---|-------------|---------------------|---|---|---|---|---|---|---|---|---|
| | | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
| | | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
| | | 4 | 4 | 4 | 7 | 7 | 4 | 4 | 4 | 4 | 7 |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

Alimentary System

| | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|-----|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | 10 |
| Liver | + | + | + | + | + | + | + | + | + | + | 10 |
| Centrilobular, Congestion | 3 | 3 | 3 | | 1 | 2 | 2 | | 6 | 2.3 | |
| Centrilobular, Vacuolization Cytoplasmic | 2 | 2 | 2 | | 1 | 1 | 1 | | 6 | 1.5 | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | 9 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | 10 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | 10 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | 10 |

Cardiovascular System

| | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|-----|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | 10 |
| Heart | + | + | + | + | + | + | + | + | + | + | 10 |
| Cardiomyopathy | | | 3 | 3 | | | 2 | | 3 | 2.7 | |

Endocrine System

| | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | 10 |
|----------------|---|---|---|---|---|---|---|---|---|---|----|

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 93020-03
Test Type: 90-DAY
Route: SKIN APPLICATION
Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Test Compound: Diisopropylcarbodiimide
CAS Number: 693-13-0

Date Report Requested: 10/22/2014
Time Report Requested: 19:34:34
First Dose M/F: NA / NA
Lab: MBA

F 344/N Rat Male
160 MG/KG

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

| | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | 10 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | 10 |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | 10 |
| Pituitary Gland | + | + | + | M | + | + | + | + | + | + | 9 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | 10 |

General Body System

NONE

Genital System

| | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|-----|
| Epididymis | + | + | + | + | + | + | + | + | + | + | 10 |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | 10 |
| Inflammation, Chronic Active | | | | | 2 | 1 | 1 | 1 | | 4 | 1.3 |
| Prostate | + | + | + | + | + | + | + | + | + | + | 10 |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | 10 |
| Testes | + | + | + | + | + | + | + | + | + | + | 10 |

Hematopoietic System

| | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|-----|-----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | 10 |
| Hemorrhage | | | | | 3 | | | 2 | | 2 | 2.5 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | 10 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | 10 |
| Spleen | + | + | + | + | + | + | + | + | + | + | 10 |
| Lymph Follic, Depletion Cellular | | | | 2 | | | | 1 | | 2.0 | |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 93020-03

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Diisopropylcarbodiimide

CAS Number: 693-13-0

Date Report Requested: 10/22/2014

Time Report Requested: 19:34:34

First Dose M/F: NA / NA

Lab: MBA

**F 344/N Rat Male
160 MG/KG**

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

***TOTALS**

| | | | | | | | | | | | |
|---------|---|---|---|---|---|---|---|---|---|---|-------|
| Thymus | + | + | + | + | + | + | + | + | + | + | 10 |
| Atrophy | | | | | 2 | 2 | | | | 3 | 3 2.3 |

Integumentary System

| | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|--------|
| Mammary Gland | + | M | M | M | + | + | + | M | M | + | 5 |
| Skin | + | + | + | + | + | + | + | + | + | + | 10 |
| Epidermis, SOA, Hyperplasia | | | | | 2 | | | 2 | 3 | | 3 2.3 |
| Epidermis, SOA, Necrosis, Focal | 3 | 4 | 4 | 2 | | 3 | 4 | 3 | 1 | 2 | 9 2.9 |
| SOA, Inflammation, Chronic Active | 2 | 3 | 3 | 3 | 3 | 3 | 2 | 2 | 4 | 3 | 10 2.8 |

Musculoskeletal System

| | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | 10 |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | 10 |

Nervous System

| | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|-------|
| Brain | + | + | + | + | + | + | + | + | + | + | 10 |
| Arteriole, Necrosis, Fibrinoid | | | | | 1 | | | | | | 1 1.0 |
| Congestion | | | | | | 3 | | | | | 1 3.0 |
| Edema, Focal | | | | | | | 1 | | | | 1 1.0 |
| Hemorrhage | | | 3 | 3 | 2 | 1 | | | | | 4 2.3 |
| Peripheral Nerve | + | + | + | + | + | + | + | + | + | + | 10 |
| Spinal Cord | + | + | + | + | + | + | + | + | + | + | 10 |

Respiratory System

| | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|----|
| Lung | + | + | + | + | + | + | + | + | + | + | 10 |
|------|---|---|---|---|---|---|---|---|---|---|----|

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 93020-03

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Diisopropylcarbodiimide

CAS Number: 693-13-0

Date Report Requested: 10/22/2014

Time Report Requested: 19:34:35

First Dose M/F: NA / NA

Lab: MBA

F 344/N Rat Male
160 MG/KG

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 7 | 7 | 4 | 4 | 4 | 4 | 7 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

***TOTALS**

| | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|-------|
| Congestion | 3 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 8 | 2.8 |
| Nose | + | + | + | + | + | + | + | + | + | 10 |
| Respirat Epith, Inflammation, Chronic Active | 2 | 1 | 1 | | 2 | | | 1 | | 5 1.4 |
| Respirat Epith, Metaplasia, Squamous | 3 | | 1 | 1 | | | | | 3 | 1.7 |
| Squam Epithel, Inflammation, Chronic Active | | | 2 | | | | | | 1 | 2.0 |
| Pleura | + | | | | | | | | 1 | |
| Trachea | + | + | + | + | + | + | + | + | + | 10 |

Special Senses System

Harderian Gland

Urinary System

Kidney

Urinary Bladder

*****END OF MALE DATA*****

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 93020-03
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Test Compound: Diisopropylcarbodiimide
 CAS Number: 693-13-0

Date Report Requested: 10/22/2014
 Time Report Requested: 19:34:35
 First Dose M/F: NA / NA
 Lab: MBA

| F 344/N Rat Female
0 MG/KG | DAY ON TEST | | | | | | | | | | |
|-------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

Alimentary System

| | | | | | | | | | | | |
|---------------------------------------|---|---|---|---|---|---|---|---|---|-----|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | 10 |
| Liver | + | + | + | + | + | + | + | + | + | + | 10 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | 10 |
| Acinus, Cytoplasmic Alteration, Focal | | | | | | | 2 | | 1 | 2.0 | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | 10 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | 10 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | 10 |

Cardiovascular System

| | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | 10 |
| Heart | + | + | + | + | + | + | + | + | + | + | 10 |

Endocrine System

| | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|-----|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | 10 |
| Hypertrophy, Focal | | | | | | | 2 | | 1 | 2.0 | |
| Adrenal Medulla | + | M | + | + | + | + | + | + | + | + | 9 |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 93020-03
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Test Compound: Diisopropylcarbodiimide
 CAS Number: 693-13-0

Date Report Requested: 10/22/2014
 Time Report Requested: 19:34:35
 First Dose M/F: NA / NA
 Lab: MBA

| F 344/N Rat Female
0 MG/KG | DAY ON TEST | | | | | | | | | | |
|-------------------------------|-------------|---|---|---|---|---|---|---|---|---|-----|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| *TOTALS | | | | | | | | | | | |
| Islets, Pancreatic | | + | + | + | + | + | + | + | + | + | 10 |
| Parathyroid Gland | | + | + | + | + | + | + | + | M | + | 9 |
| Pituitary Gland | | + | + | + | + | + | + | + | + | + | 10 |
| Thyroid Gland | | + | + | + | + | + | + | + | + | + | 10 |
| General Body System | | | | | | | | | | | |
| NONE | | | | | | | | | | | |
| Genital System | | | | | | | | | | | |
| Clitoral Gland | | + | + | + | + | + | + | M | M | + | 8 |
| Ovary | | + | + | + | + | + | + | + | + | + | 10 |
| Uterus | | + | + | + | + | + | + | + | + | + | 10 |
| Hematopoietic System | | | | | | | | | | | |
| Bone Marrow | | + | + | + | + | + | + | + | + | + | 10 |
| Lymph Node, Mandibular | | + | + | + | + | + | + | + | + | + | 10 |
| Lymph Node, Mesenteric | | + | + | + | + | + | + | + | + | + | 10 |
| Hyperplasia, Histiocytic | | | | | | | | 2 | | 1 | 2.0 |
| Spleen | | + | + | + | + | + | + | + | + | + | 10 |
| Thymus | | + | + | + | + | + | + | + | + | + | 10 |
| Integumentary System | | | | | | | | | | | |
| Mammary Gland | | + | + | + | + | + | + | + | + | + | 10 |
| Skin | | + | + | + | + | + | + | + | + | + | 10 |
| Epidermis, SOA, Hyperplasia | | | | | | 1 | | | | 1 | 1.0 |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 93020-03
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Test Compound: Diisopropylcarbodiimide
 CAS Number: 693-13-0

Date Report Requested: 10/22/2014
 Time Report Requested: 19:34:35
 First Dose M/F: NA / NA
 Lab: MBA

| F 344/N Rat Female
0 MG/KG | DAY ON TEST | | | | | | | | | | |
|-------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

Epidermis, SOA, Hyperplasia 1 1 1.0

Musculoskeletal System

| | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | 10 |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | 10 |

Nervous System

| | | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | 10 |
| Peripheral Nerve | + | + | + | + | + | + | + | + | + | + | 10 |
| Spinal Cord | + | + | + | + | + | + | + | + | + | + | 10 |

Respiratory System

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|-------|
| Lung | + | + | + | + | + | + | + | + | + | + | 10 |
| Interstitium, Inflammation, Chronic Active | | | | | | | | | | | 2 |
| Perivascular, Infiltration Cellular, Lymphocyte | 1 | 1 | | | | 1 | 2 | | | | 4 1.3 |
| Nose | + | + | + | + | + | + | + | + | + | + | 10 |
| Olfactory Epi, Atrophy | | | | | | | | | | | 1 1.0 |
| Respirat Epith, Inflammation, Chronic Active | | | | | | | | | | | 1 1.0 |
| Trachea | + | + | + | + | + | + | + | + | + | + | 10 |

Special Senses System

NONE

Urinary System

| | | | | | | | | | | | |
|--------|---|---|---|---|---|---|---|---|---|---|----|
| Kidney | + | + | + | + | + | + | + | + | + | + | 10 |
|--------|---|---|---|---|---|---|---|---|---|---|----|

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 93020-03

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Diisopropylcarbodiimide

CAS Number: 693-13-0

Date Report Requested: 10/22/2014

Time Report Requested: 19:34:35

First Dose M/F: NA / NA

Lab: MBA

F 344/N Rat Female
0 MG/KG

| DAY ON TEST | | | | | | | | | | |
|-------------------------|---------|---|---|---|---|---|---|---|---|-----|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | *TOTALS | | | | | | | | | |
| Medulla, Mineralization | | | 1 | | 1 | 1 | 1 | 1 | 1 | 1.0 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | 10 |

Medulla, Mineralization

1 1 1 1 1 1 1 1 1 1.0

Urinary Bladder

++ + + + + + + + + +

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 93020-03

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Diisopropylcarbodiimide

CAS Number: 693-13-0

Date Report Requested: 10/22/2014

Time Report Requested: 19:34:35

First Dose M/F: NA / NA

Lab: MBA

F 344/N Rat Female
10 MG/KG

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

Alimentary System

NONE

Cardiovascular System

Heart

 + + + + + + + + + + 10

Endocrine System

NONE

General Body System

NONE

Genital System

Uterus

 + 1

Hematopoietic System

Spleen

 + + + + + + + + + + 10

Thymus

 + + + + + + + + + + 10

Integumentary System

Skin

 + + + + + + + + + + 10

Epidermis, SOA, Hyperplasia

 1 1 2 1.0

Musculoskeletal System

NONE

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 93020-03

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Diisopropylcarbodiimide

CAS Number: 693-13-0

Date Report Requested: 10/22/2014

Time Report Requested: 19:34:35

First Dose M/F: NA / NA

Lab: MBA

F 344/N Rat Female
10 MG/KG

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

Nervous System

Brain

+ + + + + + + + + + 10

Respiratory System

NONE

Special Senses System

NONE

Urinary System

NONE

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 93020-03

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Diisopropylcarbodiimide

CAS Number: 693-13-0

Date Report Requested: 10/22/2014

Time Report Requested: 19:34:35

First Dose M/F: NA / NA

Lab: MBA

F 344/N Rat Female
20 MG/KG

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

Alimentary System

NONE

Cardiovascular System

Heart

+

+

+

+

+

+

+

+

+

+

10

1 1.0

Cardiomyopathy

Endocrine System

NONE

General Body System

NONE

Genital System

Uterus

+

+

+

+

+

+

+

+

+

+

5

3 5 3.4

Hydrometra

Hematopoietic System

Spleen

+

+

+

+

+

+

+

+

+

+

10

Thymus

+

+

+

+

+

+

+

+

+

+

10

Integumentary System

Skin

+

+

+

+

+

+

+

+

+

+

10

Epidermis, SOA, Hyperplasia

1 1 1

3 1.0

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 93020-03

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Diisopropylcarbodiimide

CAS Number: 693-13-0

Date Report Requested: 10/22/2014

Time Report Requested: 19:34:35

First Dose M/F: NA / NA

Lab: MBA

F 344/N Rat Female
20 MG/KG

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * |

*TOTALS

Musculoskeletal System

NONE

Nervous System

Brain

 + + + + + + + + + + 10

Respiratory System

NONE

Special Senses System

NONE

Urinary System

NONE

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 93020-03
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Test Compound: Diisopropylcarbodiimide
 CAS Number: 693-13-0

Date Report Requested: 10/22/2014
 Time Report Requested: 19:34:35
 First Dose M/F: NA / NA
 Lab: MBA

| F 344/N Rat Female
40 MG/KG | DAY ON TEST | | | | | | | | | | |
|--------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

Alimentary System

| | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|-------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | 10 |
| Liver | + | + | + | + | + | + | + | + | + | + | 10 |
| Mesentery | + | | | | | | | | | | 1 |
| Fat, Necrosis | | | | | | | | | | | 1 3.0 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | 10 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | 10 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | 10 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | 10 |

Cardiovascular System

| | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | 10 |
| Heart | + | + | + | + | + | + | + | + | + | + | 10 |
| Cardiomyopathy | | | | | | | | | | | 1 1 2 1.0 |

Endocrine System

| | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | 10 |
|----------------|---|---|---|---|---|---|---|---|---|---|----|

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 93020-03

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Diisopropylcarbodiimide

CAS Number: 693-13-0

Date Report Requested: 10/22/2014

Time Report Requested: 19:34:35

First Dose M/F: NA / NA

Lab: MBA

**F 344/N Rat Female
40 MG/KG**

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

***TOTALS**

| | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | 10 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | 10 |
| Parathyroid Gland | + | + | + | + | M | + | + | + | + | M | 8 |
| Pituitary Gland | + | + | + | + | M | + | + | + | + | + | 9 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | M | 9 |

General Body System

NONE

Genital System

| | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|-------|
| Clitoral Gland | + | M | + | M | M | + | + | M | + | + | 6 |
| Inflammation, Chronic Active | | | | | | | | | 1 | 1 | 1.0 |
| Ovary | + | + | + | + | + | + | + | + | + | + | 10 |
| Cyst | | | | | | | | | 2 | 1 | 2.0 |
| Uterus | + | + | + | + | + | + | + | + | + | + | 10 |
| Hydrometra | | 2 | | | | | | 3 | 3 | 3 | 4 2.8 |

Hematopoietic System

| | | | | | | | | | | | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|-----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | 10 |
| Hyperplasia, Histiocytic, Focal | | 1 | | | 2 | | | | 2 | 1 | 1.5 |
| Hyperplasia, Lymphoid, Focal | | | 1 | | | | | | 1 | 1 | 1.0 |
| Lymph Node, Mandibular | M | + | + | + | + | + | + | + | + | + | 9 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | 10 |
| Hyperplasia, Histiocytic | | | 2 | | | | | | 1 | 2 | 2.0 |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 93020-03

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Diisopropylcarbodiimide

CAS Number: 693-13-0

Date Report Requested: 10/22/2014

Time Report Requested: 19:34:35

First Dose M/F: NA / NA

Lab: MBA

**F 344/N Rat Female
40 MG/KG**

| DAY ON TEST | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
|-------------|---------------------|--|--|--|--|--|--|--|--|--|
| | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
| ANIMAL ID | 9 9 9 9 9 9 9 9 9 9 | | | | | | | | | |
| | 2 2 2 2 2 2 2 2 2 2 | | | | | | | | | |
| 1 | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
| 0 | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
| 9 | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
| 1 | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | |

***TOTALS**

Hyperplasia, Lymphoid 3 1 3.0

Spleen + + + + + + + + + + 10

Thymus + + + + + + + + + + 10

Integumentary System

Mammary Gland + + + + + + + + + + 10

Skin + + + + + + + + + + 10

Epidermis, SOA, Hyperplasia 1 1 1 1 1 5 1.0

Musculoskeletal System

Bone + + + + + + + + + + 10

Skeletal Muscle + + + + + + + + + + 10

Nervous System

Brain + + + + + + + + + + 10

Peripheral Nerve + + + + + + + + + + 10

Spinal Cord + + + + + + + + + + 10

Respiratory System

Lung + + + + + + + + + + 10

Interstitial, Inflammation, Chronic Active 2 2 1 3 1.7

Perivascular, Infiltration Cellular, Lymphocyte 4 4 1 2 1 5 2.4

Nose + + + + + + + + + + 10

Olfactory Epi, Inflammation, Chronic Active 1 1 1.0

Trachea + + + + + + + + + + 10

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 93020-03

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Diisopropylcarbodiimide

CAS Number: 693-13-0

Date Report Requested: 10/22/2014

Time Report Requested: 19:34:35

First Dose M/F: NA / NA

Lab: MBA

F 344/N Rat Female
40 MG/KG

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 9 | 0 |

*TOTALS

Special Senses System

NONE

Urinary System

| | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|-------|
| Kidney | + | + | + | + | + | + | + | + | + | + | 10 |
| Medulla, Mineralization | | 1 | 1 | | | 1 | 1 | 1 | | 1 | 6 1.0 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | 10 |
| Serosa, Mineralization | | | | | | | | | 2 | 1 | 2.0 |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 93020-03
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Test Compound: Diisopropylcarbodiimide
 CAS Number: 693-13-0

Date Report Requested: 10/22/2014
 Time Report Requested: 19:34:35
 First Dose M/F: NA / NA
 Lab: MBA

| F 344/N Rat Female
80 MG/KG | DAY ON TEST | | | | | | | | | | |
|--------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 5 | 3 | 2 | 3 |
| | | 8 | 1 | 1 | 0 | 8 | 9 | 9 | 0 | 7 | 9 |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

Alimentary System

| | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|-------|
| Esophagus | + | + | + | + | M | + | + | + | + | + | 9 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | 10 |
| Liver | + | + | + | + | + | + | + | + | + | + | 10 |
| Congestion | | | | | | 1 | | | | | 1 1.0 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | 10 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | 10 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | 10 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | 10 |

Cardiovascular System

| | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|-------|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | 10 |
| Heart | + | + | + | + | + | + | + | + | + | + | 10 |
| Cardiomyopathy | | | 1 | 1 | | | | | | | 2 1.0 |

Endocrine System

| | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | 10 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | 10 |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 93020-03

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Diisopropylcarbodiimide

CAS Number: 693-13-0

Date Report Requested: 10/22/2014

Time Report Requested: 19:34:36

First Dose M/F: NA / NA

Lab: MBA

**F 344/N Rat Female
80 MG/KG**

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 5 | 3 | 2 | 3 |
| | 8 | 1 | 1 | 0 | 8 | 9 | 9 | 0 | 7 | 9 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

***TOTALS**

| | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|----|
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | 10 |
| Parathyroid Gland | + | + | + | + | + | + | + | M | + | + | 9 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | 10 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | 10 |

General Body System

NONE

Genital System

| | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|-----|----|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | 10 |
| Inflammation, Chronic Active | | | | | 1 | | 1 | | 2 | 1.0 | |
| Ovary | + | + | + | + | + | + | + | + | + | + | 10 |
| Uterus | + | + | + | + | + | + | + | + | + | + | 10 |

Hematopoietic System

| | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|-----|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | 10 |
| Atrophy | | | | | 1 | | | | 1 | 1.0 | |
| Hemorrhage | | | | 1 | | | | | 1 | 1.0 | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | M | + | 9 |
| Hemorrhage | | | 2 | | | | | | 1 | 2.0 | |
| Hyperplasia, Lymphoid | | | | 2 | | | | | 1 | 2.0 | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | 10 |
| Spleen | + | + | + | + | + | + | + | + | + | + | 10 |
| Thymus | + | + | + | + | + | + | + | + | + | + | 10 |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 93020-03

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Diisopropylcarbodiimide

CAS Number: 693-13-0

Date Report Requested: 10/22/2014

Time Report Requested: 19:34:36

First Dose M/F: NA / NA

Lab: MBA

**F 344/N Rat Female
80 MG/KG**

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 5 | 3 | 2 | 3 |
| | 8 | 1 | 1 | 0 | 8 | 9 | 9 | 0 | 7 | 9 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

***TOTALS**

Atrophy

3 2 2 2 4 2.3

Integumentary System

| | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|-------------|
| Mammary Gland | + | + | + | + | + | + | M | + | + | + | 9 |
| Skin | + | + | + | + | + | + | + | + | + | + | 10 |
| Epidermis, SOA, Hyperplasia | 1 | 1 | 1 | 2 | 1 | 1 | 2 | 2 | 2 | 1 | 10 1.4 |
| SOA, Inflammation, Chronic Active | 1 | 1 | 1 | | | | 1 | 1 | 1 | 1 | 7 1.0 |

Musculoskeletal System

| | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | 10 |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | 10 |

Nervous System

| | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|------------|
| Brain | + | + | + | + | + | + | + | + | + | + | 10 |
| Arteriole, Necrosis, Fibrinoid | 1 | | | | | | | | | | 1 1.0 |
| Edema, Focal | 1 | | | | | 1 | 1 | 1 | | 1 | 5 1.0 |
| Hemorrhage | 3 | 1 | | | 3 | 2 | | 2 | | | 5 2.2 |
| Neuron, Necrosis | 2 | | 2 | 2 | 2 | 1 | 3 | | 3 | 4 | 8 2.4 |
| Peripheral Nerve | + | + | + | + | + | + | + | + | + | + | 10 |
| Spinal Cord | + | + | + | + | + | + | + | + | + | + | 10 |

Respiratory System

| | | | | | | | | | | | |
|------------|---|---|---|---|---|---|---|---|---|---|------------|
| Lung | + | + | + | + | + | + | + | + | + | + | 10 |
| Congestion | 1 | 2 | 2 | 2 | | | 2 | | | | 5 1.8 |
| Hemorrhage | | | | | | | 2 | | | | 1 2.0 |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 93020-03

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Diisopropylcarbodiimide

CAS Number: 693-13-0

Date Report Requested: 10/22/2014

Time Report Requested: 19:34:36

First Dose M/F: NA / NA

Lab: MBA

**F 344/N Rat Female
80 MG/KG**

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 5 | 3 | 2 | 3 |
| | 8 | 1 | 1 | 0 | 8 | 9 | 9 | 0 | 7 | 9 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

***TOTALS**

| | | | | | | |
|---|---|---|---|---|---|-----|
| Perivascular, Infiltration Cellular, Lymphocyte | 1 | 3 | 2 | 3 | 4 | 2.3 |
| Nose | + | + | + | + | + | 10 |
| Respirat Epith, Atrophy | | | | | 1 | 1.0 |
| Squam Epithel, Inflammation, Chronic Active | | | 1 | | | 1.0 |
| Trachea | + | + | + | + | + | 10 |

Special Senses System

NONE

Urinary System

| | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|--------|
| Kidney | + | + | + | + | + | + | + | + | + | + | 10 |
| Congestion | | | | | | 2 | | | | | 1 2.0 |
| Medulla, Mineralization | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 10 1.0 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | 10 |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 93020-03
Test Type: 90-DAY
Route: SKIN APPLICATION
Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Test Compound: Diisopropylcarbodiimide
CAS Number: 693-13-0

Date Report Requested: 10/22/2014
Time Report Requested: 19:34:36
First Dose M/F: NA / NA
Lab: MBA

F 344/N Rat Female
160 MG/KG

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

Alimentary System

| | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|-------|
| Esophagus | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | 10 |
| Liver | + | + | + | + | + | + | + | + | + | 10 |
| Centrilobular, Congestion | | | | | 1 | | 1 | | | 2 1.0 |
| Pancreas | + | + | + | + | + | + | + | + | + | 10 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | 10 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | 10 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | 10 |

Cardiovascular System

| | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | 10 |
| Heart | + | + | + | + | + | + | + | + | + | 10 |

Endocrine System

| | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | 10 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | 10 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | 10 |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 93020-03

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Diisopropylcarbodiimide

CAS Number: 693-13-0

Date Report Requested: 10/22/2014

Time Report Requested: 19:34:36

First Dose M/F: NA / NA

Lab: MBA

F 344/N Rat Female
160 MG/KG

| DAY ON TEST | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
|-------------|---------------------|--|--|--|--|--|--|--|--|--|
| | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
| ANIMAL ID | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
| | 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
| | 1 1 1 1 1 1 1 1 1 1 | | | | | | | | | |
| | 1 1 1 1 1 1 1 1 1 2 | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | |

***TOTALS**

| | | | | | | | | | | | |
|-------------------|---|---|---|---|---|---|---|---|---|---|----|
| Parathyroid Gland | + | + | + | M | + | M | + | + | + | + | 8 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | 10 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | 10 |

General Body System

NONE

Genital System

| | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|-------|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | 10 |
| Inflammation, Chronic Active | | | | | | | | | | | 1 1.0 |
| Ovary | + | + | + | + | + | + | + | + | + | + | 10 |
| Uterus | + | + | + | + | + | + | + | + | + | + | 10 |
| Hydrometra | | | | | | | | | | | 1 2.0 |

Hematopoietic System

| | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|-------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | 10 |
| Hemorrhage | | | | | | | | | | | 2 2.0 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | 10 |
| Hyperplasia, Lymphoid | | | | | | | | | | | 2 2.0 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | 10 |
| Spleen | + | + | + | + | + | + | + | + | + | + | 10 |
| Thymus | + | + | + | + | + | + | + | + | + | + | 10 |
| Atrophy | | | | | | | | | | | 3 3.0 |

Integumentary System

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 93020-03

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Diisopropylcarbodiimide

CAS Number: 693-13-0

Date Report Requested: 10/22/2014

Time Report Requested: 19:34:36

First Dose M/F: NA / NA

Lab: MBA

**F 344/N Rat Female
160 MG/KG**

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

TOTALS*Integumentary System**

| | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|--------|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | 10 |
| Skin | + | + | + | + | + | + | + | + | + | + | 10 |
| Epidermis, SOA, Hyperplasia | 2 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 10 2.8 |
| Epidermis, SOA, Necrosis, Focal | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 10 1.6 |
| SOA, Inflammation, Chronic Active | 3 | 3 | 4 | 4 | 4 | 4 | 3 | 4 | 4 | 4 | 10 3.7 |

Musculoskeletal System

| | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | 10 |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | 10 |

Nervous System

| | | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|---|-------|
| Brain | + | + | + | + | + | + | + | + | + | + | 10 |
| Edema, Focal | | | 1 | 1 | | | | | | | 2 1.0 |
| Hemorrhage | 2 | 1 | 3 | 3 | 1 | | | 2 | | | 6 2.0 |
| Neuron, Necrosis | | | 4 | 4 | | | | | | | 2 4.0 |
| Peripheral Nerve | + | + | + | + | + | + | + | + | + | + | 10 |
| Spinal Cord | + | + | + | + | + | + | + | + | + | + | 10 |

Respiratory System

| | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|-------|
| Lung | + | + | + | + | + | + | + | + | + | + | 10 |
| Congestion | 2 | | 2 | 3 | 3 | | 3 | 2 | 3 | 2 | 8 2.5 |
| Nose | + | + | + | + | + | + | + | + | + | + | 10 |
| Respirat Epith, Inflammation, Chronic Active | | | | | | 1 | 1 | | | | 2 1.0 |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 93020-03

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Rat/F 344/N

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Diisopropylcarbodiimide

CAS Number: 693-13-0

Date Report Requested: 10/22/2014

Time Report Requested: 19:34:36

First Dose M/F: NA / NA

Lab: MBA

F 344/N Rat Female
160 MG/KG

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

Trachea

+ + + + + + + + + +

10

Special Senses System

NONE

Urinary System

Kidney

+ + + + + + + + + +

10

Congestion

2

1 2.0

Medulla, Mineralization

1 1 1

3 1.0

Urinary Bladder

+ + + + + + + + + +

10

** END OF REPORT **

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked