| | |
|---|---|
| **C Number:** | C60946 |
| **Cage Range:** | All |
| **Date Range:** | All |
| **Reasons For Removal:** | All |
| **Removal Date Range:** | All |
| **Treatment Groups:** | All |
| **Study Gender:** | Both |

## MALE

| Treatment Groups | Eosinophil Count | Hematocrit % | Hemoglobin g per dL | Lymphocyte Count 1000 per uL | Mean Cell Hemoglobin pg | Mean Cell Hemoglobin Concentration g per dL |
|---|---|---|---|---|---|---|
| **Day 93** | | | | | | |
| **0 mg/kg** | 0.1 ± 0.1 | 45.1 ± 1.4 | 15 ± 0.6 | 5 ± 1.1 | 17.2 ± 0.2 | 33.2 ± 0.5 |
| **37.5 mg/kg** | 0.1 ± 0.1 | 43.6 ± 1 | 14.7 ± 0.3 | 6.6 ± 0.8 | 17.3 ± 0.2 | 33.6 ± 0.6 |
| **75 mg/kg** | 0.1 ± 0.1 | 44.3 ± 0.9 | 14.7 ± 0.3 | 6.6 ± 2 | 16.9 ± 0.2 | 33.1 ± 0.4 |
| **150 mg/kg** | 0.1 ± 0.1 | 44.6 ± 0.7 | 14.9 ± 0.3 | **8 ± 1.9**** | 17.1 ± 0.2 | 33.4 ± 0.2 |
| **300 mg/kg** | 0.1 ± 0.1 | **42.7 ± 1.3**** | **13.9 ± 0.4**** | **8.4 ± 1.5**** | **16 ± 0.2**** | 32.6 ± 0.3 |
| **600 mg/kg** | 0.1 ± 0.1 | **33.5 ± 3**** | **11.1 ± 0.9**** | **12.1 ± 2.8**** | **11.8 ± 1.2**** | 33.2 ± 0.7 |

*p < 0.05

**p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

The values used in the calculations are the observations taken at the furthest point in the study for each subject (the greatest number of "days on study"). The "day" displayed is the maximum value of "days on study" across all subjects.

## MALE

| Treatment Groups | Mean Corpuscular Volume fL | Monocyte Count 1000 per uL | Platelet Count 1000 per uL | Red Blood Cell Count million per uL | Reticulocyte Count million per uL | Segmented Neutrophil Count cells per uL |
|---|---|---|---|---|---|---|
| | | | **Day 93** | | | |
| **0 mg/kg** | 51.7 ± 0.6 | 0.2 ± 0.1 | 690.7 ± 32.1 | 8.7 ± 0.3 | 0.1 ± 0 | 978.5 ± 247.6 |
| **37.5 mg/kg** | 51.4 ± 0.7 | 0.2 ± 0.1 | **755.6 ± 48.8**** | 8.5 ± 0.2 | 0.1 ± 0 | 1228.8 ± 472.6 |
| **75 mg/kg** | **51 ± 0.6*** | 0.2 ± 0.2 | **777.5 ± 83.1**** | 8.7 ± 0.2 | 0.1 ± 0 | 1253.5 ± 452.4 |
| **150 mg/kg** | **51 ± 0.7*** | 0.3 ± 0.2 | **912.8 ± 63.8**** | 8.7 ± 0.1 | 0.1 ± 0 | 1181.8 ± 356.7 |
| **300 mg/kg** | **48.9 ± 0.7**** | 0.4 ± 0.2 | **1090.4 ± 92**** | 8.7 ± 0.2 | 0.1 ± 0 | **1380.9 ± 438.1*** |
| **600 mg/kg** | **35.6 ± 4.1**** | 0.3 ± 0.3 | **1780.3 ± 357.4**** | **9.4 ± 0.3**** | 0.1 ± 0 | **2120.2 ± 629.8**** |

*p < 0.05

**p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

The values used in the calculations are the observations taken at the furthest point in the study for each subject (the greatest number of "days on study"). The "day" displayed is the maximum value of "days on study" across all subjects.

## MALE

| Treatment Groups | White Blood Cell Count 1000 per uL |
|---|---|
| | **Day 93** |
| **0 mg/kg** | 6.3 ± 1.1 |
| **37.5 mg/kg** | **8.1 ± 1.3**** |
| **75 mg/kg** | **8.1 ± 2.4*** |
| **150 mg/kg** | **9.5 ± 1.7**** |
| **300 mg/kg** | **10.2 ± 1.8**** |
| **600 mg/kg** | **14.9 ± 3.4**** |

*p < 0.05

**p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

The values used in the calculations are the observations taken at the furthest point in the study for each subject (the greatest number of "days on study"). The "day" displayed is the maximum value of "days on study" across all subjects.

## FEMALE

| Treatment Groups | Eosinophil Count | Hematocrit % | Hemoglobin g per dL | Lymphocyte Count 1000 per uL | Mean Cell Hemoglobin pg | Mean Cell Hemoglobin Concentration g per dL |
|---|---|---|---|---|---|---|
| **Day 93** | | | | | | |
| **0 mg/kg** | 0.1 ± 0.1 | 45.7 ± 1.5 | 15.2 ± 0.5 | 5.7 ± 0.8 | 18.1 ± 0.2 | 33.3 ± 0.2 |
| **37.5 mg/kg** | 0.1 ± 0.1 | 45.4 ± 0.7 | 15.1 ± 0.3 | **7 ± 1.1*** | 18 ± 0.2 | 33.1 ± 0.5 |
| **75 mg/kg** | 0 ± 0.1 | 45.1 ± 1.6 | 14.9 ± 0.4 | **7.2 ± 1.4*** | 18 ± 0.2 | 33 ± 0.3 |
| **150 mg/kg** | 0 ± 0.1 | 44.5 ± 1.4 | 14.7 ± 0.5 | **9.3 ± 1**** | 18 ± 0.3 | 33 ± 0.4 |
| **300 mg/kg** | 0.1 ± 0.1 | 45.6 ± 0.6 | 15 ± 0.3 | **7.3 ± 1.8*** | **17.6 ± 0.2**** | 33 ± 0.4 |
| **600 mg/kg** | 0 ± 0 | **41 ± 1.2**** | **13.2 ± 0.4**** | **9.6 ± 2**** | **14.3 ± 0.7**** | **32.2 ± 0.2**** |

*p < 0.05

**p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

The values used in the calculations are the observations taken at the furthest point in the study for each subject (the greatest number of "days on study"). The "day" displayed is the maximum value of "days on study" across all subjects.

## FEMALE

| Treatment Groups | Mean Corpuscular Volume fL | Monocyte Count 1000 per uL | Nucleated Rbc Count 1000 per uL | Platelet Count 1000 per uL | Red Blood Cell Count million per uL | Reticulocyte Count million per uL |
|---|---|---|---|---|---|---|
| **Day 93** | | | | | | |
| **0 mg/kg** | 54.5 ± 0.3 | 0.1 ± 0.1 | 0 ± 0 | 728.2 ± 52.9 | 8.4 ± 0.3 | 0.1 ± 0 |
| **37.5 mg/kg** | 54.5 ± 0.4 | 0.1 ± 0.1 | 0 ± 0 | 763.2 ± 37.6 | 8.3 ± 0.1 | 0.1 ± 0 |
| **75 mg/kg** | 54.5 ± 0.4 | 0.1 ± 0.1 | 0 ± 0 | **801.3 ± 51.8**** | 8.3 ± 0.3 | 0.1 ± 0 |
| **150 mg/kg** | 54.5 ± 0.5 | 0.2 ± 0.1 | 0 ± 0 | **824.9 ± 34.2**** | 8.2 ± 0.2 | 0.1 ± 0 |
| **300 mg/kg** | **53.3 ± 0.3**** | 0.2 ± 0.1 | 0 ± 0 | **857.8 ± 64.2**** | 8.5 ± 0.1 | 0.1 ± 0 |
| **600 mg/kg** | **44.6 ± 2.3**** | 0.1 ± 0.1 | 0 ± 0 | **1048.1 ± 98.7**** | **9.2 ± 0.3**** | 0.1 ± 0 |

*p < 0.05

**p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

The values used in the calculations are the observations taken at the furthest point in the study for each subject (the greatest number of "days on study"). The "day" displayed is the maximum value of "days on study" across all subjects.

## FEMALE

| Treatment Groups | Segmented Neutrophil Count cells per uL | White Blood Cell Count 1000 per uL |
|---|---|---|
| | **Day 93** | |
| **0 mg/kg** | 976.3 ± 209.3 | 6.8 ± 0.9 |
| **37.5 mg/kg** | 804.1 ± 117.4 | **8 ± 1.1*** |
| **75 mg/kg** | 916.5 ± 253 | **8.2 ± 1.5*** |
| **150 mg/kg** | 1037.8 ± 183.5 | **10.6 ± 1**** |
| **300 mg/kg** | 1074 ± 355.9 | **8.7 ± 1.9*** |
| **600 mg/kg** | 1228.1 ± 434.2 | **11 ± 1.8**** |

** END OF REPORT **

*p < 0.05

**p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

The values used in the calculations are the observations taken at the furthest point in the study for each subject (the greatest number of "days on study"). The "day" displayed is the maximum value of "days on study" across all subjects.