P43: Terminal Sacrifice Hematology Data

Date Report Requested: 10/26/2014 Time Report Requested: 00:25:26

First Dose M/F: NA / NA

Lab: NA

C Number: C54853B

Cage Range: All

Date Range: All

Reasons For Removal: All

Removal Date Range: All

Treatment Groups: All

Study Gender: Both

Date Report Requested: 10/26/2014 Time Report Requested: 00:25:26

First Dose M/F: NA / NA

Lab: NA

MALE

| Treatment Groups | Eosinophil Count | Hematocrit % | Hemoglobin g per dL | Lymphocyte Count 1000 per uL | Mean Cell Hemoglobin pg | Mean Cell Hemoglobin Concentration g per dL |
|---------------------|------------------|-----------------|------------------------|------------------------------------|-------------------------------|--|
| | | | Day 91 | | | |
| 0 ppm | 0 ± 0.1 | 45.7 ± 2.4 | 15.2 ± 0.9 | 5.3 ± 1.1 | 18.6 ± 1.3 | 33.4 ± 1.3 |
| 1250 ppm | 0 ± 0 | 45.5 ± 2.9 | 15 ± 0.7 | 5.8 ± 1.8 | 18.5 ± 1.6 | 33.1 ± 1 |
| 2500 ppm | 0 ± 0 | 45.2 ± 2.1 | 14.9 ± 0.6 | 6 ± 1.8 | 18.3 ± 1.3 | 33 ± 1 |
| 5000 ppm | 0 ± 0.1 | 43.5 ± 2.6** | 14.3 ± 0.6** | 5.5 ± 1.2 | 18.4 ± 1.2 | 33 ± 1.1 |
| 10000 ppm | 0.1 ± 0.3 | 38.8 ± 9.1** | 12.3 ± 2.6** | 9.1 ± 9.5 | 19.8 ± 1.5* | 31.9 ± 1.6** |
| 20000 ppm | 0 ± 0 | 41.3 ± 3.8** | 12.8 ± 0.8** | 3.1 ± 0.7** | 19.4 ± 0.6* | 31.2 ± 1.4** |

^{*}p < 0.05

^{**}p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

Date Report Requested: 10/26/2014 Time Report Requested: 00:25:26

First Dose M/F: NA / NA

Lab: NA

MALE

| Treatment Groups | Mean Corpuscular Volume fL | Methemoglobin Pct Hgb % | Monocyte Count 1000 per uL | Nucleated Rbc Count 1000 per uL | Platelet Count 1000 per uL | Red Blood Cell Count million per uL |
|---------------------|-------------------------------------|-------------------------------|-------------------------------|---------------------------------------|-------------------------------|---|
| | | | Day 91 | | | |
| 0 ppm | 55.6 ± 3.2 | 1.1 ± 0.7 | 0.1 ± 0.1 | 0 ± 0 | 755.4 ± 151.2 | 8.3 ± 0.8 |
| 1250 ppm | 55.8 ± 4.2 | 1.1 ± 0.5 | 0.1 ± 0.1 | 0 ± 0 | 760.7 ± 152.2 | 8.2 ± 1 |
| 2500 ppm | 55.5 ± 3.9 | 1.1 ± 0.7 | 0.1 ± 0.1 | 0 ± 0 | 658.4 ± 179* | 8.2 ± 0.8 |
| 5000 ppm | 56 ± 3.5 | 1.3 ± 0.9 | 0.1 ± 0.1 | 0 ± 0 | 632 ± 151.3** | 7.8 ± 0.6 |
| 10000 ppm | 62 ± 4.4** | 1.5 ± 1.3 | 0 ± 0.1 | 1.2 ± 2.3 | 580.1 ± 95.2** | 6.3 ± 1.6** |
| 20000 ppm | 62.1 ± 2.1** | 1.2 ± 0.5 | 0 ± 0.1 | 0 ± 0.1 | 546.8 ± 109.5** | $6.6 \pm 0.4^{**}$ |

^{*}p < 0.05

^{**}p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

Date Report Requested: 10/26/2014 Time Report Requested: 00:25:26

First Dose M/F: NA / NA

Lab: NA

MALE

| Treatment Groups | Reticulocyte Count million per uL | Segmented Neutrophil Count 1000 per uL | White Blood Cell Count 1000 per uL |
|---------------------|---|--|--|
| | | | Day 91 |
| 0 ppm | 0.1 ± 0.1 | 1.2 ± 0.5 | 6.6 ± 1.2 |
| 1250 ppm | 0.1 ± 0 | 1.2 ± 0.5 | 7.2 ± 1.8 |
| 2500 ppm | 0.1 ± 0 | 1.2 ± 0.5 | 7.4 ± 1.8 |
| 5000 ppm | 0.1 ± 0 | 1.2 ± 0.4 | 6.8 ± 1.3 |
| 10000 ppm | 0.2 ± 0.3 | 2.1 ± 2.7 | 11.3 ± 12.1 |
| 20000 ppm | 0.2 ± 0.2 | 1.2 ± 0.5 | 4.3 ± 0.8** |

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

^{*}p < 0.05

^{**}p < 0.01

Date Report Requested: 10/26/2014 Time Report Requested: 00:25:26

First Dose M/F: NA / NA

Lab: NA

FEMALE

| Treatment Groups | Eosinophil Count | Hematocrit % | Hemoglobin g per dL | Lymphocyte Count 1000 per uL | Mean Cell Hemoglobin pg | Mean Cell Hemoglobin Concentration g per dL |
|---------------------|------------------|-----------------|------------------------|------------------------------------|-------------------------------|--|
| | | | Day 91 | | | |
| 0 ppm | 0.1 ± 0.1 | 45.6 ± 2.3 | 15.3 ± 0.6 | 5.6 ± 1.5 | 19 ± 0.9 | 33.7 ± 1.1 |
| 1250 ppm | 0 ± 0.1 | 45.1 ± 2.2 | 15.2 ± 0.5 | 5.3 ± 1.8 | 19 ± 1.1 | 33.6 ± 1.1 |
| 2500 ppm | 0.1 ± 0.1 | 44.8 ± 1.5 | 14.9 ± 0.3** | 5.1 ± 1.4 | 19 ± 1 | 33.2 ± 0.9 |
| 5000 ppm | 0.1 ± 0.1 | 43.7 ± 1.8** | 14.4 ± 0.5** | 5.3 ± 1.4 | 19.2 ± 1 | 33.1 ± 1 |
| 10000 ppm | 0.2 ± 0.4 | 43.1 ± 2.5** | 13.8 ± 0.7** | 10.4 ± 10.7 | 20.6 ± 2.1** | 32 ± 1.1** |
| 20000 ppm | 0 ± 0 | 40.7 ± 3.1** | 12.6 ± 0.9** | 3.1 ± 0.6** | 19.6 ± 0.8* | 30.9 ± 1.2** |

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

^{*}p < 0.05

^{**}p < 0.01

Date Report Requested: 10/26/2014 Time Report Requested: 00:25:26

First Dose M/F: NA / NA

Lab: NA

FEMALE

| Treatment Groups | Mean Corpuscular Volume fL | Methemoglobin Pct Hgb % | Monocyte Count 1000 per uL | Nucleated Rbc Count 1000 per uL | Platelet Count 1000 per uL | Red Blood Cell Count million per uL |
|---------------------|-------------------------------------|-------------------------------|-------------------------------|---------------------------------------|-------------------------------|---|
| | | | Day 91 | | | |
| 0 ppm | 56.5 ± 1.9 | 0.9 ± 0.3 | 0 ± 0.1 | 0 ± 0 | 768 ± 93.3 | 8.1 ± 0.5 |
| 1250 ppm | 56.5 ± 2 | 1 ± 0.5 | 0.1 ± 0.1 | 0 ± 0 | 692.3 ± 72.1** | 8 ± 0.6 |
| 2500 ppm | 57.2 ± 2.9 | 0.9 ± 0.3 | 0 ± 0.1 | 0 ± 0 | 634.9 ± 55.8** | 7.9 ± 0.5 |
| 5000 ppm | 57.8 ± 2.8 | 0.9 ± 0.3 | 0 ± 0 | 0 ± 0 | 567.1 ± 53.1** | $7.6 \pm 0.5**$ |
| 10000 ppm | 64.3 ± 6.3** | 1 ± 0.5 | 0.1 ± 0.4 | 0.5 ± 0.9 | 435.3 ± 125.2** | $6.8 \pm 0.9**$ |
| 20000 ppm | 63.3 ± 2.1** | 0.9 ± 0.4 | 0 ± 0 | 0.1 ± 0.2 | 252.8 ± 62.3** | $6.4 \pm 0.5^{**}$ |

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

^{*}p < 0.05

^{**}p < 0.01

Date Report Requested: 10/26/2014 Time Report Requested: 00:25:26

First Dose M/F: NA / NA

Lab: NA

FEMALE

| Treatment Groups | Reticulocyte Count million per uL | Segmented Neutrophil Count 1000 per uL | White Blood Cell Count 1000 per uL |
|---------------------|---|--|--|
| | | | Day 91 |
| 0 ppm | 0.1 ± 0 | 1.2 ± 0.4 | 6.8 ± 1.4 |
| 1250 ppm | 0 ± 0.1 | 1 ± 0.5 | 6.4 ± 1.8 |
| 2500 ppm | 0.1 ± 0.1 | 1.2 ± 0.4 | 6.5 ± 1.5 |
| 5000 ppm | 0 ± 0 | 1 ± 0.5 | 6.4 ± 1.5 |
| 10000 ppm | 0.5 ± 0.7 | 1.9 ± 2.5 | 12.6 ± 13.5 |
| 20000 ppm | 0.2 ± 0.2 | $0.8 \pm 0.5^{**}$ | $3.9 \pm 0.9^{**}$ |
| | | | ** END OF REPORT ** |

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

^{*}p < 0.05

^{**}p < 0.01