

Experiment Number: 88123-03
Test Type: 90-DAY
Route: GAVAGE
Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Formamide
CAS Number: 75-12-7

Date Report Requested: 10/19/2014
Time Report Requested: 01:40:21
First Dose M/F: NA / NA
Lab: BAT

C Number:	C88123
Lock Date:	06/04/1998
Cage Range:	All
Date Range:	All
Reasons For Removal:	All
Removal Date Range:	All
Treatment Groups:	All
Study Gender:	Both
PWG Approval Date	NONE

Experiment Number: 88123-03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Formamide

CAS Number: 75-12-7

Date Report Requested: 10/19/2014

Time Report Requested: 01:40:21

First Dose M/F: NA / NA

Lab: BAT

SUMMARY OF STATISTICALLY SIGNIFICANT ($P \leq .05$) RESULTS IN THE ANALYSIS OF FORMAMIDE

MALE RAT

Organ

Epididymis: Epithelium

Intestine Small, Jejunum: Peyers Patch

Kidney

Liver

Testes: Germinal Epith

FEMALE RAT

Organ

Liver

Lymph Node, Mesenteric

Morphology

Degeneration

Hyperplasia Lymphoid

Inflammation Chronic

Nephropathy

Hepatodiaphragmatic Nodule

Degeneration

Morphology

Hepatodiaphragmatic Nodule

Vacuolization Cytoplasmic

Hyperplasia Lymphoid

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:21
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Epididymis: Epithelium Degeneration						
LESION RATES						
OVERALL(a)	0/10 (0%)	1/10 (10%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	9/10 (90%)
POLY-3 RATE (b)	0/10.00	1/10.00	0/10.00	0/10.00	0/10.00	9/10.00
POLY-3 PERCENT (g)	0%	10%	0%	0%	0%	90%
TERMINAL (d)	0/10 (0%)	1/10 (10%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	9/10 (90%)
FIRST INCIDENCE	---	93(T)	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	P=0.000**	P=0.500	(e)	(e)	(e)	P=0.000**
POLY 1.5	P=0.000**	P=0.500	(e)	(e)	(e)	P=0.000**
POLY 6	P=0.000**	P=0.500	(e)	(e)	(e)	P=0.000**
COCH-ARM / FISHERS	P=0.000**	P=0.500	(e)	(e)	(e)	P=0.000**
MAX-ISO-POLY-3	P=0.000**	P=0.159	(e)	(e)	(e)	P=0.000**
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:21
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Heart						
Cardiomyopathy						
LESION RATES						
OVERALL(a)	9/10 (90%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	7/10 (70%)
POLY-3 RATE (b)	9/10.00	0/0.00	0/0.00	0/0.00	0/0.00	7/10.00
POLY-3 PERCENT (g)	90%	0%	0%	0%	0%	70%
TERMINAL (d)	9/10 (90%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	7/10 (70%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.292N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.292N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.292N
COCH-ARM / FISHERS	P=0.201N	(e)	(e)	(e)	(e)	P=0.291N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.138N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Formamide

CAS Number: 75-12-7

Date Report Requested: 10/19/2014

Time Report Requested: 01:40:21

First Dose M/F: NA / NA

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
LAST REMOVAL AT 14286 WEEKS

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Intestine Large, Rectum						
Parasite Metazoan						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:21
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Intestine Small, Jejunum: Peyers Patch						
Hyperplasia Lymphoid						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/1 (100%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	1/1.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	100%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/1 (100%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	93(T)	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	P=0.146	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	P=0.146	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	P=0.146	P=0.500N
COCH-ARM / FISHERS	P=0.352N	(e)	(e)	(e)	P=0.182	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	P=0.022*	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:21
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Kidney						
Infiltration Cellular Mononuclear CI						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/9 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/10.00	0/10.00	0/10.00	0/9.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/9 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:21
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Kidney						
Inflammation Chronic						
LESION RATES						
OVERALL(a)	3/10 (30%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/9 (0%)	3/10 (30%)
POLY-3 RATE (b)	3/10.00	0/10.00	0/10.00	0/10.00	0/9.00	3/10.00
POLY-3 PERCENT (g)	30%	0%	0%	0%	0%	30%
TERMINAL (d)	3/10 (30%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/9 (0%)	3/10 (30%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	P=0.133	P=0.095N	P=0.095N	P=0.095N	P=0.114N	P=0.678
POLY 1.5	P=0.133	P=0.095N	P=0.095N	P=0.095N	P=0.114N	P=0.678
POLY 6	P=0.133	P=0.095N	P=0.095N	P=0.095N	P=0.114N	P=0.678
COCH-ARM / FISHERS	P=0.150	P=0.105N	P=0.105N	P=0.105N	P=0.124N	P=0.686N
MAX-ISO-POLY-3	P=0.052N	P=0.025N*	P=0.025N*	P=0.025N*	P=0.035N*	P=1.000
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:21
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Kidney						
Mineralization						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/9 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/10.00	0/10.00	0/10.00	0/9.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/9 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	P=0.420N	P=0.500N	P=0.500N	P=0.500N	P=0.521N	P=0.500N
POLY 1.5	P=0.420N	P=0.500N	P=0.500N	P=0.500N	P=0.521N	P=0.500N
POLY 6	P=0.420N	P=0.500N	P=0.500N	P=0.500N	P=0.521N	P=0.500N
COCH-ARM / FISHERS	P=0.419N	P=0.500N	P=0.500N	P=0.500N	P=0.526N	P=0.500N
MAX-ISO-POLY-3	P=0.077N	P=0.159N	P=0.159N	P=0.159N	P=0.179N	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:21
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Kidney						
Nephropathy						
LESION RATES						
OVERALL(a)	7/10 (70%)	9/10 (90%)	8/10 (80%)	8/10 (80%)	6/9 (67%)	2/10 (20%)
POLY-3 RATE (b)	7/10.00	9/10.00	8/10.00	8/10.00	6/9.00	2/10.00
POLY-3 PERCENT (g)	70%	90%	80%	80%	66.7%	20%
TERMINAL (d)	7/10 (70%)	9/10 (90%)	8/10 (80%)	8/10 (80%)	6/9 (67%)	2/10 (20%)
FIRST INCIDENCE	93(T)	93(T)	93(T)	93(T)	93(T)	93(T)
STATISTICAL TESTS						
POLY 3	P=0.000N**	P=0.292	P=0.500	P=0.500	P=0.626N	P=0.024N*
POLY 1.5	P=0.000N**	P=0.292	P=0.500	P=0.500	P=0.626N	P=0.024N*
POLY 6	P=0.000N**	P=0.292	P=0.500	P=0.500	P=0.626N	P=0.024N*
COCH-ARM / FISHERS	P=0.001N**	P=0.291	P=0.500	P=0.500	P=0.630N	P=0.035N*
MAX-ISO-POLY-3	P=0.000N**	P=0.138	P=0.311	P=0.311	P=0.443N	P=0.007N**
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:21
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Liver						
Hepatodiaphragmatic Nodule						
LESION RATES						
OVERALL(a)	2/10 (20%)	0/0 (0%)	0/0 (0%)	1/1 (100%)	2/2 (100%)	1/10 (10%)
POLY-3 RATE (b)	2/10.00	0/0.00	0/0.00	1/1.00	2/2.00	1/10.00
POLY-3 PERCENT (g)	20%	0%	0%	100%	100%	10%
TERMINAL (d)	2/10 (20%)	0/0 (0%)	0/0 (0%)	1/1 (100%)	2/2 (100%)	1/10 (10%)
FIRST INCIDENCE	93(T)	---	---	93(T)	93(T)	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	P=0.286	P=0.053	P=0.500N
POLY 1.5	(e)	(e)	(e)	P=0.286	P=0.053	P=0.500N
POLY 6	(e)	(e)	(e)	P=0.286	P=0.053	P=0.500N
COCH-ARM / FISHERS	P=0.330N	(e)	(e)	P=0.273	P=0.091	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	P=0.090	P=0.023*	P=0.274N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Formamide

CAS Number: 75-12-7

Date Report Requested: 10/19/2014

Time Report Requested: 01:40:21

First Dose M/F: NA / NA

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
LAST REMOVAL AT 14286 WEEKS

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Liver						
Inflammation						
LESION RATES						
OVERALL(a)	2/10 (20%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	1/2 (50%)	1/10 (10%)
POLY-3 RATE (b)	2/10.00	0/0.00	0/0.00	0/1.00	1/2.00	1/10.00
POLY-3 PERCENT (g)	20%	0%	0%	0%	50%	10%
TERMINAL (d)	2/10 (20%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	1/2 (50%)	1/10 (10%)
FIRST INCIDENCE	93(T)	---	---	---	93(T)	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	P=0.786N	P=0.500	P=0.500N
POLY 1.5	(e)	(e)	(e)	P=0.786N	P=0.500	P=0.500N
POLY 6	(e)	(e)	(e)	P=0.786N	P=0.500	P=0.500N
COCH-ARM / FISHERS	P=0.404N	(e)	(e)	P=0.818N	P=0.455	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	P=0.369N	P=0.256	P=0.274N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Formamide

CAS Number: 75-12-7

Date Report Requested: 10/19/2014

Time Report Requested: 01:40:21

First Dose M/F: NA / NA

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
LAST REMOVAL AT 14286 WEEKS

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Liver						
Inflammation Chronic						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	0/2 (0%)	4/10 (40%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/1.00	0/2.00	4/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	40%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	0/2 (0%)	4/10 (40%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	P=0.913N	P=0.805N	P=0.148
POLY 1.5	(e)	(e)	(e)	P=0.913N	P=0.805N	P=0.148
POLY 6	(e)	(e)	(e)	P=0.913N	P=0.805N	P=0.148
COCH-ARM / FISHERS	P=0.080	(e)	(e)	P=0.909N	P=0.833N	P=0.152
MAX-ISO-POLY-3	(e)	(e)	(e)	P=0.411N	P=0.369N	P=0.059
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:21
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Liver						
Vacuolization Cytoplasmic						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	0/2 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/1.00	0/2.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	0/2 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	P=0.913N	P=0.805N	P=0.500N
POLY 1.5	(e)	(e)	(e)	P=0.913N	P=0.805N	P=0.500N
POLY 6	(e)	(e)	(e)	P=0.913N	P=0.805N	P=0.500N
COCH-ARM / FISHERS	P=0.301N	(e)	(e)	P=0.909N	P=0.833N	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	P=0.411N	P=0.369N	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:21
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Lung						
Hemorrhage						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500N
COCH-ARM / FISHERS	P=0.304N	(e)	(e)	(e)	(e)	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:21
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Lung						
Inflammation Chronic						
LESION RATES						
OVERALL(a)	2/10 (20%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	2/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	20%	0%	0%	0%	0%	0%
TERMINAL (d)	2/10 (20%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.227N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.227N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.227N
COCH-ARM / FISHERS	P=0.132N	(e)	(e)	(e)	(e)	P=0.237N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.067N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:21
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Lymph Node, Mandibular Hemorrhage						
LESION RATES						
OVERALL(a)	0/9 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/8 (0%)
POLY-3 RATE (b)	0/9.00	0/0.00	0/0.00	0/0.00	0/0.00	0/8.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/9 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/8 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:21
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Lymph Node, Mandibular Hyperplasia						
LESION RATES						
OVERALL(a)	0/9 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/8 (0%)
POLY-3 RATE (b)	0/9.00	0/0.00	0/0.00	0/0.00	0/0.00	0/8.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/9 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/8 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:21
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Lymph Node, Mesenteric Atrophy						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:21
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Lymph Node, Mesenteric Hyperplasia						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:21
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Lymph Node, Mesenteric Hyperplasia Lymphoid						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Formamide

CAS Number: 75-12-7

Date Report Requested: 10/19/2014

Time Report Requested: 01:40:21

First Dose M/F: NA / NA

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
LAST REMOVAL AT 14286 WEEKS

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Lymph Node, Mesenteric Pigmentation						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500N
COCH-ARM / FISHERS	P=0.304N	(e)	(e)	(e)	(e)	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:21
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Lymph Node: Mediastinal Ectasia						
LESION RATES						
OVERALL(a)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	2/2 (100%)
POLY-3 RATE (b)	0/0.00	0/0.00	0/0.00	0/0.00	0/1.00	2/2.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	100%
TERMINAL (d)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	2/2 (100%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	(e)
POLY 1.5	(e)	(e)	(e)	(e)	(e)	(e)
POLY 6	(e)	(e)	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	P=0.333	(e)	(e)	(e)	(e)	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	(e)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Formamide

CAS Number: 75-12-7

Date Report Requested: 10/19/2014

Time Report Requested: 01:40:21

First Dose M/F: NA / NA

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
LAST REMOVAL AT 14286 WEEKS

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Lymph Node: Mediastinal						
Hyperplasia Lymphoid						
LESION RATES						
OVERALL(a)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/1 (100%)	0/2 (0%)
POLY-3 RATE (b)	0/0.00	0/0.00	0/0.00	0/0.00	1/1.00	0/2.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	100%	0%
TERMINAL (d)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/1 (100%)	0/2 (0%)
FIRST INCIDENCE	---	---	---	---	93(T)	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	(e)
POLY 1.5	(e)	(e)	(e)	(e)	(e)	(e)
POLY 6	(e)	(e)	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	P=0.333N	(e)	(e)	(e)	(e)	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	(e)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Formamide

CAS Number: 75-12-7

Date Report Requested: 10/19/2014

Time Report Requested: 01:40:21

First Dose M/F: NA / NA

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
LAST REMOVAL AT 14286 WEEKS

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Nose						
Inflammation Chronic						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500N
COCH-ARM / FISHERS	P=0.304N	(e)	(e)	(e)	(e)	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Formamide

CAS Number: 75-12-7

Date Report Requested: 10/19/2014

Time Report Requested: 01:40:21

First Dose M/F: NA / NA

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
LAST REMOVAL AT 14286 WEEKS

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Pancreas						
Infiltration Cellular Lymphocyte						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	10%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.760
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.760
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.760
COCH-ARM / FISHERS	P=0.645	(e)	(e)	(e)	(e)	P=0.763N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=1.000
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Formamide

CAS Number: 75-12-7

Date Report Requested: 10/19/2014

Time Report Requested: 01:40:21

First Dose M/F: NA / NA

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
LAST REMOVAL AT 14286 WEEKS

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Pancreas						
Infiltration Cellular Mononuclear CI						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500N
COCH-ARM / FISHERS	P=0.304N	(e)	(e)	(e)	(e)	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:21
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Pancreas						
Inflammation						
LESION RATES						
OVERALL(a)	2/10 (20%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
POLY-3 RATE (b)	2/10.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00
POLY-3 PERCENT (g)	20%	0%	0%	0%	0%	10%
TERMINAL (d)	2/10 (20%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500N
COCH-ARM / FISHERS	P=0.377N	(e)	(e)	(e)	(e)	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.274N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:21
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Pituitary Gland: Pars Intermed Cyst						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:21
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Preputial Gland						
Inflammation Acute						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.304	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Formamide

CAS Number: 75-12-7

Date Report Requested: 10/19/2014

Time Report Requested: 01:40:21

First Dose M/F: NA / NA

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
LAST REMOVAL AT 14286 WEEKS

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Testes: Germinal Epith Atrophy						
LESION RATES						
OVERALL(a)	0/10 (0%)	1/10 (10%)	0/10 (0%)	1/10 (10%)	0/10 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	1/10.00	0/10.00	1/10.00	0/10.00	0/10.00
POLY-3 PERCENT (g)	0%	10%	0%	10%	0%	0%
TERMINAL (d)	0/10 (0%)	1/10 (10%)	0/10 (0%)	1/10 (10%)	0/10 (0%)	0/10 (0%)
FIRST INCIDENCE	---	93(T)	---	93(T)	---	---
STATISTICAL TESTS						
POLY 3	P=0.432N	P=0.500	(e)	P=0.500	(e)	(e)
POLY 1.5	P=0.432N	P=0.500	(e)	P=0.500	(e)	(e)
POLY 6	P=0.432N	P=0.500	(e)	P=0.500	(e)	(e)
COCH-ARM / FISHERS	P=0.431N	P=0.500	(e)	P=0.500	(e)	(e)
MAX-ISO-POLY-3	P=0.494N	P=0.159	(e)	P=0.159	(e)	(e)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:21
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Testes: Germinal Epith Degeneration						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	7/10 (70%)
POLY-3 RATE (b)	0/10.00	0/10.00	0/10.00	0/10.00	0/10.00	7/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	70%
TERMINAL (d)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	7/10 (70%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	P=0.000**	(e)	(e)	(e)	(e)	P=0.000**
POLY 1.5	P=0.000**	(e)	(e)	(e)	(e)	P=0.000**
POLY 6	P=0.000**	(e)	(e)	(e)	(e)	P=0.000**
COCH-ARM / FISHERS	P=0.000**	(e)	(e)	(e)	(e)	P=0.002**
MAX-ISO-POLY-3	P=0.000**	(e)	(e)	(e)	(e)	P=0.000**
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:21
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Thymus Hemorrhage						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.304	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Thyroid Gland						
Cyst						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	2/10 (20%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	2/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	20%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	2/10 (20%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.227
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.227
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.227
COCH-ARM / FISHERS	P=0.132	(e)	(e)	(e)	(e)	P=0.237
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.067
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Thyroid Gland						
Infiltration Cellular Lymphocyte						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.304	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Tooth: Peridont Tiss						
Inflammation Chronic						
LESION RATES						
OVERALL(a)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)
POLY-3 RATE (b)	0/0.00	0/0.00	0/0.00	0/0.00	0/0.00	0/0.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Trachea						
Inflammation Chronic						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500N
COCH-ARM / FISHERS	P=0.304N	(e)	(e)	(e)	(e)	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Formamide

CAS Number: 75-12-7

Date Report Requested: 10/19/2014

Time Report Requested: 01:40:22

First Dose M/F: NA / NA

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
LAST REMOVAL AT 14286 WEEKS

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Heart						
Cardiomyopathy						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	10%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.760
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.760
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.760
COCH-ARM / FISHERS	P=0.645	(e)	(e)	(e)	(e)	P=0.763N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=1.000
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Intestine Large, Rectum						
Parasite Metazoan						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.304	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Intestine Small, Jejunum: Peyers Patch						
Hyperplasia Lymphoid						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Kidney						
Infiltration Cellular Mononuclear CI						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.304	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Kidney						
Inflammation Chronic						
LESION RATES						
OVERALL(a)	2/10 (20%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	2/10 (20%)
POLY-3 RATE (b)	2/10.00	0/0.00	0/0.00	0/0.00	0/0.00	2/10.00
POLY-3 PERCENT (g)	20%	0%	0%	0%	0%	20%
TERMINAL (d)	2/10 (20%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	2/10 (20%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.702
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.702
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.702
COCH-ARM / FISHERS	P=0.610	(e)	(e)	(e)	(e)	P=0.709N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=1.000
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Kidney						
Mineralization						
LESION RATES						
OVERALL(a)	7/10 (70%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	5/10 (50%)
POLY-3 RATE (b)	7/10.00	0/0.00	0/0.00	0/0.00	0/0.00	5/10.00
POLY-3 PERCENT (g)	70%	0%	0%	0%	0%	50%
TERMINAL (d)	7/10 (70%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	5/10 (50%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.329N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.329N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.329N
COCH-ARM / FISHERS	P=0.247N	(e)	(e)	(e)	(e)	P=0.325N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.189N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Kidney						
Nephropathy						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500N
COCH-ARM / FISHERS	P=0.304N	(e)	(e)	(e)	(e)	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Liver						
Hepatodiaphragmatic Nodule						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/1 (0%)	1/1 (100%)	1/1 (100%)	0/0 (0%)	3/10 (30%)
POLY-3 RATE (b)	1/10.00	0/1.00	1/1.00	1/1.00	0/0.00	3/10.00
POLY-3 PERCENT (g)	10%	0%	100%	100%	0%	30%
TERMINAL (d)	1/10 (10%)	0/1 (0%)	1/1 (100%)	1/1 (100%)	0/0 (0%)	3/10 (30%)
FIRST INCIDENCE	93(T)	---	93(T)	93(T)	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	P=0.913N	P=0.146	P=0.146	(e)	P=0.292
POLY 1.5	(e)	P=0.913N	P=0.146	P=0.146	(e)	P=0.292
POLY 6	(e)	P=0.913N	P=0.146	P=0.146	(e)	P=0.292
COCH-ARM / FISHERS	P=0.346	P=0.909N	P=0.182	P=0.182	(e)	P=0.291
MAX-ISO-POLY-3	(e)	P=0.411N	P=0.022*	P=0.022*	(e)	P=0.138
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Liver						
Inflammation						
LESION RATES						
OVERALL(a)	4/10 (40%)	1/1 (100%)	0/1 (0%)	1/1 (100%)	0/0 (0%)	4/10 (40%)
POLY-3 RATE (b)	4/10.00	1/1.00	0/1.00	1/1.00	0/0.00	4/10.00
POLY-3 PERCENT (g)	40%	100%	0%	100%	0%	40%
TERMINAL (d)	4/10 (40%)	1/1 (100%)	0/1 (0%)	1/1 (100%)	0/0 (0%)	4/10 (40%)
FIRST INCIDENCE	93(T)	93(T)	---	93(T)	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	P=0.463	P=0.609N	P=0.463	(e)	P=0.667
POLY 1.5	(e)	P=0.463	P=0.609N	P=0.463	(e)	P=0.667
POLY 6	(e)	P=0.463	P=0.609N	P=0.463	(e)	P=0.667
COCH-ARM / FISHERS	P=0.509N	P=0.455	P=0.636N	P=0.455	(e)	P=0.675N
MAX-ISO-POLY-3	(e)	P=0.206	P=0.292N	P=0.206	(e)	P=1.000
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Liver						
Inflammation Chronic						
LESION RATES						
OVERALL(a)	6/10 (60%)	0/1 (0%)	0/1 (0%)	0/1 (0%)	0/0 (0%)	6/10 (60%)
POLY-3 RATE (b)	6/10.00	0/1.00	0/1.00	0/1.00	0/0.00	6/10.00
POLY-3 PERCENT (g)	60%	0%	0%	0%	0%	60%
TERMINAL (d)	6/10 (60%)	0/1 (0%)	0/1 (0%)	0/1 (0%)	0/0 (0%)	6/10 (60%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	P=0.463N	P=0.463N	P=0.463N	(e)	P=0.667
POLY 1.5	(e)	P=0.463N	P=0.463N	P=0.463N	(e)	P=0.667
POLY 6	(e)	P=0.463N	P=0.463N	P=0.463N	(e)	P=0.667
COCH-ARM / FISHERS	P=0.396	P=0.455N	P=0.455N	P=0.455N	(e)	P=0.675N
MAX-ISO-POLY-3	(e)	P=0.206N	P=0.206N	P=0.206N	(e)	P=1.000
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Liver						
Vacuolization Cytoplasmic						
LESION RATES						
OVERALL(a)	0/10 (0%)	1/1 (100%)	0/1 (0%)	0/1 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	1/1.00	0/1.00	0/1.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	100%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	1/1 (100%)	0/1 (0%)	0/1 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	93(T)	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	P=0.091	(e)	(e)	(e)	(e)
POLY 1.5	(e)	P=0.091	(e)	(e)	(e)	(e)
POLY 6	(e)	P=0.091	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	P=0.382N	P=0.091	(e)	(e)	(e)	(e)
MAX-ISO-POLY-3	(e)	P=0.000**	(e)	(e)	(e)	(e)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Lung						
Hemorrhage						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Lung						
Inflammation Chronic						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500N
COCH-ARM / FISHERS	P=0.304N	(e)	(e)	(e)	(e)	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Formamide

CAS Number: 75-12-7

Date Report Requested: 10/19/2014

Time Report Requested: 01:40:22

First Dose M/F: NA / NA

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
LAST REMOVAL AT 14286 WEEKS

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Lymph Node, Mandibular Hemorrhage						
LESION RATES						
OVERALL(a)	1/8 (12%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/8 (0%)
POLY-3 RATE (b)	1/8.00	0/0.00	0/0.00	0/0.00	0/0.00	0/8.00
POLY-3 PERCENT (g)	12.5%	0%	0%	0%	0%	0%
TERMINAL (d)	1/8 (12%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/8 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500N
COCH-ARM / FISHERS	P=0.303N	(e)	(e)	(e)	(e)	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Lymph Node, Mandibular Hyperplasia						
LESION RATES						
OVERALL(a)	0/8 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/8 (12%)
POLY-3 RATE (b)	0/8.00	0/0.00	0/0.00	0/0.00	0/0.00	1/8.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	12.5%
TERMINAL (d)	0/8 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/8 (12%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.303	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Lymph Node, Mesenteric Atrophy						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/1.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.300	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Lymph Node, Mesenteric Hyperplasia						
LESION RATES						
OVERALL(a)	6/10 (60%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	3/10 (30%)
POLY-3 RATE (b)	6/10.00	0/0.00	0/0.00	0/0.00	0/1.00	3/10.00
POLY-3 PERCENT (g)	60%	0%	0%	0%	0%	30%
TERMINAL (d)	6/10 (60%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	3/10 (30%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	P=0.463N	P=0.186N
POLY 1.5	(e)	(e)	(e)	(e)	P=0.463N	P=0.186N
POLY 6	(e)	(e)	(e)	(e)	P=0.463N	P=0.186N
COCH-ARM / FISHERS	P=0.129N	(e)	(e)	(e)	P=0.455N	P=0.185N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	P=0.206N	P=0.090N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Lymph Node, Mesenteric Hyperplasia Lymphoid						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/1 (100%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	1/1.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	100%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/1 (100%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	93(T)	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	P=0.091	(e)
POLY 1.5	(e)	(e)	(e)	(e)	P=0.091	(e)
POLY 6	(e)	(e)	(e)	(e)	P=0.091	(e)
COCH-ARM / FISHERS	P=0.700	(e)	(e)	(e)	P=0.091	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	P=0.000**	(e)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Formamide

CAS Number: 75-12-7

Date Report Requested: 10/19/2014

Time Report Requested: 01:40:22

First Dose M/F: NA / NA

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
LAST REMOVAL AT 14286 WEEKS

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Lymph Node, Mesenteric Pigmentation						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/1.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Lymph Node: Mediastinal Ectasia						
LESION RATES						
OVERALL(a)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/1 (100%)	0/0 (0%)	0/0 (0%)
POLY-3 RATE (b)	0/0.00	0/0.00	0/0.00	1/1.00	0/0.00	0/0.00
POLY-3 PERCENT (g)	0%	0%	0%	100%	0%	0%
TERMINAL (d)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/1 (100%)	0/0 (0%)	0/0 (0%)
FIRST INCIDENCE	---	---	---	93(T)	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	(e)
POLY 1.5	(e)	(e)	(e)	(e)	(e)	(e)
POLY 6	(e)	(e)	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	(e)	(e)	(e)	(e)	(e)	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	(e)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Lymph Node: Mediastinal						
Hyperplasia Lymphoid						
LESION RATES						
OVERALL(a)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	0/0 (0%)	0/0 (0%)
POLY-3 RATE (b)	0/0.00	0/0.00	0/0.00	0/1.00	0/0.00	0/0.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	0/0 (0%)	0/0 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Nose						
Inflammation Chronic						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Ovary						
Cyst						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500N
COCH-ARM / FISHERS	P=0.304N	(e)	(e)	(e)	(e)	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Pancreas						
Infiltration Cellular Lymphocyte						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Pancreas						
Infiltration Cellular Mononuclear CI						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Formamide

CAS Number: 75-12-7

Date Report Requested: 10/19/2014

Time Report Requested: 01:40:22

First Dose M/F: NA / NA

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
LAST REMOVAL AT 14286 WEEKS

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Pancreas						
Inflammation						
LESION RATES						
OVERALL(a)	2/10 (20%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	2/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	20%	0%	0%	0%	0%	0%
TERMINAL (d)	2/10 (20%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.227N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.227N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.227N
COCH-ARM / FISHERS	P=0.132N	(e)	(e)	(e)	(e)	P=0.237N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.067N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Pituitary Gland: Pars Intermed Cyst						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.304	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Thymus Hemorrhage						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.304	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Formamide

CAS Number: 75-12-7

Date Report Requested: 10/19/2014

Time Report Requested: 01:40:22

First Dose M/F: NA / NA

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
LAST REMOVAL AT 14286 WEEKS

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Thyroid Gland						
Cyst						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500N
COCH-ARM / FISHERS	P=0.304N	(e)	(e)	(e)	(e)	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Formamide

CAS Number: 75-12-7

Date Report Requested: 10/19/2014

Time Report Requested: 01:40:22

First Dose M/F: NA / NA

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
LAST REMOVAL AT 14286 WEEKS

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Thyroid Gland						
Infiltration Cellular Lymphocyte						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Tooth: Peridont Tiss						
Inflammation Chronic						
LESION RATES						
OVERALL(a)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/1 (100%)
POLY-3 RATE (b)	0/0.00	0/0.00	0/0.00	0/0.00	0/0.00	1/1.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	100%
TERMINAL (d)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/1 (100%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	(e)
POLY 1.5	(e)	(e)	(e)	(e)	(e)	(e)
POLY 6	(e)	(e)	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	(e)	(e)	(e)	(e)	(e)	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	(e)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Formamide
 CAS Number: 75-12-7

Date Report Requested: 10/19/2014
 Time Report Requested: 01:40:22
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Trachea						
Inflammation Chronic						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Formamide

CAS Number: 75-12-7

Date Report Requested: 10/19/2014

Time Report Requested: 01:40:22

First Dose M/F: NA / NA

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RAT(F 344/N)
LAST REMOVAL AT 14286 WEEKS

DOSE	FEMALE					
	0 MG/KG	10 MG/KG	20 MG/KG	40 MG/KG	80 MG/KG	160 MG/KG
Uterus						
Hydrometra						
LESION RATES						
OVERALL(a)	3/10 (30%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	3/10 (30%)
POLY-3 RATE (b)	3/10.00	0/0.00	0/0.00	0/0.00	0/0.00	3/10.00
POLY-3 PERCENT (g)	30%	0%	0%	0%	0%	30%
TERMINAL (d)	3/10 (30%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	3/10 (30%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.678
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.678
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.678
COCH-ARM / FISHERS	P=0.596	(e)	(e)	(e)	(e)	P=0.686N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=1.000
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 88123-03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: Rat/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Formamide

CAS Number: 75-12-7

Date Report Requested: 10/19/2014

Time Report Requested: 01:40:22

First Dose M/F: NA / NA

Lab: BAT

LEGEND

- (a) Number of tumor-bearing animals/number of animals examined at site.
 - (b) Number of tumor-bearing animals/Poly-3 number
 - (d) Observed incidence at terminal kill.
 - (e) Value of statistic cannot be computed.
 - (f) Beneath the control incidence are the P-values associated with the trend test. Beneath the dosed group incidence are the P-values corresponding to pairwise comparisons between the controls and that dosed group.
 - (g) Poly-3 adjusted lifetime tumor incidence.
 - (n) No statistics are calculated if all dose groups have fewer than two tumors.
 - (I) Interim sacrifice
 - (T) Terminal sacrifice
 - # Tumor rates based on numbers of animals necropsied.
 - * To the right of any statistical result, indicates significance at ($P \leq 0.05$).
 - ** To the right of any statistical result, indicates significance at ($P \leq 0.01$).
 - N Indicates a negative trend for all tests
- The Cochran-Armitage and Fishers exact tests compare directly the overall incidence rates.

**** END OF REPORT ****