

Experiment Number: 05201-04
Test Type: 90-DAY
Route: RESPIRATORY EXPOSURE WHOLE BODY
Species/Strain: Mouse/B6C3F1

E04: MEAN BODY WEIGHTS AND SURVIVAL TABLE

Test Compound: Furfuryl alcohol
CAS Number: 98-00-0

Date Report Requested: 10/24/2014
Time Report Requested: 09:35:26
First Dose M/F: NA / NA
Lab: BNW

| | |
|-----------------------------|--------------|
| C Number: | C56224B |
| Lock Date: | Not Entered. |
| Cage Range: | All |
| Date Range: | All |
| Reasons For Removal: | All |
| Removal Date Range: | All |
| Treatment Groups: | All |
| Study Gender: | Both |
| PWG Approval Date | NONE |

Experiment Number: 05201-04

Test Type: 90-DAY

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: Mouse/B6C3F1

E04: MEAN BODY WEIGHTS AND SURVIVAL TABLE

Test Compound: Furfuryl alcohol

CAS Number: 98-00-0

Date Report Requested: 10/24/2014

Time Report Requested: 09:35:26

First Dose M/F: NA / NA

Lab: BNW

MALE

| DAY | CONTROL | | 2 PPM | | | 4 PPM | | | 8 PPM | | |
|-------------|---------|----|-------|-----------|----|-------|-----------|----|-------|-----------|----|
| | WT(g) | N | WT(g) | % OF CNTL | N | WT(g) | % OF CNTL | N | WT(g) | % OF CNTL | N |
| 1 | 24.1 | 10 | 24.4 | 101.1 | 10 | 24.1 | 99.9 | 10 | 24.4 | 101.1 | 10 |
| 10 | 26.5 | 10 | 27.0 | 101.9 | 10 | 26.4 | 99.5 | 10 | 27.2 | 102.5 | 10 |
| 17 | 27.6 | 10 | 28.2 | 102.5 | 10 | 27.7 | 100.4 | 10 | 28.4 | 103.1 | 10 |
| 24 | 28.7 | 10 | 29.0 | 101.1 | 10 | 28.6 | 99.9 | 10 | 29.5 | 102.8 | 10 |
| 31 | 29.6 | 10 | 30.0 | 101.3 | 10 | 29.7 | 100.4 | 10 | 30.1 | 101.9 | 10 |
| 38 | 30.3 | 10 | 30.6 | 100.9 | 10 | 30.6 | 100.7 | 10 | 31.0 | 102.1 | 10 |
| 45 | 30.8 | 10 | 31.7 | 103.0 | 10 | 31.3 | 101.7 | 10 | 31.7 | 102.9 | 10 |
| 52 | 31.5 | 10 | 32.1 | 101.8 | 10 | 31.8 | 100.8 | 10 | 32.8 | 103.9 | 10 |
| 59 | 32.0 | 10 | 33.5 | 104.7 | 10 | 32.4 | 101.4 | 10 | 33.6 | 105.2 | 10 |
| 66 | 32.4 | 10 | 33.8 | 104.3 | 10 | 33.1 | 102.3 | 10 | 34.1 | 105.4 | 10 |
| 73 | 31.9 | 10 | 34.9 | 109.2 | 10 | 33.9 | 106.0 | 10 | 34.5 | 108.1 | 10 |
| 80 | 31.9 | 10 | 35.0 | 109.7 | 10 | 34.3 | 107.2 | 10 | 35.3 | 110.5 | 10 |
| 87 | 33.1 | 10 | 36.0 | 108.9 | 10 | 35.2 | 106.3 | 10 | 35.5 | 107.4 | 10 |
| TERM SAC | 34.5 | 10 | 36.9 | 106.9 | 10 | 36.3 | 105.2 | 10 | 36.6 | 106.0 | 10 |

(I) INTERIM SACRIFICE OCCURRED BETWEEN THIS DAY AND THE PREVIOUS SCHEDULED WEIGHT DAY

(*) THE NUMBER OF ANIMALS WEIGHED ON THIS DAY IS LESS THAN THE NUMBER OF ANIMALS SURVIVING.

Experiment Number: 05201-04

Test Type: 90-DAY

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: Mouse/B6C3F1

E04: MEAN BODY WEIGHTS AND SURVIVAL TABLE

Test Compound: Furfuryl alcohol

CAS Number: 98-00-0

Date Report Requested: 10/24/2014

Time Report Requested: 09:35:26

First Dose M/F: NA / NA

Lab: BNW

MALE

| DAY | 16 PPM | | | 32 PPM | | |
|-------------|--------|-----------|----|--------|-----------|----|
| | WT(g) | % OF CNTL | N | WT(g) | % OF CNTL | N |
| 1 | 24.6 | 102.0 | 10 | 23.9 | 99.0 | 10 |
| 10 | 26.2 | 98.9 | 10 | 25.2 | 94.9 | 10 |
| 17 | 27.4 | 99.6 | 10 | 27.1 | 98.2 | 10 |
| 24 | 28.6 | 99.9 | 10 | 28.3 | 98.8 | 10 |
| 31 | 29.8 | 100.6 | 10 | 29.0 | 98.2 | 10 |
| 38 | 30.3 | 100.0 | 10 | 29.8 | 98.4 | 10 |
| 45 | 31.4 | 102.0 | 10 | 30.1 | 98.0 | 10 |
| 52 | 31.8 | 100.7 | 10 | 30.9 | 97.9 | 10 |
| 59 | 32.6 | 102.0 | 10 | 31.5 | 98.4 | 10 |
| 66 | 33.5 | 103.5 | 10 | 32.1 | 99.1 | 10 |
| 73 | 34.0 | 106.5 | 10 | 32.1 | 100.4 | 10 |
| 80 | 34.4 | 107.5 | 10 | 32.4 | 101.5 | 10 |
| 87 | 35.5 | 107.3 | 10 | 32.7 | 98.9 | 10 |
| TERM SAC | 36.5 | 105.6 | 10 | 34.0 | 98.4 | 10 |

END OF MALE DATA

(I) INTERIM SACRIFICE OCCURRED BETWEEN THIS DAY AND THE PREVIOUS SCHEDULED WEIGHT DAY

(*) THE NUMBER OF ANIMALS WEIGHED ON THIS DAY IS LESS THAN THE NUMBER OF ANIMALS SURVIVING.

Experiment Number: 05201-04

Test Type: 90-DAY

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: Mouse/B6C3F1

E04: MEAN BODY WEIGHTS AND SURVIVAL TABLE

Test Compound: Furfuryl alcohol

CAS Number: 98-00-0

Date Report Requested: 10/24/2014

Time Report Requested: 09:35:26

First Dose M/F: NA / NA

Lab: BNW

FEMALE

| DAY | CONTROL | | 2 PPM | | | 4 PPM | | | 8 PPM | | |
|-------------|---------|----|-------|-----------|----|-------|-----------|----|-------|-----------|----|
| | WT(g) | N | WT(g) | % OF CNTL | N | WT(g) | % OF CNTL | N | WT(g) | % OF CNTL | N |
| 1 | 19.2 | 10 | 19.4 | 101.4 | 10 | 19.1 | 99.8 | 10 | 19.2 | 99.8 | 10 |
| 10 | 21.7 | 10 | 21.6 | 99.9 | 10 | 21.6 | 99.9 | 10 | 21.5 | 99.1 | 10 |
| 17 | 22.7 | 10 | 23.2 | 101.8 | 10 | 23.1 | 101.5 | 10 | 22.3 | 98.2 | 10 |
| 24 | 23.6 | 10 | 23.4 | 99.2 | 10 | 24.2 | 102.6 | 10 | 23.9 | 101.4 | 10 |
| 31 | 25.5 | 10 | 24.8 | 97.4 | 10 | 25.2 | 98.9 | 10 | 24.9 | 97.6 | 10 |
| 38 | 26.1 | 10 | 25.9 | 98.9 | 10 | 25.1 | 96.0 | 10 | 26.3 | 100.7 | 10 |
| 45 | 26.6 | 10 | 26.8 | 100.6 | 10 | 26.6 | 99.8 | 10 | 26.3 | 98.8 | 10 |
| 52 | 27.1 | 10 | 27.0 | 99.9 | 10 | 27.8 | 102.6 | 10 | 27.7 | 102.2 | 10 |
| 59 | 27.6 | 10 | 28.8 | 104.5 | 10 | 27.9 | 101.1 | 10 | 28.1 | 102.0 | 10 |
| 66 | 27.4 | 10 | 28.6 | 104.0 | 10 | 28.3 | 103.3 | 10 | 28.8 | 105.0 | 10 |
| 73 | 27.7 | 10 | 29.6 | 107.1 | 10 | 29.1 | 105.3 | 10 | 29.1 | 105.2 | 10 |
| 80 | 28.6 | 10 | 29.7 | 103.9 | 10 | 30.0 | 104.8 | 10 | 29.9 | 104.6 | 10 |
| 87 | 30.1 | 10 | 30.7 | 102.1 | 10 | 30.6 | 101.8 | 10 | 30.4 | 101.2 | 10 |
| TERM SAC | 30.9 | 10 | 31.7 | 102.7 | 10 | 32.1 | 103.8 | 10 | 31.3 | 101.4 | 10 |

(I) INTERIM SACRIFICE OCCURRED BETWEEN THIS DAY AND THE PREVIOUS SCHEDULED WEIGHT DAY

(*) THE NUMBER OF ANIMALS WEIGHED ON THIS DAY IS LESS THAN THE NUMBER OF ANIMALS SURVIVING.

Experiment Number: 05201-04

Test Type: 90-DAY

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: Mouse/B6C3F1

E04: MEAN BODY WEIGHTS AND SURVIVAL TABLE

Test Compound: Furfuryl alcohol

CAS Number: 98-00-0

Date Report Requested: 10/24/2014

Time Report Requested: 09:35:26

First Dose M/F: NA / NA

Lab: BNW

FEMALE

| DAY | 16 PPM | | | 32 PPM | | |
|-------------|--------|-----------|----|--------|-----------|----|
| | WT(g) | % OF CNTL | N | WT(g) | % OF CNTL | N |
| 1 | 19.2 | 99.8 | 10 | 19.3 | 100.4 | 10 |
| 10 | 21.4 | 98.9 | 10 | 20.7 | 95.6 | 10 |
| 17 | 22.4 | 98.3 | 10 | 22.6 | 99.2 | 10 |
| 24 | 23.9 | 101.2 | 10 | 23.5 | 99.7 | 10 |
| 31 | 25.4 | 99.7 | 10 | 24.7 | 96.9 | 10 |
| 38 | 26.4 | 101.1 | 10 | 25.4 | 97.1 | 10 |
| 45 | 26.8 | 100.6 | 10 | 26.0 | 97.6 | 10 |
| 52 | 27.1 | 99.9 | 10 | 27.0 | 99.9 | 10 |
| 59 | 28.0 | 101.4 | 10 | 28.1 | 101.9 | 10 |
| 66 | 27.9 | 101.8 | 10 | 28.2 | 102.6 | 10 |
| 73 | 28.5 | 103.0 | 10 | 28.6 | 103.4 | 10 |
| 80 | 29.8 | 104.3 | 10 | 28.7 | 100.3 | 10 |
| 87 | 30.6 | 101.8 | 10 | 28.9 | 96.0 | 10 |
| TERM SAC | 32.3 | 104.6 | 10 | 30.2 | 97.7 | 10 |

** END OF REPORT **

(I) INTERIM SACRIFICE OCCURRED BETWEEN THIS DAY AND THE PREVIOUS SCHEDULED WEIGHT DAY

(*) THE NUMBER OF ANIMALS WEIGHED ON THIS DAY IS LESS THAN THE NUMBER OF ANIMALS SURVIVING.