

Experiment Number: 99031-02
Test Type: 90-DAY
Route: GAVAGE
Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Ginkgo biloba extract
CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
Time Report Requested: 14:55:44
First Dose M/F: NA / NA
Lab: BAT

C Number:	C99031
Lock Date:	10/07/2004
Cage Range:	All
Date Range:	All
Reasons For Removal:	All
Removal Date Range:	All
Treatment Groups:	All
Study Gender:	Both
PWG Approval Date	NONE

Experiment Number: 99031-02

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Ginkgo biloba extract

CAS Number: 90045-36-6

Date Report Requested: 10/17/2014

Time Report Requested: 14:55:44

First Dose M/F: NA / NA

Lab: BAT

SUMMARY OF STATISTICALLY SIGNIFICANT ($P \leq .05$) RESULTS IN THE ANALYSIS OF GINKGO BILOBA EXTRACT

MALE MOUSE

Organ

Adrenal Cortex

Kidney

Liver

Liver: Hepatocyte

Nose: Olfactory Epi

Nose: Respirat Epith

FEMALE MOUSE

Organ

Blood Vessel: Adventitia, Aorta

Liver: Hepatocyte

Lung: Interstitium

Nose: Olfactory Epi

Nose: Respirat Epith

Spleen: Lymph Follic

Thymus

Trachea

Morphology

Accessory Adrenal Cortical Nodule

Mineralization

Nephropathy

Inflammation

Inflammation

Necrosis Focal

Hypertrophy

Pigmentation

Accumulation Hyaline Droplet

Atrophy

Accumulation Hyaline Droplet

Morphology

Inflammation Acute

Hypertrophy

Inflammation Acute

Pigmentation

Atrophy

Accumulation Hyaline Droplet

Accumulation Hyaline Droplet

Atrophy Diffuse

Necrosis Diffuse

Inflammation Acute

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Adrenal Cortex						
Accessory Adrenal Cortical Nodule						
LESION RATES						
OVERALL(a)	4/10 (40%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	4/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	40%	0%	0%	0%	0%	0%
TERMINAL (d)	4/10 (40%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.033N*
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.033N*
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.033N*
COCH-ARM / FISHERS	P=0.025N*	(e)	(e)	(e)	(e)	P=0.043N*
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.007N**
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Adrenal Cortex						
Hyperplasia						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Adrenal Cortex: Subcapsular Hyperplasia						
LESION RATES						
OVERALL(a)	6/10 (60%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	4/10 (40%)
POLY-3 RATE (b)	6/10.00	0/0.00	0/0.00	0/0.00	0/0.00	4/10.00
POLY-3 PERCENT (g)	60%	0%	0%	0%	0%	40%
TERMINAL (d)	6/10 (60%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	4/10 (40%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.333N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.333N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.333N
COCH-ARM / FISHERS	P=0.251N	(e)	(e)	(e)	(e)	P=0.328N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.194N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Blood Vessel: Adventitia, Aorta						
Inflammation Acute						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Blood Vessel: Aorta						
Inflammation Chronic						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Esophagus						
Inflammation Focal						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.304	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Esophagus: Muscularis						
Inflammation						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Eye: Optic Nerve						
Infiltration Cellular Lymphocyte						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500N
COCH-ARM / FISHERS	P=0.304N	(e)	(e)	(e)	(e)	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Gallbladder: Mucosa						
Cyst						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Heart						
Vacuolization Cytoplasmic						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Intestine Large, Rectum Inflammation						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Kidney						
Crystals						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/10.00	0/10.00	0/10.00	1/10.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	10%	0%
TERMINAL (d)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	93(T)	---
STATISTICAL TESTS						
POLY 3	P=0.584	(e)	(e)	(e)	P=0.500	(e)
POLY 1.5	P=0.584	(e)	(e)	(e)	P=0.500	(e)
POLY 6	P=0.584	(e)	(e)	(e)	P=0.500	(e)
COCH-ARM / FISHERS	P=0.585	(e)	(e)	(e)	P=0.500	(e)
MAX-ISO-POLY-3	P=0.356	(e)	(e)	(e)	P=0.159	(e)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Kidney Inflammation						
LESION RATES						
OVERALL(a)	2/10 (20%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)	0/10 (0%)
POLY-3 RATE (b)	2/10.00	0/10.00	0/10.00	0/10.00	1/10.00	0/10.00
POLY-3 PERCENT (g)	20%	0%	0%	0%	10%	0%
TERMINAL (d)	2/10 (20%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	93(T)	---
STATISTICAL TESTS						
POLY 3	P=0.351N	P=0.227N	P=0.227N	P=0.227N	P=0.500N	P=0.227N
POLY 1.5	P=0.351N	P=0.227N	P=0.227N	P=0.227N	P=0.500N	P=0.227N
POLY 6	P=0.351N	P=0.227N	P=0.227N	P=0.227N	P=0.500N	P=0.227N
COCH-ARM / FISHERS	P=0.353N	P=0.237N	P=0.237N	P=0.237N	P=0.500N	P=0.237N
MAX-ISO-POLY-3	P=0.034N*	P=0.067N	P=0.067N	P=0.067N	P=0.274N	P=0.067N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Kidney						
Mineralization						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/10 (0%)	0/10 (0%)	1/10 (10%)	3/10 (30%)	3/10 (30%)
POLY-3 RATE (b)	1/10.00	0/10.00	0/10.00	1/10.00	3/10.00	3/10.00
POLY-3 PERCENT (g)	10%	0%	0%	10%	30%	30%
TERMINAL (d)	1/10 (10%)	0/10 (0%)	0/10 (0%)	1/10 (10%)	3/10 (30%)	3/10 (30%)
FIRST INCIDENCE	93(T)	---	---	93(T)	93(T)	93(T)
STATISTICAL TESTS						
POLY 3	P=0.015*	P=0.500N	P=0.500N	P=0.760	P=0.292	P=0.292
POLY 1.5	P=0.015*	P=0.500N	P=0.500N	P=0.760	P=0.292	P=0.292
POLY 6	P=0.015*	P=0.500N	P=0.500N	P=0.760	P=0.292	P=0.292
COCH-ARM / FISHERS	P=0.017*	P=0.500N	P=0.500N	P=0.763N	P=0.291	P=0.291
MAX-ISO-POLY-3	P=0.027*	P=0.159N	P=0.159N	P=1.000	P=0.138	P=0.138
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Kidney						
Nephropathy						
LESION RATES						
OVERALL(a)	3/10 (30%)	0/10 (0%)	5/10 (50%)	4/10 (40%)	6/10 (60%)	5/10 (50%)
POLY-3 RATE (b)	3/10.00	0/10.00	5/10.00	4/10.00	6/10.00	5/10.00
POLY-3 PERCENT (g)	30%	0%	50%	40%	60%	50%
TERMINAL (d)	3/10 (30%)	0/10 (0%)	5/10 (50%)	4/10 (40%)	6/10 (60%)	5/10 (50%)
FIRST INCIDENCE	93(T)	---	93(T)	93(T)	93(T)	93(T)
STATISTICAL TESTS						
POLY 3	P=0.059	P=0.095N	P=0.329	P=0.500	P=0.186	P=0.329
POLY 1.5	P=0.059	P=0.095N	P=0.329	P=0.500	P=0.186	P=0.329
POLY 6	P=0.059	P=0.095N	P=0.329	P=0.500	P=0.186	P=0.329
COCH-ARM / FISHERS	P=0.066	P=0.105N	P=0.325	P=0.500	P=0.185	P=0.325
MAX-ISO-POLY-3	P=0.051	P=0.025N*	P=0.189	P=0.327	P=0.090	P=0.189
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Kidney: Cortex						
Vacuolization Cytoplasmic						
LESION RATES						
OVERALL(a)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)
POLY-3 RATE (b)	10/10.00	10/10.00	10/10.00	10/10.00	10/10.00	10/10.00
POLY-3 PERCENT (g)	100%	100%	100%	100%	100%	100%
TERMINAL (d)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)
FIRST INCIDENCE	93(T)	93(T)	93(T)	93(T)	93(T)	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	(e)
POLY 1.5	(e)	(e)	(e)	(e)	(e)	(e)
POLY 6	(e)	(e)	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	(e)	(e)	(e)	(e)	(e)	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	(e)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Liver						
Inflammation						
LESION RATES						
OVERALL(a)	8/10 (80%)	6/10 (60%)	9/10 (90%)	10/10 (100%)	9/10 (90%)	10/10 (100%)
POLY-3 RATE (b)	8/10.00	6/10.00	9/10.00	10/10.00	9/10.00	10/10.00
POLY-3 PERCENT (g)	80%	60%	90%	100%	90%	100%
TERMINAL (d)	8/10 (80%)	6/10 (60%)	9/10 (90%)	10/10 (100%)	9/10 (90%)	10/10 (100%)
FIRST INCIDENCE	93(T)	93(T)	93(T)	93(T)	93(T)	93(T)
STATISTICAL TESTS						
POLY 3	P=0.047*	P=0.318N	P=0.500	P=0.227	P=0.500	P=0.227
POLY 1.5	P=0.047*	P=0.318N	P=0.500	P=0.227	P=0.500	P=0.227
POLY 6	P=0.047*	P=0.318N	P=0.500	P=0.227	P=0.500	P=0.227
COCH-ARM / FISHERS	P=0.053	P=0.314N	P=0.500	P=0.237	P=0.500	P=0.237
MAX-ISO-POLY-3	P=0.036*	P=0.172N	P=0.274	P=0.067	P=0.274	P=0.067
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Liver						
Necrosis Focal						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/10 (0%)	1/10 (10%)	0/10 (0%)	5/10 (50%)	9/10 (90%)
POLY-3 RATE (b)	0/10.00	0/10.00	1/10.00	0/10.00	5/10.00	9/10.00
POLY-3 PERCENT (g)	0%	0%	10%	0%	50%	90%
TERMINAL (d)	0/10 (0%)	0/10 (0%)	1/10 (10%)	0/10 (0%)	5/10 (50%)	9/10 (90%)
FIRST INCIDENCE	---	---	93(T)	---	93(T)	93(T)
STATISTICAL TESTS						
POLY 3	P=0.000**	(e)	P=0.500	(e)	P=0.008**	P=0.000**
POLY 1.5	P=0.000**	(e)	P=0.500	(e)	P=0.008**	P=0.000**
POLY 6	P=0.000**	(e)	P=0.500	(e)	P=0.008**	P=0.000**
COCH-ARM / FISHERS	P=0.000**	(e)	P=0.500	(e)	P=0.016*	P=0.000**
MAX-ISO-POLY-3	P=0.000**	(e)	P=0.159	(e)	P<0.001**	P=0.000**
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Liver: Artery						
Inflammation Chronic						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/10.00	0/10.00	0/10.00	0/10.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	P=0.107	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	P=0.107	(e)	(e)	(e)	(e)	P=0.500
POLY 6	P=0.107	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.105	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	P=0.075	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Liver: Hepatocyte Hypertrophy						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/10 (0%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)
POLY-3 RATE (b)	0/10.00	0/10.00	10/10.00	10/10.00	10/10.00	10/10.00
POLY-3 PERCENT (g)	0%	0%	100%	100%	100%	100%
TERMINAL (d)	0/10 (0%)	0/10 (0%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)
FIRST INCIDENCE	---	---	93(T)	93(T)	93(T)	93(T)
STATISTICAL TESTS						
POLY 3	P=0.000**	(e)	P=NA	P=NA	P=NA	P=NA
POLY 1.5	P=0.000**	(e)	P=NA	P=NA	P=NA	P=NA
POLY 6	P=0.000**	(e)	P=NA	P=NA	P=NA	P=NA
COCH-ARM / FISHERS	P=0.000**	(e)	P=0.000**	P=0.000**	P=0.000**	P=0.000**
MAX-ISO-POLY-3	P=0.000**	(e)	(e)	(e)	(e)	(e)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Lung: Interstitium						
Inflammation Acute						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Lung: Perivascular Inflammation						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Nose						
Inflammation						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/10.00	0/10.00	0/10.00	0/10.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	P=0.107	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	P=0.107	(e)	(e)	(e)	(e)	P=0.500
POLY 6	P=0.107	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.105	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	P=0.075	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Nose: Olfactory Epi						
Accumulation Hyaline Droplet						
LESION RATES						
OVERALL(a)	1/10 (10%)	1/10 (10%)	4/10 (40%)	9/10 (90%)	8/10 (80%)	5/10 (50%)
POLY-3 RATE (b)	1/10.00	1/10.00	4/10.00	9/10.00	8/10.00	5/10.00
POLY-3 PERCENT (g)	10%	10%	40%	90%	80%	50%
TERMINAL (d)	1/10 (10%)	1/10 (10%)	4/10 (40%)	9/10 (90%)	8/10 (80%)	5/10 (50%)
FIRST INCIDENCE	93(T)	93(T)	93(T)	93(T)	93(T)	93(T)
STATISTICAL TESTS						
POLY 3	P=0.011*	P=0.760	P=0.148	P=0.000**	P=0.000**	P=0.061
POLY 1.5	P=0.011*	P=0.760	P=0.148	P=0.000**	P=0.000**	P=0.061
POLY 6	P=0.011*	P=0.760	P=0.148	P=0.000**	P=0.000**	P=0.061
COCH-ARM / FISHERS	P=0.029*	P=0.763N	P=0.152	P<0.001**	P=0.003**	P=0.070
MAX-ISO-POLY-3	P=0.000**	P=1.000	P=0.059	P=0.000**	P=0.000**	P=0.020*
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Nose: Olfactory Epi Atrophy						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/10 (0%)	1/10 (10%)	2/10 (20%)	5/10 (50%)	3/10 (30%)
POLY-3 RATE (b)	0/10.00	0/10.00	1/10.00	2/10.00	5/10.00	3/10.00
POLY-3 PERCENT (g)	0%	0%	10%	20%	50%	30%
TERMINAL (d)	0/10 (0%)	0/10 (0%)	1/10 (10%)	2/10 (20%)	5/10 (50%)	3/10 (30%)
FIRST INCIDENCE	---	---	93(T)	93(T)	93(T)	93(T)
STATISTICAL TESTS						
POLY 3	P=0.008**	(e)	P=0.500	P=0.227	P=0.008**	P=0.095
POLY 1.5	P=0.008**	(e)	P=0.500	P=0.227	P=0.008**	P=0.095
POLY 6	P=0.008**	(e)	P=0.500	P=0.227	P=0.008**	P=0.095
COCH-ARM / FISHERS	P=0.012*	(e)	P=0.500	P=0.237	P=0.016*	P=0.105
MAX-ISO-POLY-3	P=0.012*	(e)	P=0.159	P=0.067	P<0.001**	P=0.025*
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Nose: Olfactory Epi Pigmentation						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/10 (0%)	0/10 (0%)	7/10 (70%)	7/10 (70%)	8/10 (80%)
POLY-3 RATE (b)	0/10.00	0/10.00	0/10.00	7/10.00	7/10.00	8/10.00
POLY-3 PERCENT (g)	0%	0%	0%	70%	70%	80%
TERMINAL (d)	0/10 (0%)	0/10 (0%)	0/10 (0%)	7/10 (70%)	7/10 (70%)	8/10 (80%)
FIRST INCIDENCE	---	---	---	93(T)	93(T)	93(T)
STATISTICAL TESTS						
POLY 3	P=0.000**	(e)	(e)	P=0.000**	P=0.000**	P=0.000**
POLY 1.5	P=0.000**	(e)	(e)	P=0.000**	P=0.000**	P=0.000**
POLY 6	P=0.000**	(e)	(e)	P=0.000**	P=0.000**	P=0.000**
COCH-ARM / FISHERS	P=0.000**	(e)	(e)	P=0.002**	P=0.002**	P=0.000**
MAX-ISO-POLY-3	P=0.000**	(e)	(e)	P=0.000**	P=0.000**	P=0.000**
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Nose: Respirat Epith						
Accumulation Hyaline Droplet						
LESION RATES						
OVERALL(a)	1/10 (10%)	3/10 (30%)	4/10 (40%)	9/10 (90%)	2/10 (20%)	4/10 (40%)
POLY-3 RATE (b)	1/10.00	3/10.00	4/10.00	9/10.00	2/10.00	4/10.00
POLY-3 PERCENT (g)	10%	30%	40%	90%	20%	40%
TERMINAL (d)	1/10 (10%)	3/10 (30%)	4/10 (40%)	9/10 (90%)	2/10 (20%)	4/10 (40%)
FIRST INCIDENCE	93(T)	93(T)	93(T)	93(T)	93(T)	93(T)
STATISTICAL TESTS						
POLY 3	P=0.411	P=0.292	P=0.148	P=0.000**	P=0.500	P=0.148
POLY 1.5	P=0.411	P=0.292	P=0.148	P=0.000**	P=0.500	P=0.148
POLY 6	P=0.411	P=0.292	P=0.148	P=0.000**	P=0.500	P=0.148
COCH-ARM / FISHERS	P=0.420	P=0.291	P=0.152	P<0.001**	P=0.500	P=0.152
MAX-ISO-POLY-3	P=0.036*	P=0.138	P=0.059	P=0.000**	P=0.274	P=0.059
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Prostate						
Infiltration Cellular Lymphocyte						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	2/10 (20%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	2/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	20%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	2/10 (20%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.377	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.274
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Prostate Inflammation						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.304	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Salivary Glands						
Infiltration Cellular Lymphocyte						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	10%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.760
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.760
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.760
COCH-ARM / FISHERS	P=0.645	(e)	(e)	(e)	(e)	P=0.763N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=1.000
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Salivary Glands: Duct Mineralization						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500N
COCH-ARM / FISHERS	P=0.304N	(e)	(e)	(e)	(e)	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Skin						
Inflammation Chronic						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Spleen: Lymph Follic Atrophy Diffuse						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Testes: Germinal Epith						
Degeneration Diffuse						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500N
COCH-ARM / FISHERS	P=0.304N	(e)	(e)	(e)	(e)	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Thymus						
Necrosis Diffuse						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Thyroid Gland						
Infiltration Cellular Mononuclear CI						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Trachea						
Inflammation Acute						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Adrenal Cortex						
Accessory Adrenal Cortical Nodule						
LESION RATES						
OVERALL(a)	1/9 (11%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	1/10 (10%)
POLY-3 RATE (b)	1/9.00	0/0.00	0/0.00	0/0.00	0/0.50	1/10.00
POLY-3 PERCENT (g)	11.1%	0%	0%	0%	0%	10%
TERMINAL (d)	1/9 (11%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	P=0.919N	P=0.737N
POLY 1.5	(e)	(e)	(e)	(e)	P=0.911N	P=0.737N
POLY 6	(e)	(e)	(e)	(e)	P=0.927N	P=0.737N
COCH-ARM / FISHERS	P=0.620N	(e)	(e)	(e)	P=0.900N	P=0.737N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	P=0.453N	P=0.471N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Adrenal Cortex						
Hyperplasia						
LESION RATES						
OVERALL(a)	1/9 (11%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	2/10 (20%)
POLY-3 RATE (b)	1/9.00	0/0.00	0/0.00	0/0.00	0/0.50	2/10.00
POLY-3 PERCENT (g)	11.1%	0%	0%	0%	0%	20%
TERMINAL (d)	1/9 (11%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	2/10 (20%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	P=0.919N	P=0.538
POLY 1.5	(e)	(e)	(e)	(e)	P=0.911N	P=0.538
POLY 6	(e)	(e)	(e)	(e)	P=0.927N	P=0.538
COCH-ARM / FISHERS	P=0.411	(e)	(e)	(e)	P=0.900N	P=0.542
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	P=0.453N	P=0.311
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Adrenal Cortex: Subcapsular Hyperplasia						
LESION RATES						
OVERALL(a)	8/9 (89%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/1 (100%)	8/10 (80%)
POLY-3 RATE (b)	8/9.00	0/0.00	0/0.00	0/0.00	1/1.00	8/10.00
POLY-3 PERCENT (g)	88.9%	0%	0%	0%	100%	80%
TERMINAL (d)	8/9 (89%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	8/10 (80%)
FIRST INCIDENCE	93(T)	---	---	---	74	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	P=0.897	P=0.538N
POLY 1.5	(e)	(e)	(e)	(e)	P=0.897	P=0.538N
POLY 6	(e)	(e)	(e)	(e)	P=0.897	P=0.538N
COCH-ARM / FISHERS	P=0.411N	(e)	(e)	(e)	P=0.900	P=0.542N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	P=0.406	P=0.311N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Blood Vessel: Adventitia, Aorta						
Inflammation Acute						
LESION RATES						
OVERALL(a)	0/9 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/1 (100%)	0/10 (0%)
POLY-3 RATE (b)	0/9.00	0/0.00	0/0.00	0/0.00	1/1.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	100%	0%
TERMINAL (d)	0/9 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	74	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	P=0.1	(e)
POLY 1.5	(e)	(e)	(e)	(e)	P=0.1	(e)
POLY 6	(e)	(e)	(e)	(e)	P=0.1	(e)
COCH-ARM / FISHERS	P=0.682N	(e)	(e)	(e)	P=0.100	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	P=0.000**	(e)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Blood Vessel: Aorta						
Inflammation Chronic						
LESION RATES						
OVERALL(a)	1/9 (11%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/9.00	0/0.00	0/0.00	0/0.00	0/0.50	0/10.00
POLY-3 PERCENT (g)	11.1%	0%	0%	0%	0%	0%
TERMINAL (d)	1/9 (11%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	P=0.919N	P=0.479N
POLY 1.5	(e)	(e)	(e)	(e)	P=0.911N	P=0.479N
POLY 6	(e)	(e)	(e)	(e)	P=0.927N	P=0.479N
COCH-ARM / FISHERS	P=0.281N	(e)	(e)	(e)	P=0.900N	P=0.474N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	P=0.453N	P=0.152N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Esophagus						
Inflammation Focal						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.50	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Esophagus: Muscularis Inflammation						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.50	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.300	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Eye: Optic Nerve						
Infiltration Cellular Lymphocyte						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.50	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Gallbladder: Mucosa						
Cyst						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.50	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.300	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Heart						
Vacuolization Cytoplasmic						
LESION RATES						
OVERALL(a)	0/9 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/9.00	0/0.00	0/0.00	0/0.00	0/0.50	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/9 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.521
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.521
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.521
COCH-ARM / FISHERS	P=0.318	(e)	(e)	(e)	(e)	P=0.526
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.179
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Intestine Large, Rectum Inflammation						
LESION RATES						
OVERALL(a)	1/9 (11%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/9.00	0/0.00	0/0.00	0/0.00	0/0.50	0/10.00
POLY-3 PERCENT (g)	11.1%	0%	0%	0%	0%	0%
TERMINAL (d)	1/9 (11%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	P=0.919N	P=0.479N
POLY 1.5	(e)	(e)	(e)	(e)	P=0.911N	P=0.479N
POLY 6	(e)	(e)	(e)	(e)	P=0.927N	P=0.479N
COCH-ARM / FISHERS	P=0.281N	(e)	(e)	(e)	P=0.900N	P=0.474N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	P=0.453N	P=0.152N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Kidney						
Crystals						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.50	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Kidney						
Inflammation						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.50	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	P=0.931N	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	P=0.924N	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	P=0.938N	P=0.500N
COCH-ARM / FISHERS	P=0.300N	(e)	(e)	(e)	P=0.909N	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	P=0.455N	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:44
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Kidney Mineralization						
LESION RATES						
OVERALL(a)	3/10 (30%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	3/10 (30%)
POLY-3 RATE (b)	3/10.00	0/0.00	0/0.00	0/0.00	0/0.50	3/10.00
POLY-3 PERCENT (g)	30%	0%	0%	0%	0%	30%
TERMINAL (d)	3/10 (30%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	3/10 (30%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	P=0.778N	P=0.678
POLY 1.5	(e)	(e)	(e)	(e)	P=0.743N	P=0.678
POLY 6	(e)	(e)	(e)	(e)	P=0.816N	P=0.678
COCH-ARM / FISHERS	P=0.598	(e)	(e)	(e)	P=0.727N	P=0.686N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	P=0.412N	P=1.000
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:45
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Kidney						
Nephropathy						
LESION RATES						
OVERALL(a)	2/10 (20%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	0/10 (0%)
POLY-3 RATE (b)	2/10.00	0/0.00	0/0.00	0/0.00	0/0.50	0/10.00
POLY-3 PERCENT (g)	20%	0%	0%	0%	0%	0%
TERMINAL (d)	2/10 (20%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	P=0.840N	P=0.227N
POLY 1.5	(e)	(e)	(e)	(e)	P=0.819N	P=0.227N
POLY 6	(e)	(e)	(e)	(e)	P=0.863N	P=0.227N
COCH-ARM / FISHERS	P=0.127N	(e)	(e)	(e)	P=0.818N	P=0.237N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	P=0.433N	P=0.067N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:45
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Kidney: Cortex						
Vacuolization Cytoplasmic						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.50	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:45
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Liver						
Inflammation						
LESION RATES						
OVERALL(a)	10/10 (100%)	10/10 (100%)	9/10 (90%)	10/10 (100%)	9/10 (90%)	9/10 (90%)
POLY-3 RATE (b)	10/10.00	10/10.00	9/10.00	10/10.00	9/9.50	9/10.00
POLY-3 PERCENT (g)	100%	100%	90%	100%	94.7%	90%
TERMINAL (d)	10/10 (100%)	10/10 (100%)	9/10 (90%)	10/10 (100%)	9/9 (100%)	9/10 (90%)
FIRST INCIDENCE	93(T)	93(T)	93(T)	93(T)	93(T)	93(T)
STATISTICAL TESTS						
POLY 3	P=0.270N	(e)	P=0.500N	(e)	P=0.825N	P=0.500N
POLY 1.5	P=0.258N	(e)	P=0.500N	(e)	P=0.651N	P=0.500N
POLY 6	P=0.289N	(e)	P=0.500N	(e)	P=0.997N	P=0.500N
COCH-ARM / FISHERS	P=0.242N	(e)	P=0.500N	(e)	P=0.500N	P=0.500N
MAX-ISO-POLY-3	P=0.230N	(e)	P=0.159N	(e)	P=0.165N	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:45
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Liver						
Necrosis Focal						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/10.00	0/10.00	0/10.00	0/9.50	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/9 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	P=0.107	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	P=0.107	(e)	(e)	(e)	(e)	P=0.500
POLY 6	P=0.107	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.105	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	P=0.075	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:45
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Liver: Artery						
Inflammation Chronic						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/10.00	0/10.00	0/10.00	0/9.50	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/9 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:45
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Liver: Hepatocyte Hypertrophy						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/10 (0%)	4/10 (40%)	10/10 (100%)	9/10 (90%)	10/10 (100%)
POLY-3 RATE (b)	0/10.00	0/10.00	4/10.00	10/10.00	9/9.50	10/10.00
POLY-3 PERCENT (g)	0%	0%	40%	100%	94.7%	100%
TERMINAL (d)	0/10 (0%)	0/10 (0%)	4/10 (40%)	10/10 (100%)	9/9 (100%)	10/10 (100%)
FIRST INCIDENCE	---	---	93(T)	93(T)	93(T)	93(T)
STATISTICAL TESTS						
POLY 3	P=0.000**	(e)	P=0.033*	P=NA	P=0.000**	P=NA
POLY 1.5	P=0.000**	(e)	P=0.033*	P=NA	P=0.000**	P=NA
POLY 6	P=0.000**	(e)	P=0.033*	P=NA	P=0.000**	P=NA
COCH-ARM / FISHERS	P=0.000**	(e)	P=0.043*	P=0.000**	P=0.000**	P=0.000**
MAX-ISO-POLY-3	P=0.000**	(e)	P=0.007**	(e)	P=0.000**	(e)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:45
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Lung: Interstitium						
Inflammation Acute						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/1 (100%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	1/1.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	100%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	74	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	P=0.091	(e)
POLY 1.5	(e)	(e)	(e)	(e)	P=0.091	(e)
POLY 6	(e)	(e)	(e)	(e)	P=0.091	(e)
COCH-ARM / FISHERS	P=0.700	(e)	(e)	(e)	P=0.091	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	P=0.000**	(e)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:45
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Lung: Perivascular Inflammation						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.50	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.300	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:45
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Nose						
Inflammation						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/10.00	0/10.00	0/10.00	1/10.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	10%	0%
TERMINAL (d)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/9 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	74	---
STATISTICAL TESTS						
POLY 3	P=0.584	(e)	(e)	(e)	P=0.500	(e)
POLY 1.5	P=0.584	(e)	(e)	(e)	P=0.500	(e)
POLY 6	P=0.584	(e)	(e)	(e)	P=0.500	(e)
COCH-ARM / FISHERS	P=0.585	(e)	(e)	(e)	P=0.500	(e)
MAX-ISO-POLY-3	P=0.356	(e)	(e)	(e)	P=0.159	(e)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:45
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Nose: Olfactory Epi						
Accumulation Hyaline Droplet						
LESION RATES						
OVERALL(a)	1/10 (10%)	7/10 (70%)	3/10 (30%)	6/10 (60%)	8/10 (80%)	5/10 (50%)
POLY-3 RATE (b)	1/10.00	7/10.00	3/10.00	6/10.00	8/10.00	5/10.00
POLY-3 PERCENT (g)	10%	70%	30%	60%	80%	50%
TERMINAL (d)	1/10 (10%)	7/10 (70%)	3/10 (30%)	6/10 (60%)	7/9 (78%)	5/10 (50%)
FIRST INCIDENCE	93(T)	93(T)	93(T)	93(T)	74	93(T)
STATISTICAL TESTS						
POLY 3	P=0.132	P=0.003**	P=0.292	P=0.018*	P=0.000**	P=0.061
POLY 1.5	P=0.132	P=0.003**	P=0.292	P=0.018*	P=0.000**	P=0.061
POLY 6	P=0.132	P=0.003**	P=0.292	P=0.018*	P=0.000**	P=0.061
COCH-ARM / FISHERS	P=0.150	P=0.010**	P=0.291	P=0.029*	P=0.003**	P=0.070
MAX-ISO-POLY-3	P=0.007**	P<0.001**	P=0.138	P=0.005**	P=0.000**	P=0.020*
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:45
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Nose: Olfactory Epi Atrophy						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	5/10 (50%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/10.00	0/10.00	0/10.00	5/10.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	50%	10%
TERMINAL (d)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	4/9 (44%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	74	93(T)
STATISTICAL TESTS						
POLY 3	P=0.025*	(e)	(e)	(e)	P=0.008**	P=0.500
POLY 1.5	P=0.025*	(e)	(e)	(e)	P=0.008**	P=0.500
POLY 6	P=0.025*	(e)	(e)	(e)	P=0.008**	P=0.500
COCH-ARM / FISHERS	P=0.050*	(e)	(e)	(e)	P=0.016*	P=0.500
MAX-ISO-POLY-3	P=0.007**	(e)	(e)	(e)	P<0.001**	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:45
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Nose: Olfactory Epi Pigmentation						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/10 (0%)	0/10 (0%)	3/10 (30%)	7/10 (70%)	6/10 (60%)
POLY-3 RATE (b)	0/10.00	0/10.00	0/10.00	3/10.00	7/10.00	6/10.00
POLY-3 PERCENT (g)	0%	0%	0%	30%	70%	60%
TERMINAL (d)	0/10 (0%)	0/10 (0%)	0/10 (0%)	3/10 (30%)	6/9 (67%)	6/10 (60%)
FIRST INCIDENCE	---	---	---	93(T)	74	93(T)
STATISTICAL TESTS						
POLY 3	P=0.000**	(e)	(e)	P=0.095	P=0.000**	P<0.001**
POLY 1.5	P=0.000**	(e)	(e)	P=0.095	P=0.000**	P<0.001**
POLY 6	P=0.000**	(e)	(e)	P=0.095	P=0.000**	P<0.001**
COCH-ARM / FISHERS	P=0.000**	(e)	(e)	P=0.105	P=0.002**	P=0.005**
MAX-ISO-POLY-3	P=0.000**	(e)	(e)	P=0.025*	P=0.000**	P=0.000**
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:45
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Nose: Respirat Epith						
Accumulation Hyaline Droplet						
LESION RATES						
OVERALL(a)	2/10 (20%)	4/10 (40%)	4/10 (40%)	6/10 (60%)	9/10 (90%)	8/10 (80%)
POLY-3 RATE (b)	2/10.00	4/10.00	4/10.00	6/10.00	9/10.00	8/10.00
POLY-3 PERCENT (g)	20%	40%	40%	60%	90%	80%
TERMINAL (d)	2/10 (20%)	4/10 (40%)	4/10 (40%)	6/10 (60%)	8/9 (89%)	8/10 (80%)
FIRST INCIDENCE	93(T)	93(T)	93(T)	93(T)	74	93(T)
STATISTICAL TESTS						
POLY 3	P<0.001**	P=0.318	P=0.318	P=0.077	P=0.000**	P=0.004**
POLY 1.5	P<0.001**	P=0.318	P=0.318	P=0.077	P=0.000**	P=0.004**
POLY 6	P<0.001**	P=0.318	P=0.318	P=0.077	P=0.000**	P=0.004**
COCH-ARM / FISHERS	P=0.002**	P=0.314	P=0.314	P=0.085	P=0.003**	P=0.012*
MAX-ISO-POLY-3	P<0.001**	P=0.172	P=0.172	P=0.029*	P=0.000**	P<0.001**
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:45
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Salivary Glands						
Infiltration Cellular Lymphocyte						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.50	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:45
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Salivary Glands: Duct Mineralization						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.50	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:45
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Skin						
Inflammation Chronic						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.50	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	P=0.931N	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	P=0.924N	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	P=0.938N	P=0.500N
COCH-ARM / FISHERS	P=0.300N	(e)	(e)	(e)	P=0.909N	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	P=0.455N	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:45
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Spleen: Lymph Follic Atrophy Diffuse						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/1 (100%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	1/1.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	100%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	74	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	P=0.091	(e)
POLY 1.5	(e)	(e)	(e)	(e)	P=0.091	(e)
POLY 6	(e)	(e)	(e)	(e)	P=0.091	(e)
COCH-ARM / FISHERS	P=0.700	(e)	(e)	(e)	P=0.091	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	P=0.000**	(e)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:45
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Thymus						
Necrosis Diffuse						
LESION RATES						
OVERALL(a)	0/9 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/1 (100%)	0/10 (0%)
POLY-3 RATE (b)	0/9.00	0/0.00	0/0.00	0/0.00	1/1.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	100%	0%
TERMINAL (d)	0/9 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	74	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	P=0.1	(e)
POLY 1.5	(e)	(e)	(e)	(e)	P=0.1	(e)
POLY 6	(e)	(e)	(e)	(e)	P=0.1	(e)
COCH-ARM / FISHERS	P=0.682N	(e)	(e)	(e)	P=0.100	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	P=0.000**	(e)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Ginkgo biloba extract

CAS Number: 90045-36-6

Date Report Requested: 10/17/2014

Time Report Requested: 14:55:45

First Dose M/F: NA / NA

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
LAST REMOVAL AT 11 WEEKS

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Thyroid Gland						
Infiltration Cellular Mononuclear CI						
LESION RATES						
OVERALL(a)	0/9 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/1 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/9.00	0/0.00	0/0.00	0/0.00	0/0.50	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/9 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.521
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.521
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.521
COCH-ARM / FISHERS	P=0.318	(e)	(e)	(e)	(e)	P=0.526
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.179
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Ginkgo biloba extract
 CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
 Time Report Requested: 14:55:45
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 11 WEEKS**

DOSE	FEMALE					
	0 MG/KG	125 MG/KG	250 MG/KG	500 MG/KG	1000 MG/KG	2000 MG/KG
Trachea						
Inflammation Acute						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/1 (100%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	1/1.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	100%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	74	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	P=0.091	(e)
POLY 1.5	(e)	(e)	(e)	(e)	P=0.091	(e)
POLY 6	(e)	(e)	(e)	(e)	P=0.091	(e)
COCH-ARM / FISHERS	P=0.700	(e)	(e)	(e)	P=0.091	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	P=0.000**	(e)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99031-02
Test Type: 90-DAY
Route: GAVAGE
Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Ginkgo biloba extract
CAS Number: 90045-36-6

Date Report Requested: 10/17/2014
Time Report Requested: 14:55:45
First Dose M/F: NA / NA
Lab: BAT

LEGEND

- (a) Number of tumor-bearing animals/number of animals examined at site.
 - (b) Number of tumor-bearing animals/Poly-3 number
 - (d) Observed incidence at terminal kill.
 - (e) Value of statistic cannot be computed.
 - (f) Beneath the control incidence are the P-values associated with the trend test. Beneath the dosed group incidence are the P-values corresponding to pairwise comparisons between the controls and that dosed group.
 - (g) Poly-3 adjusted lifetime tumor incidence.
 - (n) No statistics are calculated if all dose groups have fewer than two tumors.
 - (I) Interim sacrifice
 - (T) Terminal sacrifice
 - # Tumor rates based on numbers of animals necropsied.
 - * To the right of any statistical result, indicates significance at ($P \leq 0.05$).
 - ** To the right of any statistical result, indicates significance at ($P \leq 0.01$).
 - N Indicates a negative trend for all tests
- The Cochran-Armitage and Fishers exact tests compare directly the overall incidence rates.

**** END OF REPORT ****