Test Type: 90-DAY Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Glyoxal **CAS Number:** 107-22-2

Date Report Requested: 10/22/2014 Time Report Requested: 18:04:48

First Dose M/F: NA / NA

Lab: SRI

C Number: C88038

Lock Date: 01/24/1992

Cage Range: ΑII

ΑII **Date Range:**

Reasons For Removal: ΑII

Removal Date Range: ΑII

Treatment Groups: ΑII

Study Gender: Both

PWG Approval Date NONE

Test Type: 90-DAY

Route: DOSED WATER
Species/Strain: Mouse/B6C3F1

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Glyoxal CAS Number: 107-22-2

Date Report Requested: 10/22/2014 Time Report Requested: 18:04:48

First Dose M/F: NA / NA

Lab: SRI

MAIE MOUSE
FIRST TERMINAL SACRIFICE AT 94 DAYS
INDIVIDUAL SURVIVAL TIMES (DAYS)

	INDI	VIDUAL SURVIVAL TIMES (DAYS	<u> </u>	
DOSE = VEHICLE CONTROL				
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				
DOSE = 1 MG/ML				
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				
DOSE = 2 MG/ML				
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				
DOSE = 4 MG/ML				
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: 90-DAY

Species/Strain: Mouse/B6C3F1

Route: DOSED WATER

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Glyoxal **CAS Number:** 107-22-2

Date Report Requested: 10/22/2014 Time Report Requested: 18:04:48

First Dose M/F: NA / NA

Lab: SRI

Male MOUSE **FIRST TERMINAL SACRIFICE AT 94 DAYS INDIVIDUAL SURVIVAL TIMES (DAYS)**

DOSE = 8 MG/ML

TOTAL 10

UNCENSORED DEATHS 0

CENSORED DEATHS 0

TERMINAL 10

UNCENSORED DEATH DAYS

none

CENSORED DEATH DAYS

DOSE = 16 MG/ML

TOTAL 10

UNCENSORED DEATHS 0

CENSORED DEATHS 0

TERMINAL 10

UNCENSORED DEATH DAYS

none

CENSORED DEATH DAYS

none

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: 90-DAY

Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Glyoxal CAS Number: 107-22-2

Date Report Requested: 10/22/2014
Time Report Requested: 18:04:48

First Dose M/F: NA / NA

Lab: SRI

Male MOUSE FIRST TERMINAL SACRIFICE AT 94 DAYS

KAPLAN-MEIER SURVIVAL PROBABILITY ESTIMATES (%)

DOSE					TIME	(DAYS)				
	10	20	30	40	50	60	70	80	90	94(A)
VEHICLE CONTROL	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
1 MG/ML	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
2 MG/ML	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
4 MG/ML	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
8 MG/ML	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
16 MG/ML	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: 90-DAY

Species/Strain: Mouse/B6C3F1

Route: DOSED WATER

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Glyoxal CAS Number: 107-22-2

Date Report Requested: 10/22/2014 Time Report Requested: 18:04:48

First Dose M/F: NA / NA

Lab: SRI

Male MOUSE FIRST TERMINAL SACRIFICE AT 94 DAYS

DOSE	VEHICLE CONTROL	1 MG/ML	2 MG/ML	4 MG/ML	
SURVIVAL AT END OF STUDY	100.0%	100.0%	100.0%	100.0%	
(KAPLAN-MEIER)					
SIGNIFICANCE (B)					
(LIFE TABLE)					
MEAN DAY OF NATURAL DEATHS (C)					
(STANDARD ERROR)	(.)	(.)	(.)	(.)	
MEAN LIFE SPAN (D)	94.0	94.0	94.0	94.0	
(STANDARD ERROR)	(0.0)	(0.0)	(0.0)	(0.0)	

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: 90-DAY
Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Glyoxal **CAS Number:** 107-22-2

Date Report Requested: 10/22/2014 Time Report Requested: 18:04:48

First Dose M/F: NA / NA

Lab: SRI

Male MOUSE FIRST TERMINAL SACRIFICE AT 94 DAYS

DOSE	8 MG/ML	16 MG/ML	
SURVIVAL AT END OF STUDY	100.0%	100.0%	
(KAPLAN-MEIER)			
SIGNIFICANCE (B)			
(LIFE TABLE)			
MEAN DAY OF NATURAL DEATHS (C)			
(STANDARD ERROR)	(.)	(.)	
MEAN LIFE SPAN (D)	94.0	94.0	
(STANDARD ERROR)	(0.0)	(0.0)	

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: 90-DAY

Route: DOSED WATER
Species/Strain: Mouse/B6C3F1

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Glyoxal CAS Number: 107-22-2

Date Report Requested: 10/22/2014
Time Report Requested: 18:04:48

First Dose M/F: NA / NA

Lab: SRI

FEMALE MOUSE
FIRST TERMINAL SACRIFICE AT 95 DAYS
INDIVIDUAL SURVIVAL TIMES (DAYS)

	IND	IVIDUAL SURVIVAL TIMES (DAY	o)	
DOSE = VEHICLE CONTROL				
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				
DOSE = 1 MG/ML				
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				
DOSE = 2 MG/ML				
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				
DOSE = 4 MG/ML				
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: 90-DAY

Species/Strain: Mouse/B6C3F1

Route: DOSED WATER

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Glyoxal **CAS Number:** 107-22-2

Date Report Requested: 10/22/2014 Time Report Requested: 18:04:48

First Dose M/F: NA / NA

Lab: SRI

Female MOUSE FIRST TERMINAL SACRIFICE AT 95 DAYS INDIVIDUAL SURVIVAL TIMES (DAYS)

DOSE = 8 MG/ML

TOTAL 10

UNCENSORED DEATHS 0

CENSORED DEATHS 0

TERMINAL 10

UNCENSORED DEATH DAYS

none

CENSORED DEATH DAYS

DOSE = 16 MG/ML

TOTAL 10

UNCENSORED DEATHS 0

CENSORED DEATHS 0

TERMINAL 10

UNCENSORED DEATH DAYS

none

CENSORED DEATH DAYS

none

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: 90-DAY

Route: DOSED WATER Species/Strain: Mouse/B6C3F1

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Glyoxal **CAS Number:** 107-22-2

Date Report Requested: 10/22/2014 Time Report Requested: 18:04:48

First Dose M/F: NA / NA

Lab: SRI

Female MOUSE FIRST TERMINAL SACRIFICE AT 95 DAYS

KAPLAN-MEIER SURVIVAL PROBABILITY ESTIMATES (%)

DOSE					TIME	(DAYS)				
	10	20	30	40	50	60	70	80	90	95(A)
VEHICLE CONTROL	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
1 MG/ML	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
2 MG/ML	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
4 MG/ML	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
8 MG/ML	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
16 MG/ML	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: 90-DAY
Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Glyoxal CAS Number: 107-22-2

Date Report Requested: 10/22/2014 Time Report Requested: 18:04:48

First Dose M/F: NA / NA

Lab: SRI

Female MOUSE FIRST TERMINAL SACRIFICE AT 95 DAYS

DOSE	VEHICLE CONTROL	1 MG/ML	2 MG/ML	4 MG/ML	
SURVIVAL AT END OF STUDY	100.0%	100.0%	100.0%	100.0%	
(KAPLAN-MEIER)					
SIGNIFICANCE (B)					
(LIFE TABLE)					
MEAN DAY OF NATURAL DEATHS (C)					
(STANDARD ERROR)	(.)	(.)	(.)	(.)	
MEAN LIFE SPAN (D)	95.0	95.0	95.0	95.0	
(STANDARD ERROR)	(0.0)	(0.0)	(0.0)	(0.0)	

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: 90-DAY
Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Glyoxal CAS Number: 107-22-2

Date Report Requested: 10/22/2014 Time Report Requested: 18:04:48

First Dose M/F: NA / NA

Lab: SRI

Female MOUSE FIRST TERMINAL SACRIFICE AT 95 DAYS

DOSE	8 MG/ML	16 MG/ML
SURVIVAL AT END OF STUDY	100.0%	100.0%
(KAPLAN-MEIER)		
SIGNIFICANCE (B)		
(LIFE TABLE)		
MEAN DAY OF NATURAL DEATHS (C)		
(STANDARD ERROR)	(.)	(.)
MEAN LIFE SPAN (D)	95.0	95.0
(STANDARD ERROR)	(0.0)	(0.0)

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: 90-DAY
Route: DOSED WATER

Species/Strain: Mouse/B6C3F1

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: Glyoxal CAS Number: 107-22-2

Date Report Requested: 10/22/2014 Time Report Requested: 18:04:48

First Dose M/F: NA / NA

Lab: SRI

** END OF REPORT **

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)