

**Experiment Number:** 50050 - 01  
**Test Type:** 14-WEEK  
**Route:** DOSED WATER  
**Species/Strain:** RATS/HSD

**E03: TDMS CAMERA-READY GROWTH CURVE**  
**Ionic Liquid:** 1-Butyl-3-methylimidazolium Chloride  
**CAS Number:** 79917-90-1

**Date Report Requested:** 01/09/2020  
**Time Report Requested:** 09:19:24  
**First Dose M/F:** 04/25/13 / 04/26/13  
**Lab:** BAT

**NTP Study Number:** C50050  
**Lock Date:** 05/25/2018  
**Cage Range:** ALL  
**Date Range:** ALL  
**Reasons For Removal:** ALL  
**Removal Date Range:** ALL  
**Treatment Groups:** Include ALL  
**Study Gender:** Both  
**TDMSE Version:** 3.0.2.3\_002  
**PWG Approval Date:** NONE

Experiment Number: 50050 - 01

Test Type: 14-WEEK

Route: DOSED WATER

Species/Strain: RATS/HSD


E03: TDMS CAMERA-READY GROWTH CURVE  
Ionic Liquid: 1-Butyl-3-methylimidazolium Chloride  
CAS Number: 79917-90-1

Date Report Requested: 01/09/2020

Time Report Requested: 09:19:24

First Dose M/F: 04/25/13 / 04/26/13

Lab: BAT



Experiment Number: 50050 - 01

Test Type: 14-WEEK

Route: DOSED WATER

Species/Strain: RATS/HSD

E03: TDMS CAMERA-READY GROWTH CURVE  
Ionic Liquid: 1-Butyl-3-methylimidazolium Chloride  
CAS Number: 79917-90-1

Date Report Requested: 01/09/2020

Time Report Requested: 09:19:24

First Dose M/F: 04/25/13 / 04/26/13

Lab: BAT

