

**Experiment Number:** 88070-01

**Species/Strain:** Rat/Fischer 344

**P43: Terminal Sacrifice Hematology Data**

**Date Report Requested:** 10/24/2014

**Time Report Requested:** 17:39:23

**First Dose M/F:** NA / NA

**Lab:** NA

**C Number:** C88070

**Cage Range:** All

**Date Range:** All

**Reasons For Removal:** All

**Removal Date Range:** All

**Treatment Groups:** All

**Study Gender:** Both

Experiment Number: 88070-01

Species/Strain: Rat/Fischer 344

P43: Terminal Sacrifice Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:39:23

First Dose M/F: NA / NA

Lab: NA

**MALE**

| Treatment Groups | Eosinophil Count | Hematocrit % | Hematocrit Manual % | Hemoglobin g per dL | Lymphocyte Count 1000 per uL | Mean Cell Hemoglobin pg |
|------------------|------------------|--------------|---------------------|---------------------|------------------------------|-------------------------|
|------------------|------------------|--------------|---------------------|---------------------|------------------------------|-------------------------|

**Day 91**

|                 |         |            |            |            |           |            |
|-----------------|---------|------------|------------|------------|-----------|------------|
| <b>0 ppm</b>    | 0 ± 0   | 45.8 ± 1.7 | 46.5 ± 1.7 | 15.7 ± 0.5 | 4.7 ± 1.3 | 17.7 ± 0.9 |
| <b>500 ppm</b>  | 0 ± 0.1 | 45.2 ± 1.2 | 46.3 ± 2.3 | 15.5 ± 0.5 | 5 ± 0.6   | 17.6 ± 0.8 |
| <b>1000 ppm</b> | 0 ± 0   | 44.7 ± 1.4 | 45.5 ± 1.4 | 15.4 ± 0.5 | 4.9 ± 1   | 17.8 ± 1   |
| <b>2000 ppm</b> | 0 ± 0.1 | 45.4 ± 1   | 46 ± 1     | 15.5 ± 0.4 | 5.5 ± 1.1 | 17.7 ± 1   |
| <b>4000 ppm</b> | 0 ± 0   | 45.7 ± 1   | 46.5 ± 0.9 | 15.5 ± 0.3 | 5 ± 1.2   | 17.6 ± 0.9 |
| <b>8000 ppm</b> | 0 ± 0   | 45.3 ± 1.3 | 46.2 ± 1.1 | 15.5 ± 0.5 | 5.2 ± 1.2 | 17.6 ± 0.9 |

\*p < 0.05

\*\*p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

The values used in the calculations are the observations taken at the furthest point in the study for each subject (the greatest number of "days on study"). The "day" displayed is the maximum value of "days on study" across all subjects.

Experiment Number: 88070-01

Species/Strain: Rat/Fischer 344

P43: Terminal Sacrifice Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:39:23

First Dose M/F: NA / NA

Lab: NA

MALE

| Treatment Groups | Mean Cell Hemoglobin Concentration g per dL | Mean Corpuscular Volume fL | Monocyte Count 1000 per uL | Nucleated Rbc Count 1000 per uL | Platelet Count 1000 per uL | Red Blood Cell Count million per uL |
|------------------|---|----------------------------|----------------------------|---------------------------------|----------------------------|-------------------------------------|
|------------------|---|----------------------------|----------------------------|---------------------------------|----------------------------|-------------------------------------|

Day 91

|          |            |            |         |         |              |           |
|----------|------------|------------|---------|---------|--------------|-----------|
| 0 ppm    | 34.4 ± 0.9 | 51.4 ± 1.9 | 0 ± 0.1 | 0 ± 0   | 597.9 ± 96.9 | 8.9 ± 0.4 |
| 500 ppm  | 34.3 ± 0.8 | 51.3 ± 1.7 | 0 ± 0.1 | 0 ± 0   | 601.5 ± 82.4 | 8.8 ± 0.4 |
| 1000 ppm | 34.4 ± 1   | 51.5 ± 2   | 0 ± 0.1 | 0 ± 0.1 | 602.5 ± 77.3 | 8.7 ± 0.4 |
| 2000 ppm | 34.2 ± 0.8 | 51.8 ± 1.8 | 0 ± 0.1 | 0 ± 0   | 574 ± 92.3   | 8.8 ± 0.4 |
| 4000 ppm | 34 ± 0.7   | 51.8 ± 2   | 0 ± 0   | 0 ± 0   | 603.7 ± 89.5 | 8.8 ± 0.4 |
| 8000 ppm | 34.2 ± 1   | 51.6 ± 2.1 | 0 ± 0.1 | 0 ± 0   | 592 ± 86.6   | 8.8 ± 0.4 |

\*p < 0.05

\*\*p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

The values used in the calculations are the observations taken at the furthest point in the study for each subject (the greatest number of "days on study"). The "day" displayed is the maximum value of "days on study" across all subjects.

Experiment Number: 88070-01

Species/Strain: Rat/Fischer 344

P43: Terminal Sacrifice Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:39:23

First Dose M/F: NA / NA

Lab: NA

---

**MALE**

---

| Treatment Groups | Reticulocyte Count<br>million per uL | Segmented Neutrophil Count<br>1000 per uL | White Blood Cell Count<br>1000 per uL |
|------------------|--------------------------------------|---|---------------------------------------|
|------------------|--------------------------------------|---|---------------------------------------|

**Day 91**

|                 |           |           |           |
|-----------------|-----------|-----------|-----------|
| <b>0 ppm</b>    | 0.1 ± 0.1 | 0.9 ± 0.4 | 5.6 ± 1.5 |
| <b>500 ppm</b>  | 0.1 ± 0.1 | 1 ± 0.3   | 6.1 ± 0.7 |
| <b>1000 ppm</b> | 0.1 ± 0   | 1.1 ± 0.4 | 6 ± 1.1   |
| <b>2000 ppm</b> | 0.1 ± 0.1 | 0.9 ± 0.3 | 6.4 ± 1.2 |
| <b>4000 ppm</b> | 0.1 ± 0.1 | 0.9 ± 0.3 | 6 ± 1.3   |
| <b>8000 ppm</b> | 0.1 ± 0.1 | 0.9 ± 0.3 | 6.2 ± 1.2 |

\*p < 0.05

\*\*p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

The values used in the calculations are the observations taken at the furthest point in the study for each subject (the greatest number of "days on study"). The "day" displayed is the maximum value of "days on study" across all subjects.

Experiment Number: 88070-01

Species/Strain: Rat/Fischer 344

P43: Terminal Sacrifice Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:39:23

First Dose M/F: NA / NA

Lab: NA

FEMALE

| Treatment Groups | Eosinophil Count | Hematocrit % | Hematocrit Manual % | Hemoglobin g per dL | Lymphocyte Count 1000 per uL | Mean Cell Hemoglobin pg |
|------------------|------------------|--------------|---------------------|---------------------|------------------------------|-------------------------|
|------------------|------------------|--------------|---------------------|---------------------|------------------------------|-------------------------|

Day 91

|          |           |            |            |            |           |            |
|----------|-----------|------------|------------|------------|-----------|------------|
| 0 ppm    | 0.1 ± 0.1 | 46.3 ± 2.1 | 46.2 ± 1.6 | 15.8 ± 0.6 | 5.1 ± 0.9 | 18.6 ± 0.4 |
| 500 ppm  | 0 ± 0.1   | 46.4 ± 1.5 | 46.5 ± 1.4 | 15.8 ± 0.5 | 5.7 ± 1.3 | 18.6 ± 0.5 |
| 1000 ppm | 0.1 ± 0.1 | 46.5 ± 1.6 | 46.6 ± 1.2 | 15.8 ± 0.4 | 5.2 ± 1   | 18.5 ± 0.5 |
| 2000 ppm | 0 ± 0.1   | 46.2 ± 1.6 | 46.2 ± 1.5 | 15.7 ± 0.4 | 5.4 ± 1   | 18.5 ± 0.4 |
| 4000 ppm | 0.1 ± 0.1 | 46.3 ± 1.2 | 46.2 ± 0.9 | 15.8 ± 0.4 | 5.3 ± 1.4 | 18.5 ± 0.4 |
| 8000 ppm | 0.1 ± 0   | 46.8 ± 1.7 | 46.5 ± 1.3 | 15.8 ± 0.4 | 5.1 ± 1.3 | 18.6 ± 0.4 |

\*p < 0.05

\*\*p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

The values used in the calculations are the observations taken at the furthest point in the study for each subject (the greatest number of "days on study"). The "day" displayed is the maximum value of "days on study" across all subjects.

Experiment Number: 88070-01

Species/Strain: Rat/Fischer 344

P43: Terminal Sacrifice Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:39:23

First Dose M/F: NA / NA

Lab: NA

FEMALE

| Treatment Groups | Mean Cell Hemoglobin Concentration g per dL | Mean Corpuscular Volume fL | Monocyte Count 1000 per uL | Nucleated Rbc Count 1000 per uL | Platelet Count 1000 per uL | Red Blood Cell Count million per uL |
|------------------|---|----------------------------|----------------------------|---------------------------------|----------------------------|-------------------------------------|
|------------------|---|----------------------------|----------------------------|---------------------------------|----------------------------|-------------------------------------|

Day 91

|          |            |            |       |         |               |           |
|----------|------------|------------|-------|---------|---------------|-----------|
| 0 ppm    | 34 ± 0.7   | 54.7 ± 1.7 | 0 ± 0 | 0 ± 0   | 652.2 ± 79.6  | 8.5 ± 0.2 |
| 500 ppm  | 34.1 ± 0.6 | 54.6 ± 1.6 | 0 ± 0 | 0 ± 0.1 | 645.4 ± 93.2  | 8.5 ± 0.2 |
| 1000 ppm | 34 ± 0.6   | 54.5 ± 1.6 | 0 ± 0 | 0 ± 0   | 662.4 ± 132.7 | 8.6 ± 0.2 |
| 2000 ppm | 33.9 ± 0.6 | 54.5 ± 1.7 | 0 ± 0 | 0 ± 0   | 626 ± 111.5   | 8.5 ± 0.2 |
| 4000 ppm | 34.1 ± 0.4 | 54.3 ± 1.3 | 0 ± 0 | 0 ± 0   | 641.6 ± 79.1  | 8.5 ± 0.1 |
| 8000 ppm | 33.7 ± 0.7 | 55 ± 1.6   | 0 ± 0 | 0 ± 0   | 674.6 ± 94.4  | 8.5 ± 0.2 |

\*p < 0.05

\*\*p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

The values used in the calculations are the observations taken at the furthest point in the study for each subject (the greatest number of "days on study"). The "day" displayed is the maximum value of "days on study" across all subjects.

Experiment Number: 88070-01  
Species/Strain: Rat/Fischer 344

P43: Terminal Sacrifice Hematology Data

Date Report Requested: 10/24/2014  
Time Report Requested: 17:39:23  
First Dose M/F: NA / NA  
Lab: NA

FEMALE

| Treatment Groups | Reticulocyte Count<br>million per uL | Segmented Neutrophil Count<br>1000 per uL | White Blood Cell Count<br>1000 per uL |
|------------------|--------------------------------------|---|---------------------------------------|
|------------------|--------------------------------------|---|---------------------------------------|

Day 91

|          |         |           |           |
|----------|---------|-----------|-----------|
| 0 ppm    | 0.1 ± 0 | 0.9 ± 0.3 | 6.1 ± 1.1 |
| 500 ppm  | 0.1 ± 0 | 0.8 ± 0.3 | 6.6 ± 1.4 |
| 1000 ppm | 0.1 ± 0 | 1 ± 0.4   | 6.3 ± 1.4 |
| 2000 ppm | 0.1 ± 0 | 0.9 ± 0.3 | 6.4 ± 1   |
| 4000 ppm | 0.1 ± 0 | 1.2 ± 0.4 | 6.6 ± 1.7 |
| 8000 ppm | 0.1 ± 0 | 0.9 ± 0.4 | 6.1 ± 1.3 |

\*\* END OF REPORT \*\*

\*p < 0.05

\*\*p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

The values used in the calculations are the observations taken at the furthest point in the study for each subject (the greatest number of "days on study"). The "day" displayed is the maximum value of "days on study" across all subjects.