C Number:	C88105
Lock Date:	03/01/2002
Cage Range:	All
Date Range:	All
Reasons For Removal:	All
Removal Date Range:	All
Treatment Groups:	All
Study Gender:	Both
PWG Approval Date	NONE

Male MOUSE
FIRST TERMINAL SACRIFICE AT 93 DAYS
INDIVIDUAL SURVIVAL TIMES (DAYS)

DOSE = 0 MG/KG			
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			
DOSE = 37.5 MG/KG			
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			
DOSE = 75 MG/KG			
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			
DOSE = 150 MG/KG			
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			

(A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Male MOUSE
FIRST TERMINAL SACRIFICE AT 93 DAYS
INDIVIDUAL SURVIVAL TIMES (DAYS)

DOSE = 300 MG/KG			
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			
DOSE = 600 MG/KG			
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			

(A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Male MOUSE
FIRST TERMINAL SACRIFICE AT 93 DAYS

KAPLAN-MEIER SURVIVAL PROBABILITY ESTIMATES (%)

DOSE	TIME (DAYS)									
	10	20	30	40	50	60	70	80	90	93(A)
0 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
37.5 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
75 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
150 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
300 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
600 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

(A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Male MOUSE
FIRST TERMINAL SACRIFICE AT 93 DAYS

SURVIVAL SUMMARY STATISTICS

DOSE	**0 MG/KG**	**37.5 MG/KG**	**75 MG/KG**	**150 MG/KG**
SURVIVAL AT END OF STUDY	100.0%	100.0%	100.0%	100.0%
(KAPLAN-MEIER)				
SIGNIFICANCE (B)	-----	-----	-----	-----
(LIFE TABLE)				
MEAN DAY OF NATURAL DEATHS (C)	.	.	.	.
(STANDARD ERROR)	(.)	(.)	(.)	(.)
MEAN LIFE SPAN (D)	93.0	93.0	93.0	93.0
(STANDARD ERROR)	(0.0)	(0.0)	(0.0)	(0.0)

(A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Male MOUSE
FIRST TERMINAL SACRIFICE AT 93 DAYS

SURVIVAL SUMMARY STATISTICS

DOSE	**300 MG/KG**	**600 MG/KG**
SURVIVAL AT END OF STUDY	100.0%	100.0%
(KAPLAN-MEIER)		
SIGNIFICANCE (B)	-----	-----
(LIFE TABLE)		
MEAN DAY OF NATURAL DEATHS (C)	.	.
(STANDARD ERROR)	(.)	(.)
MEAN LIFE SPAN (D)	93.0	93.0
(STANDARD ERROR)	(0.0)	(0.0)

(A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Female MOUSE
FIRST TERMINAL SACRIFICE AT 93 DAYS
INDIVIDUAL SURVIVAL TIMES (DAYS)

DOSE = 0 MG/KG			
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			
DOSE = 37.5 MG/KG			
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			
DOSE = 75 MG/KG			
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			
DOSE = 150 MG/KG			
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			

(A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Female MOUSE
FIRST TERMINAL SACRIFICE AT 93 DAYS
INDIVIDUAL SURVIVAL TIMES (DAYS)

DOSE = 300 MG/KG			
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			
DOSE = 600 MG/KG			
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			

(A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Female MOUSE
FIRST TERMINAL SACRIFICE AT 93 DAYS

KAPLAN-MEIER SURVIVAL PROBABILITY ESTIMATES (%)

DOSE	TIME (DAYS)									
	10	20	30	40	50	60	70	80	90	93(A)
0 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
37.5 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
75 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
150 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
300 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
600 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

(A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Female MOUSE
FIRST TERMINAL SACRIFICE AT 93 DAYS

SURVIVAL SUMMARY STATISTICS

DOSE	**0 MG/KG**	**37.5 MG/KG**	**75 MG/KG**	**150 MG/KG**
SURVIVAL AT END OF STUDY	100.0%	100.0%	100.0%	100.0%
(KAPLAN-MEIER)				
SIGNIFICANCE (B)	-----	-----	-----	-----
(LIFE TABLE)				
MEAN DAY OF NATURAL DEATHS (C)	.	.	.	.
(STANDARD ERROR)	(.)	(.)	(.)	(.)
MEAN LIFE SPAN (D)	93.0	93.0	93.0	93.0
(STANDARD ERROR)	(0.0)	(0.0)	(0.0)	(0.0)

(A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Female MOUSE
FIRST TERMINAL SACRIFICE AT 93 DAYS

SURVIVAL SUMMARY STATISTICS

DOSE	**300 MG/KG**	**600 MG/KG**
SURVIVAL AT END OF STUDY	100.0%	100.0%
(KAPLAN-MEIER)		
SIGNIFICANCE (B)	-----	-----
(LIFE TABLE)		
MEAN DAY OF NATURAL DEATHS (C)	.	.
(STANDARD ERROR)	(.)	(.)
MEAN LIFE SPAN (D)	93.0	93.0
(STANDARD ERROR)	(0.0)	(0.0)

(A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

** END OF REPORT **

(A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)