

Experiment Number: 20007-04

Species/Strain: Mouse/B6C3F1

P43: Terminal Sacrifice Hematology Data

Date Report Requested: 10/26/2014

Time Report Requested: 05:18:02

First Dose M/F: NA / NA

Lab: NA

C Number: C20007

Cage Range: All

Date Range: All

Reasons For Removal: All

Removal Date Range: All

Treatment Groups: All

Study Gender: Both

Experiment Number: 20007-04

Species/Strain: Mouse/B6C3F1

P43: Terminal Sacrifice Hematology Data

Date Report Requested: 10/26/2014

Time Report Requested: 05:18:02

First Dose M/F: NA / NA

Lab: NA

MALE

Treatment Groups	Basophil Count 1000 per uL	Basophil Percentage %	Eosinophil Count	Eosinophil Percentage %	Hematocrit %	Hemoglobin g per dL
------------------	-------------------------------	-----------------------------	------------------	-------------------------------	-----------------	------------------------

Day 93

0 g/kg	0 ± 0	0.3 ± 0.1	0.1 ± 0	1.8 ± 0.6	49.1 ± 1.4	15.1 ± 0.4
0.125 g/kg	0 ± 0	0.3 ± 0.1	0.1 ± 0	1.5 ± 0.5	48.6 ± 1.6	15.1 ± 0.4
0.25 g/kg	0 ± 0	0.2 ± 0.1	0.1 ± 0	1.8 ± 0.8	47.9 ± 1.7	15.1 ± 0.4
0.5 g/kg	0 ± 0	0.3 ± 0.2	0.1 ± 0.1	1.9 ± 0.7	49.5 ± 1.7	15.3 ± 0.4
1.0 g/kg	0 ± 0	0.3 ± 0.1	0.1 ± 0	1.4 ± 0.5	49.4 ± 1.1	15.3 ± 0.3
2.0 g/kg	0 ± 0	0.3 ± 0.1	0.1 ± 0	1.7 ± 0.6	48.2 ± 1.4	15.2 ± 0.2

*p < 0.05

**p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

The values used in the calculations are the observations taken at the furthest point in the study for each subject (the greatest number of "days on study"). The "day" displayed is the maximum value of "days on study" across all subjects.

Experiment Number: 20007-04

Species/Strain: Mouse/B6C3F1

P43: Terminal Sacrifice Hematology Data

Date Report Requested: 10/26/2014

Time Report Requested: 05:18:02

First Dose M/F: NA / NA

Lab: NA

MALE

Treatment Groups	Large Unstained Cells Count 1000 per uL	Large Unstained Cells Percentage %	Lymphocyte Count 1000 per uL	Lymphocyte Percentage %	Mean Cell Hemoglobin pg	Mean Cell Hemoglobin Concentration g per dL
------------------	--------------------------------------------	---------------------------------------	---------------------------------	----------------------------	----------------------------	------------------------------------------------

Day 93

0 g/kg	0.1 ± 0.1	1.2 ± 1.2	3.9 ± 1.4	80.2 ± 7.6	15.1 ± 0.3	30.7 ± 0.4
0.125 g/kg	0 ± 0	0.9 ± 0.7	4.1 ± 1	83 ± 3.4	15.2 ± 0.2	31.1 ± 0.6
0.25 g/kg	0 ± 0.1	1 ± 1.6	4 ± 1.2	81.9 ± 6.6	15.3 ± 0.3	31.5 ± 0.5
0.5 g/kg	0.1 ± 0.1	2.1 ± 2.6	3.3 ± 1.1	79.1 ± 3.2	15.3 ± 0.4	31 ± 0.5
1.0 g/kg	0.1 ± 0.1	1.3 ± 1.5	3.6 ± 0.7	82.6 ± 1.7	15.2 ± 0.4	31.1 ± 0.5
2.0 g/kg	0 ± 0	0.6 ± 0.4	3.3 ± 1.1	80 ± 3.7	15.4 ± 0.6	31.4 ± 0.9

*p < 0.05

**p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

The values used in the calculations are the observations taken at the furthest point in the study for each subject (the greatest number of "days on study"). The "day" displayed is the maximum value of "days on study" across all subjects.

Experiment Number: 20007-04

Species/Strain: Mouse/B6C3F1

P43: Terminal Sacrifice Hematology Data

Date Report Requested: 10/26/2014

Time Report Requested: 05:18:02

First Dose M/F: NA / NA

Lab: NA

MALE

Treatment Groups	Mean Corpuscular Volume fL	Monocyte Count 1000 per uL	Monocyte Percentage %	Neutrophil Count 1000 per uL	Neutrophil Percentage %	Platelet Count 1000 per uL
------------------	----------------------------	----------------------------	-----------------------	------------------------------	-------------------------	----------------------------

Day 93

0 g/kg	49.3 ± 0.9	0.1 ± 0	1.5 ± 0.6	0.7 ± 0.2	15 ± 7.7	1153.9 ± 75
0.125 g/kg	48.8 ± 0.8	0.1 ± 0	1.4 ± 0.6	0.6 ± 0.2	13 ± 3.7	1190.2 ± 223.2
0.25 g/kg	48.7 ± 1.1	0.1 ± 0	1.8 ± 0.7	0.6 ± 0.2	13.3 ± 4.8	1197.1 ± 98.3
0.5 g/kg	49.2 ± 0.5	0.1 ± 0	1.7 ± 0.4	0.6 ± 0.2	15 ± 3	1148.6 ± 90.6
1.0 g/kg	48.9 ± 0.9	0.1 ± 0	1.4 ± 0.3	0.6 ± 0.1	13 ± 0.7	1286.5 ± 137*
2.0 g/kg	49.1 ± 0.7	0.1 ± 0	1.7 ± 0.6	0.6 ± 0.2	15.8 ± 3.4	1361.7 ± 125.9**

*p < 0.05

**p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

The values used in the calculations are the observations taken at the furthest point in the study for each subject (the greatest number of "days on study"). The "day" displayed is the maximum value of "days on study" across all subjects.

Experiment Number: 20007-04

Species/Strain: Mouse/B6C3F1

P43: Terminal Sacrifice Hematology Data

Date Report Requested: 10/26/2014

Time Report Requested: 05:18:02

First Dose M/F: NA / NA

Lab: NA

MALE

Treatment Groups	Red Blood Cell Count million per uL	Reticulocyte Count 1000 per microliter	Reticulocyte Percentage %	White Blood Cell Count 1000 per uL
------------------	----------------------------------------	-------------------------------------------	------------------------------	---------------------------------------

Day 93

0 g/kg	10 ± 0.4	247 ± 19.6	2.5 ± 0.2	4.8 ± 1.5
0.125 g/kg	10 ± 0.3	247.5 ± 21.5	2.5 ± 0.2	4.9 ± 1.1
0.25 g/kg	9.8 ± 0.4	249.7 ± 16	2.5 ± 0.2	4.8 ± 1.3
0.5 g/kg	10.1 ± 0.4	247.8 ± 22.4	2.5 ± 0.2	4.1 ± 1.3
1.0 g/kg	10.1 ± 0.3	255.8 ± 19.3	2.5 ± 0.2	4.3 ± 0.8
2.0 g/kg	9.8 ± 0.4	258.8 ± 20.7	2.6 ± 0.2	4.1 ± 1.3

*p < 0.05

**p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

The values used in the calculations are the observations taken at the furthest point in the study for each subject (the greatest number of "days on study"). The "day" displayed is the maximum value of "days on study" across all subjects.

Experiment Number: 20007-04

Species/Strain: Mouse/B6C3F1

P43: Terminal Sacrifice Hematology Data

Date Report Requested: 10/26/2014

Time Report Requested: 05:18:02

First Dose M/F: NA / NA

Lab: NA

FEMALE

Treatment Groups	Basophil Count 1000 per uL	Basophil Percentage %	Eosinophil Count	Eosinophil Percentage %	Hematocrit %	Hemoglobin g per dL
------------------	-------------------------------	-----------------------------	------------------	-------------------------------	-----------------	------------------------

Day 93

0 g/kg	0 ± 0	0.5 ± 0.4	0.1 ± 0.1	2.6 ± 2	50.4 ± 3.8	16.4 ± 1
0.125 g/kg	0 ± 0	0.5 ± 0.4	0.1 ± 0	2.1 ± 1.2	50.6 ± 3	16.4 ± 1
0.25 g/kg	0 ± 0	0.3 ± 0.2	0.1 ± 0.1	2.9 ± 2	48.2 ± 1.5	15.8 ± 0.4
0.5 g/kg	0 ± 0	0.4 ± 0.3	0.1 ± 0.1	3 ± 2.5	49.8 ± 2.1	16.2 ± 0.6
1.0 g/kg	0 ± 0	0.3 ± 0.3	0.1 ± 0	2.1 ± 1.2	50 ± 2.6	16.2 ± 0.7
2.0 g/kg	0 ± 0	0.5 ± 0.3	0.1 ± 0.1	2.7 ± 1.1	48.7 ± 2.6	15.8 ± 0.7

*p < 0.05

**p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

The values used in the calculations are the observations taken at the furthest point in the study for each subject (the greatest number of "days on study"). The "day" displayed is the maximum value of "days on study" across all subjects.

Experiment Number: 20007-04

Species/Strain: Mouse/B6C3F1

P43: Terminal Sacrifice Hematology Data

Date Report Requested: 10/26/2014

Time Report Requested: 05:18:02

First Dose M/F: NA / NA

Lab: NA

FEMALE

Treatment Groups	Large Unstained Cells Count 1000 per uL	Large Unstained Cells Percentage %	Lymphocyte Count 1000 per uL	Lymphocyte Percentage %	Mean Cell Hemoglobin pg	Mean Cell Hemoglobin Concentration g per dL
------------------	--------------------------------------------	---------------------------------------	---------------------------------	----------------------------	----------------------------	------------------------------------------------

Day 93

0 g/kg	0 ± 0	0.4 ± 0.3	3.1 ± 0.6	85.5 ± 2.7	15.6 ± 0.3	32.6 ± 0.8
0.125 g/kg	0 ± 0	0.6 ± 0.4	2.9 ± 0.8	82.2 ± 3.5	15.6 ± 0.3	32.3 ± 0.8
0.25 g/kg	0 ± 0	0.6 ± 0.4	3.6 ± 1	84.1 ± 2.9	15.5 ± 0.3	32.8 ± 0.7
0.5 g/kg	0 ± 0	0.4 ± 0.3	3.3 ± 0.8	81.8 ± 6.9	15.6 ± 0.2	32.6 ± 0.4
1.0 g/kg	0 ± 0	0.3 ± 0.3	3.1 ± 0.4	84.9 ± 3.7	15.4 ± 0.2	32.5 ± 0.4
2.0 g/kg	0 ± 0	0.7 ± 0.5	3.4 ± 1.5	79.8 ± 2.3**	15.5 ± 0.1	32.4 ± 0.5

*p < 0.05

**p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

The values used in the calculations are the observations taken at the furthest point in the study for each subject (the greatest number of "days on study"). The "day" displayed is the maximum value of "days on study" across all subjects.

Experiment Number: 20007-04

Species/Strain: Mouse/B6C3F1

P43: Terminal Sacrifice Hematology Data

Date Report Requested: 10/26/2014

Time Report Requested: 05:18:02

First Dose M/F: NA / NA

Lab: NA

FEMALE

Treatment Groups	Mean Corpuscular Volume fL	Monocyte Count 1000 per uL	Monocyte Percentage %	Neutrophil Count 1000 per uL	Neutrophil Percentage %	Platelet Count 1000 per uL
------------------	----------------------------	----------------------------	-----------------------	------------------------------	-------------------------	----------------------------

Day 93

0 g/kg	47.9 ± 1	0.1 ± 0	1.6 ± 0.8	0.3 ± 0.1	9.4 ± 2.2	854.7 ± 227.3
0.125 g/kg	48.1 ± 0.8	0.1 ± 0	1.6 ± 0.5	0.5 ± 0.2	13.1 ± 3.2	876.8 ± 239.4
0.25 g/kg	47.4 ± 0.6	0.1 ± 0	1.5 ± 0.4	0.4 ± 0.1	10.5 ± 2.3	1009.5 ± 186.7
0.5 g/kg	47.8 ± 0.9	0.1 ± 0.1	2.3 ± 2.1	0.5 ± 0.4	12 ± 6.3	932.3 ± 189.5
1.0 g/kg	47.5 ± 0.8	0.1 ± 0.1	2.5 ± 2	0.4 ± 0.1	9.9 ± 2.9	1027.5 ± 188.5
2.0 g/kg	48 ± 0.6	0.1 ± 0	2.1 ± 0.6	0.6 ± 0.3	14.2 ± 1.5**	994.2 ± 121.5

*p < 0.05

**p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

The values used in the calculations are the observations taken at the furthest point in the study for each subject (the greatest number of "days on study"). The "day" displayed is the maximum value of "days on study" across all subjects.

Experiment Number: 20007-04

Species/Strain: Mouse/B6C3F1

P43: Terminal Sacrifice Hematology Data

Date Report Requested: 10/26/2014

Time Report Requested: 05:18:02

First Dose M/F: NA / NA

Lab: NA

FEMALE

Treatment Groups	Red Blood Cell Count million per uL	Reticulocyte Count 1000 per microliter	Reticulocyte Percentage %	White Blood Cell Count 1000 per uL
------------------	----------------------------------------	-------------------------------------------	------------------------------	---------------------------------------

Day 93

0 g/kg	10.5 ± 0.6	295.3 ± 51.3	2.8 ± 0.3	3.6 ± 0.8
0.125 g/kg	10.5 ± 0.6	318.5 ± 46.1	3 ± 0.4	3.5 ± 1
0.25 g/kg	10.2 ± 0.3	276.2 ± 43.2	2.7 ± 0.4	4.3 ± 1.1
0.5 g/kg	10.4 ± 0.4	270.9 ± 65.4	2.6 ± 0.6	4 ± 1
1.0 g/kg	10.5 ± 0.5	262.5 ± 39.2	2.5 ± 0.3	3.7 ± 0.5
2.0 g/kg	10.2 ± 0.5	261.1 ± 102	2.6 ± 1	4.3 ± 1.9

** END OF REPORT **

*p < 0.05

**p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

The values used in the calculations are the observations taken at the furthest point in the study for each subject (the greatest number of "days on study"). The "day" displayed is the maximum value of "days on study" across all subjects.