

**Experiment Number:** 95003-04  
**Test Type:** 90-DAY  
**Route:** SKIN APPLICATION  
**Species/Strain:** Mouse/B6C3F1

**P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a)**

**Test Compound:** Methyl trans-styryl ketone  
**CAS Number:** 1896-62-4

**Date Report Requested:** 10/18/2014  
**Time Report Requested:** 21:18:04  
**First Dose M/F:** NA / NA  
**Lab:** MBA

**C Number:** C95003  
**Lock Date:** 01/08/2003  
**Cage Range:** All  
**Date Range:** All  
**Reasons For Removal:** All  
**Removal Date Range:** All  
**Treatment Groups:** All  
**Study Gender:** Both  
**PWG Approval Date** NONE

**Experiment Number:** 95003-04  
**Test Type:** 90-DAY  
**Route:** SKIN APPLICATION  
**Species/Strain:** Mouse/B6C3F1

**P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a)**

**Test Compound:** Methyl trans-styryl ketone

**CAS Number:** 1896-62-4

**Date Report Requested:** 10/18/2014  
**Time Report Requested:** 21:18:04  
**First Dose M/F:** NA / NA  
**Lab:** MBA

B6C3F1 Mouse MALE	VEHICLE CONTROL	87.5 MG/KG	175 MG/KG	350 MG/KG	700 MG/KG	1400 MG/KG
<b>Disposition Summary</b>						
<b>Animals Initially In Study</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>
<b>Early Deaths</b>						
<b>Moribund Sacrifice</b>					<b>10</b>	<b>9</b>
<b>Natural Death</b>						<b>1</b>
<b>Survivors</b>						
<b>Accidentally Killed</b>			<b>1</b>			
<b>Terminal Sacrifice</b>	<b>10</b>	<b>10</b>	<b>9</b>	<b>10</b>		
<b>Animals Examined Microscopically</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>
<b>ALIMENTARY SYSTEM</b>						
Esophagus	(10)	(0)	(0)	(10)	(10)	(10)
Gallbladder	(8)	(0)	(0)	(10)	(10)	(9)
Intestine Large, Cecum	(10)	(0)	(0)	(10)	(10)	(9)
Intestine Large, Colon	(10)	(0)	(0)	(10)	(10)	(10)
Intestine Large, Rectum	(10)	(0)	(0)	(10)	(10)	(9)
Intestine Small, Duodenum	(10)	(0)	(0)	(10)	(10)	(9)
Intestine Small, Ileum	(10)	(0)	(0)	(10)	(10)	(8)
Intestine Small, Jejunum	(10)	(0)	(0)	(10)	(10)	(8)
Liver	(10)	(0)	(0)	(10)	(10)	(10)
Pancreas	(10)	(0)	(0)	(10)	(10)	(10)
Salivary Glands	(10)	(0)	(0)	(10)	(10)	(10)
Stomach, Forestomach	(9)	(0)	(0)	(10)	(10)	(9)
Stomach, Glandular	(10)	(10)	(10)	(10)	(10)	(9)
Tongue	(10)	(0)	(0)	(10)	(10)	(10)
<b>CARDIOVASCULAR SYSTEM</b>						
Blood Vessel	(10)	(0)	(0)	(10)	(10)	(10)
Heart	(10)	(0)	(0)	(10)	(10)	(10)
<b>ENDOCRINE SYSTEM</b>						

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 95003-04

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

## P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a)

Test Compound: Methyl trans-styryl ketone

CAS Number: 1896-62-4

Date Report Requested: 10/18/2014

Time Report Requested: 21:18:04

First Dose M/F: NA / NA

Lab: MBA

B6C3F1 Mouse MALE	VEHICLE CONTROL	87.5 MG/KG	175 MG/KG	350 MG/KG	700 MG/KG	1400 MG/KG
Adrenal Cortex	(10)	(0)	(0)	(10)	(10)	(10)
Accessory Adrenal Cortical Nodule					1 (10%)	
Adrenal Medulla	(10)	(0)	(0)	(10)	(10)	(10)
Islets, Pancreatic	(10)	(0)	(0)	(10)	(10)	(10)
Parathyroid Gland	(9)	(0)	(0)	(8)	(9)	(7)
Pituitary Gland	(8)	(0)	(0)	(10)	(7)	(7)
Thyroid Gland	(10)	(0)	(0)	(10)	(10)	(10)
Ectopic Thymus	1 (10%)					1 (10%)
<b>GENERAL BODY SYSTEM</b>						
None						
<b>GENITAL SYSTEM</b>						
Epididymis	(10)	(0)	(0)	(10)	(10)	(10)
Preputial Gland	(10)	(0)	(0)	(10)	(10)	(9)
Prostate	(10)	(0)	(0)	(10)	(10)	(10)
Seminal Vesicle	(10)	(0)	(0)	(10)	(10)	(9)
Testes	(10)	(0)	(0)	(10)	(10)	(10)
<b>HEMATOPOIETIC SYSTEM</b>						
Bone Marrow	(10)	(0)	(0)	(10)	(10)	(10)
Lymph Node, Mandibular	(9)	(0)	(0)	(10)	(10)	(10)
Lymph Node, Mesenteric	(10)	(0)	(0)	(10)	(10)	(10)
Spleen	(10)	(0)	(0)	(10)	(10)	(9)
Hematopoietic Cell Proliferation	6 (60%)			4 (40%)	9 (90%)	6 (67%)
Thymus	(10)	(0)	(0)	(10)	(10)	(9)
Atrophy				4 (40%)		
<b>INTEGUMENTARY SYSTEM</b>						
Skin	(10)	(10)	(10)	(10)	(10)	(10)
Hair Follicle, SOA, Hyperplasia		9 (90%)	9 (90%)	10 (100%)	10 (100%)	9 (90%)
SOA Epidermis, Hyperplasia		10 (100%)	7 (70%)	9 (90%)	10 (100%)	10 (100%)

a - Number of animals examined microscopically at site and number of animals with lesion

**Experiment Number:** 95003-04

**Test Type:** 90-DAY

**Route:** SKIN APPLICATION

**Species/Strain:** Mouse/B6C3F1

**P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a)**

**Test Compound:** Methyl trans-styryl ketone

**CAS Number:** 1896-62-4

**Date Report Requested:** 10/18/2014

**Time Report Requested:** 21:18:04

**First Dose M/F:** NA / NA

**Lab:** MBA

B6C3F1 Mouse MALE	VEHICLE CONTROL	87.5 MG/KG	175 MG/KG	350 MG/KG	700 MG/KG	1400 MG/KG
SOA, Hyperkeratosis		9 (90%)	4 (40%)	8 (80%)	10 (100%)	10 (100%)
SOA, Inflammation, Chronic Active		10 (100%)	9 (90%)	9 (90%)	10 (100%)	10 (100%)
SOA, Necrosis					10 (100%)	6 (60%)
SOA, Sebaceous Gl, Hypertrophy		5 (50%)	9 (90%)	10 (100%)	10 (100%)	8 (80%)
SOA, Ulcer		1 (10%)			1 (10%)	3 (30%)
MUSCULOSKELETAL SYSTEM						
Bone	(10)	(0)	(0)	(10)	(10)	(10)
Skeletal Muscle	(0)	(0)	(0)	(0)	(0)	(1)
Necrosis, Focal						1 (100%)
NERVOUS SYSTEM						
Brain	(10)	(0)	(0)	(10)	(10)	(10)
RESPIRATORY SYSTEM						
Lung	(10)	(0)	(0)	(10)	(10)	(10)
Hemorrhage, Focal						1 (10%)
Nose	(10)	(10)	(10)	(10)	(10)	(10)
Olfactory Epi, Atrophy				3 (30%)	8 (80%)	10 (100%)
Trachea	(8)	(0)	(0)	(10)	(10)	(10)
SPECIAL SENSES SYSTEM						
Eye	(10)	(0)	(0)	(10)	(10)	(10)
Harderian Gland	(10)	(0)	(0)	(10)	(10)	(10)
URINARY SYSTEM						
Kidney	(10)	(10)	(10)	(10)	(10)	(9)
Urinary Bladder	(10)	(0)	(0)	(10)	(10)	(9)

\*\*\*END OF MALE DATA\*\*\*

a - Number of animals examined microscopically at site and number of animals with lesion

**Experiment Number:** 95003-04  
**Test Type:** 90-DAY  
**Route:** SKIN APPLICATION  
**Species/Strain:** Mouse/B6C3F1

**P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a)**

**Test Compound:** Methyl trans-styryl ketone

**CAS Number:** 1896-62-4

**Date Report Requested:** 10/18/2014  
**Time Report Requested:** 21:18:04  
**First Dose M/F:** NA / NA  
**Lab:** MBA

B6C3F1 Mouse FEMALE	VEHICLE CONTROL	87.5 MG/KG	175 MG/KG	350 MG/KG	700 MG/KG	1400 MG/KG
<b>Disposition Summary</b>						
<b>Animals Initially In Study</b>	10	10	10	10	10	10
<b>Early Deaths</b>					10	9
<b>Moribund Sacrifice</b>						1
<b>Natural Death</b>						
<b>Survivors</b>						
<b>Terminal Sacrifice</b>	10	10	10	10		
<b>Animals Examined Microscopically</b>	10	10	10	10	10	10
<b>ALIMENTARY SYSTEM</b>						
Esophagus	(10)	(0)	(0)	(10)	(10)	(10)
Gallbladder	(7)	(0)	(0)	(10)	(10)	(7)
Intestine Large, Cecum	(10)	(0)	(0)	(10)	(10)	(9)
Intestine Large, Colon	(10)	(0)	(0)	(10)	(10)	(9)
Intestine Large, Rectum	(10)	(0)	(0)	(10)	(10)	(9)
Intestine Small, Duodenum	(10)	(0)	(0)	(10)	(10)	(9)
Intestine Small, Ileum	(10)	(0)	(0)	(10)	(10)	(8)
Intestine Small, Jejunum	(10)	(0)	(0)	(10)	(10)	(9)
Liver	(10)	(0)	(0)	(10)	(10)	(10)
Pancreas	(10)	(0)	(0)	(10)	(10)	(10)
Salivary Glands	(10)	(0)	(0)	(10)	(10)	(10)
Stomach, Forestomach	(10)	(0)	(0)	(10)	(10)	(8)
Stomach, Glandular	(10)	(10)	(10)	(10)	(10)	(8)
Tongue	(10)	(0)	(0)	(10)	(10)	(10)
<b>CARDIOVASCULAR SYSTEM</b>						
Blood Vessel	(10)	(0)	(0)	(10)	(10)	(10)
Heart	(10)	(0)	(0)	(10)	(10)	(10)
<b>ENDOCRINE SYSTEM</b>						
Adrenal Cortex	(10)	(10)	(10)	(10)	(10)	(10)

a - Number of animals examined microscopically at site and number of animals with lesion

**Experiment Number:** 95003-04  
**Test Type:** 90-DAY  
**Route:** SKIN APPLICATION  
**Species/Strain:** Mouse/B6C3F1

**P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a)**

**Test Compound:** Methyl trans-styryl ketone

**CAS Number:** 1896-62-4

**Date Report Requested:** 10/18/2014  
**Time Report Requested:** 21:18:04  
**First Dose M/F:** NA / NA  
**Lab:** MBA

B6C3F1 Mouse FEMALE	VEHICLE CONTROL	87.5 MG/KG	175 MG/KG	350 MG/KG	700 MG/KG	1400 MG/KG
Subcapsular, Hyperplasia, Focal	10 (100%)			10 (100%)	8 (80%)	7 (70%)
Adrenal Medulla	(10)	(0)	(0)	(10)	(10)	(10)
Islets, Pancreatic	(10)	(0)	(0)	(10)	(10)	(10)
Parathyroid Gland	(8)	(0)	(0)	(5)	(3)	(4)
Pituitary Gland	(8)	(0)	(0)	(9)	(9)	(8)
Thyroid Gland	(10)	(0)	(0)	(10)	(10)	(8)
Ectopic Thymus	2 (20%)					
<b>GENERAL BODY SYSTEM</b>						
None						
<b>GENITAL SYSTEM</b>						
Clitoral Gland	(10)	(0)	(0)	(10)	(9)	(5)
Ovary	(10)	(0)	(0)	(10)	(10)	(9)
Uterus	(10)	(9)	(10)	(10)	(10)	(9)
Endometrium, Hyperplasia, Cystic	10 (100%)	9 (100%)	10 (100%)	10 (100%)	7 (70%)	2 (22%)
<b>HEMATOPOIETIC SYSTEM</b>						
Bone Marrow	(10)	(0)	(0)	(10)	(10)	(9)
Lymph Node, Mandibular	(10)	(0)	(0)	(10)	(9)	(9)
Lymph Node, Mesenteric	(10)	(0)	(0)	(10)	(10)	(8)
Spleen	(10)	(0)	(0)	(10)	(10)	(9)
Hematopoietic Cell Proliferation	6 (60%)			6 (60%)	6 (60%)	4 (44%)
Thymus	(10)	(0)	(0)	(10)	(10)	(9)
Atrophy				2 (20%)		
Atrophy, Focal				1 (10%)		
<b>INTEGUMENTARY SYSTEM</b>						
Mammary Gland	(9)	(0)	(0)	(10)	(10)	(10)
Skin	(10)	(10)	(10)	(10)	(10)	(10)
Hair Follicle, SOA, Hyperplasia		3 (30%)	4 (40%)	10 (100%)	10 (100%)	8 (80%)
SOA Epidermis, Hyperplasia		7 (70%)	4 (40%)	10 (100%)	10 (100%)	10 (100%)

a - Number of animals examined microscopically at site and number of animals with lesion

**Experiment Number:** 95003-04  
**Test Type:** 90-DAY  
**Route:** SKIN APPLICATION  
**Species/Strain:** Mouse/B6C3F1

**P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a)**

**Test Compound:** Methyl trans-styryl ketone

**CAS Number:** 1896-62-4

**Date Report Requested:** 10/18/2014  
**Time Report Requested:** 21:18:04  
**First Dose M/F:** NA / NA  
**Lab:** MBA

B6C3F1 Mouse FEMALE	VEHICLE CONTROL	87.5 MG/KG	175 MG/KG	350 MG/KG	700 MG/KG	1400 MG/KG
SOA, Hyperkeratosis			2 (20%)	9 (90%)	10 (100%)	10 (100%)
SOA, Inflammation, Chronic Active		10 (100%)	6 (60%)	10 (100%)	10 (100%)	10 (100%)
SOA, Necrosis					9 (90%)	6 (60%)
SOA, Sebaceous Gl, Hypertrophy		5 (50%)	8 (80%)	10 (100%)	10 (100%)	9 (90%)
SOA, Ulcer					1 (10%)	
<b>MUSCULOSKELETAL SYSTEM</b>						
Bone	(10)	(0)	(0)	(10)	(10)	(10)
<b>NERVOUS SYSTEM</b>						
Brain	(10)	(0)	(0)	(10)	(10)	(9)
<b>RESPIRATORY SYSTEM</b>						
Lung	(10)	(0)	(0)	(10)	(10)	(10)
Alveolus, Inflammation, Chronic Active, Focal				1 (10%)		1 (10%)
Bronchiole, Inflammation, Acute, Focal	1 (10%)					
Nose	(10)	(10)	(10)	(10)	(10)	(10)
Olfactory Epi, Atrophy				4 (40%)	9 (90%)	6 (60%)
Olfactory Epi, Degeneration, Focal						1 (10%)
Trachea	(10)	(0)	(0)	(10)	(10)	(8)
<b>SPECIAL SENSES SYSTEM</b>						
Eye	(10)	(0)	(0)	(10)	(10)	(10)
Harderian Gland	(10)	(0)	(0)	(10)	(10)	(9)
<b>URINARY SYSTEM</b>						
Kidney	(10)	(10)	(10)	(10)	(10)	(10)
Infiltration Cellular			1 (10%)			
Urinary Bladder	(9)	(0)	(0)	(10)	(10)	(9)

\*\* END OF REPORT \*\*

a - Number of animals examined microscopically at site and number of animals with lesion