C62340
All
Both

MALE

Treatment Groups	Albumin g per dL	ALP IU per L	ALT IU per L	Bile Acids Per G Tissue umol per g	BUN mg per dL	Creatine Kinase IU per L
			Day 9 [,]	1		
0 ppm	5.1 ± 0.2	397.2 ± 164.1	51.6 ± 6.3	11 ± 12.7	20.4 ± 1.4	196.8 ± 95.4
625 ppm	5 ± 0.3	381.2 ± 146.9	47.5 ± 7	8.5 ± 5.7	19.4 ± 2.3	168.8 ± 91.8
1250 ppm	5 ± 0.3	388.8 ± 154.8	51.4 ± 4.9	8.2 ± 6.4	21.1 ± 2	154.8 ± 71
2500 ppm	4.8 ± 0.6	354.3 ± 138.8	51.5 ± 10.9	10.1 ± 6.8	18.9 ± 2.6	199.8 ± 108.2
5000 ppm	4.8 ± 0.6	310.6 ± 100	55.9 ± 11.3	19.4 ± 12.3**	18 ± 2.1	170.1 ± 78.5
10000 ppm	4.8 ± 0.8	327.5 ± 127.7	55.2 ± 14.6	31.6 ± 13.4**	20 ± 1.1	217.1 ± 119.6

*p < 0.05

**p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

Treatment Groups	Creatinine U per L	Protein Total g per dL	SDH IU per L
			Day 91
0 ppm	0.7 ± 0.1	6.7 ± 0.3	8.9 ± 4.1
625 ppm	0.6 ± 0.1	6.6 ± 0.6	9.6 ± 4.5
1250 ppm	0.7 ± 0.1	6.4 ± 0.7	10.2 ± 4
2500 ppm	0.6 ± 0.1	6.2 ± 1	11.4 ± 5.8
5000 ppm	0.6 ± 0.1	6.2 ± 1	11.2 ± 5.3
10000 ppm	0.6 ± 0.1	6.1 ± 1.2	11.9 ± 6.5

*p < 0.05

**p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

FEMALE

Treatment Groups	Albumin g per dL	ALP IU per L	ALT IU per L	Bile Acids Per G Tissue umol per g	BUN mg per dL	Creatine Kinase IU per L
			Day 9 [,]	1		
0 ppm	5.1 ± 0.3	317.2 ± 137.4	44.5 ± 4.3	10.6 ± 8.3	20.4 ± 2.6	189.9 ± 131.6
625 ppm	5.1 ± 0.4	299.9 ± 104.9	46.2 ± 6.9	12 ± 9	20.3 ± 2	170.8 ± 97
1250 ppm	5 ± 0.3	313.6 ± 120.6	46.1 ± 6.1	11.8 ± 8.1	20.6 ± 2.4	175.5 ± 109.1
2500 ppm	4.9 ± 0.4	272.4 ± 105.2	40.8 ± 4.8*	9.3 ± 7	18 ± 2.4	201.6 ± 166.8
5000 ppm	4.6 ± 0.4**	231.8 ± 87.5**	40.6 ± 3.1*	12.9 ± 9.9	17.9 ± 2.4	161.7 ± 92.2
10000 ppm	4.4 ± 0.4**	243.4 ± 82.4*	40.2 ± 12.2**	15 ± 8.2	19.5 ± 2.5	235.2 ± 198.1

*p < 0.05

**p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

			FEMALE
Treatment	Creatinine	Protein Total	SDH
Groups	U per L	g per dL	IU per L
			Day 91
0 ppm	0.6 ± 0.1	6.6 ± 0.6	11.2 ± 2.5
625 ppm	0.6 ± 0.1	6.6 ± 0.7	11.2 ± 2.2
1250 ppm	0.6 ± 0.1	6.5 ± 0.7	10.8 ± 1.9
2500 ppm	0.6 ± 0.1	6.3 ± 0.6	10.8 ± 2.2
5000 ppm	0.6 ± 0.1**	5.9 ± 0.6**	11.1 ± 2.7
10000 ppm	0.6 ± 0.1**	5.7 ± 0.6**	11.2 ± 3.9
			** END OF REPORT **

*p < 0.05

**p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.