

Experiment Number: 20306 - 03
Test Type: 90-DAY
Route: GAVAGE
Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
PCN 66/67 comparison study
CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015
Time Report Requested: 09:34:00
First Dose M/F: NA / 10/13/03
Lab: BAT

F1_Rev.1_PCN67

NTP Study Number: C20306

Lock Date: 10/07/2004

Cage Range: ALL

Date Range: ALL

Reasons For Removal: ALL

Removal Date Range: ALL

Treatment Groups: Include 001 0 NG/KG Include 007 1000 NG/KG 67 Include 008 10,000 NG/KG 67
Include 009 50,000 NG/KG 67 Include 010 100,000 NG/KG 67 Include 011 200,000 NG/KG 67

Study Gender: Female

TDMSE Version: 3.0.2.2_002

PWG Approval Date: NONE

Experiment Number: 20306 - 03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

PCN 66/67 comparison study

CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015

Time Report Requested: 09:34:00

First Dose M/F: NA / 10/13/03

Lab: BAT

SUMMARY OF STATISTICALLY SIGNIFICANT ($P \leq .05$) RESULTS IN THE ANALYSIS OF PCN 66/67 COMPARISON STUDY

FEMALE RATS

Organ

Kidney

Liver

Liver: Hepatocyte

Lymph Node, Mesenteric

Pancreas

Stomach, Glandular

Thymus

Morphology

Mineralization

Fatty Change

Hepatocyte, Multinucleate

Inflammation Chronic

Toxic Hepatopathy

Hypertrophy

Infiltration Cellular Histiocyte

Infiltration Cellular Mononuclear Cell

Infiltration Cellular Mononuclear Cell

Atrophy

Experiment Number: 20306 - 03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

PCN 66/67 comparison study

CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015

Time Report Requested: 09:34:00

First Dose M/F: NA / 10/13/03

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Adrenal Cortex						
Infiltration Cellular Lymphocyte						
LESION RATES						
OVERALL (a)	0/15 (0%)	1/10 (10%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/15.00	1/10.00	0/10.00	0/10.00	0/10.00	0/10.00
POLY-3 PERCENT (g)	0%	10%	0%	0%	0%	0%
TERMINAL (d)	0/15 (0%)	1/10 (10%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)
FIRST INCIDENCE	---	94 (T)	---	---	---	---
STATISTICAL TESTS						
POLY 3	P=0.474N	P=0.418	(e)	(e)	(e)	(e)
POLY 1.5	P=0.474N	P=0.418	(e)	(e)	(e)	(e)
POLY 6	P=0.474N	P=0.418	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	P=0.474N	P=0.400	(e)	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.433N	P=0.128	(e)	(e)	(e)	(e)

Experiment Number: 20306 - 03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 PCN 66/67 comparison study
 CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015
 Time Report Requested: 09:34:00
 First Dose M/F: NA / 10/13/03
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
 TERMINAL SACRIFICE AT 14 WEEKS**

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Adrenal Cortex						
Infiltration Cellular Mononuclear Cell						
LESION RATES						
OVERALL (a)	0/15 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)	0/10 (0%)
POLY-3 RATE (b)	0/15.00	0/10.00	0/10.00	0/10.00	1/10.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	10%	0%
TERMINAL (d)	0/15 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	94 (T)	---
STATISTICAL TESTS						
POLY 3	P=0.531	(e)	(e)	(e)	P=0.418	(e)
POLY 1.5	P=0.531	(e)	(e)	(e)	P=0.418	(e)
POLY 6	P=0.531	(e)	(e)	(e)	P=0.418	(e)
COCH-ARM / FISHERS	P=0.531	(e)	(e)	(e)	P=0.400	(e)
MAX-ISO-POLY-3	P=0.339	(e)	(e)	(e)	P=0.128	(e)

Experiment Number: 20306 - 03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

PCN 66/67 comparison study

CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015

Time Report Requested: 09:34:00

First Dose M/F: NA / 10/13/03

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Harderian Gland						
Infiltration Cellular Mononuclear Cell						
LESION RATES						
OVERALL (a)	0/15 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/15.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/15 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	94 (T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.418
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.418
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.418
COCH-ARM / FISHERS	P=0.233	(e)	(e)	(e)	(e)	P=0.400
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.128

Experiment Number: 20306 - 03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 PCN 66/67 comparison study
 CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015
 Time Report Requested: 09:34:00
 First Dose M/F: NA / 10/13/03
 Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Heart						
Cardiomyopathy						
LESION RATES						
OVERALL (a)	9/15 (60%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	8/10 (80%)
POLY-3 RATE (b)	9/15.00	0/0.00	0/0.00	0/0.00	0/0.00	8/10.00
POLY-3 PERCENT (g)	60%	0%	0%	0%	0%	80%
TERMINAL (d)	9/15 (60%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	8/10 (80%)
FIRST INCIDENCE	94 (T)	---	---	---	---	94 (T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.274
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.274
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.274
COCH-ARM / FISHERS	P=0.203	(e)	(e)	(e)	(e)	P=0.274
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.173

Experiment Number: 20306 - 03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 PCN 66/67 comparison study
 CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015
 Time Report Requested: 09:34:00
 First Dose M/F: NA / 10/13/03
 Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Kidney Mineralization						
LESION RATES						
OVERALL (a)	15/15 (100%)	10/10 (100%)	9/10 (90%)	10/10 (100%)	6/10 (60%)	7/10 (70%)
POLY-3 RATE (b)	15/15.00	10/10.00	9/10.00	10/10.00	6/10.00	7/10.00
POLY-3 PERCENT (g)	100%	100%	90%	100%	60%	70%
TERMINAL (d)	15/15 (100%)	10/10 (100%)	9/10 (90%)	10/10 (100%)	6/10 (60%)	7/10 (70%)
FIRST INCIDENCE	94 (T)	94 (T)	94 (T)	94 (T)	94 (T)	94 (T)
STATISTICAL TESTS						
POLY 3	P<0.001N**	(e)	P=0.418N	(e)	P=0.008N**	P=0.040N*
POLY 1.5	P<0.001N**	(e)	P=0.418N	(e)	P=0.008N**	P=0.040N*
POLY 6	P<0.001N**	(e)	P=0.418N	(e)	P=0.008N**	P=0.040N*
COCH-ARM / FISHERS	P=0.003N**	(e)	P=0.400N	(e)	P=0.017N*	P=0.052N
MAX-ISO-POLY-3	P=0.003N**	(e)	P=0.128N	(e)	P=0.003N**	P=0.013N*

Experiment Number: 20306 - 03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

PCN 66/67 comparison study

CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015

Time Report Requested: 09:34:00

First Dose M/F: NA / 10/13/03

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Kidney Nephropathy						
LESION RATES						
OVERALL (a)	2/15 (13%)	1/10 (10%)	4/10 (40%)	2/10 (20%)	3/10 (30%)	3/10 (30%)
POLY-3 RATE (b)	2/15.00	1/10.00	4/10.00	2/10.00	3/10.00	3/10.00
POLY-3 PERCENT (g)	13.3%	10%	40%	20%	30%	30%
TERMINAL (d)	2/15 (13%)	1/10 (10%)	4/10 (40%)	2/10 (20%)	3/10 (30%)	3/10 (30%)
FIRST INCIDENCE	94 (T)	94 (T)	94 (T)	94 (T)	94 (T)	94 (T)
STATISTICAL TESTS						
POLY 3	P=0.259	P=0.641N	P=0.145	P=0.543	P=0.309	P=0.309
POLY 1.5	P=0.259	P=0.641N	P=0.145	P=0.543	P=0.309	P=0.309
POLY 6	P=0.259	P=0.641N	P=0.145	P=0.543	P=0.309	P=0.309
COCH-ARM / FISHERS	P=0.256	P=0.654N	P=0.147	P=0.532	P=0.301	P=0.301
MAX-ISO-POLY-3	P=0.322	P=0.413N	P=0.079	P=0.347	P=0.180	P=0.180

Experiment Number: 20306 - 03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

PCN 66/67 comparison study

CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015

Time Report Requested: 09:34:00

First Dose M/F: NA / 10/13/03

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Kidney: Capsule Inflammation Chronic						
LESION RATES						
OVERALL (a)	0/15 (0%)	1/10 (10%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/15.00	1/10.00	0/10.00	0/10.00	0/10.00	0/10.00
POLY-3 PERCENT (g)	0%	10%	0%	0%	0%	0%
TERMINAL (d)	0/15 (0%)	1/10 (10%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)
FIRST INCIDENCE	---	94 (T)	---	---	---	---
STATISTICAL TESTS						
POLY 3	P=0.474N	P=0.418	(e)	(e)	(e)	(e)
POLY 1.5	P=0.474N	P=0.418	(e)	(e)	(e)	(e)
POLY 6	P=0.474N	P=0.418	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	P=0.474N	P=0.400	(e)	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.433N	P=0.128	(e)	(e)	(e)	(e)

Experiment Number: 20306 - 03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

PCN 66/67 comparison study

CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015

Time Report Requested: 09:34:00

First Dose M/F: NA / 10/13/03

Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS**

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Liver						
Fatty Change						
LESION RATES						
OVERALL (a)	0/15 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	2/10 (20%)
POLY-3 RATE (b)	0/15.00	0/10.00	0/10.00	0/10.00	0/10.00	2/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	20%
TERMINAL (d)	0/15 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	2/10 (20%)
FIRST INCIDENCE	---	---	---	---	---	94 (T)
STATISTICAL TESTS						
POLY 3	P=0.005**	(e)	(e)	(e)	(e)	P=0.139
POLY 1.5	P=0.005**	(e)	(e)	(e)	(e)	P=0.139
POLY 6	P=0.005**	(e)	(e)	(e)	(e)	P=0.139
COCH-ARM / FISHERS	P=0.008**	(e)	(e)	(e)	(e)	P=0.150
MAX-ISO-POLY-3	P=0.006**	(e)	(e)	(e)	(e)	P=0.045*

Experiment Number: 20306 - 03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 PCN 66/67 comparison study
 CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015
 Time Report Requested: 09:34:00
 First Dose M/F: NA / 10/13/03
 Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Liver						
Hepatocyte, Multinucleate						
LESION RATES						
OVERALL (a)	0/15 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)	0/10 (0%)	9/10 (90%)
POLY-3 RATE (b)	0/15.00	0/10.00	0/10.00	1/10.00	0/10.00	9/10.00
POLY-3 PERCENT (g)	0%	0%	0%	10%	0%	90%
TERMINAL (d)	0/15 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)	0/10 (0%)	9/10 (90%)
FIRST INCIDENCE	---	---	---	94 (T)	---	94 (T)
STATISTICAL TESTS						
POLY 3	P<0.001**	(e)	(e)	P=0.418	(e)	P<0.001**
POLY 1.5	P<0.001**	(e)	(e)	P=0.418	(e)	P<0.001**
POLY 6	P<0.001**	(e)	(e)	P=0.418	(e)	P<0.001**
COCH-ARM / FISHERS	P<0.001**	(e)	(e)	P=0.400	(e)	P<0.001**
MAX-ISO-POLY-3	P<0.001**	(e)	(e)	P=0.128	(e)	P<0.001**

Experiment Number: 20306 - 03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 PCN 66/67 comparison study
 CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015
 Time Report Requested: 09:34:00
 First Dose M/F: NA / 10/13/03
 Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Liver						
Hepatodiaphragmatic Nodule						
LESION RATES						
OVERALL (a)	1/15 (7%)	1/10 (10%)	2/10 (20%)	0/10 (0%)	0/10 (0%)	1/10 (10%)
POLY-3 RATE (b)	1/15.00	1/10.00	2/10.00	0/10.00	0/10.00	1/10.00
POLY-3 PERCENT (g)	6.7%	10%	20%	0%	0%	10%
TERMINAL (d)	1/15 (7%)	1/10 (10%)	2/10 (20%)	0/10 (0%)	0/10 (0%)	1/10 (10%)
FIRST INCIDENCE	94 (T)	94 (T)	94 (T)	---	---	94 (T)
STATISTICAL TESTS						
POLY 3	P=0.483N	P=0.668	P=0.356	P=0.580N	P=0.580N	P=0.668
POLY 1.5	P=0.483N	P=0.668	P=0.356	P=0.580N	P=0.580N	P=0.668
POLY 6	P=0.483N	P=0.668	P=0.356	P=0.580N	P=0.580N	P=0.668
COCH-ARM / FISHERS	P=0.482N	P=0.650	P=0.346	P=0.600N	P=0.600N	P=0.650
MAX-ISO-POLY-3	P=0.464N	P=0.395	P=0.184	P=0.229N	P=0.229N	P=0.395

Experiment Number: 20306 - 03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

PCN 66/67 comparison study

CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015

Time Report Requested: 09:34:00

First Dose M/F: NA / 10/13/03

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Liver Inflammation						
LESION RATES						
OVERALL (a)	0/15 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/15.00	0/10.00	0/10.00	0/10.00	0/10.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/15 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	94 (T)
STATISTICAL TESTS						
POLY 3	P=0.090	(e)	(e)	(e)	(e)	P=0.418
POLY 1.5	P=0.090	(e)	(e)	(e)	(e)	P=0.418
POLY 6	P=0.090	(e)	(e)	(e)	(e)	P=0.418
COCH-ARM / FISHERS	P=0.089	(e)	(e)	(e)	(e)	P=0.400
MAX-ISO-POLY-3	P=0.064	(e)	(e)	(e)	(e)	P=0.128

Experiment Number: 20306 - 03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 PCN 66/67 comparison study
 CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015
 Time Report Requested: 09:34:00
 First Dose M/F: NA / 10/13/03
 Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Liver						
Inflammation Chronic						
LESION RATES						
OVERALL (a)	7/15 (47%)	9/10 (90%)	9/10 (90%)	7/10 (70%)	10/10 (100%)	10/10 (100%)
POLY-3 RATE (b)	7/15.00	9/10.00	9/10.00	7/10.00	10/10.00	10/10.00
POLY-3 PERCENT (g)	46.7%	90%	90%	70%	100%	100%
TERMINAL (d)	7/15 (47%)	9/10 (90%)	9/10 (90%)	7/10 (70%)	10/10 (100%)	10/10 (100%)
FIRST INCIDENCE	94 (T)	94 (T)	94 (T)	94 (T)	94 (T)	94 (T)
STATISTICAL TESTS						
POLY 3	P=0.006**	P=0.028*	P=0.028*	P=0.233	P=0.003**	P=0.003**
POLY 1.5	P=0.006**	P=0.028*	P=0.028*	P=0.233	P=0.003**	P=0.003**
POLY 6	P=0.006**	P=0.028*	P=0.028*	P=0.233	P=0.003**	P=0.003**
COCH-ARM / FISHERS	P=0.013*	P=0.034*	P=0.034*	P=0.231	P=0.006**	P=0.006**
MAX-ISO-POLY-3	P<0.001**	P=0.015*	P=0.015*	P=0.149	P=0.002**	P=0.002**

Experiment Number: 20306 - 03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 PCN 66/67 comparison study
 CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015
 Time Report Requested: 09:34:00
 First Dose M/F: NA / 10/13/03
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
 TERMINAL SACRIFICE AT 14 WEEKS**

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Liver						
Inflammation Granulomatous						
LESION RATES						
OVERALL (a)	0/15 (0%)	1/10 (10%)	0/10 (0%)	0/10 (0%)	1/10 (10%)	0/10 (0%)
POLY-3 RATE (b)	0/15.00	1/10.00	0/10.00	0/10.00	1/10.00	0/10.00
POLY-3 PERCENT (g)	0%	10%	0%	0%	10%	0%
TERMINAL (d)	0/15 (0%)	1/10 (10%)	0/10 (0%)	0/10 (0%)	1/10 (10%)	0/10 (0%)
FIRST INCIDENCE	---	94 (T)	---	---	94 (T)	---
STATISTICAL TESTS						
POLY 3	P=0.656N	P=0.418	(e)	(e)	P=0.418	(e)
POLY 1.5	P=0.656N	P=0.418	(e)	(e)	P=0.418	(e)
POLY 6	P=0.656N	P=0.418	(e)	(e)	P=0.418	(e)
COCH-ARM / FISHERS	P=0.657N	P=0.400	(e)	(e)	P=0.400	(e)
MAX-ISO-POLY-3	P=0.481	P=0.128	(e)	(e)	P=0.128	(e)

Experiment Number: 20306 - 03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 PCN 66/67 comparison study
 CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015
 Time Report Requested: 09:34:00
 First Dose M/F: NA / 10/13/03
 Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Liver						
Toxic Hepatopathy						
LESION RATES						
OVERALL (a)	0/15 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	9/10 (90%)
POLY-3 RATE (b)	0/15.00	0/10.00	0/10.00	0/10.00	0/10.00	9/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	90%
TERMINAL (d)	0/15 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	9/10 (90%)
FIRST INCIDENCE	---	---	---	---	---	94 (T)
STATISTICAL TESTS						
POLY 3	P<0.001**	(e)	(e)	(e)	(e)	P<0.001**
POLY 1.5	P<0.001**	(e)	(e)	(e)	(e)	P<0.001**
POLY 6	P<0.001**	(e)	(e)	(e)	(e)	P<0.001**
COCH-ARM / FISHERS	P<0.001**	(e)	(e)	(e)	(e)	P<0.001**
MAX-ISO-POLY-3	P<0.001**	(e)	(e)	(e)	(e)	P<0.001**

Experiment Number: 20306 - 03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

PCN 66/67 comparison study

CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015

Time Report Requested: 09:34:00

First Dose M/F: NA / 10/13/03

Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS**

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Liver: Hepatocyte Hypertrophy						
LESION RATES						
OVERALL (a)	1/15 (7%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)	10/10 (100%)
POLY-3 RATE (b)	1/15.00	0/10.00	0/10.00	0/10.00	1/10.00	10/10.00
POLY-3 PERCENT (g)	6.7%	0%	0%	0%	10%	100%
TERMINAL (d)	1/15 (7%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)	10/10 (100%)
FIRST INCIDENCE	94 (T)	---	---	---	94 (T)	94 (T)
STATISTICAL TESTS						
POLY 3	P<0.001**	P=0.580N	P=0.580N	P=0.580N	P=0.668	P<0.001**
POLY 1.5	P<0.001**	P=0.580N	P=0.580N	P=0.580N	P=0.668	P<0.001**
POLY 6	P<0.001**	P=0.580N	P=0.580N	P=0.580N	P=0.668	P<0.001**
COCH-ARM / FISHERS	P<0.001**	P=0.600N	P=0.600N	P=0.600N	P=0.650	P<0.001**
MAX-ISO-POLY-3	P<0.001**	P=0.229N	P=0.229N	P=0.229N	P=0.395	P<0.001**

Experiment Number: 20306 - 03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

PCN 66/67 comparison study

CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015

Time Report Requested: 09:34:00

First Dose M/F: NA / 10/13/03

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Lung						
Inflammation Chronic						
LESION RATES						
OVERALL (a)	0/15 (0%)	1/10 (10%)	1/10 (10%)	0/10 (0%)	1/10 (10%)	0/10 (0%)
POLY-3 RATE (b)	0/15.00	1/10.00	1/10.00	0/10.00	1/10.00	0/10.00
POLY-3 PERCENT (g)	0%	10%	10%	0%	10%	0%
TERMINAL (d)	0/15 (0%)	1/10 (10%)	1/10 (10%)	0/10 (0%)	1/10 (10%)	0/10 (0%)
FIRST INCIDENCE	---	94 (T)	94 (T)	---	94 (T)	---
STATISTICAL TESTS						
POLY 3	P=0.482N	P=0.418	P=0.418	(e)	P=0.418	(e)
POLY 1.5	P=0.482N	P=0.418	P=0.418	(e)	P=0.418	(e)
POLY 6	P=0.482N	P=0.418	P=0.418	(e)	P=0.418	(e)
COCH-ARM / FISHERS	P=0.481N	P=0.400	P=0.400	(e)	P=0.400	(e)
MAX-ISO-POLY-3	P=0.489	P=0.128	P=0.128	(e)	P=0.128	(e)

Experiment Number: 20306 - 03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

PCN 66/67 comparison study

CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015

Time Report Requested: 09:34:00

First Dose M/F: NA / 10/13/03

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Lung: Alveolar Epithelium Hyperplasia						
LESION RATES						
OVERALL (a)	1/15 (7%)	1/10 (10%)	0/10 (0%)	1/10 (10%)	0/10 (0%)	1/10 (10%)
POLY-3 RATE (b)	1/15.00	1/10.00	0/10.00	1/10.00	0/10.00	1/10.00
POLY-3 PERCENT (g)	6.7%	10%	0%	10%	0%	10%
TERMINAL (d)	1/15 (7%)	1/10 (10%)	0/10 (0%)	1/10 (10%)	0/10 (0%)	1/10 (10%)
FIRST INCIDENCE	94 (T)	94 (T)	---	94 (T)	---	94 (T)
STATISTICAL TESTS						
POLY 3	P=0.559	P=0.668	P=0.580N	P=0.668	P=0.580N	P=0.668
POLY 1.5	P=0.559	P=0.668	P=0.580N	P=0.668	P=0.580N	P=0.668
POLY 6	P=0.559	P=0.668	P=0.580N	P=0.668	P=0.580N	P=0.668
COCH-ARM / FISHERS	P=0.561	P=0.650	P=0.600N	P=0.650	P=0.600N	P=0.650
MAX-ISO-POLY-3	P=0.615	P=0.395	P=0.229N	P=0.395	P=0.229N	P=0.395

Experiment Number: 20306 - 03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

PCN 66/67 comparison study

CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015

Time Report Requested: 09:34:00

First Dose M/F: NA / 10/13/03

Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS**

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Lung: Alveolus Infiltration Cellular Histiocyte						
LESION RATES						
OVERALL (a)	3/15 (20%)	1/10 (10%)	1/10 (10%)	0/10 (0%)	2/10 (20%)	2/10 (20%)
POLY-3 RATE (b)	3/15.00	1/10.00	1/10.00	0/10.00	2/10.00	2/10.00
POLY-3 PERCENT (g)	20%	10%	10%	0%	20%	20%
TERMINAL (d)	3/15 (20%)	1/10 (10%)	1/10 (10%)	0/10 (0%)	2/10 (20%)	2/10 (20%)
FIRST INCIDENCE	94 (T)	94 (T)	94 (T)	---	94 (T)	94 (T)
STATISTICAL TESTS						
POLY 3	P=0.381	P=0.457N	P=0.457N	P=0.188N	P=0.688	P=0.688
POLY 1.5	P=0.381	P=0.457N	P=0.457N	P=0.188N	P=0.688	P=0.688
POLY 6	P=0.381	P=0.457N	P=0.457N	P=0.188N	P=0.688	P=0.688
COCH-ARM / FISHERS	P=0.378	P=0.468N	P=0.468N	P=0.198N	P=0.687	P=0.687
MAX-ISO-POLY-3	P=0.527	P=0.278N	P=0.278N	P=0.083N	P=1.000	P=1.000

Experiment Number: 20306 - 03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 PCN 66/67 comparison study
 CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015
 Time Report Requested: 09:34:00
 First Dose M/F: NA / 10/13/03
 Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Lung: Interstitium Inflammation Granulomatous						
LESION RATES						
OVERALL (a)	1/15 (7%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/15.00	0/10.00	0/10.00	0/10.00	0/10.00	0/10.00
POLY-3 PERCENT (g)	6.7%	0%	0%	0%	0%	0%
TERMINAL (d)	1/15 (7%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)
FIRST INCIDENCE	94 (T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	P=0.469N	P=0.580N	P=0.580N	P=0.580N	P=0.580N	P=0.580N
POLY 1.5	P=0.469N	P=0.580N	P=0.580N	P=0.580N	P=0.580N	P=0.580N
POLY 6	P=0.469N	P=0.580N	P=0.580N	P=0.580N	P=0.580N	P=0.580N
COCH-ARM / FISHERS	P=0.469N	P=0.600N	P=0.600N	P=0.600N	P=0.600N	P=0.600N
MAX-ISO-POLY-3	P=0.218N	P=0.229N	P=0.229N	P=0.229N	P=0.229N	P=0.229N

Experiment Number: 20306 - 03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

PCN 66/67 comparison study

CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015

Time Report Requested: 09:34:00

First Dose M/F: NA / 10/13/03

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Lymph Node, Mesenteric Atrophy						
LESION RATES						
OVERALL (a)	1/15 (7%)	0/0 (0%)	0/0 (0%)	0/10 (0%)	2/10 (20%)	1/10 (10%)
POLY-3 RATE (b)	1/15.00	0/0.00	0/0.00	0/10.00	2/10.00	1/10.00
POLY-3 PERCENT (g)	6.7%	0%	0%	0%	20%	10%
TERMINAL (d)	1/15 (7%)	0/0 (0%)	0/0 (0%)	0/10 (0%)	2/10 (20%)	1/10 (10%)
FIRST INCIDENCE	94 (T)	---	---	---	94 (T)	94 (T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	P=0.580N	P=0.356	P=0.668
POLY 1.5	(e)	(e)	(e)	P=0.580N	P=0.356	P=0.668
POLY 6	(e)	(e)	(e)	P=0.580N	P=0.356	P=0.668
COCH-ARM / FISHERS	P=0.393	(e)	(e)	P=0.600N	P=0.346	P=0.650
MAX-ISO-POLY-3	(e)	(e)	(e)	P=0.229N	P=0.184	P=0.395

Experiment Number: 20306 - 03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 PCN 66/67 comparison study
 CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015
 Time Report Requested: 09:34:00
 First Dose M/F: NA / 10/13/03
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
 TERMINAL SACRIFICE AT 14 WEEKS**

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Lymph Node, Mesenteric Infiltration Cellular Histiocyte						
LESION RATES						
OVERALL (a)	6/15 (40%)	0/0 (0%)	0/0 (0%)	0/10 (0%)	0/10 (0%)	6/10 (60%)
POLY-3 RATE (b)	6/15.00	0/0.00	0/0.00	0/10.00	0/10.00	6/10.00
POLY-3 PERCENT (g)	40%	0%	0%	0%	0%	60%
TERMINAL (d)	6/15 (40%)	0/0 (0%)	0/0 (0%)	0/10 (0%)	0/10 (0%)	6/10 (60%)
FIRST INCIDENCE	94 (T)	---	---	---	---	94 (T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	P=0.025N*	P=0.025N*	P=0.288
POLY 1.5	(e)	(e)	(e)	P=0.025N*	P=0.025N*	P=0.288
POLY 6	(e)	(e)	(e)	P=0.025N*	P=0.025N*	P=0.288
COCH-ARM / FISHERS	P=0.165	(e)	(e)	P=0.028N*	P=0.028N*	P=0.284
MAX-ISO-POLY-3	(e)	(e)	(e)	P=0.012N*	P=0.012N*	P=0.189

Experiment Number: 20306 - 03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

PCN 66/67 comparison study

CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015

Time Report Requested: 09:34:00

First Dose M/F: NA / 10/13/03

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Ovary: Periovarian Tissue Cyst						
LESION RATES						
OVERALL (a)	1/15 (7%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/15.00	0/10.00	0/10.00	0/10.00	0/10.00	0/10.00
POLY-3 PERCENT (g)	6.7%	0%	0%	0%	0%	0%
TERMINAL (d)	1/15 (7%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)
FIRST INCIDENCE	94 (T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	P=0.469N	P=0.580N	P=0.580N	P=0.580N	P=0.580N	P=0.580N
POLY 1.5	P=0.469N	P=0.580N	P=0.580N	P=0.580N	P=0.580N	P=0.580N
POLY 6	P=0.469N	P=0.580N	P=0.580N	P=0.580N	P=0.580N	P=0.580N
COCH-ARM / FISHERS	P=0.469N	P=0.600N	P=0.600N	P=0.600N	P=0.600N	P=0.600N
MAX-ISO-POLY-3	P=0.218N	P=0.229N	P=0.229N	P=0.229N	P=0.229N	P=0.229N

Experiment Number: 20306 - 03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

PCN 66/67 comparison study

CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015

Time Report Requested: 09:34:00

First Dose M/F: NA / 10/13/03

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Pancreas						
Infiltration Cellular Mononuclear Cell						
LESION RATES						
OVERALL (a)	7/15 (47%)	3/10 (30%)	6/10 (60%)	5/10 (50%)	9/10 (90%)	4/10 (40%)
POLY-3 RATE (b)	7/15.00	3/10.00	6/10.00	5/10.00	9/10.00	4/10.00
POLY-3 PERCENT (g)	46.7%	30%	60%	50%	90%	40%
TERMINAL (d)	7/15 (47%)	3/10 (30%)	6/10 (60%)	5/10 (50%)	9/10 (90%)	4/10 (40%)
FIRST INCIDENCE	94 (T)	94 (T)	94 (T)	94 (T)	94 (T)	94 (T)
STATISTICAL TESTS						
POLY 3	P=0.394	P=0.343N	P=0.406	P=0.593	P=0.028*	P=0.532N
POLY 1.5	P=0.394	P=0.343N	P=0.406	P=0.593	P=0.028*	P=0.532N
POLY 6	P=0.394	P=0.343N	P=0.406	P=0.593	P=0.028*	P=0.532N
COCH-ARM / FISHERS	P=0.397	P=0.341N	P=0.404	P=0.596	P=0.034*	P=0.534N
MAX-ISO-POLY-3	P=0.233	P=0.229N	P=0.282	P=0.442	P=0.015*	P=0.386N

Experiment Number: 20306 - 03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

PCN 66/67 comparison study

CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015

Time Report Requested: 09:34:00

First Dose M/F: NA / 10/13/03

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Pancreas: Acinus						
Atrophy Focal						
LESION RATES						
OVERALL (a)	0/15 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)	1/10 (10%)
POLY-3 RATE (b)	0/15.00	0/10.00	0/10.00	0/10.00	1/10.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	10%	10%
TERMINAL (d)	0/15 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	94 (T)	94 (T)
STATISTICAL TESTS						
POLY 3	P=0.082	(e)	(e)	(e)	P=0.418	P=0.418
POLY 1.5	P=0.082	(e)	(e)	(e)	P=0.418	P=0.418
POLY 6	P=0.082	(e)	(e)	(e)	P=0.418	P=0.418
COCH-ARM / FISHERS	P=0.079	(e)	(e)	(e)	P=0.400	P=0.400
MAX-ISO-POLY-3	P=0.151	(e)	(e)	(e)	P=0.128	P=0.128

Experiment Number: 20306 - 03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

PCN 66/67 comparison study

CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015

Time Report Requested: 09:34:00

First Dose M/F: NA / 10/13/03

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Pituitary Gland						
Hyperplasia Focal						
LESION RATES						
OVERALL (a)	0/15 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)	0/10 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/15.00	0/10.00	0/10.00	1/10.00	0/10.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	10%	0%	0%
TERMINAL (d)	0/15 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)	0/10 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	94 (T)	---	---
STATISTICAL TESTS						
POLY 3	P=0.736N	(e)	(e)	P=0.418	(e)	(e)
POLY 1.5	P=0.736N	(e)	(e)	P=0.418	(e)	(e)
POLY 6	P=0.736N	(e)	(e)	P=0.418	(e)	(e)
COCH-ARM / FISHERS	P=0.737N	(e)	(e)	P=0.400	(e)	(e)
MAX-ISO-POLY-3	P=0.502	(e)	(e)	P=0.128	(e)	(e)

Experiment Number: 20306 - 03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

PCN 66/67 comparison study

CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015

Time Report Requested: 09:34:00

First Dose M/F: NA / 10/13/03

Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS**

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Spleen						
Pigmentation Hemosiderin						
LESION RATES						
OVERALL (a)	15/15 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)
POLY-3 RATE (b)	15/15.00	10/10.00	10/10.00	10/10.00	10/10.00	10/10.00
POLY-3 PERCENT (g)	100%	100%	100%	100%	100%	100%
TERMINAL (d)	15/15 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)
FIRST INCIDENCE	94 (T)	94 (T)	94 (T)	94 (T)	94 (T)	94 (T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	(e)
POLY 1.5	(e)	(e)	(e)	(e)	(e)	(e)
POLY 6	(e)	(e)	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	(e)	(e)	(e)	(e)	(e)	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	(e)

Experiment Number: 20306 - 03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

PCN 66/67 comparison study

CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015

Time Report Requested: 09:34:00

First Dose M/F: NA / 10/13/03

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Stomach, Forestomach Infiltration Cellular Mononuclear Cell						
LESION RATES						
OVERALL (a)	1/15 (7%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/15.00	0/10.00	0/10.00	0/10.00	0/10.00	0/10.00
POLY-3 PERCENT (g)	6.7%	0%	0%	0%	0%	0%
TERMINAL (d)	1/15 (7%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)
FIRST INCIDENCE	94 (T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	P=0.469N	P=0.580N	P=0.580N	P=0.580N	P=0.580N	P=0.580N
POLY 1.5	P=0.469N	P=0.580N	P=0.580N	P=0.580N	P=0.580N	P=0.580N
POLY 6	P=0.469N	P=0.580N	P=0.580N	P=0.580N	P=0.580N	P=0.580N
COCH-ARM / FISHERS	P=0.469N	P=0.600N	P=0.600N	P=0.600N	P=0.600N	P=0.600N
MAX-ISO-POLY-3	P=0.218N	P=0.229N	P=0.229N	P=0.229N	P=0.229N	P=0.229N

Experiment Number: 20306 - 03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 PCN 66/67 comparison study
 CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015
 Time Report Requested: 09:34:00
 First Dose M/F: NA / 10/13/03
 Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Stomach, Glandular Infiltration Cellular Mononuclear Cell						
LESION RATES						
OVERALL (a)	4/15 (27%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	4/15.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	26.7%	0%	0%	0%	0%	0%
TERMINAL (d)	4/15 (27%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	94 (T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.104N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.104N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.104N
COCH-ARM / FISHERS	P=0.066N	(e)	(e)	(e)	(e)	P=0.108N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.048N*

Experiment Number: 20306 - 03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

PCN 66/67 comparison study

CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015

Time Report Requested: 09:34:00

First Dose M/F: NA / 10/13/03

Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Thymus Atrophy						
LESION RATES						
OVERALL (a)	0/15 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	3/10 (30%)
POLY-3 RATE (b)	0/15.00	0/10.00	0/10.00	0/10.00	0/10.00	3/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	30%
TERMINAL (d)	0/15 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	3/10 (30%)
FIRST INCIDENCE	---	---	---	---	---	94 (T)
STATISTICAL TESTS						
POLY 3	P<0.001**	(e)	(e)	(e)	(e)	P=0.040*
POLY 1.5	P<0.001**	(e)	(e)	(e)	(e)	P=0.040*
POLY 6	P<0.001**	(e)	(e)	(e)	(e)	P=0.040*
COCH-ARM / FISHERS	P<0.001**	(e)	(e)	(e)	(e)	P=0.052
MAX-ISO-POLY-3	P<0.001**	(e)	(e)	(e)	(e)	P=0.013*

Experiment Number: 20306 - 03
 Test Type: 90-DAY
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 PCN 66/67 comparison study
 CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015
 Time Report Requested: 09:34:00
 First Dose M/F: NA / 10/13/03
 Lab: BAT

STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN RATS(F 344/N)
TERMINAL SACRIFICE AT 14 WEEKS

DOSE	Females					
	0 NG/KG	1000 NG/KG 67	10,000 NG/KG 67	50,000 NG/KG 67	100,000 NG/KG 67	200,000 NG/KG 67
Urinary Bladder						
Infiltration Cellular Lymphocyte						
LESION RATES						
OVERALL (a)	1/15 (7%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/15.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	6.7%	0%	0%	0%	0%	0%
TERMINAL (d)	1/15 (7%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	94 (T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.580N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.580N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.580N
COCH-ARM / FISHERS	P=0.377N	(e)	(e)	(e)	(e)	P=0.600N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.229N

Experiment Number: 20306 - 03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: RATS/F 344/N

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

PCN 66/67 comparison study

CAS Number: PCNCOMPARISN

Date Report Requested: 08/27/2015

Time Report Requested: 09:34:00

First Dose M/F: NA / 10/13/03

Lab: BAT

LEGEND

- (a) Number of tumor-bearing animals/number of animals examined at site.
 - (b) Number of tumor-bearing animals/Poly-3 number
 - (d) Observed incidence at terminal kill.
 - (e) Value of statistic cannot be computed.
 - (f) Beneath the control incidence are the P-values associated with the trend test. Beneath the dosed group incidence are the P-values corresponding to pairwise comparisons between the controls and that dosed group.
 - (g) Poly-3 adjusted lifetime tumor incidence.
 - (n) No statistics are calculated if all dose groups have fewer than two tumors.
 - (I) Interim sacrifice
 - (T) Terminal sacrifice
 - # Tumor rates based on numbers of animals necropsied.
 - * To the right of any statistical result, indicates significance at ($P \leq 0.05$).
 - ** To the right of any statistical result, indicates significance at ($P \leq 0.01$).
 - N Indicates a negative trend for all tests
- The Cochran-Armitage and Fishers exact tests compare directly the overall incidence rates.

*** END OF REPORT ***