| Experiment Number: 88127-02 Test Type: 14-DAY Route: SKIN APPLICATION Species/Strain: Mouse/B6C3F1 | P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b] Test Compound: Pentaerythritol triacrylate CAS Number: 3524-68-3 | Date Report Requested: 10/16/2014 Time Report Requested: 19:36:40 First Dose M/F: NA / NA Lab: BAT |
|---|---|---|
| C Number: | C88127 | |
| Lock Date: | 11/13/1997 | |
| Cage Range: | All | |
| Date Range: | All | |
| Reasons For Removal: | All | |
| Removal Date Range: | All | |
| Treatment Groups: | All | |
| Study Gender: | Both | |
| PWG Approval Date | NONE | |

| Experiment Number: 88127-02 Test Type: 14-DAY Route: SKIN APPLICATION Species/Strain: Mouse/B6C3F1 | P18: INCIDENCE I | AVERAGE SE Test Compound | ASTIC LESIONS BY A VERITY GRADES[b] : Pentaerythritol triacrylate nber: 3524-68-3 | Time Report Req | I Date Report Requested: 10/16/2014 Time Report Requested: 19:36:40 First Dose M/F: NA / NA Lab: BAT | | |
|---|------------------|-----------------------------|--|-----------------|---|-----------|--|
| B6C3F1 Mouse MALE | 0 MG/KG | 12.5 MG/KG | 25 MG/KG | 50 MG/KG | 100 MG/KG | 200 MG/KG | |
| Disposition Summary | | | | | | | |
| Animals Initially In Study Early Deaths Survivors | 5 | 5 | 5 | 5 | 5 | 5 | |
| Terminal Sacrifice | 5 | 5 | 5 | 5 | 5 | 5 | |
| Animals Examined Microscopically | 5 | 5 | 5 | 5 | 5 | 5 | |
| ALIMENTARY SYSTEM None | | | | | | | |
| CARDIOVASCULAR SYSTEM None | | | | | | | |
| ENDOCRINE SYSTEM None | | | | | | | |
| GENERAL BODY SYSTEM None | | | | | | | |
| GENITAL SYSTEM None | | | | | | | |
| HEMATOPOIETIC SYSTEM | | | | | | | |
| Thymus | (5) | (5) | (5) | (5) | (5) | (5) | |
| INTEGUMENTARY SYSTEM | | | | | | | |
| Skin | (5) | (5) | (5) | (5) | (5) | (5) | |
| Dermis, SOA, Inflammation, Chronic Active | | | 4 [1.0] | 2 [1.5] | 3 [2.0] | 5 [2.4] | |
| Epidermis, SOA, Degeneration | | | 3 [1.0] | 1 [1.0] | 1 [1.0] | 4 [1.3] | |
| Epidermis, SOA, Hyperkeratosis | | 2 [1.5] | 5 [1.2] | 5 [1.2] | 3 [2.0] | | |
| Epidermis, SOA, Hyperplasia | | 5 [1.6] | 5 [1.8] | 5 [2.0] | 5 [3.4] | 5 [3.8] | |
| Epidermis, SOA, Inflammation, Suppurative | | | 3 [1.0] | 4 [1.0] | 5 [2.4] | 5 [3.4] | |
| Epidermis, SOA, Parakeratosis | | 4 [1.0] | 5 [2.0] | 2 [1.5] | 2 [2.0] | 4 [3.8] | |

a - Number of animals examined microscopically at site and number of animals with lesion

| Experiment Number: 88127-02 Test Type: 14-DAY Route: SKIN APPLICATION Species/Strain: Mouse/B6C3F1 | P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b] Test Compound: Pentaerythritol triacrylate CAS Number: 3524-68-3 | | | | | Date Report Requested: 10/16/2014 Time Report Requested: 19:36:40 First Dose M/F: NA / NA Lab: BAT | | | |
|---|---|------|-------|----------|----------|---|----------------|-----|---------|
| B6C3F1 Mouse MALE | 0 MG/KG | 12.5 | MG/KG | 25 MG/KG | 50 MG/KG | 100 | MG/KG | 200 | MG/KG |
| SOA, Sebaceous GI, Hyperplasia SOA, Ulcer | | 5 | [3.0] | 5 [2.2] | 3 [1.3] | | [1.0] [2.6] | Ę | 5 [3.2] |
| MUSCULOSKELETAL SYSTEM None | | | | | | | | | |
| NERVOUS SYSTEM None | | | | | | | | | |
| RESPIRATORY SYSTEM None | | | | | | | | | |
| SPECIAL SENSES SYSTEM None | | | | | | | | | |
| URINARY SYSTEM None | | | | | | | | | |

END OF MALE DATA

a - Number of animals examined microscopically at site and number of animals with lesion

| Experiment Number: 88127-02 Test Type: 14-DAY Route: SKIN APPLICATION Species/Strain: Mouse/B6C3F1 | P18: INCIDENCE F | DENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b] Test Compound: Pentaerythritol triacrylate CAS Number: 3524-68-3 | | | | I Date Report Requested: 10/16/2014 Time Report Requested: 19:36:40 First Dose M/F: NA / NA Lab: BAT | | |
|---|------------------|--|--------------------|---------------------------|---------------------------|---|--|--|
| B6C3F1 Mouse FEMALE | 0 MG/KG | 12.5 MG/KG | 25 MG/KG | 50 MG/KG | 100 MG/KG | 200 MG/KG | | |
| Disposition Summary | | | | | | | | |
| Animals Initially In Study Early Deaths Survivors | 5 | 5 | 5 | 5 | 5 | 5 | | |
| Terminal Sacrifice | 5 | 5 | 5 | 5 | 5 | 5 | | |
| Animals Examined Microscopically | 5 | 5 | 5 | 5 | 5 | 5 | | |
| ALIMENTARY SYSTEM None | | | | | | | | |
| CARDIOVASCULAR SYSTEM None | | | | | | | | |
| ENDOCRINE SYSTEM None | | | | | | | | |
| GENERAL BODY SYSTEM None | | | | | | | | |
| GENITAL SYSTEM None | | | | | | | | |
| HEMATOPOIETIC SYSTEM | | | | | | | | |
| Thymus Atrophy | (5) | (5) | (5) 1 [2.0] | (4) | (5) | (5) | | |
| INTEGUMENTARY SYSTEM | | | | | | | | |
| Skin Dermis, SOA, Inflammation, Chronic Active Epidermis, SOA, Degeneration | (5) | (5) | (5) 1 [1.0] | (5) 2 [1.5] 1 [1.0] | (5) 3 [2.3] 1 [1.0] | (5) 4 [2.5] 3 [1.0] | | |
| Epidermis, SOA, Hyperkeratosis | | 5 [1.4] | 3 [1.0] | 1 [2.0] | 3 [2.3] | 0[1.0] | | |
| Epidermis, SOA, Hyperplasia Epidermis, SOA, Inflammation, Suppurative | | 5 [1.8] | 5 [1.0] 1 [1.0] | 5 [2.6] 3 [1.3] | 5 [3.4] 5 [2.2] | 5 [3.6] 4 [3.0] | | |

a - Number of animals examined microscopically at site and number of animals with lesion

| Experiment Number: 88127-02 Test Type: 14-DAY Route: SKIN APPLICATION Species/Strain: Mouse/B6C3F1 B6C3F1 Mouse FEMALE | P18: INCIDENCE F | Date Report Requested: 10/16/2014 Time Report Requested: 19:36:40 First Dose M/F: NA / NA Lab: BAT | | | | |
|--|------------------|---|----------|----------|-----------|-----------|
| | 0 MG/KG | 12.5 MG/KG | 25 MG/KG | 50 MG/KG | 100 MG/KG | 200 MG/KG |
| Epidermis, SOA, Parakeratosis | | | 2 [1.5] | 3 [2.0] | 4 [1.5] | 5 [3.2] |
| SOA, Sebaceous GI, Hyperplasia | | 5 [2.8] | 5 [2.6] | 5 [2.6] | 3 [3.0] | 1 [3.0] |
| SOA, Ulcer | | | | 1 [1.0] | 1 [3.0] | 5 [2.4] |
| MUSCULOSKELETAL SYSTEM None | | | | | | |
| NERVOUS SYSTEM None | | | | | | |
| RESPIRATORY SYSTEM None | | | | | | |
| SPECIAL SENSES SYSTEM None | | | | | | |
| URINARY SYSTEM None | | | | | | |

** END OF REPORT **

a - Number of animals examined microscopically at site and number of animals with lesion