

Experiment Number: 99032-02
Test Type: 90-DAY
Route: SKIN APPLICATION
Species/Strain: Mouse/B6C3F1

**P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS
ABRIDGED) (a)**

Test Compound: Pyrogallol
CAS Number: 87-66-1

Date Report Requested: 10/22/2014
Time Report Requested: 15:06:46
First Dose M/F: NA / NA
Lab: BAT

| | |
|-----------------------------|------------|
| C Number: | C99032 |
| Lock Date: | 06/02/2004 |
| Cage Range: | All |
| Date Range: | All |
| Reasons For Removal: | All |
| Removal Date Range: | All |
| Treatment Groups: | All |
| Study Gender: | Both |
| PWG Approval Date | NONE |

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:06:46
 First Dose M/F: NA / NA
 Lab: BAT

| B6C3F1 Mouse MALE | 0 | MG/KG | 38 | MG/KG | 75 | MG/KG | 150 | MG/KG | 300 | MG/KG | 600 | MG/KG |
|----------------------------------|------|-------|-----|-------|-----|-------|-----|-------|-----|-------|------|-------|
| Disposition Summary | | | | | | | | | | | | |
| Animals Initially In Study | 10 | | 10 | | 10 | | 10 | | 10 | | 10 | |
| Early Deaths | | | | | | | | | | | | |
| Survivors | | | | | | | | | | | | |
| Terminal Sacrifice | 10 | | 10 | | 10 | | 10 | | 10 | | 10 | |
| Animals Examined Microscopically | 10 | | 10 | | 10 | | 10 | | 10 | | 10 | |
| ALIMENTARY SYSTEM | | | | | | | | | | | | |
| Esophagus | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Gallbladder | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Intestine Large, Cecum | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Intestine Large, Colon | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Intestine Large, Rectum | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Intestine Small, Duodenum | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Intestine Small, Ileum | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Intestine Small, Jejunum | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Liver | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Pancreas | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Salivary Glands | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Stomach, Forestomach | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Stomach, Glandular | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | |
| Blood Vessel | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Heart | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | |
| Adrenal Cortex | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Adrenal Medulla | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |

a - Number of animals examined microscopically at site and number of animals with lesion

b - Primary tumors: all tumors except metastatic tumors

* Number of animals with any tissue examined microscopically

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:06:46

First Dose M/F: NA / NA

Lab: BAT

| B6C3F1 Mouse MALE | 0 | MG/KG | 38 | MG/KG | 75 | MG/KG | 150 | MG/KG | 300 | MG/KG | 600 | MG/KG |
|-------------------------------|----------|--------------|-----------|--------------|-----------|--------------|------------|--------------|------------|--------------|------------|--------------|
| Islets, Pancreatic | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Parathyroid Gland | (5) | | (0) | | (0) | | (0) | | (0) | | (6) | |
| Pituitary Gland | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Thyroid Gland | (10) | | (0) | | (0) | | (0) | | (10) | | (10) | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | |
| None | | | | | | | | | | | | |
| GENITAL SYSTEM | | | | | | | | | | | | |
| Epididymis | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Preputial Gland | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Prostate | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Seminal Vesicle | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Testes | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| HEMATOPOIETIC SYSTEM | | | | | | | | | | | | |
| Bone Marrow | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Lymph Node, Mandibular | (9) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Lymph Node, Mesenteric | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Spleen | (10) | | (10) | | (10) | | (10) | | (10) | | (10) | |
| Thymus | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | |
| Skin | (10) | | (10) | | (10) | | (10) | | (10) | | (10) | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | |
| Bone | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| NERVOUS SYSTEM | | | | | | | | | | | | |
| Brain | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | |

a - Number of animals examined microscopically at site and number of animals with lesion

b - Primary tumors: all tumors except metastatic tumors

* Number of animals with any tissue examined microscopically

Experiment Number: 99032-02
Test Type: 90-DAY
Route: SKIN APPLICATION
Species/Strain: Mouse/B6C3F1

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)
Test Compound: Pyrogallol
CAS Number: 87-66-1

Date Report Requested: 10/22/2014
Time Report Requested: 15:06:46
First Dose M/F: NA / NA
Lab: BAT

| B6C3F1 Mouse MALE | 0 | MG/KG | 38 | MG/KG | 75 | MG/KG | 150 | MG/KG | 300 | MG/KG | 600 | MG/KG |
|------------------------------|----------|--------------|-----------|--------------|-----------|--------------|------------|--------------|------------|--------------|------------|--------------|
| Lung | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Nose | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Trachea | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | |
| Eye | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Harderian Gland | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| URINARY SYSTEM | | | | | | | | | | | | |
| Kidney | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Urinary Bladder | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |

a - Number of animals examined microscopically at site and number of animals with lesion

b - Primary tumors: all tumors except metastatic tumors

* Number of animals with any tissue examined microscopically

Experiment Number: 99032-02
Test Type: 90-DAY
Route: SKIN APPLICATION
Species/Strain: Mouse/B6C3F1

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)
Test Compound: Pyrogallol
CAS Number: 87-66-1

Date Report Requested: 10/22/2014
Time Report Requested: 15:06:46
First Dose M/F: NA / NA
Lab: BAT

| B6C3F1 Mouse MALE | 0 | MG/KG | 38 | MG/KG | 75 | MG/KG | 150 | MG/KG | 300 | MG/KG | 600 | MG/KG |
|--------------------------|----------|--------------|-----------|--------------|-----------|--------------|------------|--------------|------------|--------------|------------|--------------|
|--------------------------|----------|--------------|-----------|--------------|-----------|--------------|------------|--------------|------------|--------------|------------|--------------|

Tumor Summary for MALE

Total Animals with Primary Neoplasms (b)
Total Primary Neoplasms

Total Animals with Benign Neoplasms
Total Benign Neoplasms

Total Animals with Malignant Neoplasms
Total Malignant Neoplasms

Total Animals with Metastatic Neoplasms
Total Metastatic Neoplasms

**Total Animals with Malignant Neoplasms
Uncertain Primary Site**

**Total Animals with Neoplasms Uncertain -
Benign or Malignant**
Total Uncertain Neoplasms

END OF MALE DATA

a - Number of animals examined microscopically at site and number of animals with lesion

b - Primary tumors: all tumors except metastatic tumors

* Number of animals with any tissue examined microscopically

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:06:46
 First Dose M/F: NA / NA
 Lab: BAT

| B6C3F1 Mouse FEMALE | 0 | MG/KG | 38 | MG/KG | 75 | MG/KG | 150 | MG/KG | 300 | MG/KG | 600 | MG/KG |
|----------------------------------|------|-------|-----|-------|-----|-------|-----|-------|-----|-------|------|-------|
| Disposition Summary | | | | | | | | | | | | |
| Animals Initially In Study | 10 | | 10 | | 10 | | 10 | | 10 | | 10 | |
| Early Deaths | | | | | | | | | | | | |
| Survivors | | | | | | | | | | | | |
| Terminal Sacrifice | 10 | | 10 | | 10 | | 10 | | 10 | | 10 | |
| Animals Examined Microscopically | 10 | | 10 | | 10 | | 10 | | 10 | | 10 | |
| ALIMENTARY SYSTEM | | | | | | | | | | | | |
| Esophagus | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Gallbladder | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Intestine Large, Cecum | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Intestine Large, Colon | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Intestine Large, Rectum | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Intestine Small, Duodenum | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Intestine Small, Ileum | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Intestine Small, Jejunum | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Liver | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Pancreas | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Salivary Glands | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Stomach, Forestomach | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Stomach, Glandular | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | |
| Blood Vessel | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Heart | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | |
| Adrenal Cortex | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Adrenal Medulla | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |

a - Number of animals examined microscopically at site and number of animals with lesion

b - Primary tumors: all tumors except metastatic tumors

* Number of animals with any tissue examined microscopically

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:06:46

First Dose M/F: NA / NA

Lab: BAT

| B6C3F1 Mouse FEMALE | 0 | MG/KG | 38 | MG/KG | 75 | MG/KG | 150 | MG/KG | 300 | MG/KG | 600 | MG/KG |
|-------------------------------|----------|--------------|-----------|--------------|-----------|--------------|------------|--------------|------------|--------------|------------|--------------|
| Islets, Pancreatic | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Parathyroid Gland | (8) | | (0) | | (0) | | (0) | | (0) | | (9) | |
| Pituitary Gland | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Thyroid Gland | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | |
| None | | | | | | | | | | | | |
| GENITAL SYSTEM | | | | | | | | | | | | |
| Clitoral Gland | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Ovary | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Uterus | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| HEMATOPOIETIC SYSTEM | | | | | | | | | | | | |
| Bone Marrow | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Lymph Node, Mandibular | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Lymph Node, Mesenteric | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Spleen | (10) | | (10) | | (10) | | (10) | | (10) | | (10) | |
| Thymus | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | |
| Mammary Gland | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| Skin | (10) | | (10) | | (10) | | (10) | | (10) | | (10) | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | |
| Bone | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| NERVOUS SYSTEM | | | | | | | | | | | | |
| Brain | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | |
| Lung | (10) | | (0) | | (0) | | (0) | | (0) | | (10) | |

a - Number of animals examined microscopically at site and number of animals with lesion

b - Primary tumors: all tumors except metastatic tumors

* Number of animals with any tissue examined microscopically

Experiment Number: 99032-02
Test Type: 90-DAY
Route: SKIN APPLICATION
Species/Strain: Mouse/B6C3F1

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)
Test Compound: Pyrogallol
CAS Number: 87-66-1

Date Report Requested: 10/22/2014
Time Report Requested: 15:06:46
First Dose M/F: NA / NA
Lab: BAT

| B6C3F1 Mouse FEMALE | 0 | MG/KG | 38 | MG/KG | 75 | MG/KG | 150 | MG/KG | 300 | MG/KG | 600 | MG/KG |
|------------------------------|----------|--------------|-----------|--------------|-----------|--------------|------------|--------------|------------|--------------|------------|--------------|
| Alveolar/Bronchiolar Adenoma | 1 | (10%) | | | | | | | | | | |
| Nose | | (10) | | (0) | | (0) | | (0) | | (0) | | (10) |
| Trachea | | (10) | | (0) | | (0) | | (0) | | (0) | | (10) |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | |
| Ear | | (1) | | (0) | | (0) | | (0) | | (0) | | (0) |
| Eye | | (10) | | (0) | | (0) | | (0) | | (0) | | (10) |
| Harderian Gland | | (10) | | (0) | | (0) | | (0) | | (0) | | (10) |
| URINARY SYSTEM | | | | | | | | | | | | |
| Kidney | | (10) | | (0) | | (0) | | (0) | | (0) | | (10) |
| Urinary Bladder | | (10) | | (0) | | (0) | | (0) | | (0) | | (10) |

a - Number of animals examined microscopically at site and number of animals with lesion

b - Primary tumors: all tumors except metastatic tumors

* Number of animals with any tissue examined microscopically

Experiment Number: 99032-02
Test Type: 90-DAY
Route: SKIN APPLICATION
Species/Strain: Mouse/B6C3F1

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)
Test Compound: Pyrogallol
CAS Number: 87-66-1

Date Report Requested: 10/22/2014
Time Report Requested: 15:06:46
First Dose M/F: NA / NA
Lab: BAT

| B6C3F1 Mouse FEMALE | 0 | MG/KG | 38 | MG/KG | 75 | MG/KG | 150 | MG/KG | 300 | MG/KG | 600 | MG/KG |
|--|----------|--------------|-----------|--------------|-----------|--------------|------------|--------------|------------|--------------|------------|--------------|
| Tumor Summary for FEMALE | | | | | | | | | | | | |
| Total Animals with Primary Neoplasms (b) | 1 | | | | | | | | | | | |
| Total Primary Neoplasms | 1 | | | | | | | | | | | |
| Total Animals with Benign Neoplasms | 1 | | | | | | | | | | | |
| Total Benign Neoplasms | 1 | | | | | | | | | | | |
| Total Animals with Malignant Neoplasms | | | | | | | | | | | | |
| Total Malignant Neoplasms | | | | | | | | | | | | |
| Total Animals with Metastatic Neoplasms | | | | | | | | | | | | |
| Total Metastatic Neoplasms | | | | | | | | | | | | |
| Total Animals with Malignant Neoplasms Uncertain Primary Site | | | | | | | | | | | | |
| Total Animals with Neoplasms Uncertain - Benign or Malignant | | | | | | | | | | | | |
| Total Uncertain Neoplasms | | | | | | | | | | | | |

**** END OF REPORT ****

a - Number of animals examined microscopically at site and number of animals with lesion

b - Primary tumors: all tumors except metastatic tumors

* Number of animals with any tissue examined microscopically