

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:34

First Dose M/F: NA / NA

Lab: BAT

C Number: C99032
Lock Date: 06/02/2004
Cage Range: All
Date Range: All
Reasons For Removal: All
Removal Date Range: All
Treatment Groups: All
Study Gender: Both
PWG Approval Date NONE

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:34

First Dose M/F: NA / NA

Lab: BAT

B6C3F1 Mouse Male
0 MG/KG

DAY ON TEST										
	0	0	0	0	0	0	0	0	0	0
ANIMAL ID	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	1
	1	2	3	4	5	6	7	8	9	0

*TOTALS

Alimentary System

Esophagus	+	+	+	+	+	+	+	+	+	10
Gallbladder	+	+	+	+	+	+	+	+	+	10
Intestine Large, Cecum	+	+	+	+	+	+	+	+	+	10
Intestine Large, Colon	+	+	+	+	+	+	+	+	+	10
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	10
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	10
Intestine Small, Ileum	+	+	+	+	+	+	+	+	+	10
Intestine Small, Jejunum	+	+	+	+	+	+	+	+	+	10
Liver	+	+	+	+	+	+	+	+	+	10
Hematopoietic Cell Proliferation				1			1			2 1.0
Inflammation						1				1 1.0

Pancreas	+	+	+	+	+	+	+	+	+	10
Salivary Glands	+	+	+	+	+	+	+	+	+	10
Stomach, Forestomach	+	+	+	+	+	+	+	+	+	10
Stomach, Glandular	+	+	+	+	+	+	+	+	+	10

Cardiovascular System

Blood Vessel	+	+	+	+	+	+	+	+	+	10
Heart	+	+	+	+	+	+	+	+	+	10

Endocrine System

Adrenal Cortex	+	+	+	+	+	+	+	+	+	10
----------------	---	---	---	---	---	---	---	---	---	----

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:34

First Dose M/F: NA / NA

Lab: BAT

**B6C3F1 Mouse Male
0 MG/KG**

DAY ON TEST										
	0	0	0	0	0	0	0	0	0	0
ANIMAL ID	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	1
	1	2	3	4	5	6	7	8	9	0

***TOTALS**

Subcapsular, Hyperplasia	1	1	1	1	1	1	5	1.0
Adrenal Medulla	+	+	+	+	+	+	+	+
Islets, Pancreatic	+	+	+	+	+	+	+	+
Parathyroid Gland	M	+	+	M	M	M	M	+
Pituitary Gland	+	+	+	+	+	+	+	+
Thyroid Gland	+	+	+	+	+	+	+	+
Infiltration Cellular, Lymphoid	3					1	3.0	

General Body System

NONE

Genital System

Epididymis	+	+	+	+	+	+	+	+	+	10
Preputial Gland	+	+	+	+	+	+	+	+	+	10
Inflammation						1				1 1.0
Prostate	+	+	+	+	+	+	+	+	+	10
Seminal Vesicle	+	+	+	+	+	+	+	+	+	10
Testes	+	+	+	+	+	+	+	+	+	10

Hematopoietic System

Bone Marrow	+	+	+	+	+	+	+	+	+	10
Lymph Node, Mandibular	+	+	+	+	+	+	+	+	M	9
Lymph Node, Mesenteric	+	+	+	+	+	+	+	+	+	10
Spleen	+	+	+	+	+	+	+	+	+	10

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:34

First Dose M/F: NA / NA

Lab: BAT

**B6C3F1 Mouse Male
0 MG/KG**

DAY ON TEST	ANIMAL ID										*TOTALS
	0	0	0	0	0	0	0	0	0	0	
9	9	9	9	9	9	9	9	9	9	9	9
3	3	3	3	3	3	3	3	3	3	3	3
0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	1
1	2	3	4	5	6	7	8	9	0		

Thymus

+ + + + + + + + + + 10

Integumentary System

Mammary Gland

M M M M M M M M M M 0

Skin

+ + + + + + + + + + 10

Musculoskeletal System

Bone

+ + + + + + + + + + 10

Nervous System

Brain

+ + + + + + + + + + 10

Respiratory System

Lung

+ + + + + + + + + + 10

Nose

+ + + + + + + + + + 10

Trachea

+ + + + + + + + + + 10

Special Senses System

Eye

+ + + + + + + + + + 10

Harderian Gland

+ + + + + + + + + + 10

Urinary System

Kidney

+ + + + + + + + + + 10

Inflammation

1 1 1 1 1 1 1 1 1 1 4 1.0

Renal Tubule, Vacuolization Cytoplasmic

2 2 1 1 1 2 1 1 2 2 10 1.5

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:34

First Dose M/F: NA / NA

Lab: BAT

**B6C3F1 Mouse Male
0 MG/KG**

| DAY ON TEST | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|-------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| *TOTALS | | | | | | | | | | |
| Urinary Bladder Inflammation | + | + | + | + | + | + | + | + | + | 10 |
| | | | | | | | | | | 1 1.0 |

Urinary Bladder
Inflammation

+ + + + + + + + + + 10
1 1.0

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:34

First Dose M/F: NA / NA

Lab: BAT

**B6C3F1 Mouse Male
38 MG/KG**

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

Alimentary System

NONE

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

NONE

Hematopoietic System

Spleen

+ + + + + + + + + + 10

Integumentary System

Skin

+ + + + + + + + + + 10

SOA, Hyperkeratosis

1 1 1 1 1 1 1 1 1 1 10 1.0

SOA, Hyperplasia, Squamous

1 1 1 1 1 1 1 1 1 1 10 1.0

SOA, Inflammation, Chronic Active

1 1 1 2 2 1 1 1 1 2 10 1.3

Musculoskeletal System

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:34

First Dose M/F: NA / NA

Lab: BAT

**B6C3F1 Mouse Male
38 MG/KG**

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

NONE

Nervous System

NONE

Respiratory System

NONE

Special Senses System

NONE

Urinary System

NONE

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:34

First Dose M/F: NA / NA

Lab: BAT

**B6C3F1 Mouse Male
75 MG/KG**

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

Alimentary System

NONE

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

NONE

Hematopoietic System

Spleen

+ + + + + + + + + + 10

1 1 2 1.0

Integumentary System

Skin

+ + + + + + + + + + 10

10 1.0

SOA, Hyperkeratosis

1 1 1 1 1 1 1 1 1 1 10 1.0

SOA, Hyperplasia, Squamous

1 1 1 1 1 1 1 1 1 1 10 1.0

SOA, Inflammation, Chronic Active

1 1 1 1 1 2 1 2 2 2 10 1.4

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:34

First Dose M/F: NA / NA

Lab: BAT

**B6C3F1 Mouse Male
75 MG/KG**

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

Musculoskeletal System

NONE

Nervous System

NONE

Respiratory System

NONE

Special Senses System

NONE

Urinary System

NONE

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:34

First Dose M/F: NA / NA

Lab: BAT

**B6C3F1 Mouse Male
150 MG/KG**

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

Alimentary System

NONE

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

NONE

Hematopoietic System

Spleen

+

+

+

+

+

+

+

+

+

10

1

1

2

1.0

Integumentary System

Skin

+

+

+

+

+

+

+

+

+

10

SOA, Hyperkeratosis

1 1 1 1 1 1 1 1 1 1

10

1.0

SOA, Hyperplasia, Squamous

1 1 1 1 1 1 1 1 2 1

10

1.1

SOA, Inflammation, Chronic Active

2 2 2 2 2 1 1 1 1 1

10

1.5

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:34

First Dose M/F: NA / NA

Lab: BAT

**B6C3F1 Mouse Male
150 MG/KG**

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

Musculoskeletal System

NONE

Nervous System

NONE

Respiratory System

NONE

Special Senses System

NONE

Urinary System

NONE

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:34

First Dose M/F: NA / NA

Lab: BAT

**B6C3F1 Mouse Male
300 MG/KG**

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

Alimentary System

NONE

Cardiovascular System

NONE

Endocrine System

Thyroid Gland

+ + + + + + + + + + 10

General Body System

NONE

Genital System

NONE

Hematopoietic System

Spleen

+ + + + + + + + + + 10

3 2.0

Hematopoietic Cell Proliferation 2 2 2

Integumentary System

Skin

+ + + + + + + + + + 10

SOA, Hyperkeratosis 1 1 1 1 1 1 1 2 1 2

10 1.2

SOA, Hyperplasia, Squamous 2 2 1 2 1 2 1 2 2 1

10 1.6

SOA, Inflammation, Chronic Active 2 2 1 2 2 2 1 2 2 1

10 1.7

SOA, Ulcer 2

1 2.0

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:34

First Dose M/F: NA / NA

Lab: BAT

**B6C3F1 Mouse Male
300 MG/KG**

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

Musculoskeletal System

NONE

Nervous System

NONE

Respiratory System

NONE

Special Senses System

NONE

Urinary System

NONE

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:34

First Dose M/F: NA / NA

Lab: BAT

B6C3F1 Mouse Male
600 MG/KG

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

TOTALS*Alimentary System**

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|-------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | 10 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | 10 |
| Infiltration Cellular, Polymorphnuclear | | | | | | 2 | | | | | 1 2.0 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | 10 |
| Peyers Patch, Hyperplasia, Lymphoid | | | | 2 | | | | | | | 1 2.0 |
| Liver | + | + | + | + | + | + | + | + | + | + | 10 |
| Hematopoietic Cell Proliferation | 1 | 1 | | | | | | | | | 2 1.0 |
| Inflammation | | 1 | | 1 | 1 | | | | | | 3 1.0 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | 10 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | 10 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | 10 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | 10 |

Cardiovascular System

| | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | 10 |
| Heart | + | + | + | + | + | + | + | + | + | + | 10 |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:34

First Dose M/F: NA / NA

Lab: BAT

**B6C3F1 Mouse Male
600 MG/KG**

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

Endocrine System

| | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|-------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | 10 |
| Hyperplasia | 2 | | | | | | | | | | 1 2.0 |
| Subcapsular, Hyperplasia | 2 | 1 | | 1 | 1 | 1 | | 1 | 1 | 2 | 8 1.3 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | 10 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | 10 |
| Parathyroid Gland | + | + | M | + | + | M | + | M | M | + | 6 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | 10 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | 10 |

General Body System

NONE

Genital System

| | | | | | | | | | | | |
|---------------------------------------|---|---|---|---|---|---|---|---|---|---|-------|
| Epididymis | + | + | + | + | + | + | + | + | + | + | 10 |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | 10 |
| Prostate | + | + | + | + | + | + | + | + | + | + | 10 |
| Infiltration Cellular, Mononuclear Cl | | | | | | | 2 | | | | 1 2.0 |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | 10 |
| Testes | + | + | + | + | + | + | + | + | + | + | 10 |

Hematopoietic System

| | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | 10 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | 10 |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:35

First Dose M/F: NA / NA

Lab: BAT

B6C3F1 Mouse Male
600 MG/KG

| DAY ON TEST | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
|-------------|---------------------|--|--|--|--|--|--|--|--|--|
| | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
| ANIMAL ID | 9 9 9 9 9 9 9 9 9 9 | | | | | | | | | |
| | 3 3 3 3 3 3 3 3 3 3 | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 6 | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | |

***TOTALS**

| | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|-------|
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | 10 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | 10 |
| Spleen | + | + | + | + | + | + | + | + | + | + | 10 |
| Hematopoietic Cell Proliferation | 2 | 2 | | 2 | | 2 | | 2 | 2 | 2 | 6 2.0 |
| Thymus | + | + | + | + | + | + | + | + | + | + | 10 |

Integumentary System

| | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|--------|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | 0 |
| Skin | + | + | + | + | + | + | + | + | + | + | 10 |
| SOA, Hyperkeratosis | 2 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 2 | 2 | 10 1.5 |
| SOA, Hyperplasia, Squamous | 3 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 10 2.2 |
| SOA, Inflammation, Chronic Active | 3 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 10 2.2 |
| SOA, Ulcer | | | | | | | 2 | | 2 | | 2 2.0 |

Musculoskeletal System

| | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | 10 |
|------|---|---|---|---|---|---|---|---|---|---|----|

Nervous System

| | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | 10 |
|-------|---|---|---|---|---|---|---|---|---|---|----|

Respiratory System

| | | | | | | | | | | | |
|----------------------|---|---|---|---|---|---|---|---|---|---|-------|
| Lung | + | + | + | + | + | + | + | + | + | + | 10 |
| Serosa, Inflammation | | | | | | | | 1 | | | 1 1.0 |
| Nose | + | + | + | + | + | + | + | + | + | + | 10 |
| Trachea | + | + | + | + | + | + | + | + | + | + | 10 |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:35

First Dose M/F: NA / NA

Lab: BAT

**B6C3F1 Mouse Male
600 MG/KG**

| DAY ON TEST | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

Special Senses System

Eye + + + + + + + + + + 10

Harderian Gland + + + + + + + + + + 10

Urinary System

Kidney + + + + + + + + + + 10

Inflammation 1 1 1 1 1 1 5 1.0

Nephropathy 1 2 2 1.5

Renal Tubule, Vacuolization Cytoplasmic 2 1 2 1 1 1 2 2 9 1.4

Urinary Bladder + + + + + + + + + + 10

Inflammation 1 2 2 1.5

END OF MALE DATA

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:35

First Dose M/F: NA / NA

Lab: BAT

| B6C3F1 Mouse Female
0 MG/KG | DAY ON TEST | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
|--------------------------------|-------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| | | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
| | ANIMAL ID | 9 9 9 9 9 9 9 9 9 9 | 3 3 3 3 3 3 3 3 3 3 | 0 0 0 0 0 0 0 0 0 0 | 0 0 0 0 0 0 0 0 0 0 | 0 0 0 0 0 0 0 0 0 0 | 0 0 0 0 0 0 0 0 0 0 | 0 0 0 0 0 0 0 0 0 0 | 0 0 0 0 0 0 0 0 0 0 | 0 0 0 0 0 0 0 0 0 0 | 0 0 0 0 0 0 0 0 0 0 |
| | | 6 6 6 6 6 6 6 6 6 6 | 1 2 3 4 5 6 7 8 9 0 | 2 2 2 2 2 2 2 2 2 2 | 1 1 1 1 1 1 1 1 1 1 | 1 1 1 1 1 1 1 1 1 1 | 1 1 1 1 1 1 1 1 1 1 | 1 1 1 1 1 1 1 1 1 1 | 1 1 1 1 1 1 1 1 1 1 | 1 1 1 1 1 1 1 1 1 1 | 1 1 1 1 1 1 1 1 1 1 |

*TOTALS

Alimentary System

| | | | | | | | | | | | | |
|---------------------------------------|---|---|---|---|---|---|---|---|---|---|---|-------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | 10 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | 10 |
| Infiltration Cellular, Mononuclear CI | | | | | | | 2 | | | | | 1 2.0 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | 10 |
| Hyperplasia, Lymphoid | | | | | | | 2 | | | | | 1 2.0 |
| Lymphoid Tiss, Hyperplasia | | | | | | | 2 | | | | | 1 2.0 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | 10 |
| Peyers Patch, Hyperplasia | | | | | | | 2 | | | | | 1 2.0 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | 10 |
| Hematopoietic Cell Proliferation | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 8 1.0 |
| Inflammation | 1 | 1 | 1 | 1 | | | 1 | | | | | 4 1.0 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | 10 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | 10 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | 10 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | 10 |

Cardiovascular System

| | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | 10 |
|--------------|---|---|---|---|---|---|---|---|---|---|---|----|

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:35

First Dose M/F: NA / NA

Lab: BAT

| B6C3F1 Mouse Female
0 MG/KG | DAY ON TEST | | | | | | | | | | |
|--------------------------------|-------------|---|---|---|---|---|---|---|---|---|-------|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| *TOTALS | | | | | | | | | | | |
| Heart | | + | + | + | + | + | + | + | + | + | 10 |
| Endocrine System | | | | | | | | | | | |
| Adrenal Cortex | | + | + | + | + | + | + | + | + | + | 10 |
| Subcapsular, Hyperplasia | | 2 | 1 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 1 |
| Adrenal Medulla | | + | + | + | + | + | + | + | + | + | 10 |
| Islets, Pancreatic | | + | + | + | + | + | + | + | + | + | 10 |
| Parathyroid Gland | | + | + | M | M | + | + | + | + | + | 8 |
| Pituitary Gland | | + | + | + | + | + | + | + | + | + | 10 |
| Thyroid Gland | | + | + | + | + | + | + | + | + | + | 10 |
| General Body System | | | | | | | | | | | |
| NONE | | | | | | | | | | | |
| Genital System | | | | | | | | | | | |
| Clitoral Gland | | + | + | + | + | + | + | + | + | + | 10 |
| Inflammation | | 1 | | | | | | | | | 1 1.0 |
| Ovary | | + | + | + | + | + | + | + | + | + | 10 |
| Uterus | | + | + | + | + | + | + | + | + | + | 10 |
| Hematopoietic System | | | | | | | | | | | |
| Bone Marrow | | + | + | + | + | + | + | + | + | + | 10 |
| Lymph Node, Mandibular | | + | + | + | + | + | + | + | + | + | 10 |
| Lymph Node, Mesenteric | | + | + | + | + | + | + | + | + | + | 10 |
| Spleen | | + | + | + | + | + | + | + | + | + | 10 |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:35

First Dose M/F: NA / NA

Lab: BAT

| | | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--|--|-------------|---|---|---|---|---|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

| | | | | | | | | | | | |
|--------|---|---|---|---|---|---|---|---|---|---|----|
| Spleen | + | + | + | + | + | + | + | + | + | + | 10 |
|--------|---|---|---|---|---|---|---|---|---|---|----|

| | | | | | | | | | | | |
|----------------------------------|---|--|--|--|--|--|--|---|---|---|-----|
| Hematopoietic Cell Proliferation | 2 | | | | | | | 2 | 1 | 3 | 1.7 |
|----------------------------------|---|--|--|--|--|--|--|---|---|---|-----|

| | | | | | | | | | | | |
|--------|---|---|---|---|---|---|---|---|---|---|----|
| Thymus | + | + | + | + | + | + | + | + | + | + | 10 |
|--------|---|---|---|---|---|---|---|---|---|---|----|

Integumentary System

| | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | 10 |
|---------------|---|---|---|---|---|---|---|---|---|---|----|

| | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|----|
| Skin | + | + | + | + | + | + | + | + | + | + | 10 |
|------|---|---|---|---|---|---|---|---|---|---|----|

| | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|---|-----|--|
| SOA, Inflammation, Chronic Active, Focal | 1 | | | | | | | | 1 | 1.0 | |
|--|---|--|--|--|--|--|--|--|---|-----|--|

Musculoskeletal System

| | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | 10 |
|------|---|---|---|---|---|---|---|---|---|---|----|

Nervous System

| | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | 10 |
|-------|---|---|---|---|---|---|---|---|---|---|----|

Respiratory System

| | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|----|
| Lung | + | + | + | + | + | + | + | + | + | + | 10 |
|------|---|---|---|---|---|---|---|---|---|---|----|

| | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|----|
| Nose | + | + | + | + | + | + | + | + | + | + | 10 |
|------|---|---|---|---|---|---|---|---|---|---|----|

| | | | | | | | | | | | |
|---------|---|---|---|---|---|---|---|---|---|---|----|
| Trachea | + | + | + | + | + | + | + | + | + | + | 10 |
|---------|---|---|---|---|---|---|---|---|---|---|----|

Special Senses System

| | | | | | | | | | | | |
|-----|---|--|--|--|--|--|--|---|--|--|---|
| Ear | + | | | | | | | M | | | 1 |
|-----|---|--|--|--|--|--|--|---|--|--|---|

| | | | | | | | | | | | |
|-----|---|---|---|---|---|---|---|---|---|---|----|
| Eye | + | + | + | + | + | + | + | + | + | + | 10 |
|-----|---|---|---|---|---|---|---|---|---|---|----|

| | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|----|
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | 10 |
|-----------------|---|---|---|---|---|---|---|---|---|---|----|

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:35

First Dose M/F: NA / NA

Lab: BAT

| | | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--|--|-------------|---|---|---|---|---|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

Urinary System

| | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|-------|
| Kidney | + | + | + | + | + | + | + | + | + | + | 10 |
| Inflammation | | | 1 | 1 | | 1 | | | | 1 | 4 1.0 |
| Nephropathy | | | | | | 1 | | | | 1 | 1.0 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | 10 |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:35

First Dose M/F: NA / NA

Lab: BAT

| | | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|----------------------------|--|-------------|---|---|---|---|---|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B6C3F1 Mouse Female | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 38 MG/KG | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

Alimentary System

NONE

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

NONE

Hematopoietic System

Spleen

+

+

+

+

+

+

+

+

+

+

10

6

1.3

Hematopoietic Cell Proliferation

1

1

1

1

2

2

Integumentary System

Skin

+

+

+

+

+

+

+

+

+

10

10

1.0

SOA, Hyperkeratosis

1

1

1

1

1

1

1

1

SOA, Hyperplasia, Squamous

1

1

1

1

1

1

1

SOA, Inflammation, Chronic Active

1

2

2

2

2

2

2

..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:35

First Dose M/F: NA / NA

Lab: BAT

| | | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|----------------------------|--|-------------|---|---|---|---|---|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B6C3F1 Mouse Female | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 38 MG/KG | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| *TOTALS | | | | | | | | | | | |

Musculoskeletal System

NONE

Nervous System

NONE

Respiratory System

NONE

Special Senses System

NONE

Urinary System

NONE

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:35

First Dose M/F: NA / NA

Lab: BAT

| | | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|----------------------------|--|-------------|---|---|---|---|---|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B6C3F1 Mouse Female | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 75 MG/KG | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*TOTALS

Alimentary System

NONE

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

NONE

Hematopoietic System

Spleen

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|----|
| + | + | + | + | + | + | + | + | + | + | + | 10 |
| | | | | 2 | 2 | | 1 | 1 | 2 | 2 | |
| | | | | | | | | | | | 6 |

1.7

Integumentary System

Skin

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|----|
| + | + | + | + | + | + | + | + | + | + | + | 10 |
| | | | | | | | | | | | |

SOA, Hyperkeratosis

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|----|
| 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 10 |
| | | | | | | | | | | | |

SOA, Hyperplasia, Squamous

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|----|
| 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 10 |
| | | | | | | | | | | | |

SOA, Inflammation, Chronic Active

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|----|
| 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 10 |
| | | | | | | | | | | | |

2.1

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:35

First Dose M/F: NA / NA

Lab: BAT

| B6C3F1 Mouse Female
75 MG/KG | DAY ON TEST | | | | | | | | | | |
|---------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 0 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

*TOTALS

Musculoskeletal System

NONE

Nervous System

NONE

Respiratory System

NONE

Special Senses System

NONE

Urinary System

NONE

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:35

First Dose M/F: NA / NA

Lab: BAT

| B6C3F1 Mouse Female
150 MG/KG | DAY ON TEST | | | | | | | | | | |
|----------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 9 | 0 |
| | *TOTALS | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |

Alimentary System

NONE

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

NONE

Hematopoietic System

Spleen

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|-----|
| + | + | + | + | + | + | + | + | + | + | 10 |
| 2 | 2 | 2 | | | | | | 2 | | 4 |
| | | | | | | | | | | 2.0 |

Integumentary System

| | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|-----|
| Skin | + | + | + | + | + | + | + | + | + | 10 |
| SOA, Hyperkeratosis | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 10 |
| SOA, Hyperplasia, Squamous | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 10 |
| SOA, Inflammation, Chronic Active | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 10 |
| | | | | | | | | | | 2.0 |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:35

First Dose M/F: NA / NA

Lab: BAT

| B6C3F1 Mouse Female
150 MG/KG | DAY ON TEST | | | | | | | | | | |
|----------------------------------|-------------|---|---|---|---|---|---|---|---|---|---------|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| | | | | | | | | | | | *TOTALS |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

Musculoskeletal System

NONE

Nervous System

NONE

Respiratory System

NONE

Special Senses System

NONE

Urinary System

NONE

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:35

First Dose M/F: NA / NA

Lab: BAT

| B6C3F1 Mouse Female
300 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--|-------------|---|---|---|---|---|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

*TOTALS

Alimentary System

NONE

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

NONE

Hematopoietic System

Spleen

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|-----|
| + | + | + | + | + | + | + | + | + | + | 10 |
| 2 | 2 | 2 | | 2 | | 2 | 2 | 2 | | 7 |
| | | | | | | | | | | 2.0 |

Integumentary System

| | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|-----|
| Skin | + | + | + | + | + | + | + | + | + | 10 |
| SOA, Hyperkeratosis | 1 | 1 | 1 | 1 | 2 | 1 | 1 | | 1 | 9 |
| SOA, Hyperplasia, Squamous | 2 | 2 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 10 |
| SOA, Inflammation, Chronic Active | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 10 |
| | | | | | | | | | | 2.1 |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:35

First Dose M/F: NA / NA

Lab: BAT

| B6C3F1 Mouse Female
300 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--|-------------|----------------|---|---|---|---|---|---|---|---|
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | | *TOTALS | | | | | | | | |

Musculoskeletal System

NONE

Nervous System

NONE

Respiratory System

NONE

Special Senses System

NONE

Urinary System

NONE

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:35

First Dose M/F: NA / NA

Lab: BAT

| B6C3F1 Mouse Female
600 MG/KG | DAY ON TEST | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
|----------------------------------|-------------|---------------------|---|---|---|---|---|---|---|---|---------|
| | | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
| | | 9 9 9 9 9 9 9 9 9 9 | | | | | | | | | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | *TOTALS |

Alimentary System

| | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|-----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | 10 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | 10 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | 10 |
| Liver | + | + | + | + | + | + | + | + | + | + | 10 |
| Hematopoietic Cell Proliferation | 1 | 1 | | 1 | 1 | | 1 | 1 | | 6 | 1.0 |
| Inflammation | | 1 | 1 | 1 | | 1 | | | 1 | 5 | 1.0 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | 10 |
| Ectopic Spleen | | | | | | X | | | | 1 | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | 10 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | 10 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | 10 |

Cardiovascular System

| | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | 10 |
| Heart | + | + | + | + | + | + | + | + | + | + | 10 |

Endocrine System

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal
- 3) Moderate
- 2) Mild
- 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:36

First Dose M/F: NA / NA

Lab: BAT

| B6C3F1 Mouse Female
600 MG/KG | DAY ON TEST | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
|----------------------------------|-------------|---------------------|---|---|---|---|---|---|---|---------|---|
| | | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
| | | 9 9 9 9 9 9 9 9 9 9 | | | | | | | | | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| ANIMAL ID | | | | | | | | | | *TOTALS | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | |

| | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | 10 |
| Subcapsular, Hyperplasia | 2 | 2 | 2 | 1 | 2 | 1 | 2 | 2 | 2 | 1 | 1 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | 10 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | 10 |
| Parathyroid Gland | + | M | + | + | + | + | + | + | + | + | 9 |
| Ectopic Thymus | | | | | | | X | | | | 1 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | 10 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | 10 |

General Body System

NONE

Genital System

| | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|----|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | 10 |
| Ovary | + | + | + | + | + | + | + | + | + | + | 10 |
| Uterus | + | + | + | + | + | + | + | + | + | + | 10 |

Hematopoietic System

| | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|-----|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | 10 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | 10 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | 10 |
| Spleen | + | + | + | + | + | + | + | + | + | + | 10 |
| Hematopoietic Cell Proliferation | 2 | 2 | | 2 | 2 | 2 | 2 | 2 | 6 | 2.0 | |
| Thymus | + | + | + | + | + | + | + | + | + | + | 10 |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:36

First Dose M/F: NA / NA

Lab: BAT

| B6C3F1 Mouse Female
600 MG/KG | DAY ON TEST | | | | | | | | | | |
|----------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| ANIMAL ID | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

*TOTALS

Integumentary System

| | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|--------|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | 10 |
| Skin | + | + | + | + | + | + | + | + | + | + | 10 |
| SOA, Erosion | | | | | | | 2 | | | | 1 2.0 |
| SOA, Hyperkeratosis | 1 | 2 | 1 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 10 1.4 |
| SOA, Hyperplasia, Squamous | 1 | 2 | 2 | 2 | 3 | 3 | 1 | 2 | 1 | 1 | 10 1.8 |
| SOA, Inflammation, Chronic Active | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 10 2.1 |
| SOA, Necrosis | | | | | | | 1 | | | | 1 1.0 |
| SOA, Ulcer | | | | | 2 | | 2 | | 2 | | 3 2.0 |

Musculoskeletal System

| | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | 10 |
|------|---|---|---|---|---|---|---|---|---|---|----|

Nervous System

| | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | 10 |
|-------|---|---|---|---|---|---|---|---|---|---|----|

Respiratory System

| | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|-------|
| Lung | + | + | + | + | + | + | + | + | + | + | 10 |
| Perivascular, Inflammation | | | | | | | 2 | | | | 1 2.0 |
| Nose | + | + | + | + | + | + | + | + | + | + | 10 |
| Trachea | + | + | + | + | + | + | + | + | + | + | 10 |

Special Senses System

| | | | | | | | | | | | |
|-----|---|---|---|---|---|---|---|---|---|---|----|
| Eye | + | + | + | + | + | + | + | + | + | + | 10 |
|-----|---|---|---|---|---|---|---|---|---|---|----|

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 99032-02

Test Type: 90-DAY

Route: SKIN APPLICATION

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/22/2014

Time Report Requested: 15:08:36

First Dose M/F: NA / NA

Lab: BAT

| B6C3F1 Mouse Female
600 MG/KG | DAY ON TEST | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | | |
|---------------------------------------|---------------------|-----------------------|---|---|---|---|---|---|---|---|---|-------|
| | | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | | |
| ANIMAL ID | 9 9 9 9 9 9 9 9 9 9 | 3 3 3 3 3 3 3 3 3 3 | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 | 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | | |
| | 1 1 1 1 1 1 1 1 1 1 | 1 1 1 1 1 1 1 1 1 1 2 | | | | | | | | | | |
| | 1 1 1 1 1 1 1 1 1 1 | 2 8 9 0 | | | | | | | | | | |
| | | *TOTALS | | | | | | | | | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | 10 |
| Inflammation, Focal | | | | | | | | | | | | 1 2.0 |
| Urinary System | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | 10 |
| Inflammation | | | | | | | | | | | | 7 1.0 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | 10 |
| Infiltration Cellular, Mononuclear CI | | | | | | | | | | | | 1 1.0 |
| Inflammation | | | | | | | | | | | | 1 1.0 |

** END OF REPORT **

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked