

Experiment Number: 99032-02
Test Type: 90-DAY
Route: SKIN APPLICATION
Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Test Compound: Pyrogallol
CAS Number: 87-66-1

Date Report Requested: 10/22/2014
Time Report Requested: 15:08:38
First Dose M/F: NA / NA
Lab: BAT

C Number:	C99032
Lock Date:	06/02/2004
Cage Range:	All
Date Range:	All
Reasons For Removal:	All
Removal Date Range:	All
Treatment Groups:	All
Study Gender:	Both
PWG Approval Date	NONE

Experiment Number: 99032-02
Test Type: 90-DAY
Route: SKIN APPLICATION
Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
Test Compound: Pyrogallol
CAS Number: 87-66-1

Date Report Requested: 10/22/2014
Time Report Requested: 15:08:38
First Dose M/F: NA / NA
Lab: BAT

SUMMARY OF STATISTICALLY SIGNIFICANT ($P \leq .05$) RESULTS IN THE ANALYSIS OF PYROGALLOL

MALE MOUSE

Organ

Skin: SOA

Spleen

FEMALE MOUSE

Organ

Skin: SOA

Spleen

Morphology

Inflammation Chronic

Hyperplasia

Hyperkeratosis

Ulcer

Hematopoietic Cell Proliferation

Morphology

Inflammation Chronic

Hyperplasia

Hyperkeratosis

Ulcer

Hematopoietic Cell Proliferation

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0	38	75	150	300	600
	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Adrenal Cortex						
Hyperplasia						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.304	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0	38	75	150	300	600
	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Adrenal Cortex: Subcapsular						
Hyperplasia						
LESION RATES						
OVERALL(a)	5/10 (50%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	8/10 (80%)
POLY-3 RATE (b)	5/10.00	0/0.00	0/0.00	0/0.00	0/0.00	8/10.00
POLY-3 PERCENT (g)	50%	0%	0%	0%	0%	80%
TERMINAL (d)	5/10 (50%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	8/10 (80%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.174
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.174
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.174
COCH-ARM / FISHERS	P=0.121	(e)	(e)	(e)	(e)	P=0.175
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.080
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0	38	75	150	300	600
	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Gallbladder						
Infiltration Cellular Mononuclear CI						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0	38	75	150	300	600
	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Gallbladder						
Infiltration Cellular Polymorphnuclr						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.304	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0	38	75	150	300	600
	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Harderian Gland						
Inflammation Focal						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0	38	75	150	300	600
	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Intestine Large, Cecum						
Hyperplasia Lymphoid						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Intestine Large, Cecum: Lymphoid Tiss						
Hyperplasia						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Intestine Small, Jejunum: Peyers Patch						
Hyperplasia						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Intestine Small, Jejunum: Peyers Patch						
Hyperplasia Lymphoid						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.304	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Kidney						
Inflammation						
LESION RATES						
OVERALL(a)	4/10 (40%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	5/10 (50%)
POLY-3 RATE (b)	4/10.00	0/0.00	0/0.00	0/0.00	0/0.00	5/10.00
POLY-3 PERCENT (g)	40%	0%	0%	0%	0%	50%
TERMINAL (d)	4/10 (40%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	5/10 (50%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.411	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.334
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0	38	75	150	300	600
	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Kidney						
Nephropathy						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	2/10 (20%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	2/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	20%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	2/10 (20%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.227
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.227
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.227
COCH-ARM / FISHERS	P=0.132	(e)	(e)	(e)	(e)	P=0.237
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.067
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Kidney: Renal Tubule						
Vacuolization Cytoplasmic						
LESION RATES						
OVERALL(a)	10/10 (100%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	9/10 (90%)
POLY-3 RATE (b)	10/10.00	0/0.00	0/0.00	0/0.00	0/0.00	9/10.00
POLY-3 PERCENT (g)	100%	0%	0%	0%	0%	90%
TERMINAL (d)	10/10 (100%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	9/10 (90%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500N
COCH-ARM / FISHERS	P=0.304N	(e)	(e)	(e)	(e)	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0	38	75	150	300	600
	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Liver						
Hematopoietic Cell Proliferation						
LESION RATES						
OVERALL(a)	2/10 (20%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	2/10 (20%)
POLY-3 RATE (b)	2/10.00	0/0.00	0/0.00	0/0.00	0/0.00	2/10.00
POLY-3 PERCENT (g)	20%	0%	0%	0%	0%	20%
TERMINAL (d)	2/10 (20%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	2/10 (20%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.702
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.702
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.702
COCH-ARM / FISHERS	P=0.610	(e)	(e)	(e)	(e)	P=0.709N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=1.000
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Liver						
Inflammation						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	3/10 (30%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	3/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	30%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	3/10 (30%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.292
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.292
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.292
COCH-ARM / FISHERS	P=0.201	(e)	(e)	(e)	(e)	P=0.291
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.138
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0	38	75	150	300	600
	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Lung: Perivascular Inflammation						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0	38	75	150	300	600
	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Lung: Serosa						
Inflammation						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.304	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0	38	75	150	300	600
	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Pancreas						
Ectopic Spleen						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0	38	75	150	300	600
	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Parathyroid Gland						
Ectopic Thymus						
LESION RATES						
OVERALL(a)	0/5 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/6 (0%)
POLY-3 RATE (b)	0/5.00	0/0.00	0/0.00	0/0.00	0/0.00	0/6.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/5 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/6 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Preputial Gland						
Inflammation						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500N
COCH-ARM / FISHERS	P=0.304N	(e)	(e)	(e)	(e)	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0	38	75	150	300	600
	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Prostate						
Infiltration Cellular Mononuclear CI						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.304	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0	38	75	150	300	600
	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Skin: SOA						
Erosion						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/10.00	0/10.00	0/10.00	0/10.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Skin: SOA						
Hyperkeratosis						
LESION RATES						
OVERALL(a)	0/10 (0%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)
POLY-3 RATE (b)	0/10.00	10/10.00	10/10.00	10/10.00	10/10.00	10/10.00
POLY-3 PERCENT (g)	0%	100%	100%	100%	100%	100%
TERMINAL (d)	0/10 (0%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)
FIRST INCIDENCE	---	93(T)	93(T)	93(T)	93(T)	93(T)
STATISTICAL TESTS						
POLY 3	P<0.001**	P=NA	P=NA	P=NA	P=NA	P=NA
POLY 1.5	P<0.001**	P=NA	P=NA	P=NA	P=NA	P=NA
POLY 6	P<0.001**	P=NA	P=NA	P=NA	P=NA	P=NA
COCH-ARM / FISHERS	P<0.001**	P=0.000**	P=0.000**	P=0.000**	P=0.000**	P=0.000**
MAX-ISO-POLY-3	P=0.000**	(e)	(e)	(e)	(e)	(e)
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Skin: SOA						
Hyperplasia						
LESION RATES						
OVERALL(a)	0/10 (0%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)
POLY-3 RATE (b)	0/10.00	10/10.00	10/10.00	10/10.00	10/10.00	10/10.00
POLY-3 PERCENT (g)	0%	100%	100%	100%	100%	100%
TERMINAL (d)	0/10 (0%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)
FIRST INCIDENCE	---	93(T)	93(T)	93(T)	93(T)	93(T)
STATISTICAL TESTS						
POLY 3	P<0.001**	P=NA	P=NA	P=NA	P=NA	P=NA
POLY 1.5	P<0.001**	P=NA	P=NA	P=NA	P=NA	P=NA
POLY 6	P<0.001**	P=NA	P=NA	P=NA	P=NA	P=NA
COCH-ARM / FISHERS	P<0.001**	P=0.000**	P=0.000**	P=0.000**	P=0.000**	P=0.000**
MAX-ISO-POLY-3	P=0.000**	(e)	(e)	(e)	(e)	(e)
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Skin: SOA						
Inflammation Chronic						
LESION RATES						
OVERALL(a)	0/10 (0%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)
POLY-3 RATE (b)	0/10.00	10/10.00	10/10.00	10/10.00	10/10.00	10/10.00
POLY-3 PERCENT (g)	0%	100%	100%	100%	100%	100%
TERMINAL (d)	0/10 (0%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)
FIRST INCIDENCE	---	93(T)	93(T)	93(T)	93(T)	93(T)
STATISTICAL TESTS						
POLY 3	P<0.001**	P=NA	P=NA	P=NA	P=NA	P=NA
POLY 1.5	P<0.001**	P=NA	P=NA	P=NA	P=NA	P=NA
POLY 6	P<0.001**	P=NA	P=NA	P=NA	P=NA	P=NA
COCH-ARM / FISHERS	P<0.001**	P=0.000**	P=0.000**	P=0.000**	P=0.000**	P=0.000**
MAX-ISO-POLY-3	P=0.000**	(e)	(e)	(e)	(e)	(e)
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0	38	75	150	300	600
	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Skin: SOA						
Inflammation Chronic Focal						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/10.00	0/10.00	0/10.00	0/10.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0	38	75	150	300	600
	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Skin: SOA						
Necrosis						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/10.00	0/10.00	0/10.00	0/10.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Skin: SOA						
Ulcer						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)	2/10 (20%)
POLY-3 RATE (b)	0/10.00	0/10.00	0/10.00	0/10.00	1/10.00	2/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	10%	20%
TERMINAL (d)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)	2/10 (20%)
FIRST INCIDENCE	---	---	---	---	93(T)	93(T)
STATISTICAL TESTS						
POLY 3	P=0.013*	(e)	(e)	(e)	P=0.500	P=0.227
POLY 1.5	P=0.013*	(e)	(e)	(e)	P=0.500	P=0.227
POLY 6	P=0.013*	(e)	(e)	(e)	P=0.500	P=0.227
COCH-ARM / FISHERS	P=0.013*	(e)	(e)	(e)	P=0.500	P=0.237
MAX-ISO-POLY-3	P=0.022*	(e)	(e)	(e)	P=0.159	P=0.067
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Spleen						
Hematopoietic Cell Proliferation						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/10 (0%)	2/10 (20%)	2/10 (20%)	3/10 (30%)	6/10 (60%)
POLY-3 RATE (b)	0/10.00	0/10.00	2/10.00	2/10.00	3/10.00	6/10.00
POLY-3 PERCENT (g)	0%	0%	20%	20%	30%	60%
TERMINAL (d)	0/10 (0%)	0/10 (0%)	2/10 (20%)	2/10 (20%)	3/10 (30%)	6/10 (60%)
FIRST INCIDENCE	---	---	93(T)	93(T)	93(T)	93(T)
STATISTICAL TESTS						
POLY 3	P=0.000**	(e)	P=0.227	P=0.227	P=0.095	P<0.001**
POLY 1.5	P=0.000**	(e)	P=0.227	P=0.227	P=0.095	P<0.001**
POLY 6	P=0.000**	(e)	P=0.227	P=0.227	P=0.095	P<0.001**
COCH-ARM / FISHERS	P=0.000**	(e)	P=0.237	P=0.237	P=0.105	P=0.005**
MAX-ISO-POLY-3	P=0.000**	(e)	P=0.067	P=0.067	P=0.025*	P=0.000**
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0	38	75	150	300	600
	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Thyroid Gland						
Infiltration Cellular Lymphoid						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/10.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	P=0.500N	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	P=0.500N	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	P=0.500N	P=0.500N
COCH-ARM / FISHERS	P=0.267N	(e)	(e)	(e)	P=0.500N	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	P=0.159N	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0	38	75	150	300	600
	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Urinary Bladder						
Infiltration Cellular Mononuclear CI						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	MALE					
	0	38	75	150	300	600
	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Urinary Bladder						
Inflammation						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	2/10 (20%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	2/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	20%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	2/10 (20%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.377	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.274
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Adrenal Cortex						
Hyperplasia						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Adrenal Cortex: Subcapsular Hyperplasia						
LESION RATES						
OVERALL(a)	10/10 (100%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	10/10 (100%)
POLY-3 RATE (b)	10/10.00	0/0.00	0/0.00	0/0.00	0/0.00	10/10.00
POLY-3 PERCENT (g)	100%	0%	0%	0%	0%	100%
TERMINAL (d)	10/10 (100%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	10/10 (100%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	(e)
POLY 1.5	(e)	(e)	(e)	(e)	(e)	(e)
POLY 6	(e)	(e)	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	(e)	(e)	(e)	(e)	(e)	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	(e)
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Clitoral Gland						
Inflammation						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500N
COCH-ARM / FISHERS	P=0.304N	(e)	(e)	(e)	(e)	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Gallbladder						
Infiltration Cellular Mononuclear CI						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500N
COCH-ARM / FISHERS	P=0.304N	(e)	(e)	(e)	(e)	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0	38	75	150	300	600
	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Gallbladder						
Infiltration Cellular Polymorphnuclr						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Harderian Gland						
Inflammation Focal						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.304	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Intestine Large, Cecum Hyperplasia Lymphoid						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500N
COCH-ARM / FISHERS	P=0.304N	(e)	(e)	(e)	(e)	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Intestine Large, Cecum: Lymphoid Tiss						
Hyperplasia						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500N
COCH-ARM / FISHERS	P=0.304N	(e)	(e)	(e)	(e)	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Intestine Small, Jejunum: Peyers Patch						
Hyperplasia						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500N
COCH-ARM / FISHERS	P=0.304N	(e)	(e)	(e)	(e)	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Intestine Small, Jejunum: Peyers Patch						
Hyperplasia Lymphoid						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Kidney						
Inflammation						
LESION RATES						
OVERALL(a)	4/10 (40%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	7/10 (70%)
POLY-3 RATE (b)	4/10.00	0/0.00	0/0.00	0/0.00	0/0.00	7/10.00
POLY-3 PERCENT (g)	40%	0%	0%	0%	0%	70%
TERMINAL (d)	4/10 (40%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	7/10 (70%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.186
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.186
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.186
COCH-ARM / FISHERS	P=0.131	(e)	(e)	(e)	(e)	P=0.185
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.090
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Kidney						
Nephropathy						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500N
COCH-ARM / FISHERS	P=0.304N	(e)	(e)	(e)	(e)	P=0.500N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0	38	75	150	300	600
	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Kidney: Renal Tubule						
Vacuolization Cytoplasmic						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Liver						
Hematopoietic Cell Proliferation						
LESION RATES						
OVERALL(a)	8/10 (80%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	6/10 (60%)
POLY-3 RATE (b)	8/10.00	0/0.00	0/0.00	0/0.00	0/0.00	6/10.00
POLY-3 PERCENT (g)	80%	0%	0%	0%	0%	60%
TERMINAL (d)	8/10 (80%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	6/10 (60%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.318N
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.318N
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.318N
COCH-ARM / FISHERS	P=0.232N	(e)	(e)	(e)	(e)	P=0.314N
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.172N
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Liver						
Inflammation						
LESION RATES						
OVERALL(a)	4/10 (40%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	5/10 (50%)
POLY-3 RATE (b)	4/10.00	0/0.00	0/0.00	0/0.00	0/0.00	5/10.00
POLY-3 PERCENT (g)	40%	0%	0%	0%	0%	50%
TERMINAL (d)	4/10 (40%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	5/10 (50%)
FIRST INCIDENCE	93(T)	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.411	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.334
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Lung: Perivascular Inflammation						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.304	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0	38	75	150	300	600
	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Lung: Serosa						
Inflammation						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Pancreas						
Ectopic Spleen						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.304	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Parathyroid Gland						
Ectopic Thymus						
LESION RATES						
OVERALL(a)	0/8 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/9 (11%)
POLY-3 RATE (b)	0/8.00	0/0.00	0/0.00	0/0.00	0/0.00	1/9.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	11.1%
TERMINAL (d)	0/8 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/9 (11%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.523
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.523
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.523
COCH-ARM / FISHERS	P=0.324	(e)	(e)	(e)	(e)	P=0.529
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.181
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Skin: SOA						
Erosion						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/10.00	0/10.00	0/10.00	0/10.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	P=0.107	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	P=0.107	(e)	(e)	(e)	(e)	P=0.500
POLY 6	P=0.107	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.105	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	P=0.075	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Skin: SOA						
Hyperkeratosis						
LESION RATES						
OVERALL(a)	0/10 (0%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	9/10 (90%)	10/10 (100%)
POLY-3 RATE (b)	0/10.00	10/10.00	10/10.00	10/10.00	9/10.00	10/10.00
POLY-3 PERCENT (g)	0%	100%	100%	100%	90%	100%
TERMINAL (d)	0/10 (0%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	9/10 (90%)	10/10 (100%)
FIRST INCIDENCE	---	93(T)	93(T)	93(T)	93(T)	93(T)
STATISTICAL TESTS						
POLY 3	P=0.000**	P=NA	P=NA	P=NA	P=0.000**	P=NA
POLY 1.5	P=0.000**	P=NA	P=NA	P=NA	P=0.000**	P=NA
POLY 6	P=0.000**	P=NA	P=NA	P=NA	P=0.000**	P=NA
COCH-ARM / FISHERS	P=0.003**	P=0.000**	P=0.000**	P=0.000**	P=0.000**	P=0.000**
MAX-ISO-POLY-3	P=0.000**	(e)	(e)	(e)	P=0.000**	(e)
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Skin: SOA						
Hyperplasia						
LESION RATES						
OVERALL(a)	0/10 (0%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)
POLY-3 RATE (b)	0/10.00	10/10.00	10/10.00	10/10.00	10/10.00	10/10.00
POLY-3 PERCENT (g)	0%	100%	100%	100%	100%	100%
TERMINAL (d)	0/10 (0%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)
FIRST INCIDENCE	---	93(T)	93(T)	93(T)	93(T)	93(T)
STATISTICAL TESTS						
POLY 3	P<0.001**	P=NA	P=NA	P=NA	P=NA	P=NA
POLY 1.5	P<0.001**	P=NA	P=NA	P=NA	P=NA	P=NA
POLY 6	P<0.001**	P=NA	P=NA	P=NA	P=NA	P=NA
COCH-ARM / FISHERS	P<0.001**	P=0.000**	P=0.000**	P=0.000**	P=0.000**	P=0.000**
MAX-ISO-POLY-3	P=0.000**	(e)	(e)	(e)	(e)	(e)
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Skin: SOA						
Inflammation Chronic						
LESION RATES						
OVERALL(a)	0/10 (0%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)
POLY-3 RATE (b)	0/10.00	10/10.00	10/10.00	10/10.00	10/10.00	10/10.00
POLY-3 PERCENT (g)	0%	100%	100%	100%	100%	100%
TERMINAL (d)	0/10 (0%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)	10/10 (100%)
FIRST INCIDENCE	---	93(T)	93(T)	93(T)	93(T)	93(T)
STATISTICAL TESTS						
POLY 3	P<0.001**	P=NA	P=NA	P=NA	P=NA	P=NA
POLY 1.5	P<0.001**	P=NA	P=NA	P=NA	P=NA	P=NA
POLY 6	P<0.001**	P=NA	P=NA	P=NA	P=NA	P=NA
COCH-ARM / FISHERS	P<0.001**	P=0.000**	P=0.000**	P=0.000**	P=0.000**	P=0.000**
MAX-ISO-POLY-3	P=0.000**	(e)	(e)	(e)	(e)	(e)
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Skin: SOA						
Inflammation Chronic Focal						
LESION RATES						
OVERALL(a)	1/10 (10%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)
POLY-3 RATE (b)	1/10.00	0/10.00	0/10.00	0/10.00	0/10.00	0/10.00
POLY-3 PERCENT (g)	10%	0%	0%	0%	0%	0%
TERMINAL (d)	1/10 (10%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)
FIRST INCIDENCE	93(T)	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	P=0.416N	P=0.500N	P=0.500N	P=0.500N	P=0.500N	P=0.500N
POLY 1.5	P=0.416N	P=0.500N	P=0.500N	P=0.500N	P=0.500N	P=0.500N
POLY 6	P=0.416N	P=0.500N	P=0.500N	P=0.500N	P=0.500N	P=0.500N
COCH-ARM / FISHERS	P=0.415N	P=0.500N	P=0.500N	P=0.500N	P=0.500N	P=0.500N
MAX-ISO-POLY-3	P=0.075N	P=0.159N	P=0.159N	P=0.159N	P=0.159N	P=0.159N
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Skin: SOA						
Necrosis						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/10.00	0/10.00	0/10.00	0/10.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	P=0.107	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	P=0.107	(e)	(e)	(e)	(e)	P=0.500
POLY 6	P=0.107	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.105	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	P=0.075	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Skin: SOA						
Ulcer						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	3/10 (30%)
POLY-3 RATE (b)	0/10.00	0/10.00	0/10.00	0/10.00	0/10.00	3/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	30%
TERMINAL (d)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	0/10 (0%)	3/10 (30%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	P=0.000**	(e)	(e)	(e)	(e)	P=0.095
POLY 1.5	P=0.000**	(e)	(e)	(e)	(e)	P=0.095
POLY 6	P=0.000**	(e)	(e)	(e)	(e)	P=0.095
COCH-ARM / FISHERS	P<0.001**	(e)	(e)	(e)	(e)	P=0.105
MAX-ISO-POLY-3	P<0.001**	(e)	(e)	(e)	(e)	P=0.025*
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Spleen						
Hematopoietic Cell Proliferation						
LESION RATES						
OVERALL(a)	3/10 (30%)	6/10 (60%)	6/10 (60%)	4/10 (40%)	7/10 (70%)	6/10 (60%)
POLY-3 RATE (b)	3/10.00	6/10.00	6/10.00	4/10.00	7/10.00	6/10.00
POLY-3 PERCENT (g)	30%	60%	60%	40%	70%	60%
TERMINAL (d)	3/10 (30%)	6/10 (60%)	6/10 (60%)	4/10 (40%)	7/10 (70%)	6/10 (60%)
FIRST INCIDENCE	93(T)	93(T)	93(T)	93(T)	93(T)	93(T)
STATISTICAL TESTS						
POLY 3	P=0.219	P=0.186	P=0.186	P=0.500	P=0.082	P=0.186
POLY 1.5	P=0.219	P=0.186	P=0.186	P=0.500	P=0.082	P=0.186
POLY 6	P=0.219	P=0.186	P=0.186	P=0.500	P=0.082	P=0.186
COCH-ARM / FISHERS	P=0.216	P=0.185	P=0.185	P=0.500	P=0.089	P=0.185
MAX-ISO-POLY-3	P=0.110	P=0.090	P=0.090	P=0.327	P=0.032*	P=0.090
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0	38	75	150	300	600
	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Thyroid Gland						
Infiltration Cellular Lymphoid						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	0/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	0%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/10 (0%)
FIRST INCIDENCE	---	---	---	---	---	---
STATISTICAL TESTS						
POLY 3	(n)	(n)	(n)	(n)	(n)	(n)
POLY 1.5	(n)	(n)	(n)	(n)	(n)	(n)
POLY 6	(n)	(n)	(n)	(n)	(n)	(n)
COCH-ARM / FISHERS	(n)	(n)	(n)	(n)	(n)	(n)
MAX-ISO-POLY-3	(n)	(n)	(n)	(n)	(n)	(n)
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0	38	75	150	300	600
	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Urinary Bladder						
Infiltration Cellular Mononuclear CI						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.304	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTES						
CURR VS HC SAME RTE						
CURR VS HC ALL RTES						

Experiment Number: 99032-02
 Test Type: 90-DAY
 Route: SKIN APPLICATION
 Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 Test Compound: Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/22/2014
 Time Report Requested: 15:08:38
 First Dose M/F: NA / NA
 Lab: BAT

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MOUSE(B6C3F1)
 LAST REMOVAL AT 14286 WEEKS**

DOSE	FEMALE					
	0 MG/KG	38 MG/KG	75 MG/KG	150 MG/KG	300 MG/KG	600 MG/KG
Urinary Bladder						
Inflammation						
LESION RATES						
OVERALL(a)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
POLY-3 RATE (b)	0/10.00	0/0.00	0/0.00	0/0.00	0/0.00	1/10.00
POLY-3 PERCENT (g)	0%	0%	0%	0%	0%	10%
TERMINAL (d)	0/10 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	0/0 (0%)	1/10 (10%)
FIRST INCIDENCE	---	---	---	---	---	93(T)
STATISTICAL TESTS						
POLY 3	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 1.5	(e)	(e)	(e)	(e)	(e)	P=0.500
POLY 6	(e)	(e)	(e)	(e)	(e)	P=0.500
COCH-ARM / FISHERS	P=0.304	(e)	(e)	(e)	(e)	P=0.500
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)	(e)	P=0.159
HISTCONT SAME RTE						
HISTCONT ALL RTEs						
CURR VS HC SAME RTE						
CURR VS HC ALL RTEs						

Experiment Number: 99032-02
Test Type: 90-DAY
Route: SKIN APPLICATION
Species/Strain: Mouse/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS

Test Compound: Pyrogallol
CAS Number: 87-66-1

Date Report Requested: 10/22/2014
Time Report Requested: 15:08:38
First Dose M/F: NA / NA
Lab: BAT

LEGEND

- (a) Number of tumor-bearing animals/number of animals examined at site.
 - (b) Number of tumor-bearing animals/Poly-3 number
 - (d) Observed incidence at terminal kill.
 - (e) Value of statistic cannot be computed.
 - (f) Beneath the control incidence are the P-values associated with the trend test. Beneath the dosed group incidence are the P-values corresponding to pairwise comparisons between the controls and that dosed group.
 - (g) Poly-3 adjusted lifetime tumor incidence.
 - (n) No statistics are calculated if all dose groups have fewer than two tumors.
 - (I) Interim sacrifice
 - (T) Terminal sacrifice
 - # Tumor rates based on numbers of animals necropsied.
 - * To the right of any statistical result, indicates significance at ($P \leq 0.05$).
 - ** To the right of any statistical result, indicates significance at ($P \leq 0.01$).
 - N Indicates a negative trend for all tests
- The Cochran-Armitage and Fishers exact tests compare directly the overall incidence rates.

**** END OF REPORT ****