

Experiment Number: 96010-02

Test Type: 21-DAY

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Sodium chlorate)

CAS Number: 7775-09-9

Date Report Requested: 10/22/2014

Time Report Requested: 12:49:37

First Dose M/F: NA / NA

Lab: SRI

C Number:	C96010A
Lock Date:	09/25/1998
Cage Range:	All
Date Range:	All
Reasons For Removal:	All
Removal Date Range:	All
Treatment Groups:	All
Study Gender:	Both
PWG Approval Date	NONE

Experiment Number: 96010-02

Test Type: 21-DAY

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Sodium chlorate)

CAS Number: 7775-09-9

Date Report Requested: 10/22/2014

Time Report Requested: 12:49:37

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: MALE

DOSE LEVEL: 0 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
1	00001	98-83710	Y N
2	00002	98-83711	Y N
3	00003	98-83712	Y N
4	00004	98-83713	Y N
5	00005	98-83714	Y N
6	00006	98-83715	Y N
7	00007	98-83716	Y N
8	00008	98-83717	Y N
9	00009	98-83718	Y N
10	00010	98-83719	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96010-02

Test Type: 21-DAY

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Sodium chlorate)

CAS Number: 7775-09-9

Date Report Requested: 10/22/2014

Time Report Requested: 12:49:37

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: MALE

DOSE LEVEL: 2000MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
51	00051	98-83760	Y N
52	00052	98-83761	Y N
53	00053	98-83762	Y N
54	00054	98-83763	Y N
55	00055	98-83764	Y N
56	00056	98-83765	Y N
57	00057	98-83766	Y N
58	00058	98-83767	Y N
59	00059	98-83768	Y N
60	00060	98-83769	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96010-02

Test Type: 21-DAY

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Sodium chlorate)

CAS Number: 7775-09-9

Date Report Requested: 10/22/2014

Time Report Requested: 12:49:37

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: MALE

DOSE LEVEL: 125 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00011	Y N
	00012	Y N
	00013	Y N
	00014	Y N
	00020	Y N
	00016	Y N
	00017	Y N
	00018	Y N
	00019	Y N
	00015	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96010-02

Test Type: 21-DAY

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Sodium chlorate)

CAS Number: 7775-09-9

Date Report Requested: 10/22/2014

Time Report Requested: 12:49:37

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: MALE

DOSE LEVEL: 250 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00021	Y N
	00022	Y N
	00023	Y N
	00024	Y N
	00030	Y N
	00026	Y N
	00027	Y N
	00028	Y N
	00029	Y N
	00025	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96010-02

Test Type: 21-DAY

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Sodium chlorate)

CAS Number: 7775-09-9

Date Report Requested: 10/22/2014

Time Report Requested: 12:49:37

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: MALE

DOSE LEVEL: 500 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00031	Y N
	00032	Y N
	00033	Y N
	00034	Y N
	00040	Y N
	00036	Y N
	00037	Y N
	00038	Y N
	00039	Y N
	00035	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96010-02

Test Type: 21-DAY

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Sodium chlorate)

CAS Number: 7775-09-9

Date Report Requested: 10/22/2014

Time Report Requested: 12:49:37

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: MALE

DOSE LEVEL: 1000MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00041	Y N
	00042	Y N
	00043	Y N
	00044	Y N
	00050	Y N
	00046	Y N
	00047	Y N
	00048	Y N
	00049	Y N
	00045	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96010-02

Test Type: 21-DAY

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Sodium chlorate)

CAS Number: 7775-09-9

Date Report Requested: 10/22/2014

Time Report Requested: 12:49:37

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: FEMALE

DOSE LEVEL: 0 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
61	00061	98-83770	Y N
62	00062	98-83771	Y N
63	00063	98-83772	Y N
64	00064	98-83773	Y N
65	00065	98-83774	Y N
66	00066	98-83775	Y N
67	00067	98-83776	Y N
68	00068	98-83777	Y N
69	00069	98-83778	Y N
70	00070	98-83779	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96010-02

Test Type: 21-DAY

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Sodium chlorate)

CAS Number: 7775-09-9

Date Report Requested: 10/22/2014

Time Report Requested: 12:49:37

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: FEMALE

DOSE LEVEL: 2000MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
111	00111	98-83820	Y N
112	00112	98-83821	Y N
113	00113	98-83822	Y N
114	00114	98-83823	Y N
115	00115	98-83824	Y N
116	00116	98-83825	Y N
117	00117	98-83826	Y N
118	00118	98-83827	Y N
119	00119	98-83828	Y N
120	00120	98-83829	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96010-02

Test Type: 21-DAY

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Sodium chlorate)

CAS Number: 7775-09-9

Date Report Requested: 10/22/2014

Time Report Requested: 12:49:37

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: FEMALE

DOSE LEVEL: 125 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00071	Y N
	00072	Y N
	00073	Y N
	00074	Y N
	00080	Y N
	00076	Y N
	00077	Y N
	00078	Y N
	00079	Y N
	00075	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96010-02

Test Type: 21-DAY

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Sodium chlorate)

CAS Number: 7775-09-9

Date Report Requested: 10/22/2014

Time Report Requested: 12:49:37

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: FEMALE

DOSE LEVEL: 250 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00081	Y N
	00082	Y N
	00083	Y N
	00084	Y N
	00090	Y N
	00086	Y N
	00087	Y N
	00088	Y N
	00089	Y N
	00085	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96010-02

Test Type: 21-DAY

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Sodium chlorate)

CAS Number: 7775-09-9

Date Report Requested: 10/22/2014

Time Report Requested: 12:49:37

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: FEMALE

DOSE LEVEL: 500 MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00091	Y N
	00092	Y N
	00093	Y N
	00094	Y N
	00100	Y N
	00096	Y N
	00097	Y N
	00098	Y N
	00099	Y N
	00095	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)

Experiment Number: 96010-02

Test Type: 21-DAY

Species/Strain: Mouse/B6C3F1

P15: TDMS SLIDE/BLOCK INVENTORY

Test Compound: Water disinfection byproducts (Sodium chlorate)

CAS Number: 7775-09-9

Date Report Requested: 10/22/2014

Time Report Requested: 12:49:37

First Dose M/F: NA / NA

Lab: SRI

SPECIES: Mouse

STRAIN: B6C3F1

SEX: FEMALE

DOSE LEVEL: 1000MG/L

CID NUMBER	INDIVIDUAL ANIMAL NO.	HISTO NUMBER	NMBR OF SLIDES	NMBR OF BLOCKS	WET TISSUE
	00101	Y N
	00102	Y N
	00103	Y N
	00104	Y N
	00110	Y N
	00106	Y N
	00107	Y N
	00108	Y N
	00109	Y N
	00105	Y N

IN MY OPINION THIS MATERIAL IS OF SUFFICIENT QUALITY TO BE RETAINED IN THE CARCINOGENESIS REPOSITORY UNLESS THE MATERIAL IS MARKED WITH AN ASTERISK

REVIEWED BY REPOSITORY SUPERVISOR

(INITIALS)

(DATE)

(SIGNATURE)

(DATE)