C Number:	C88007
Cage Range:	All
Date Range:	All
Reasons For Removal:	All
Removal Date Range:	All
Treatment Groups:	All
Study Gender:	Both

MALE

Treatment Groups	Eosinophil Count	Eosinophil Percentage %	Hematocrit %	Hemoglobin g per dL	Lymphocyte Count 1000 per uL	Lymphocyte Percentage %
			Day 91			
0 %	0 ± 0.1	0.3 ± 0.6	43.5 ± 1.4	14.9 ± 0.9	8 ± 2.1	82.7 ± 2.5
0.375 %	0 ± 0.1	0.3 ± 0.6	43.7 ± 1.7	15.1 ± 0.8	8 ± 1.5	83.3 ± 6.8
0.075 %	0 ± 0	0.1 ± 0.4	42.6 ± 2.5	15 ± 0.5	8.2 ± 1.7	84.4 ± 4.4
0.15 %	0 ± 0.1	0.3 ± 0.6	42.4 ± 2.6	14.9 ± 0.6	7.7 ± 1.8	87.2 ± 4.7
).3 %	0.1 ± 0.1	0.8 ± 1.2	45.2 ± 3	16 ± 0.8	7.4 ± 1.5	83.9 ± 4.6
0.5 %	0 ± 0	0.2 ± 0.4	41.7 ± 5.5	15.2 ± 1.2	8.4 ± 1.6	89.2 ± 3.6*

*p < 0.05

**p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

MALE

Treatment Groups	Mean Cell Hemoglobin pg	Mean Cell Hemoglobin Concentration g per dL	Mean Corpuscular Volume fL	Methemoglobin Pct Hgb %	Monocyte Count 1000 per uL	Monocyte Percentage %
			Day 9 [.]	1		
%	19.1 ± 0.9	34.4 ± 0.6	55.6 ± 2.8	0.4 ± 0.7	0 ± 0.1	0 ± 0
.375 %	19 ± 1	34.3 ± 0.7	55.4 ± 2.9	0.4 ± 0.4	0 ± 0	0 ± 0
.075 %	18.9 ± 0.6	34.5 ± 0.8	54.9 ± 2.3	7.2 ± 15.1	0 ± 0.1	0.4 ± 0.8
0.15 %	19.2 ± 0.8	34.6 ± 0.7	55.4 ± 2.3	2.1 ± 2.1	0 ± 0	0 ± 0
.3 %	18.8 ± 1	33.8 ± 0.9	55.6 ± 2.4	7.1 ± 7.3	0 ± 0.1	0 ± 0
0.5 %	17 ± 1.9**	33.9 ± 1	50.1 ± 4.6**	24.5 ± 12.9**	0 ± 0.1	0 ± 0

*p < 0.05

**p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

MALE

Treatment Groups	Nucleated Rbc Count 1000 per uL	Platelet Count 1000 per uL	Red Blood Cells With Heinz Bodies Percentage %	Red Blood Cell Count million per uL	Reticulocyte Count million per uL	Segmented Neutrophil Count 1000 per uL
			Day 91			
0 %	0.7 ± 0.8	723.5 ± 161.1	0 ± 0.1	7.8 ± 0.5	0.2 ± 0.1	1.6 ± 0.5
0.375 %	1 ± 0.9	720.2 ± 157.3	0 ± 0.1	7.9 ± 0.6	0.2 ± 0.1	1.6 ± 0.7
0.075 %	1.3 ± 1.7	763 ± 183.8	0.1 ± 0.1	7.8 ± 0.5	0.3 ± 0.2	1.4 ± 0.4
0.15 %	1 ± 1.1	705.8 ± 162.6	0 ± 0.1	7.7 ± 0.5	0.2 ± 0.1	1.1 ± 0.6
0.3 %	2 ± 1.7	732.4 ± 151.4	0.1 ± 0.1	8.1 ± 0.6	0.4 ± 0.1	1.4 ± 0.7
0.5 %	3.4 ± 3**	1232.1 ± 630.6	0.1 ± 0.1	8.3 ± 1*	0.5 ± 0.2**	1 ± 0.4

*p < 0.05

**p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

MALE

Treatment Groups	Segmented Neutrophil Percentage %	White Blood Cell Count 1000 per uL	
			Day 91
0 %	16.9 ± 2.6	8.6 ± 2.2	
0.375 %	16.4 ± 6.9	8.1 ± 2.2	
0.075 %	15 ± 4.1	8.9 ± 1.8	
0.15 %	12.4 ± 4.5	8.5 ± 2	
0.3 %	15.1 ± 4.8	8.2 ± 1.6	
0.5 %	10.6 ± 3.5**	9 ± 1.8	

*p < 0.05

**p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

Treatment Groups	Eosinophil Count	Eosinophil Percentage %	Hematocrit %	Hemoglobin g per dL	Lymphocyte Count 1000 per uL	Lymphocyte Percentage %
			Day 91			
0 %	0.1 ± 0.1	0.6 ± 0.8	45.3 ± 2.3	15.6 ± 0.7	7.9 ± 0.7	82.4 ± 6.7
0.375 %	0.1 ± 0.1	1.3 ± 1	44.7 ± 1.8	15.2 ± 0.5	8.3 ± 1.6	82.5 ± 7
0.075 %	0.1 ± 0.1	0.8 ± 0.9	43.9 ± 2.4	15.1 ± 0.5	6.9 ± 1.3	80.5 ± 5.3
0.15 %	0.1 ± 0.1	0.9 ± 0.9	44.8 ± 2.6	15.4 ± 0.7	6.9 ± 1.2	80.5 ± 3.2
0.3 %	0.1 ± 0.1	0.6 ± 0.8	47.4 ± 3.3	16.7 ± 0.6	9.3 ± 1.5	82.8 ± 7.1
0.5 %	0.1 ± 0.1	0.7 ± 1.1	46.5 ± 5.7	16.7 ± 1.3**	8.2 ± 1.5	83.4 ± 4.9

*p < 0.05

**p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

FEMALE

Treatment Groups	Mean Cell Hemoglobin pg	Mean Cell Hemoglobin Concentration g per dL	Mean Corpuscular Volume fL	Methemoglobin Pct Hgb %	Monocyte Count 1000 per uL	Monocyte Percentage %
			Day 91	I		
%	19.9 ± 0.6	34 ± 0.9	58.7 ± 1.7	0.3 ± 0.3	0.1 ± 0.1	0.9 ± 1
.375 %	19.9 ± 0.5	33.8 ± 0.8	58.7 ± 1.9	0.9 ± 0.7*	0 ± 0.1	0.3 ± 0.7
.075 %	20.1 ± 0.4	34.1 ± 0.9	58.9 ± 1.5	1 ± 0.7**	0 ± 0.1	0.2 ± 0.4
.15 %	20.2 ± 0.7	34.1 ± 1	59.3 ± 1.4	7.6 ± 8.6**	0.1 ± 0.1	0.6 ± 1.3
.3 %	20.1 ± 1.3	33.7 ± 1	59.6 ± 2.7	15.6 ± 14.6**	0.1 ± 0.1	0.2 ± 0.4
.5 %	18.6 ± 2.6	33.5 ± 1.2	55.3 ± 6.3	30.7 ± 18.2**	0.1 ± 0.1	0.8 ± 1

*p < 0.05

**p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

FEMALE

Treatment Groups	Nucleated Rbc Count 1000 per uL	Platelet Count 1000 per uL	Red Blood Cells With Heinz Bodies Percentage %	Red Blood Cell Count million per uL	Reticulocyte Count million per uL	Segmented Neutrophil Count 1000 per uL
			Day 91			
0 %	1.1 ± 1.2	713.2 ± 101.6	0 ± 0	7.7 ± 0.4	0.2 ± 0.1	1.5 ± 0.7
0.375 %	0.5 ± 0.7	673.5 ± 86.2	0 ± 0	7.6 ± 0.3	0.2 ± 0.1	1.6 ± 0.7
0.075 %	1 ± 1.3	705.2 ± 102.1	0 ± 0	7.5 ± 0.3	0.2 ± 0.1	1.6 ± 0.5
0.15 %	1.5 ± 1.2	683.4 ± 95.7	0 ± 0.1	7.6 ± 0.5	0.2 ± 0.1	1.5 ± 0.3
0.3 %	1.1 ± 1.1	739.3 ± 181.8	0 ± 0.1	8 ± 0.5	0.4 ± 0.2	1.9 ± 0.8
0.5 %	2.3 ± 1.9	1105.2 ± 598.9	0 ± 0.1	8.4 ± 0.7**	0.5 ± 0.2**	1.4 ± 0.3

*p < 0.05

**p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.

FEMALE

Treatment Groups	Segmented Neutrophil Percentage %	White Blood Cell Count 1000 per uL	
			Day 91
0 %	15.9 ± 6.2	9.9 ± 1.7	
0.375 %	16 ± 7.6	9.7 ± 1.7	
0.075 %	18.6 ± 5.2	9 ± 1.5	
0.15 %	17.7 ± 2.8	8.6 ± 1.7	
0.3 %	16 ± 6.6	9.8 ± 2.2	
0.5 %	14.9 ± 4.1	10.1 ± 1.7	

** END OF REPORT **

*p < 0.05

**p < 0.01

NOTE: Table is to include results for each time point samples were analyzed. Similar table is to be included for hematology parameters.