Test Type: Chronic PN

Route: DOSED FEED

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Styrene-acrylonitrile trimer CAS Number: SANTRIMER2

Time Report Requested: 14:33:32 First Dose M/F: 05/12/05 / 05/13/05

Date Report Requested: 09/23/2010

Lab: BAT

F2_R2

Species/Strain: RATS/F 344/N

C Number: C99013

Lock Date: 03/27/2008

Cage Range: ALL

Date Range: ALL

Reasons For Removal: ALL

Removal Date Range: ALL

Treatment Groups: Include ALL

Study Gender: Both

TDMSE Version: 2.2.0

Test Type: Chronic PN

Route: DOSED FEED

Tooth

Species/Strain: RATS/F 344/N

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Styrene-acrylonitrile trimer **CAS Number:** SANTRIMER2

Date Report Requested: 09/23/2010

Time Report Requested: 14:33:32 First Dose M/F: 05/12/05 / 05/13/05

Lab: BAT

FISCHER 344 RATS MALE	0 PPM	400 PPM	800 PPM	1600 PPM	
Disposition Summary					
•					
Animals Initially In Study	50	50	50	50	
Early Deaths					
Moribund Sacrifice	9	8	7	4	
Natural Death	5	3	4	2	
Survivors					
Terminal Sacrifice	36	39	39	44	
Animals Examined Microscopically	50	50	50	50	
ALIMENTARY SYSTEM					
Esophagus	(50)	(50)	(50)	(50)	
Intestine Large, Cecum	(49)	(50)	(50)	(50)	
Intestine Large, Colon	(50)	(50)	(50)	(50)	
Adenoma	1 (2%)	2 (4%)	. ,	, ,	
Intestine Large, Rectum	(50)	(50)	(50)	(50)	
Intestine Small, Duodenum	(50)	(50)	(50)	(50)	
Intestine Small, Ileum	(50)	(50)	(50)	(50)	
Intestine Small, Jejunum	(50)	(50)	(50)	(50)	
Adenoma	` ,		. ,	1 (2%)	
Leiomyosarcoma			1 (2%)	, ,	
Liver	(50)	(50)	(50)	(50)	
Hemangiosarcoma		1 (2%)			
Thymoma Malignant, Metastatic, Thymus		1 (2%)			
Mesentery	(3)	(5)	(7)	(4)	
Leiomyosarcoma, Metastatic, Intestine Small, Jejunum			1 (14%)		
Oral Mucosa	(1)	(0)	(0)	(1)	
Pancreas	(50)	(50)	(50)	(50)	
Mixed Tumor Benign	1 (2%)				
Acinus, Adenoma	1 (2%)				
Salivary Glands	(50)	(49)	(50)	(50)	
Stomach, Forestomach	(50)	(50)	(50)	(50)	
Stomach, Glandular	(50)	(50)	(50)	(50)	
T 0		(4)	(4)	(5)	

a - Number of animals examined microscopically at site and number of animals with lesion

(4)

(1)

(5)

(4)

Test Type: Chronic PN

Route: DOSED FEED

GENITAL SYSTEM

Epididymis

Species/Strain: RATS/F 344/N

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Styrene-acrylonitrile trimer CAS Number: SANTRIMER2

Date Report Requested: 09/23/2010

Time Report Requested: 14:33:32 First Dose M/F: 05/12/05 / 05/13/05

Lab: BAT

FISCHER 344 RATS MALE	0 PPM	400 PPM	800 PPM	1600 PPM	
CARDIOVASCULAR SYSTEM					
Blood Vessel Heart Thymoma Malignant, Metastatic, Thymus	(50) (50) 1 (2%)	(50) (50)	(50) (50)	(50) (50)	
ENDOCRINE SYSTEM					
Adrenal Cortex	(50)	(50)	(50)	(50)	
Adenoma		4 (00()	1 (2%)		
Hemangiosarcoma, Metastatic, Liver	(50)	1 (2%)	(50)	(50)	
Adrenal Medulla	(50)	(50)	(50)	(50)	
Pheochromocytoma Benign	4 (8%)	5 (10%)	3 (6%)	1 (2%)	
Pheochromocytoma Complex		0 (40()	1 (2%)		
Pheochromocytoma Malignant Islets, Pancreatic	(50)	2 (4%)	(50)	(50)	
Adenoma	(50)	(50)	(50)	(50)	
Parathyroid Gland	(35)	(49)	(49)	1 (2%) (37)	
Pituitary Gland	(50)	(50)	(50)	(50)	
Pars Distalis, Adenoma	16 (32%)	10 (20%)	13 (26%)	4 (8%)	
Thyroid Gland	(50)	(50)	(50)	(50)	
C-cell, Adenoma	12 (24%)	8 (16%)	6 (12%)	9 (18%)	
Follicular Cell, Adenoma	1 (2%)	G (1.070)	· (.=/·/	· (,)	
i diliculai dell. Adelidilia	- (= /	1 (2%)	1 (2%)		

(50)

(50)

(50)

(50)

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: Chronic PN

Route: DOSED FEED

Species/Strain: RATS/F 344/N

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Styrene-acrylonitrile trimer CAS Number: SANTRIMER2

Date Report Requested: 09/23/2010

Time Report Requested: 14:33:32 First Dose M/F: 05/12/05 / 05/13/05

Lab: BAT

- P					
FISCHER 344 RATS MALE	0 PPM	400 PPM	800 PPM	1600 PPM	
Preputial Gland	(50)	(50)	(50)	(50)	
Adenoma		1 (2%)	2 (4%)	2 (4%)	
Carcinoma	1 (2%)				
Duct, Adenoma	1 (2%)				
Prostate	(50)	(50)	(50)	(50)	
Adenoma				1 (2%)	
Seminal Vesicle	(50)	(50)	(50)	(50)	
Testes	(50)	(50)	(50)	(50)	
Bilateral, Interstitial Cell, Adenoma	33 (66%)	45 (90%)	39 (78%)	49 (98%)	
Interstitial Cell, Adenoma	8 (16%)	4 (8%)	5 (10%)	, ,	
HEMATOPOIETIC SYSTEM					
Bone Marrow	(50)	(50)	(50)	(50)	
Lymph Node	(7)	(5)	(3)	(3)	
Lymph Node, Mesenteric	(50)	(50)	(50)	(50)	
Spleen	(50)	(50)	(50)	(50)	
Thymus	(48)	(50)	(50)	(50)	
Schwannoma Malignant		1 (2%)			
Thymoma Benign	1 (2%)				
Thymoma Malignant	1 (2%)	1 (2%)			
INTEGUMENTARY SYSTEM					
Mammary Gland	(50)	(50)	(50)	(50)	
Fibroadenoma	1 (2%)	2 (4%)	1 (2%)	3 (6%)	
Skin	(50)	(50)	(50)	(50)	
Keratoacanthoma	2 (4%)	2 (4%)	4 (8%)	5 (10%)	
Keratoacanthoma, Multiple	, ,	1 (2%)	, ,	, ,	
Squamous Cell Carcinoma		1 (2%)			
Squamous Cell Papilloma	2 (4%)	1 (2%)	1 (2%)		
Subcutaneous Tissue, Fibroma	5 (10%)	6 (12%)	7 (14%)	5 (10%)	
	- (/ - /	- \ /	()	- (/ - /	

1 (2%)

Subcutaneous Tissue, Fibroma, Multiple

Subcutaneous Tissue, Fibrosarcoma

Subcutaneous Tissue, Lipoma

1 (2%)

1 (2%)

1 (2%)

1 (2%)

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: Chronic PN

Route: DOSED FEED

Species/Strain: RATS/F 344/N

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Styrene-acrylonitrile trimer CAS Number: SANTRIMER2

Date Report Requested: 09/23/2010

Time Report Requested: 14:33:32 First Dose M/F: 05/12/05 / 05/13/05

Lab: BAT

FISCHER 344 RATS MALE	0 PPM	400 PPM	800 PPM	1600 PPM	
Subcutaneous Tissue, Sarcoma Subcutaneous Tissue, Schwannoma Malignant		1 (2%)	1 (2%)		
MUSCULOSKELETAL SYSTEM					
Bone Skeletal Muscle	(50) (1)	(50) (1)	(50) (0)	(50) (0)	
NERVOUS SYSTEM					
Brain Astrocytoma Carcinoma Granular Cell Tumor	(50)	(50)	(50) 1 (2%)	(50) 1 (2%) 1 (2%)	
Thymoma Malignant, Metastatic, Thymus Spinal Cord Astrocytoma	(1)	1 (2%) (0)	1 (2%)	1 (2%) (1) 1 (100%)	
RESPIRATORY SYSTEM					
Lung Alveolar/Bronchiolar Adenoma Alveolar/Bronchiolar Carcinoma Pheochromocytoma Malignant, Metastatic, Adrenal Medulla	(50) 1 (2%)	(50) 1 (2%) 2 (4%) 1 (2%)	(50) 1 (2%)	(50) 3 (6%)	
Adrenal Medulia Squamous Cell Carcinoma Thymoma Malignant, Metastatic, Thymus Nose Chondroma	1 (2%) (50)	1 (2%) 1 (2%) (50)	(50) 1 (2%)	(50)	
SPECIAL SENSES SYSTEM					
Eye Harderian Gland	(50) (50)	(50) (50)	(50) (50)	(50) (50)	

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: Chronic PN

Route: DOSED FEED

Species/Strain: RATS/F 344/N

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Styrene-acrylonitrile trimer CAS Number: SANTRIMER2

Time Report Requested: 14:33:32 First Dose M/F: 05/12/05 / 05/13/05

Date Report Requested: 09/23/2010

FISCHER 344 RATS MALE	0 PPM	400 PPM	800 PPM	1600 PPM
Zymbal's Gland Carcinoma	(1) 1 (100%)	(0)	(1) 1 (100%)	(0)
URINARY SYSTEM				
Kidney	(50)	(50)	(50)	(50)
Lipoma		1 (2%)		
Renal Tubule, Adenoma	1 (2%)			
Urinary Bladder	(50)	(50)	(50)	(50)
Transitional Epithelium, Carcinoma	1 (2%)			
SYSTEMIC LESIONS				
Multiple Organ	*(50)	*(50)	*(50)	*(50)
Histiocytic Sarcoma	1 (2%)			1 (2%)
Leukemia Mononuclear	15 (30%)	7 (14%)	5 (10%)	3 (6%)
Lymphoma Malignant		1 (2%)		
Mesothelioma Malignant	4 (8%)	1 (2%)	1 (2%)	2 (4%)

a - Number of animals examined microscopically at site and number of animals with lesion

^{*} Number of animals with any tissue examined microscopically

Test Type: Chronic PN

Route: DOSED FEED

Species/Strain: RATS/F 344/N

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Styrene-acrylonitrile trimer CAS Number: SANTRIMER2

Date Report Requested: 09/23/2010

Time Report Requested: 14:33:32 First Dose M/F: 05/12/05 / 05/13/05

Lab: BAT

2

2

FISCHER 344 RATS MALE	0 PPM	400 PPM	800 PPM	1600 PPM	
Tumor Summary for Males					
Total Animals with Primary Neoplasms (b)	49	50	49	49	
Total Primary Neoplasms	116	111	98	95	
Total Animals with Benign Neoplasms	46	49	47	49	
Total Benign Neoplasms	92	91	86	85	
Total Animals with Malignant Neoplasms	22	17	11	8	
Total Malignant Neoplasms	24	20	11	8	
Total Animals with Metastatic Neoplasms	1	3	1		
Total Metastatic Neoplasms	2	5	1		

*** END OF MALE ***

1

1

Total Animals with Malignant Neoplasms Uncertain Primary Site

Total Animals with Neoplasms Uncertain-Benign or Malignant

Total Uncertain Neoplasms

a - Number of animals examined microscopically at site and number of animals with lesion

b - Primary tumors: all tumors except metastatic tumors

Test Type: Chronic PN

Route: DOSED FEED

Species/Strain: RATS/F 344/N

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Styrene-acrylonitrile trimer CAS Number: SANTRIMER2

Date Report Requested: 09/23/2010

Time Report Requested: 14:33:32 First Dose M/F: 05/12/05 / 05/13/05

FISCHER 344 RATS FEMALE	0 PPM	400 PPM	800 PPM	1600 PPM	
Disposition Summary					
Animals Initially In Study	50	50	50	50	
Early Deaths					
Moribund Sacrifice	4	10	6	3	
Natural Death	5	2	7	1	
Survivors					
Terminal Sacrifice	41	38	37	46	
Animals Examined Microscopically	50	50	50	50	
ALIMENTARY SYSTEM					
Intestine Large, Cecum	(50)	(50)	(50)	(50)	
Intestine Large, Colon	(50)	(50)	(50)	(50)	
Intestine Large, Rectum	(50)	(50)	(50)	(50)	
Carcinoma	()	()	()	1 (2%)	
Intestine Small, Ileum	(50)	(50)	(50)	(50)	
Adenoma	()	()	1 (2%)	()	
Liver	(50)	(50)	(50)	(50)	
Mesentery	(11)	(7)	(11)	(4)	
Oral Mucosa	(2)	(0)	(0)	(1)	
Gingival, Squamous Cell Carcinoma	1 (50%)	(-)	(-)	()	
Pharyngeal, Squamous Cell Carcinoma	()			1 (100%)	
Pancreas	(50)	(50)	(50)	(50)	
Acinus, Adenoma	1 (2%)	,	,	` '	
Salivary Glands	(50)	(50)	(50)	(50)	
Stomach, Forestomach	(50)	(50)	(50)	(50)	
Stomach, Glandular	(50)	(50)	(50)	(50)	
Tongue	(0)	(0)	(1)	(0)	
Squamous Cell Papilloma	. ,	. ,	1 (100%)	. ,	
Tooth	(5)	(5)	(3)	(1)	
CARDIOVASCULAR SYSTEM					
Heart	(50)	(50)	(50)	(50)	

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: Chronic PN

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Styrene-acrylonitrile trimer CAS Number: SANTRIMER2

Date Report Requested: 09/23/2010

Time Report Requested: 14:33:32 **First Dose M/F:** 05/12/05 / 05/13/05

Lab: BAT

Route: DOSED FEED
Species/Strain: RATS/F 344/N

FISCHER 344 RATS FEMALE	0 PPM	400 PPM	800 PPM	1600 PPM	
Schwannoma Malignant				1 (2%)	
ENDOCRINE SYSTEM					
Adrenal Cortex	(50)	(50)	(50)	(50)	
Adenoma	1 (2%)		2 (4%)		
Carcinoma				1 (2%)	
Adrenal Medulla	(50)	(50)	(50)	(50)	
Pheochromocytoma Benign				1 (2%)	
Pheochromocytoma Malignant	1 (2%)			1 (2%)	
Islets, Pancreatic	(50)	(50)	(50)	(50)	
Adenoma	1 (2%)				
Pituitary Gland	(50)	(50)	(50)	(50)	
Pars Distalis, Adenoma	22 (44%)	12 (24%)	19 (38%)	9 (18%)	
Pars Distalis, Carcinoma			1 (2%)		
Thyroid Gland	(50)	(50)	(50)	(50)	
Bilateral, C-cell, Adenoma			1 (2%)		
C-cell, Adenoma	5 (10%)	5 (10%)	5 (10%)	6 (12%)	
C-cell, Adenoma, Multiple	1 (2%)				
C-cell, Carcinoma	. ,		1 (2%)		
Follicular Cell, Adenoma	1 (2%)		• •		

GENERAL BODY SYSTEM

None

GENITAL SYSTEM

Clitoral Gland	(50)	(50)	(50)	(50)
Adenoma	3 (6%)	3 (6%)	2 (4%)	2 (4%)
Ovary	(50)	(50)	(50)	(50)
Oviduct	(1)	(0)	(0)	(0)
Uterus	(50)	(50)	(50)	(50)
Polyp Stromal	6 (12%)	8 (16%)	7 (14%)	8 (16%)

a - Number of animals examined microscopically at site and number of animals with lesion

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Test Type: Chronic PN Route: DOSED FEED

Species/Strain: RATS/F 344/N

Styrene-acrylonitrile trimer **CAS Number:** SANTRIMER2

Date Report Requested: 09/23/2010

Time Report Requested: 14:33:32 First Dose M/F: 05/12/05 / 05/13/05

FISCHER 344 RATS FEMALE	0 PPM	400 PPM	800 PPM	1600 PPM	
Polyp Stromal, Multiple		2 (4%)		1 (2%)	
Sarcoma Stromal		,		1 (2%)	
Schwannoma Malignant				1 (2%)	
Cervix, Schwannoma Malignant	1 (2%)				
Endometrium, Adenoma				1 (2%)	
Endometrium, Carcinoma				1 (2%)	
HEMATOPOIETIC SYSTEM					
Bone Marrow	(50)	(50)	(50)	(50)	
Lymph Node	(2)	(1)	(1)	(2)	
Lymph Node, Mandibular	(0)	(1)	(0)	(0)	
Lymph Node, Mesenteric	(50)	(50)	(50)	(50)	
Spleen	(50)	(50)	(50)	(50)	
Thymus	(50)	(50)	(50)	(50)	
Carcinoma, Metastatic, Zymbal'S Gland		1 (2%)			
Thymoma Benign			1 (2%)		
Thymoma Malignant	1 (2%)				
INTEGUMENTARY SYSTEM					
Mammary Gland	(50)	(50)	(50)	(50)	
Adenoma	, ,	, ,	1 (2%)	,	
Carcinoma	2 (4%)			1 (2%)	
Fibroadenoma	24 (48%)	16 (32%)	15 (30%)	17 (34%)	
Fibroadenoma, Multiple	12 (24%)	15 (30%)	11 (22%)	3 (6%)	
Skin	(50)	(50)	(50)	(50)	
Keratoacanthoma	1 (2%)			1 (2%)	
Sebaceous Gland, Adenoma	1 (2%)				
Subcutaneous Tissue, Fibroma			1 (2%)	1 (2%)	
Subcutaneous Tissue, Fibrous Histiocytoma				1 (2%)	
Subcutaneous Tissue, Lipoma				1 (2%)	
Subcutaneous Tissue, Schwannoma Malignant	1 (2%)				

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: Chronic PN

Route: DOSED FEED

Species/Strain: RATS/F 344/N

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Styrene-acrylonitrile trimer CAS Number: SANTRIMER2

Date Report Requested: 09/23/2010

Time Report Requested: 14:33:32 First Dose M/F: 05/12/05 / 05/13/05

Lab: BAT

FISCHER 344 RATS FEMALE	0 PPM	400 PPM	800 PPM	1600 PPM	
MUSCULOSKELETAL SYSTEM					
WOSCOLOSKELETAL STSTEW					
Bone	(50)	(50)	(50)	(50)	
Skeletal Muscle Rhabdomyosarcoma	(0)	(0)	(2) 1 (50%)	(0)	
NERVOUS SYSTEM					
Brain	(50)	(50)	(50)	(50)	
Glioma, Mixed Cell	1 (2%)	1 (2%)	1 (2%)	()	
Granular Cell Tumor		1 (2%)			
Cranial Nerve, Carcinoma, Metastatic, Zymbal'S Gland		1 (2%)			
RESPIRATORY SYSTEM					
Lung	(50)	(50)	(50)	(50)	
Alveolar/Bronchiolar Adenoma	, ,	, ,	1 (2%)	,	
Carcinoma, Metastatic, Zymbal'S Gland		1 (2%)			
Pheochromocytoma Malignant, Metastatic, Adrenal Medulla	1 (2%)				
Nose	(50)	(50)	(50)	(50)	
SPECIAL SENSES SYSTEM					
Eye	(50)	(50)	(50)	(50)	
Zymbal's Gland	(0)	(1)	(0)	(0)	
Carcinoma		1 (100%)			
URINARY SYSTEM					
Kidney	(50)	(50)	(50)	(50)	
Urinary Bladder	(50)	(50)	(50)	(50)	
Transitional Epithelium, Papilloma				1 (2%)	

a - Number of animals examined microscopically at site and number of animals with lesion

Test Type: Chronic PN

Route: DOSED FEED

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Styrene-acrylonitrile trimer **CAS Number: SANTRIMER2** Date Report Requested: 09/23/2010

Time Report Requested: 14:33:32 First Dose M/F: 05/12/05 / 05/13/05

PPM 400 PPM	800 PPM	1600 PPM
	7 PPM 400 PPM	7 PPIVI 400 PPIVI 800 PPIVI

FISCHER 344 RATS FEMALE	U PPIVI	400 PPIVI	800 PPIVI	1600 PPM	
SYSTEMIC LESIONS					
Multiple Organ	*(50)	*(50)	*(50)	*(50)	
Histiocytic Sarcoma		1 (2%)			
Leukemia Mononuclear	13 (26%)	2 (4%)	3 (6%)	2 (4%)	
Lymphoma Malignant		1 (2%)			

a - Number of animals examined microscopically at site and number of animals with lesion

^{*} Number of animals with any tissue examined microscopically

Test Type: Chronic PN

Route: DOSED FEED

Species/Strain: RATS/F 344/N

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Styrene-acrylonitrile trimer **CAS Number:** SANTRIMER2

Date Report Requested: 09/23/2010

Time Report Requested: 14:33:32 First Dose M/F: 05/12/05 / 05/13/05

FISCHER 344 RATS FEMALE	0 PPM	400 PPM	800 PPM	1600 PPM	
Turner Comment for Females					
Tumor Summary for Females					
Total Animals with Primary Neoplasms (b)	44	41	41	35	
Total Primary Neoplasms	100	68	75	64	
Total Animals with Benign Neoplasms	42	37	39	34	
Total Benign Neoplasms	79	62	68	52	
Total Animals with Malignant Neoplasms	19	5	6	12	
Total Malignant Neoplasms	20	5	6	12	
Total Animals with Metastatic Neoplasms	1	1			
Total Metastatic Neoplasms	1	3			
Total Animals with Malignant Neoplasms Uncertain Primary Site					
Total Animals with Neoplasms Uncertain- Benign or Malignant	1	1	1		
Total Uncertain Neoplasms	1	1	1		

^{***} END OF REPORT ***

a - Number of animals examined microscopically at site and number of animals with lesion

b - Primary tumors: all tumors except metastatic tumors