

Experiment Number: 97010-02
Test Type: 1-YEAR
Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
CAS Number: HYDROXYGLYCOL

Date Report Requested: 10/16/2014
Time Report Requested: 05:11:02
First Dose M/F: NA / NA
Lab: NCTR

C Number: C97010A
Lock Date: Not Entered.
Cage Range: All
Date Range: All
Reasons For Removal: All
Removal Date Range: All
Treatment Groups: All
Study Gender: Female
PWG Approval Date: NONE

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)

CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:02
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SKH-1/NCTR Mouse Female | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| NO CREAMNO SSL | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | 3 | 3 | 4 | 4 | 5 | 5 | 3 | 3 | 3 | 4 | 5 | 5 | 3 | 3 | 4 | 4 | 5 | 5 | 3 | 3 | 4 | 4 | 5 | 5 | 3 | 3 | 4 | 4 | 5 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 |

Alimentary System

Liver +
 Hepatocellular Adenoma X
 Salivary Glands +
 Stomach, Glandular +

Cardiovascular System

NONE

Endocrine System

Pituitary Gland +

General Body System

Tissue NOS +

Genital System

Clitoral Gland +
 Ovary +
 Cystadenoma X
 Uterus +
 Polyp Stromal X X
 Vagina

Hematopoietic System

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:03
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SKH-1/NCTR Mouse Female | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| NO CREAMNO SSL | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | 3 | 3 | 4 | 4 | 5 | 5 | 3 | 3 | 3 | 4 | 5 | 5 | 3 | 3 | 4 | 4 | 5 | 5 | 3 | 3 | 4 | 4 | 5 | 5 | 3 | 3 | 4 | 4 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node | + | | + | + | | | | | | | | + | + | | | | | | | | | | | + | | | + | + |
| Lymph Node, Mandibular | | | | | | | | | | + | | | | | | | | | | | | | | | | | + | + |
| Lymph Node, Mesenteric | | | | + | | | | | + | | + | + | | | | | | | + | | | + | | | | | + | + |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Thymus | | | | | | | | | | | | | | | | | | | | | | | | | | | | + |
| Integumentary System | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Skin, Control | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skin, Site Of Application | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Musculoskeletal System | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nervous System | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Respiratory System | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Special Senses System | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | | | | | | | | | + | + | | | | | | | | | | | | | | | | | | + |
| Urinary System | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue
 M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:03
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 |
|---|-----------|---|---|---|---|----------------|
| SKH-1/NCTR Mouse Female NO CREAMNO SSL | | 3 | 3 | 3 | 3 | 3 |
| | | 6 | 6 | 6 | 6 | 6 |
| | | 3 | 4 | 4 | 5 | 5 |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | |
| | 7 | 7 | 7 | 7 | 7 | |
| | 9 | 9 | 9 | 9 | 9 | |
| | 4 | 5 | 6 | 7 | 8 | |
| | | | | | | *TOTALS |

Alimentary System

| | |
|------------------------|---|
| Liver | 1 |
| Hepatocellular Adenoma | 1 |
| Salivary Glands | 1 |
| Stomach, Glandular | 1 |

Cardiovascular System

NONE

Endocrine System

| | |
|-----------------|---|
| Pituitary Gland | 1 |
|-----------------|---|

General Body System

| | |
|------------|---|
| Tissue NOS | 1 |
|------------|---|

Genital System

| | | | | | |
|----------------|---|---|---|---|----|
| Clitoral Gland | | | | + | 2 |
| Ovary | | | | + | 20 |
| Cystadenoma | | | | | 1 |
| Uterus | + | + | + | + | 20 |
| Polyp Stromal | | | X | | 3 |
| Vagina | | + | | | 1 |

Hematopoietic System

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:03
 First Dose M/F: NA / NA
 Lab: NCTR

| SKH-1/NCTR Mouse Female NO CREAMNO SSL | DAY ON TEST | | | | | ANIMAL ID | *TOTALS |
|---|-------------|---|---|---|---|-----------|---------|
| | 0 | 0 | 0 | 0 | 0 | | |
| | 3 | 3 | 3 | 3 | 3 | | |
| | 6 | 6 | 6 | 6 | 6 | | |
| | 3 | 4 | 4 | 5 | 5 | | |
| | 0 | 0 | 0 | 0 | 0 | | |
| | 2 | 2 | 2 | 2 | 2 | | |
| | 7 | 7 | 7 | 7 | 7 | | |
| | 9 | 9 | 9 | 9 | 9 | | |
| | 4 | 5 | 6 | 7 | 8 | | |
| Bone Marrow | + | + | + | + | + | | 36 |
| Lymph Node | | | | + | | | 10 |
| Lymph Node, Mandibular | | | | | | | 4 |
| Lymph Node, Mesenteric | | | | | | | 8 |
| Spleen | + | + | + | + | + | | 36 |
| Thymus | | | | | | | 1 |
| Integumentary System | | | | | | | |
| Skin, Control | + | + | + | + | + | | 36 |
| Skin, Site Of Application | + | + | + | + | + | | 36 |
| Squamous Cell Papilloma | | | | | | | 1 |
| Musculoskeletal System | | | | | | | |
| NONE | | | | | | | |
| Nervous System | | | | | | | |
| NONE | | | | | | | |
| Respiratory System | | | | | | | |
| Lung | + | + | + | + | + | | 36 |
| Special Senses System | | | | | | | |
| Eye | | | | | | | 3 |
| Urinary System | | | | | | | |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:03
 First Dose M/F: NA / NA
 Lab: NCTR

| | | DAY ON TEST | | | | | |
|--------------------------------|-----------|-------------|---|---|---|---|----------------|
| SKH-1/NCTR Mouse Female | | 0 | 0 | 0 | 0 | 0 | |
| | | 3 | 3 | 3 | 3 | 3 | |
| | | 6 | 6 | 6 | 6 | 6 | |
| | | 3 | 4 | 4 | 5 | 5 | |
| NO CREAMNO SSL | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | |
| | | 7 | 7 | 7 | 7 | 7 | |
| | | 9 | 9 | 9 | 9 | 9 | |
| | | 4 | 5 | 6 | 7 | 8 | *TOTALS |

| NONE | | | | | | |
|-------------------------|---|---|---|---|---|----|
| SYSTEMIC LESIONS | | | | | | |
| Multiple Organ | + | + | + | + | + | 36 |
| Lymphoma Malignant | | | | | | 2 |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXYGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:03
 First Dose M/F: NA / NA
 Lab: NCTR

| SKH-1/NCTR Mouse Female CTLCREAMNO SSL | DAY ON TEST | | | | | | | | | | | | | | | | | | *TOTALS |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |

Alimentary System

| | | | | | | | | | | | | | | | | | | | | |
|------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|
| Intestine Large, Colon | | | | | | | | | | | | | | | | | | | + | 1 |
| Intestine Small | | | | | | | | | | | | | | | | | | | + | 1 |
| Liver | | | | | | | | | | | | | | | | | | | + | 1 |

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

| | | | | | | | | | | | | | | | | | | | | |
|-------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|
| Ovary | | | | | | | | | | | | | | | | | | | + | 8 |
| Cystadenoma | | | | | | | | | | | | | | | | | | | X | 1 |
| Uterus | | | | | | | | | | | | | | | | | | | + | 4 |

Hematopoietic System

| | | | | | | | | | | | | | | | | | | | | |
|------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|----|
| Bone Marrow | | | | | | | | | | | | | | | | | | | + | 18 |
| Lymph Node | | | | | | | | | | | | | | | | | | | + | 6 |
| Lymph Node, Mandibular | | | | | | | | | | | | | | | | | | | + | 8 |
| Lymph Node, Mesenteric | | | | | | | | | | | | | | | | | | | + | 2 |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue
 M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)

CAS Number: HYDROXYGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:03
 First Dose M/F: NA / NA
 Lab: NCTR

| | DAY ON TEST | | | | | | | | | | | | | | | | | | |
|-------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| SKH-1/NCTR Mouse Female | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 1 | 3 | 3 | 0 | 3 | |
| CTLCREAMNO SSL | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 4 | 6 | 6 | 9 | 6 | |
| | 3 | 3 | 4 | 4 | 5 | 5 | 3 | 3 | 4 | 4 | 5 | 5 | 3 | 5 | 4 | 4 | 9 | 5 | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | *TOTALS |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Integumentary System | | | | | | | | | | | | | | | | | | | |
| Skin, Control | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Skin, Site of Application | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Musculoskeletal System | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | |
| Nervous System | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | |
| Respiratory System | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Special Senses System | | | | | | | | | | | | | | | | | | | |
| Eye | | | | | | | | | | | | | | | | | | | 1 |
| Harderian Gland | | | | | | | | | | | | | | | | | | | 1 |
| Urinary System | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)

CAS Number: HYDROXYGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:03
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--------------------------------|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SKH-1/NCTR Mouse Female | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | 3 |
| 4% AHA NO SSL | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 9 | 6 | 6 |
| | 3 | 3 | 4 | 4 | 5 | 5 | 3 | 3 | 4 | 4 | 5 | 5 | 3 | 3 | 4 | 9 | 5 | 5 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 |
| | *TOTALS | | | | | | | | | | | | | | | | | |

Alimentary System

| | | | | | | | | | | | | | | | | | | | | |
|-------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | + | 1 |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | X | 1 |

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

| | | | | | | | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|--|---|---|---|---|---|--|---|---|--|--|--|--|---|---|----|
| Ovary | + | + | + | + | + | | + | + | + | + | + | | + | | | | | | + | + | 13 |
| Uterus | | | | | + | | | + | | + | | | | + | | | | | + | + | 5 |

Hematopoietic System

| | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Lymph Node | + | + | + | | | | + | | | + | + | + | | | | | | | 7 |
| Lymph Node, Mandibular | + | | | | | + | | | | + | + | + | | | | | | | 5 |
| Lymph Node, Mesenteric | + | | | | | | | | | + | | | + | | | | | | 3 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Thymus | + | | | | | | | | | | | | | | | | + | | 2 |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue
 M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:03
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | *TOTALS | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | 3 | 0 |
| 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 9 | 6 | 6 |
| 3 | 3 | 4 | 4 | 5 | 5 | 3 | 3 | 4 | 4 | 5 | 5 | 3 | 3 | 4 | 9 | 5 | 5 | | | | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | | | |

| | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Integumentary System | | | | | | | | | | | | | | | | | | | | | | |
| Skin, Control | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Skin, Site of Application | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Musculoskeletal System | | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | | |
| Nervous System | | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | | |
| Respiratory System | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Special Senses System | | | | | | | | | | | | | | | | | | | | | | |
| Eye | | | | | | | | | | | | | | | | | | | | + | | 1 |
| Urinary System | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | | | | + | | | | | | | | | | | | | | | | + | | 2 |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | X | | 2 |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue
 M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:03
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | *TOTALS |
|-------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| SKH-1/NCTR Mouse Female | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| 10% AHA NO SSL | 8 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | |
| | 7 | 3 | 4 | 4 | 5 | 5 | 3 | 3 | 4 | 4 | 6 | 6 | 3 | 3 | 4 | 4 | 5 | 5 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | |
| | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | |

Alimentary System

Intestine Large, Cecum + 1
 Liver + 1

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

Ovary + + + + + + + + + + + + + + + 12
 Uterus + + + + + 5

Hematopoietic System

Bone Marrow + + + + + + + + + + + + + + + + + 18
 Lymph Node + 1
 Lymph Node, Mandibular + + + 4
 Lymph Node, Mesenteric + 1
 Spleen + + + + + + + + + + + + + + + + + 18

Integumentary System

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue
 M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:04
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | *TOTALS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| SKH-1/NCTR Mouse Female 10% AHA NO SSL | 7 | 3 | 4 | 4 | 5 | 5 | 3 | 3 | 4 | 4 | 6 | 6 | 3 | 3 | 4 | 4 | 5 | 5 | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| MUSCULOSKELETAL SYSTEM | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | |
| | | | | | | | | | | | | | | | | | | | |
| Skin, Control | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Skin, Site of Application | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Musculoskeletal System | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | |
| Nervous System | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | |
| Respiratory System | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | X | | | | | | | | 1 |
| Special Senses System | | | | | | | | | | | | | | | | | | | |
| Eye | | | | | | | | | | | + | | | | | | | | 1 |
| Urinary System | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue
 M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
Test Type: 1-YEAR
Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
Time Report Requested: 05:11:04
First Dose M/F: NA / NA
Lab: NCTR

| | DAY ON TEST | | | | | | | | | | | | | | | | | | |
|--------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------|
| SKH-1/NCTR Mouse Female | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 3 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | |
| 2% BHA NO SSL | 3 | 3 | 4 | 4 | 5 | 5 | 3 | 3 | 4 | 4 | 6 | 6 | 3 | 3 | 4 | 4 | 5 | 5 | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | |
| | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | *TOTALS |

Alimentary System

| | | | | | | | | | | | | | | | | | | | | | |
|------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|---|
| Intestine Large, Cecum | | | | | | | | | | | | | | | | | | | + | 1 | |
| Liver | | | | | | | | | | | | | | | | | | | + | + | 2 |
| Hepatocellular Adenoma | | | | | | | | | | | | | | | | | | | X | | 1 |

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

| | | | | | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|--|---|---|--|--|--|---|--|---|--|---|--|----|
| Ovary | + | + | + | | + | + | | + | + | | | | + | | + | | + | | 10 |
| Uterus | | | | + | + | + | | | + | | | | | | | | + | | 5 |

Hematopoietic System

| | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | 18 |
| Lymph Node | | | | | | | | + | | + | + | | | + | | | | | 4 |
| Lymph Node, Mandibular | | | | | | | | + | | + | + | | + | | | | | | 5 |
| Lymph Node, Mesenteric | | | | | | | | | + | + | | | | | + | + | | | 4 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | 18 |

* ..Total animals with tissue examined microscopically; Total animals with tumor
+ ..Tissue examined microscopically
X ..Lesion present
I ..Insufficient tissue
M ..Missing tissue
A ..Autolysis precludes evaluation
BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXYGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:04
 First Dose M/F: NA / NA
 Lab: NCTR

| SKH-1/NCTR Mouse Female 2% BHA NO SSL | DAY ON TEST | | | | | | | | | | | | | | | | | | *TOTALS | | | | | | | | | | | | | | | | | |
|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | | | | | | | | | | | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | | | | | | | | | | | | | | | | | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | | | | | | | | | | | | | | | | | |
| | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | | | | | | | | | | | | | | | | | | |
| | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | | | | | | | | | | | | | | | | | | |
| Thymus | | | | | | | | | | | | | | | | | | + | 1 | | | | | | | | | | | | | | | | | |
| Integumentary System | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Skin, Control | | | | | | | | | | | | | | | | | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Skin, Site Of Application | | | | | | | | | | | | | | | | | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Musculoskeletal System | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nervous System | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Respiratory System | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | | | | | | | | | | | | | | | | | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Special Senses System | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Urinary System | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | | | | | | | | | | | | | | | | | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 | |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue
 M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:04
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|-------------------------|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SKH-1/NCTR Mouse Female | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 1 | 3 | 3 | 3 | 1 |
| 4% BHA NO SSL | 6 | 6 | 6 | 5 | 6 | 6 | 4 | 6 | 6 | 6 | 6 | 6 | 6 | 4 | 6 | 6 | 6 | 8 |
| | 3 | 3 | 4 | 4 | 5 | 5 | 0 | 3 | 4 | 4 | 5 | 5 | 3 | 2 | 4 | 4 | 5 | 1 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 |
| | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | *TOTALS | | | | | | | | | | | | | | | | | |

Alimentary System

| | | | | | | | | | | | | | | | | | | | |
|------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Liver | | | | | | | | | | | | | | | | | | | 2 |
| Hepatocellular Adenoma | | | | | | | | | | | | | | | | | | | 1 |

Cardiovascular System

| | | | | | | | | | | | | | | | | | | | |
|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| NONE | | | | | | | | | | | | | | | | | | | |
|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

Endocrine System

| | | | | | | | | | | | | | | | | | | | |
|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| NONE | | | | | | | | | | | | | | | | | | | |
|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

General Body System

| | | | | | | | | | | | | | | | | | | | |
|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| NONE | | | | | | | | | | | | | | | | | | | |
|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

Genital System

| | | | | | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|--|---|--|--|---|---|---|--|---|---|---|--|----|
| Ovary | + | + | + | + | + | + | | + | | | | + | + | | + | + | + | | 12 |
| Uterus | | + | | + | | + | | | | | + | | | | + | | | | 5 |

Hematopoietic System

| | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Lymph Node | | | | + | | | + | | + | | | | | + | | | | | 5 |
| Lymph Node, Mandibular | | | | | | | + | | | + | | | | | | | + | | 3 |
| Lymph Node, Mesenteric | | | | + | | | | | | + | | | | | | | | | 2 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Thymus | | | | | | | | | | | | | | | | | | + | 1 |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)

CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:04
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | *TOTALS |
|-------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| SKH-1/NCTR Mouse Female | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 1 | 3 | 3 | 3 | 1 | |
| 4% BHA NO SSL | 6 | 6 | 6 | 5 | 6 | 6 | 4 | 6 | 6 | 6 | 6 | 6 | 6 | 4 | 6 | 6 | 6 | 8 | |
| | 3 | 3 | 4 | 4 | 5 | 5 | 0 | 3 | 4 | 4 | 5 | 5 | 3 | 2 | 4 | 4 | 5 | 1 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | |
| | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

Integumentary System

| | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Skin, Control | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Skin, Site of Application | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |

Musculoskeletal System

NONE

Nervous System

NONE

Respiratory System

| | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | X | | | | | | | 1 |

Special Senses System

NONE

Urinary System

| | | | | | | | | | | | | | | | | | | | |
|--------|--|--|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Kidney | | | | + | | | | | | | | | | | | | | | 1 |
|--------|--|--|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Lymphoma Malignant | | | | X | | | | | | | | | | | | | | X | 2 |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue
 M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Date Report Requested: 10/16/2014

Test Type: 1-YEAR

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)

Time Report Requested: 05:11:04

Species/Strain: Mouse/SKH-1/NCTR

CAS Number: HYDROXYGLYSAL

First Dose M/F: NA / NA

Lab: NCTR

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
|--------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SKH-1/NCTR Mouse Female | | 3 | 3 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | | |
| NO CREAM0.3 MED | | 6 | 6 | 6 | 6 | 1 | 6 | 6 | 6 | 3 | 6 | 6 | 6 | 6 | 6 | 6 | 4 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 9 | 6 | 6 | | |
| | | 3 | 3 | 4 | 4 | 7 | 5 | 3 | 3 | 7 | 4 | 5 | 5 | 3 | 3 | 4 | 4 | 7 | 5 | 3 | 3 | 4 | 4 | 5 | 5 | 3 | 3 | 4 | 4 | 0 | 5 | 3 |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

Alimentary System

Liver +
 Hepatocellular Adenoma X
 Mesentery +

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

Clitoral Gland + + + + + + + + + + + + + + + + + + +
 Ovary + + + + + + + + + + + + + + + + + + +
 Cystadenoma X
 Tubulostromal Adenoma
 Uterus + + + + + + + + + + + + + + + + + + +
 Polyp Stromal X

Hematopoietic System

Bone Marrow + + + + + + + + + + + + + + + + M + + + + + + + + + + + + + + + +

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:04
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| SKH-1/NCTR Mouse Female | 3 | 3 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | | | |
| NO CREAM0.3 MED | 6 | 6 | 6 | 6 | 1 | 6 | 6 | 6 | 3 | 6 | 6 | 6 | 6 | 6 | 6 | 4 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 0 | 6 | 6 | | | |
| | 3 | 3 | 4 | 4 | 7 | 5 | 3 | 3 | 7 | 4 | 5 | 3 | 3 | 4 | 4 | 7 | 5 | 3 | 3 | 4 | 4 | 5 | 3 | 3 | 4 | 4 | 5 | 5 | 3 | 3 | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | | |
| | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | | | |
| | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 2 | 3 | 4 | 5 | 6 | | | |
| Lymph Node | + | | | | | | | | + | + | | | | | + | + | + | | | | | | | | | | + | + | | + | + | + | |
| Lymph Node, Mandibular | | | | | | | + | + | + | | | | | + | + | | | | | | | | | | | | | + | | | + | | |
| Lymph Node, Mesenteric | | | | | | | | | + | + | | | | | | | | | | | | | | | | | | + | | | + | | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Integumentary System | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Skin, Control | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Carcinoma In Situ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tail, Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Skin, Site Of Application | + | + | + | + | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Carcinoma In Situ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma In Situ, Two | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Squamous Cell Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Musculoskeletal System | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nervous System | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Respiratory System | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue
 M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Date Report Requested: 10/16/2014

Test Type: 1-YEAR

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)

Time Report Requested: 05:11:04

Species/Strain: Mouse/SKH-1/NCTR

CAS Number: HYDROXYGLYSAL

First Dose M/F: NA / NA

Lab: NCTR

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SKH-1/NCTR Mouse Female | 3 | 3 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | | | |
| NO CREAM0.3 MED | 6 | 6 | 6 | 6 | 1 | 6 | 6 | 6 | 3 | 6 | 6 | 6 | 6 | 6 | 4 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | | | |
| | 3 | 3 | 4 | 4 | 7 | 5 | 3 | 3 | 7 | 4 | 5 | 5 | 3 | 3 | 4 | 4 | 7 | 5 | 3 | 3 | 4 | 4 | 5 | 5 | 3 | 3 | 4 | 4 | 0 | 5 | 3 | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | | |
| | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |

Alveolar/Bronchiolar Adenoma X

Alveolar/Bronchiolar Adenoma, Two

Carcinoma, Metastatic, Mammary Gland X

Special Senses System

Eye + +

Lids, Adenoma X

Urinary System

Kidney +

SYSTEMIC LESIONS

Multiple Organ +

Lymphoma Malignant X

* ..Total animals with tissue examined microscopically; Total animals with tumor
+ ..Tissue examined microscopically
X ..Lesion present
I ..Insufficient tissue

M ..Missing tissue
A ..Autolysis precludes evaluation
BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:04
 First Dose M/F: NA / NA
 Lab: NCTR

| | | DAY ON TEST | | | | | |
|--------------------------------|-----------|-------------|---|---|---|---|----------------|
| SKH-1/NCTR Mouse Female | | 0 | 0 | 0 | 0 | 0 | |
| | | 3 | 3 | 3 | 3 | 3 | |
| | | 6 | 6 | 6 | 6 | 6 | |
| | | 3 | 4 | 4 | 5 | 5 | |
| NO CREAM0.3 MED | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | |
| | | 9 | 9 | 9 | 9 | 9 | |
| | | 2 | 2 | 2 | 2 | 2 | |
| | | 0 | 1 | 2 | 3 | 4 | *TOTALS |

Alimentary System

| | | | | | | |
|------------------------|--|--|--|--|--|---|
| Liver | | | | | | 1 |
| Hepatocellular Adenoma | | | | | | 1 |
| Mesentery | | | | | | 1 |

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

| | | | | | | |
|-----------------------|--|---|---|---|---|----|
| Clitoral Gland | | | | | | 4 |
| Ovary | | | + | + | | 19 |
| Cystadenoma | | | | | | 1 |
| Tubulostromal Adenoma | | | | | X | 1 |
| Uterus | | + | + | | | 17 |
| Polyp Stromal | | | | | | 1 |

Hematopoietic System

| | | | | | | |
|-------------|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | 35 |
|-------------|---|---|---|---|---|----|

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:04
 First Dose M/F: NA / NA
 Lab: NCTR

| SKH-1/NCTR Mouse Female NO CREAM0.3 MED | DAY ON TEST | | | | | ANIMAL ID | | *TOTALS |
|--|-------------|---|---|---|---|-----------|--|---------|
| | 0 | 0 | 0 | 0 | 0 | | | |
| | 3 | 3 | 3 | 3 | 3 | 0 | | |
| | 6 | 6 | 6 | 6 | 6 | 0 | | |
| | 3 | 4 | 4 | 5 | 5 | 0 | | |
| | 2 | 2 | 2 | 2 | 2 | 0 | | |
| | 9 | 9 | 9 | 9 | 9 | 0 | | |
| | 2 | 2 | 2 | 2 | 2 | 0 | | |
| | 0 | 1 | 2 | 3 | 4 | 0 | | |
| Lymph Node | | + | + | + | + | | | 17 |
| Lymph Node, Mandibular | + | | | | | | | 8 |
| Lymph Node, Mesenteric | | + | | | | | | 6 |
| Spleen | + | + | + | + | + | | | 35 |
| Integumentary System | | | | | | | | |
| Mammary Gland | | | | | | | | 1 |
| Carcinoma | | | | | | | | 1 |
| Skin, Control | + | + | + | + | + | | | 36 |
| Carcinoma In Situ | | | | X | | | | 1 |
| Tail, Fibrous Histiocytoma | | | | | | | | 1 |
| Skin, Site Of Application | + | + | + | + | + | | | 36 |
| Carcinoma In Situ | | | | | | | | 2 |
| Carcinoma In Situ, Two | | X | | | | | | 2 |
| Squamous Cell Carcinoma | | X | | | | | | 3 |
| Musculoskeletal System | | | | | | | | |
| NONE | | | | | | | | |
| Nervous System | | | | | | | | |
| NONE | | | | | | | | |
| Respiratory System | | | | | | | | |
| Lung | + | + | + | + | + | | | 35 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | 1 |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:04
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | |
|--------------------------------------|---|---|---|---|---|----------------|
| | 3 | 3 | 3 | 3 | 3 | |
| 6 | 6 | 6 | 6 | 6 | 6 | |
| 3 | 4 | 4 | 4 | 5 | 5 | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | |
| 2 | 2 | 2 | 2 | 2 | 2 | |
| 9 | 9 | 9 | 9 | 9 | 9 | |
| 2 | 2 | 2 | 2 | 2 | 2 | |
| 0 | 1 | 2 | 3 | 4 | | *TOTALS |
| <hr/> | | | | | | |
| Alveolar/Bronchiolar Adenoma | | | | | | 1 |
| Alveolar/Bronchiolar Adenoma, Two | | | | X | | 1 |
| Carcinoma, Metastatic, Mammary Gland | | | | | | 1 |
| Special Senses System | | | | | | |
| Eye | | | | + | | 3 |
| Lids, Adenoma | | | | | | 1 |
| Urinary System | | | | | | |
| Kidney | | | | | | 1 |
| SYSTEMIC LESIONS | | | | | | |
| Multiple Organ | + | + | + | + | + | 36 |
| Lymphoma Malignant | | | | | | 1 |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)

CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014

Time Report Requested: 05:11:04

First Dose M/F: NA / NA

Lab: NCTR

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--------------------------------|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SKH-1/NCTR Mouse Female | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 2 | 0 | 0 |
| CTLCREAM0.3 MED | 6 | 2 | 6 | 6 | 0 | 6 | 6 | 6 | 6 | 3 | 7 | 6 | 6 | 6 | 6 | 6 | 1 | 1 | 1 |
| | 3 | 3 | 4 | 4 | 6 | 5 | 3 | 3 | 4 | 7 | 1 | 5 | 3 | 3 | 4 | 4 | 4 | 4 | 3 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 7 | 8 | 9 | 0 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 |
| | *TOTALS | | | | | | | | | | | | | | | | | | |

Alimentary System

| | | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Liver | | | | | | | | | | | | | | | | | | | | 4 |
| Mesentery | | | | | | | | | | | | | | | | | | | | 1 |

Cardiovascular System

| | | | | | | | | | | | | | | | | | | | | |
|-------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Heart | | | | | | | | | | | | | | | | | | | | 1 |
|-------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|

Endocrine System

| | | | | | | | | | | | | | | | | | | | | |
|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| NONE | | | | | | | | | | | | | | | | | | | | 0 |
|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|

General Body System

| | | | | | | | | | | | | | | | | | | | | |
|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| NONE | | | | | | | | | | | | | | | | | | | | 0 |
|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|

Genital System

| | | | | | | | | | | | | | | | | | | | | |
|--------|---|---|---|---|--|---|---|---|--|---|--|---|---|---|---|---|--|--|--|---|
| Ovary | | + | + | | | + | + | + | | + | | + | + | | | + | | | | 9 |
| Uterus | + | | | + | | + | | | | | | + | + | + | + | | | | | 7 |

Hematopoietic System

| | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Lymph Node | | + | + | | | | | + | | + | | + | + | + | + | + | + | | | 10 |
| Axillary, Squamous Cell Carcinoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | X | | 1 |
| Lymph Node, Mandibular | | + | | | | + | | | | | | | + | | | + | + | | | 5 |
| Lymph Node, Mesenteric | | | | + | | | | | | | | | | | | | | | + | 2 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXYGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:05
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | *TOTALS |
|-------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| SKH-1/NCTR Mouse Female | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 2 | 0 | |
| CTLCREAM0.3 MED | 6 | 2 | 6 | 6 | 0 | 6 | 6 | 6 | 6 | 3 | 7 | 6 | 6 | 6 | 6 | 6 | 1 | 1 | |
| | 3 | 3 | 4 | 4 | 6 | 5 | 3 | 3 | 4 | 7 | 1 | 5 | 3 | 3 | 4 | 4 | 4 | 3 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | |
| | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | |

Integumentary System

| | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Skin, Control | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Squamous Cell Papilloma | | | | | | | | | | | | X | | | | | | | 1 |
| Skin, Site of Application | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Carcinoma In Situ | | | | | | | | X | | X | | X | | X | X | | | | 5 |
| Carcinoma In Situ, > Five | | | X | | | | | | | | | | | | | | | | 1 |
| Carcinoma In Situ, Four | | | | | | | | | | | | | | | | X | | | 1 |
| Carcinoma In Situ, Three | | | | | | X | | | | | | | | | | | | | 1 |
| Squamous Cell Carcinoma | | | | | | | | | | X | | | | | | X | | | 2 |
| Squamous Cell Carcinoma, Three | | | X | | | | | | | | | | | | | | | | 1 |
| Squamous Cell Carcinoma, Two | | | | | | X | | | | | | | | | | | | | 1 |
| Squamous Cell Papilloma | | | | X | | | | | | | | | | | | | | | 1 |
| Squamous Cell Papilloma, Two | | | | | | | | | X | | | | | | | | | | 1 |

Musculoskeletal System

NONE

Nervous System

NONE

Respiratory System

| | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | X | | | | 1 |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | X | | | | | | | | | | | 1 |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue
 M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:05
 First Dose M/F: NA / NA
 Lab: NCTR

| | | DAY ON TEST | | | | | | | | | | | | | | | | | | | |
|--------------------------------|------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------|---|
| SKH-1/NCTR Mouse Female | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 2 | 0 | | | |
| | | 6 | 2 | 6 | 6 | 0 | 6 | 6 | 6 | 6 | 3 | 7 | 6 | 6 | 6 | 6 | 1 | 1 | | | |
| | CTLCREAM0.3 MED | 3 | 3 | 4 | 4 | 6 | 5 | 3 | 3 | 4 | 7 | 1 | 5 | 3 | 3 | 4 | 4 | 4 | 3 | | |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | | |
| | | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | | | |
| | | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | | | |
| | | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | *TOTALS | |
| Alveolar/Bronchiolar Carcinoma | | X | | | | | | | | | | | | | | | | | | 1 | |
| Special Senses System | | | | | | | | | | | | | | | | | | | | | |
| Eye | | | | | | | | | | | | | | | | | | | | + | 1 |
| Urinary System | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 | |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXYGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:05
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--------------------------------|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SKH-1/NCTR Mouse Female | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 4% AHA 0.3 MED | 6 | 6 | 6 | 6 | 6 | 4 | 5 | 6 | 8 | 6 | 6 | 6 | 6 | 3 | 3 | 6 | 6 | 6 |
| | 3 | 3 | 4 | 4 | 5 | 8 | 8 | 3 | 8 | 4 | 5 | 5 | 3 | 7 | 7 | 4 | 5 | 5 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 |
| | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 |
| | *TOTALS | | | | | | | | | | | | | | | | | |

Alimentary System

| | | | | | | | | | | | | | | | | | | | | |
|------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|
| Intestine Large, Colon | | | | | | | | | | | | | | | | | | | + | 1 |
| Liver | | | | | | | | | | | | | | | | | | | + | 2 |
| Mesentery | | | | | | | | | | | | | | | | | | | + | 1 |

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

| | | | | | | | | | | | | | | | | | | | | | |
|--------|---|---|---|---|--|--|--|--|---|---|---|---|---|---|--|--|--|--|---|---|----|
| Ovary | + | + | + | + | | | | | + | + | + | + | + | + | | | | | + | + | 12 |
| Uterus | | | | | | | | | + | | | | | + | | | | | | + | 3 |

Hematopoietic System

| | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | 18 |
| Lymph Node | + | | | | + | + | | | + | | | | | + | + | + | + | | | | 9 |
| Lymph Node, Mandibular | | | | | | + | | | | | + | | | | | | | | + | | 3 |
| Lymph Node, Mesenteric | | | | | | + | | | | | | | | | | | | | + | | 2 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | 18 |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue
 M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)

CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:05
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | *TOTALS |
|-------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| SKH-1/NCTR Mouse Female | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| 4% AHA 0.3 MED | 6 | 6 | 6 | 6 | 6 | 4 | 5 | 6 | 8 | 6 | 6 | 6 | 6 | 3 | 3 | 6 | 6 | 6 | |
| | 3 | 3 | 4 | 4 | 5 | 8 | 8 | 3 | 8 | 4 | 5 | 3 | 7 | 7 | 4 | 5 | 5 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | |
| | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | |
| | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | |

Integumentary System

| | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Skin, Control | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Skin, Site of Application | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Carcinoma In Situ | | | X | | X | | | X | | | | | X | | X | X | | | 6 |
| Carcinoma In Situ, > Five | | | | X | | | | | | | | | | | | | | | 1 |
| Carcinoma In Situ, Four | | | | | | | X | | | | | | | | | | | | 1 |
| Carcinoma In Situ, Two | | | | | | | | | | | | | | | | | X | | 1 |
| Squamous Cell Carcinoma | X | | | X | X | X | | | | | | | X | X | | | | | 6 |
| Squamous Cell Carcinoma, Three | | | | | | | X | | | | | | | | | | | | 1 |
| Squamous Cell Carcinoma, Two | | | | | | | | | | | | | | | | X | | | 1 |
| Squamous Cell Papilloma | | | | | | | | X | | | | | | | | | | | 1 |
| Squamous Cell Papilloma, Two | X | | | | | | | | | | | | | | | | | | 1 |

Musculoskeletal System

NONE

Nervous System

NONE

Respiratory System

| | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | X | | 1 |

Special Senses System

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:05
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--------------------------------|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SKH-1/NCTR Mouse Female | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 4% AHA 0.3 MED | 6 | 6 | 6 | 6 | 6 | 4 | 5 | 6 | 8 | 6 | 6 | 6 | 6 | 3 | 3 | 6 | 6 | 6 |
| | 3 | 3 | 4 | 4 | 5 | 8 | 8 | 3 | 8 | 4 | 5 | 5 | 3 | 7 | 7 | 4 | 5 | 5 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 |
| | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 |
| | *TOTALS | | | | | | | | | | | | | | | | | |

NONE
 Urinary System

NONE
 SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Lymphoma Malignant | | | | | X | | | | | | | | | | | X | | | 2 |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXYGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:05
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|-------------------------|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SKH-1/NCTR Mouse Female | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 |
| 10% AHA 0.3 MED | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 5 | 6 | 6 | 6 | 6 | 6 | 3 |
| | 3 | 3 | 4 | 4 | 5 | 5 | 3 | 3 | 4 | 4 | 5 | 0 | 3 | 3 | 4 | 4 | 5 | 3 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 |
| | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | *TOTALS | | | | | | | | | | | | | | | | | |

Alimentary System

| | | | | | | | | | | | | | | | | | | | | |
|--------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|
| Liver | | | | | | | | | | | | | | | | | | | + | 2 |
| Hepatocellular Adenoma | | | | | | | | | | | | | | | | | | | X | 1 |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | | X | 1 |
| Mesentery | | | | | | | | | | | | | | | | | | | + | 1 |
| Pancreas | | | | | | | | | | | | | | | | | | | + | 1 |

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|---|---|---|---|---|
| Ovary | | | | | | | | | | | | | | | | | | | + | + | + | + | + | 9 | |
| Cystadenoma | | | | | | | | | | | | | | | | | | | X | | | | | | 1 |
| Uterus | | | | | | | | | | | | | | | | | | | + | + | + | + | + | 8 | |
| Vagina | | | | | | | | | | | | | | | | | | | | | | | + | 1 | |

Hematopoietic System

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | | | | | | | | | | | | | | | | | | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | 17 |
|-------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue
 M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXYGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:05
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | *TOTALS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | |
| ANIMAL ID | 6 | | | | | | | | | | | | | | | | | | |
| | 3 | 3 | 4 | 4 | 5 | 5 | 3 | 3 | 4 | 4 | 5 | 0 | 3 | 3 | 4 | 4 | 5 | 3 | |
| | 0 | | | | | | | | | | | | | | | | | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 8 | | | | | | | | | | | | | | | | | | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | |
| | 3 | | | | | | | | | | | | | | | | | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 6 | 7 | 8 | 9 | 0 | |
| Lymph Node | | + | + | + | + | + | + | | + | | | | | | + | + | | + | 11 |
| Inguinal, Squamous Cell Carcinoma, Metastatic, Skin | | | | | | | | | | | | | X | | | | | | 1 |
| Lymph Node, Mandibular | | | | + | | | + | + | | + | | | | | + | | | | 5 |
| Lymph Node, Mesenteric | | | | + | | | | + | + | | | | | | | | | + | 4 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | 17 |
| Integumentary System | | | | | | | | | | | | | | | | | | | |
| Skin, Control | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Skin, Site of Application | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Carcinoma In Situ | | X | | X | | | | | | X | | | | | | | | | 3 |
| Carcinoma In Situ, Five | | | | | | | | | | | X | | | | | | | | 1 |
| Carcinoma In Situ, Three | | | | | | | | | | | | | | | X | | | | 1 |
| Carcinoma In Situ, Two | | | | | | X | | | | | | | | | | | X | | 2 |
| Squamous Cell Carcinoma | | X | | X | | | | | | | X | | | | X | | X | | 5 |
| Squamous Cell Carcinoma, Two | | | | X | | | | | | | | | | | | | | | 1 |
| Squamous Cell Papilloma | | | | X | | X | | | | | | | | X | | | | | 3 |
| Musculoskeletal System | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | |
| Nervous System | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | |
| Respiratory System | | | | | | | | | | | | | | | | | | | |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue
 M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:05
 First Dose M/F: NA / NA
 Lab: NCTR

| | | DAY ON TEST | | | | | | | | | | | | | | | | | | |
|------------------------------|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 3 | |
| | | 3 | 3 | 4 | 4 | 5 | 5 | 3 | 3 | 4 | 4 | 5 | 0 | 3 | 3 | 4 | 4 | 5 | 3 | |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | |
| | | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | *TOTALS |
| Lung | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 17 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | 1 |
| Special Senses System | | | | | | | | | | | | | | | | | | | | |
| Eye | | | | | + | | | | | | | | + | | | | | | | 2 |
| Urinary System | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Lymphoma Malignant | | | | | | | | | X | | | | | | | | | | X | 2 |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:05
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | *TOTALS |
|-------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| SKH-1/NCTR Mouse Female | 1 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 0 | 3 | | |
| 2% BHA 0.3 MED | 4 | 6 | 6 | 6 | 6 | 6 | 9 | 6 | 6 | 6 | 6 | 6 | 6 | 8 | 6 | 5 | 6 | | |
| | 6 | 3 | 4 | 4 | 5 | 5 | 2 | 3 | 4 | 4 | 5 | 5 | 3 | 3 | 8 | 4 | 3 | 5 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |

Alimentary System

NONE

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

Clitoral Gland

+ +

2

Ovary

+ + + +

8

Uterus

+ + + + + + + +

12

Polyp Stromal

X

1

Hematopoietic System

Bone Marrow

+ + + + + + + + + + + + + + + +

18

Lymph Node

+ + + +

9

Lymph Node, Mandibular

+ + + +

5

Lymph Node, Mesenteric

+

1

Spleen

+ + + + + + + + + + + + + + + +

18

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXYGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:05
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | *TOTALS |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| | 1 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 0 | 3 | |
| 4 | 6 | 6 | 6 | 6 | 6 | 9 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 8 | 6 | 5 | 6 | | |
| 6 | 3 | 4 | 4 | 4 | 5 | 2 | 3 | 4 | 4 | 5 | 3 | 3 | 8 | 4 | 3 | 5 | | | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |

Integumentary System

| | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Skin, Control | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Carcinoma In Situ | | | | X | | | | | | | | | | | | | | 1 |
| Skin, Site of Application | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Carcinoma In Situ | | | | | | | | | | X | | | X | | | | | 2 |
| Carcinoma In Situ, Three | | | | X | | | | | | | | | | | | | | 1 |
| Carcinoma In Situ, Two | | X | | | | | | | | | | | | | | | | 1 |
| Squamous Cell Carcinoma | | | X | | | | | X | | X | | X | | | | | | 4 |
| Squamous Cell Carcinoma, Two | | | | | | | | | | | | | | X | | | | 1 |
| Squamous Cell Papilloma | | | | | | | | X | | | | X | | | | | | 2 |

Musculoskeletal System

NONE

Nervous System

NONE

Respiratory System

| | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

Special Senses System

| | | | | | | | | | | | | | | | | | | |
|-----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|
| Eye | | | | | | | | | | | | | | | | | + | 1 |
|-----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|

Urinary System

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXYGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:06
 First Dose M/F: NA / NA
 Lab: NCTR

| | | DAY ON TEST | | | | | | | | | | | | | | | | | | | |
|---|-----------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------|
| SKH-1/NCTR Mouse Female 2% BHA 0.3 MED | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 0 | 3 | | |
| | | 4 | 6 | 6 | 6 | 6 | 6 | 9 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 8 | 6 | 5 | 6 | | |
| | | 6 | 3 | 4 | 4 | 5 | 5 | 2 | 3 | 4 | 4 | 5 | 5 | 3 | 3 | 8 | 4 | 3 | 5 | | |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 8 | *TOTALS |
| Kidney | | | | | | | | | | | | | | | | | | | + | 1 | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)

CAS Number: HYDROXYGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:06
 First Dose M/F: NA / NA
 Lab: NCTR

| SKH-1/NCTR Mouse Female 4% BHA 0.3 MED | DAY ON TEST | | | | | | | | | | | | | | | | | | *TOTALS |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 1 | 3 | 1 | 3 | 3 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 6 | 6 | 6 | 4 | 6 | 2 | 6 | 6 | 6 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | |
| | 3 | 3 | 4 | 9 | 5 | 7 | 3 | 3 | 4 | 3 | 5 | 5 | 3 | 3 | 4 | 4 | 5 | 5 | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | |
| Spleen | + | + | + | + | + | | + | + | + | + | + | + | + | + | + | + | + | + | |
| Thymus | | | | + | | | | | | | | | | | | | | | |
| Integumentary System | | | | | | | | | | | | | | | | | | | |
| Skin, Control | + | + | + | + | + | | + | + | + | + | + | + | + | + | + | + | + | + | |
| Carcinoma In Situ | | | | | | | | | X | | | | | | | | | | |
| Skin, Site of Application | + | + | + | + | + | | + | + | + | + | + | + | + | + | + | + | + | + | |
| Squamous Cell Carcinoma | | | | | X | | | | | | | | | X | | | | | |
| Musculoskeletal System | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | |
| Nervous System | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | |
| Respiratory System | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | | + | + | + | + | + | + | + | + | + | + | + | + | |
| Alveolar/Bronchiolar Adenoma | | | | | X | | | | | | | | | | | | | | |
| Special Senses System | | | | | | | | | | | | | | | | | | | |
| Eye | | | | + | | | + | | | | + | | | | + | | | | |
| Urinary System | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue
 M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXYGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:06
 First Dose M/F: NA / NA
 Lab: NCTR

| | | DAY ON TEST | | | | | | | | | | | | | | | | | | | | |
|---|-----------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----------------|
| SKH-1/NCTR Mouse Female 4% BHA 0.3 MED | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 3 | 3 | 3 | 1 | 3 | 1 | 3 | 3 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 6 | 6 | 6 | 4 | 6 | 2 | 6 | 6 | 6 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | |
| | | 3 | 3 | 4 | 9 | 5 | 7 | 3 | 3 | 4 | 3 | 5 | 5 | 3 | 3 | 4 | 4 | 5 | 5 | 5 | 5 | |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 6 | 6 | *TOTALS |
| Multiple Organ | | + | + | + | + | + | | + | + | + | + | + | + | + | + | + | + | + | + | + | 17 | |
| Lymphoma Malignant | | | | | X | X | | | | | | | | | | | | | | | 2 | |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXYGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:06
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| SKH-1/NCTR Mouse Female | 3 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 2 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | | | |
| NO CREAM0.6 MED | 5 | 6 | 5 | 6 | 6 | 3 | 5 | 5 | 5 | 4 | 2 | 5 | 3 | 3 | 1 | 6 | 6 | 0 | 3 | 6 | 4 | 8 | 6 | 6 | 3 | 7 | 2 | 0 | 6 | 2 | 3 | |
| | 1 | 3 | 0 | 4 | 5 | 9 | 8 | 8 | 8 | 4 | 3 | 8 | 0 | 0 | 6 | 4 | 5 | 9 | 7 | 8 | 4 | 1 | 5 | 5 | 7 | 5 | 3 | 9 | 5 | 3 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Integumentary System | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Skin, Control | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Skin, Site of Application | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Carcinoma In Situ | | | | | X | X | X | | X | | X | | X | | X | | | | | X | | | | | | | | | | | | | |
| Carcinoma In Situ, > Five | | | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma In Situ, Four | | | | | | | | | | | X | | X | | | | | | | | | | | | | X | | | | | | | |
| Carcinoma In Situ, Three | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | | | | |
| Carcinoma In Situ, Two | X | | | | | | | X | | | | | | | | X | | | | | X | | | X | | | | | X | | | | |
| Squamous Cell Carcinoma | X | X | | | | X | X | | | X | X | X | X | | | | | X | X | X | | X | | | | X | | X | | | | X | |
| Squamous Cell Carcinoma, Five | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Squamous Cell Carcinoma, Four | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | | | | | |
| Squamous Cell Carcinoma, Three | | | | | | | | | | | X | | | | | | X | | | | | | | | | | | X | | | | | |
| Squamous Cell Carcinoma, Two | | | | | | | | | X | | | | | | | | X | | | | | | | | X | X | X | | | X | | | |
| Squamous Cell Papilloma | | | | X | | | | | | | | | | | X | X | | | | | | | | X | X | | | X | | | | | |

Musculoskeletal System

NONE
Nervous System
 NONE
Respiratory System

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue
 M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXYGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:06
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| SKH-1/NCTR Mouse Female | 3 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 2 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | | |
| NO CREAM0.6 MED | 5 | 6 | 5 | 6 | 6 | 3 | 5 | 5 | 5 | 4 | 2 | 5 | 3 | 3 | 1 | 6 | 6 | 0 | 3 | 6 | 4 | 8 | 6 | 6 | 3 | 7 | 2 | 0 | 6 | 2 | 3 |
| | 1 | 3 | 0 | 4 | 5 | 9 | 8 | 8 | 8 | 4 | 3 | 8 | 0 | 0 | 6 | 4 | 5 | 9 | 7 | 8 | 4 | 1 | 5 | 5 | 7 | 5 | 3 | 9 | 5 | 3 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

Respiratory System

Lung +
 Alveolar/Bronchiolar Adenoma X X X

Special Senses System

Harderian Gland +

Urinary System

NONE

SYSTEMIC LESIONS

Multiple Organ +
 Lymphoma Malignant X X

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue
 M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:06
 First Dose M/F: NA / NA
 Lab: NCTR

| | DAY ON TEST | | | | | |
|--|----------------|---|---|---|---|--|
| SKH-1/NCTR Mouse Female NO CREAM0.6 MED | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | |
| | 3 | 0 | 0 | 6 | 6 | |
| | 0 | 9 | 0 | 5 | 5 | |
| | *TOTALS | | | | | |
| | ANIMAL ID | | | | | |
| | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | |
| | 0 | 0 | 0 | 0 | 0 | |
| | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | |

Alimentary System

Liver 5
 Hepatocellular Adenoma 1

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

Clitoral Gland 3
 Ovary + + + + 22
 Uterus + 12

Hematopoietic System

Bone Marrow + + + + + 36
 Lymph Node + + + + + 30
 Axillary, Squamous Cell Carcinoma, Metastatic, Skin 1
 Lymph Node, Mandibular + + + 15
 Lymph Node, Mesenteric 2

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:06
 First Dose M/F: NA / NA
 Lab: NCTR

| SKH-1/NCTR Mouse Female NO CREAM0.6 MED | DAY ON TEST | | | | | ANIMAL ID | *TOTALS |
|--|-------------|---|---|---|---|-----------|---------|
| | 0 | 0 | 0 | 0 | 0 | | |
| | 3 | 3 | 3 | 3 | 3 | | |
| | 3 | 0 | 0 | 6 | 6 | | |
| | 0 | 9 | 0 | 5 | 5 | | |
| | 0 | 0 | 0 | 0 | 0 | | |
| | 3 | 3 | 3 | 3 | 3 | | |
| | 0 | 0 | 0 | 0 | 0 | | |
| | 4 | 4 | 4 | 4 | 5 | | |
| | 6 | 7 | 8 | 9 | 0 | | |
| Spleen | + | + | + | + | + | | 36 |
| Integumentary System | | | | | | | |
| Skin, Control | + | + | + | + | + | | 36 |
| Squamous Cell Papilloma | | | | | | | 1 |
| Skin, Site of Application | + | + | + | + | + | | 36 |
| Carcinoma In Situ | | | X | | | | 9 |
| Carcinoma In Situ, > Five | | | | | X | | 2 |
| Carcinoma In Situ, Four | | | | | | | 3 |
| Carcinoma In Situ, Three | X | | | | | | 2 |
| Carcinoma In Situ, Two | | | | X | | | 7 |
| Squamous Cell Carcinoma | | X | X | X | | | 18 |
| Squamous Cell Carcinoma, Five | | | | | | | 1 |
| Squamous Cell Carcinoma, Four | | | | | | | 1 |
| Squamous Cell Carcinoma, Three | | | | | X | | 4 |
| Squamous Cell Carcinoma, Two | X | | | | | | 7 |
| Squamous Cell Papilloma | | | | | | | 6 |

Musculoskeletal System

NONE

Nervous System

NONE

Respiratory System

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:06
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 |
|--|-----------|---|---|---|---|----------------|
| SKH-1/NCTR Mouse Female NO CREAM0.6 MED | | 3 | 3 | 3 | 3 | 3 |
| | | 3 | 0 | 0 | 6 | 6 |
| | | 0 | 9 | 0 | 5 | 5 |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | |
| | 0 | 0 | 0 | 0 | 0 | |
| | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | |
| | | | | | | *TOTALS |

Respiratory System

| | | | | | | |
|------------------------------|---|---|---|---|---|----|
| Lung | + | + | + | + | + | 36 |
| Alveolar/Bronchiolar Adenoma | | | | | | 3 |

Special Senses System

| | | | | | | |
|-----------------|--|--|--|--|--|---|
| Harderian Gland | | | | | | 1 |
|-----------------|--|--|--|--|--|---|

Urinary System

| | | | | | | |
|------|--|--|--|--|--|--|
| NONE | | | | | | |
|------|--|--|--|--|--|--|

SYSTEMIC LESIONS

| | | | | | | |
|--------------------|---|---|---|---|---|----|
| Multiple Organ | + | + | + | + | + | 36 |
| Lymphoma Malignant | | | | | | 2 |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXYGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:06
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--------------------------------|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SKH-1/NCTR Mouse Female | | 3 | 2 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 2 | 3 |
| | | 6 | 6 | 0 | 6 | 3 | 0 | 2 | 1 | 2 | 8 | 8 | 0 | 1 | 1 | 1 | 0 | 8 | 1 |
| | CTLCREAM0.6 MED | 3 | 7 | 2 | 7 | 2 | 9 | 3 | 1 | 3 | 8 | 8 | 2 | 6 | 6 | 6 | 9 | 3 | 6 |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 |
| | | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| *TOTALS | | | | | | | | | | | | | | | | | | | |

Alimentary System

Liver + + 2

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

NONE

Genital System

Ovary + + + 8
 Uterus + + 2

Hematopoietic System

Bone Marrow + + + + + + + + + + + + + + + + 18
 Lymph Node + + + + + + + + + + + + + + + + 16
 Axillary, Squamous Cell Carcinoma, Metastatic, Skin X 1
 Lymph Node, Mandibular + + + + 6
 Squamous Cell Carcinoma, Metastatic, Skin X 1
 Lymph Node, Mesenteric + + 2
 Spleen + + + + + + + + + + + + + + + + 18

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue
 M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)

CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:07
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | *TOTALS |
|-------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| SKH-1/NCTR Mouse Female | 3 | 2 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 2 | 2 | 3 | 3 | 3 | 3 | 2 | 3 | | |
| CTLCREAM0.6 MED | 6 | 6 | 0 | 6 | 3 | 0 | 2 | 1 | 2 | 8 | 8 | 0 | 1 | 1 | 1 | 0 | 8 | | |
| | 3 | 7 | 2 | 7 | 2 | 9 | 3 | 1 | 3 | 8 | 8 | 2 | 6 | 6 | 9 | 3 | 6 | | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | | |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | | |
| | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | |

Integumentary System

| | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Skin, Control | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Skin, Site of Application | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Carcinoma In Situ | X | X | | | | | | | | | | | X | X | X | | | 5 |
| Carcinoma In Situ, > Five | | | | X | | | | | | | | | | | | | | 1 |
| Carcinoma In Situ, Five | | | | | | | X | X | | | | | | | | | | 2 |
| Carcinoma In Situ, Four | | | | | | | | | | X | | | | | | | | 1 |
| Carcinoma In Situ, Three | | | X | | | | | | X | | | | | | X | | | 3 |
| Carcinoma In Situ, Two | | | | | | X | | | | | X | | | | | | | 2 |
| Squamous Cell Carcinoma | X | | X | | | X | | X | X | | | X | X | X | | | X | 9 |
| Squamous Cell Carcinoma, Three | | | | X | | | | | | X | | | | | | | X | 3 |
| Squamous Cell Carcinoma, Two | | X | | | X | | X | | | | | | | X | X | | | 5 |
| Squamous Cell Papilloma | | | | | | | X | | | | X | | | | | | | 2 |
| Squamous Cell Papilloma, Two | | | | | | X | | | | | | | | | | | | 1 |

Musculoskeletal System

NONE

Nervous System

NONE

Respiratory System

| | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | X | | | | | 1 |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)

CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:07
 First Dose M/F: NA / NA
 Lab: NCTR

| | | DAY ON TEST | | | | | | | | | | | | | | | | | | | |
|--------------------------------|------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------|----|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| SKH-1/NCTR Mouse Female | | 3 | 2 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | | |
| | | 6 | 6 | 0 | 6 | 3 | 0 | 2 | 1 | 2 | 8 | 8 | 0 | 1 | 1 | 1 | 0 | 8 | 1 | | |
| | CTLCREAM0.6 MED | 3 | 7 | 2 | 7 | 2 | 9 | 3 | 1 | 3 | 8 | 8 | 2 | 6 | 6 | 6 | 9 | 3 | 6 | | |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | | |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | | |
| | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | *TOTALS | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | X | 1 |
| Special Senses System | | | | | | | | | | | | | | | | | | | | | |
| Eye | | | | | | | | | | | | | | | | | | | | + | 1 |
| Urinary System | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | 18 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | X | 1 |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXYGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:07
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|-------------------------|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SKH-1/NCTR Mouse Female | 2 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 2 | 2 | 3 |
| 4% AHA 0.6 MED | 8 | 2 | 3 | 3 | 2 | 8 | 5 | 6 | 3 | 9 | 1 | 3 | 1 | 1 | 0 | 9 | 8 | 1 |
| | 1 | 3 | 0 | 0 | 3 | 1 | 8 | 3 | 2 | 0 | 6 | 7 | 1 | 1 | 2 | 6 | 1 | 6 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | *TOTALS | | | | | | | | | | | | | | | | | |

Alimentary System

| | | | | | | | | | | | | | | | | | | | |
|-------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Intestine Large, Rectum | | | | | | | | | | | | | | | | | | | 1 |
| Liver | | | | | | | | | | | | | | | | | | | 2 |
| Hepatocellular Adenoma | | | | | | | | | | | | | | | | | | | 1 |

Cardiovascular System

| | | | | | | | | | | | | | | | | | | | |
|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| NONE | | | | | | | | | | | | | | | | | | | |
|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

Endocrine System

| | | | | | | | | | | | | | | | | | | | |
|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| NONE | | | | | | | | | | | | | | | | | | | |
|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

General Body System

| | | | | | | | | | | | | | | | | | | | |
|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| NONE | | | | | | | | | | | | | | | | | | | |
|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

Genital System

| | | | | | | | | | | | | | | | | | | | |
|----------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Clitoral Gland | | | | | | | | | | | | | | | | | | | 1 |
| Ovary | | | | | | | | | | | | | | | | | | | 8 |
| Uterus | | | | | | | | | | | | | | | | | | | 1 |

Hematopoietic System

| | | | | | | | | | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Bone Marrow | | | | | | | | | | | | | | | | | | | 17 |
| Lymph Node | | | | | | | | | | | | | | | | | | | 15 |
| Axillary, Squamous Cell Carcinoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | 3 |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue
 M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXYGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:07
 First Dose M/F: NA / NA
 Lab: NCTR

| SKH-1/NCTR Mouse Female 4% AHA 0.6 MED | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | *TOTALS |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| | ANIMAL ID | 0 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | |
| Inguinal, Squamous Cell Carcinoma, Metastatic, Skin | X | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mandibular | + | | | + | + | | | | + | | | | + | | | | + | | 8 |
| Spleen | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | 17 |
| Integumentary System | | | | | | | | | | | | | | | | | | | |
| Skin, Control | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Skin, Site of Application | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Carcinoma In Situ | | | | | | X | | | | X | | | | | | X | | | 4 |
| Carcinoma In Situ, > Five | | | | | X | | | | | | | | X | | | | | | 2 |
| Carcinoma In Situ, Five | | | | | | | | | X | | | | | | | | | X | 2 |
| Carcinoma In Situ, Four | | | | | | | | | | | | | | | | | X | X | 2 |
| Carcinoma In Situ, Three | X | | | | | | | | | | | | | X | | | | | 2 |
| Carcinoma In Situ, Two | | | X | | | | X | | | | | | | | | | | | 2 |
| Squamous Cell Carcinoma | X | | | | | X | | | | | | | | X | X | X | | | 5 |
| Squamous Cell Carcinoma, Four | | | | | | | | | | | | | X | | | | | | 1 |
| Squamous Cell Carcinoma, Three | | | | | | | X | | X | | | | | | | | X | X | 4 |
| Squamous Cell Carcinoma, Two | | | X | X | X | | X | | | | X | | | | | | | X | 6 |
| Squamous Cell Papilloma | | | | | | | X | X | | | | | | | | | X | | 3 |
| Squamous Cell Papilloma, Four | | | | | | | | | | | | | | | | | | X | 1 |
| Musculoskeletal System | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue
 M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXYGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:07
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | SKH-1/NCTR Mouse Female 4% AHA 0.6 MED | | | | | | | | | | | | | | | | | | *TOTALS |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |

Nervous System

NONE

Respiratory System

| | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lung | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | 17 |
| Squamous Cell Carcinoma, Metastatic, Skin | | | | | | | | | | | | | X | | | | | | 1 |

Special Senses System

NONE

Urinary System

NONE

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)

CAS Number: HYDROXYGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:07
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | *TOTALS |
|-------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| SKH-1/NCTR Mouse Female | 3 | 3 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 2 | 3 | 1 | 2 | 2 | 2 | 3 | |
| 10% AHA 0.6 MED | 3 | 3 | 8 | 8 | 3 | 1 | 2 | 1 | 2 | 3 | 9 | 9 | 0 | 9 | 5 | 3 | 4 | 6 | |
| | 0 | 9 | 1 | 1 | 9 | 6 | 3 | 6 | 3 | 2 | 5 | 5 | 4 | 9 | 4 | 3 | 6 | 5 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | |

Alimentary System

Pancreas + 1

Cardiovascular System

NONE

Endocrine System

NONE

General Body System

Tissue NOS + 1

Genital System

Ovary + + + + + + + + + + + + + + + + 8

Uterus + 3

Hematopoietic System

Bone Marrow + + + + + + + + + + + + + + + + 18

Lymph Node + + + + + + + + + + + + + + + + 17

Axillary, Squamous Cell Carcinoma, Metastatic, Skin X 1

Lymph Node, Mandibular + + + + + + + 7

Lymph Node, Mesenteric + + + 3

Spleen + + + + + + + + + + + + + + + + 18

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXYGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:07
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|-------------------------|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SKH-1/NCTR Mouse Female | 3 | 3 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 2 | 2 | 3 | 1 | 2 | 2 | 2 | 3 | |
| 10% AHA 0.6 MED | 3 | 3 | 8 | 8 | 3 | 1 | 2 | 1 | 2 | 3 | 9 | 9 | 0 | 9 | 5 | 3 | 4 | 6 |
| | 0 | 9 | 1 | 1 | 9 | 6 | 3 | 6 | 3 | 2 | 5 | 4 | 9 | 4 | 3 | 6 | 5 | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 |
| | *TOTALS | | | | | | | | | | | | | | | | | |

Integumentary System

| | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Skin, Control | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | X | 1 |
| Skin, Site of Application | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Carcinoma In Situ | | | | X | X | | | | | X | X | X | | | | | | X | 6 |
| Carcinoma In Situ, > Five | | | | | | | | | | | | | | | | | | X | 1 |
| Carcinoma In Situ, Four | | | | X | | | | | | | | | | | | | | | 1 |
| Carcinoma In Situ, Two | X | | | | | | X | X | | | | | | | | | | X | 4 |
| Squamous Cell Carcinoma | X | | X | | | | X | X | | | X | X | | | | | X | X | 9 |
| Squamous Cell Carcinoma, > Five | | | | | | | | | | | | | | | | | | X | 1 |
| Squamous Cell Carcinoma, Five | | | | | | | | | | | X | | | | | | | | 1 |
| Squamous Cell Carcinoma, Four | | | | | | X | | | | | | | | | | | | | 1 |
| Squamous Cell Carcinoma, Three | | X | | X | | | | | | | | | | X | | | | | 3 |
| Squamous Cell Carcinoma, Two | | | | | X | | | | X | X | | | | | | | | | 3 |
| Squamous Cell Papilloma | | | | | | | X | | | | | | | | | | | | 1 |
| Squamous Cell Papilloma, Two | | | | | | | | | | | | | | | | | X | | 1 |

Musculoskeletal System

NONE

Nervous System

NONE

Respiratory System

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:07
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | *TOTALS |
|------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| SKH-1/NCTR Mouse Female | 3 | 3 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 2 | 3 | 1 | 2 | 2 | 2 | 3 | |
| 10% AHA 0.6 MED | 3 | 3 | 8 | 8 | 3 | 1 | 2 | 1 | 2 | 3 | 9 | 9 | 0 | 9 | 5 | 3 | 4 | 6 | |
| | 0 | 9 | 1 | 1 | 9 | 6 | 3 | 6 | 3 | 2 | 5 | 5 | 4 | 9 | 4 | 3 | 6 | 5 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | |
| Respiratory System | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Special Senses System | | | | | | | | | | | | | | | | | | | |
| Eye | | | | | | | | | | | | | | | | | + | | |
| Urinary System | | | | | | | | | | | | | | | | | | | |
| Kidney | | | | | | | | | | | | | | | | | | + | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXYGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:07
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | *TOTALS |
|-------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| SKH-1/NCTR Mouse Female | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | |
| 2% BHA 0.6 MED | 4 | 3 | 6 | 6 | 6 | 0 | 3 | 3 | 9 | 1 | 8 | 6 | 6 | 2 | 6 | 0 | 2 | 6 | |
| | 4 | 7 | 4 | 4 | 5 | 9 | 0 | 0 | 5 | 6 | 1 | 5 | 3 | 3 | 4 | 2 | 3 | 7 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | |

Alimentary System

Liver + + + + 4

Cardiovascular System

NONE

Endocrine System

Adrenal Gland + 1

General Body System

NONE

Genital System

Clitoral Gland + 1

Ovary + + + + + + + + + 11

Granulosa Cell Tumor Malignant X 1

Uterus + + + + + + + + + 11

Polyp Stromal X X 2

Hematopoietic System

Bone Marrow + + + + + + + + + + + + + + + 18

Lymph Node + + + + + + + + + + + + + + + 16

Lumbar, Granulosa Cell Tumor Malignant, Metastatic, Ovary X 1

Lymph Node, Mandibular + + + + + 6

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXYGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:07
 First Dose M/F: NA / NA
 Lab: NCTR

| SKH-1/NCTR Mouse Female 2% BHA 0.6 MED | DAY ON TEST | | | | | | | | | | | | | | | | | | *TOTALS |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| ANIMAL ID | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | | |
| | 4 | 3 | 6 | 6 | 6 | 0 | 3 | 3 | 9 | 1 | 8 | 6 | 6 | 2 | 6 | 0 | 2 | | |
| | 4 | 7 | 4 | 4 | 5 | 9 | 0 | 0 | 5 | 6 | 1 | 5 | 3 | 3 | 4 | 2 | 3 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | | |
| | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | | |
| Lymph Node, Mesenteric | | | | | | | | | | | | | | | | | | | |
| Spleen | | | | | | | | | | | | | | | | | | | |
| Integumentary System | | | | | | | | | | | | | | | | | | | |
| Skin, Control | | | | | | | | | | | | | | | | | | | |
| Skin, Site of Application | | | | | | | | | | | | | | | | | | | |
| Carcinoma In Situ | | | | | | | | | | | | | | | | | | | |
| Carcinoma In Situ, Five | | | | | | | | | | | | | | | | | | | |
| Carcinoma In Situ, Three | | | | | | | | | | | | | | | | | | | |
| Carcinoma In Situ, Two | | | | | | | | | | | | | | | | | | | |
| Squamous Cell Carcinoma | | | | | | | | | | | | | | | | | | | |
| Squamous Cell Carcinoma, Four | | | | | | | | | | | | | | | | | | | |
| Squamous Cell Carcinoma, Two | | | | | | | | | | | | | | | | | | | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | |
| Squamous Cell Papilloma, Three | | | | | | | | | | | | | | | | | | | |
| Musculoskeletal System | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | |
| Nervous System | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | |
| Respiratory System | | | | | | | | | | | | | | | | | | | |
| Lung | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue
 M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXYGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:07
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | *TOTALS | |
|--------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| SKH-1/NCTR Mouse Female | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | | |
| 2% BHA 0.6 MED | 4 | 3 | 6 | 6 | 6 | 0 | 3 | 3 | 9 | 1 | 8 | 6 | 6 | 2 | 6 | 0 | 2 | 6 | | |
| | 4 | 7 | 4 | 4 | 5 | 9 | 0 | 0 | 5 | 6 | 1 | 5 | 3 | 3 | 4 | 2 | 3 | 7 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 2 | 3 | 4 | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | X | 1 | |
| Special Senses System | | | | | | | | | | | | | | | | | | | | |
| Eye | | | | | | | | | | | | | | | | | | | + | 1 |
| Urinary System | | | | | | | | | | | | | | | | | | | | |
| Kidney | | | | | | | | | | | | | | | | | | | + | 1 |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXYGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:08
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | *TOTALS |
|--------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| SKH-1/NCTR Mouse Female | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | |
| 4% BHA 0.6 MED | 6 | 3 | 8 | 3 | 5 | 0 | 2 | 6 | 6 | 5 | 6 | 1 | 0 | 6 | 6 | 6 | 6 | 3 | |
| | 3 | 0 | 1 | 9 | 8 | 3 | 3 | 3 | 4 | 1 | 5 | 1 | 2 | 3 | 4 | 4 | 5 | 6 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | |
| | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | |
| Lymph Node, Mesenteric | | | | + | | | | | | | | | | | | | | + | 2 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Integumentary System | | | | | | | | | | | | | | | | | | | |
| Skin, Control | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Skin, Site of Application | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |
| Carcinoma In Situ | | | | X | X | | | X | | | | | | | | X | X | | 5 |
| Carcinoma In Situ, Five | | | | | | | | | | | X | | | | | | | | 1 |
| Carcinoma In Situ, Four | | | | | | | | | | | | | | | X | | | | 1 |
| Carcinoma In Situ, Three | | | | | | | | | | X | | | | | | | | | 1 |
| Carcinoma In Situ, Two | | X | X | | | X | | | | | | | | | | | | | 3 |
| Squamous Cell Carcinoma | | | | X | | | X | | | X | X | X | X | | X | | | | 7 |
| Squamous Cell Carcinoma, Three | | | | | | | | X | | | | | | | | | | | 1 |
| Squamous Cell Carcinoma, Two | | X | X | | X | | | | | | | | | | | X | X | | 5 |
| Squamous Cell Papilloma | | | | | | | X | | X | | | | | X | X | X | | | 5 |
| Musculoskeletal System | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | |
| Nervous System | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | |
| Respiratory System | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue
 M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXYGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:08
 First Dose M/F: NA / NA
 Lab: NCTR

| | | DAY ON TEST | | | | | | | | | | | | | | | | | | | |
|---|-----------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------|--|
| SKH-1/NCTR Mouse Female 4% BHA 0.6 MED | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | |
| | | 6 | 3 | 8 | 3 | 5 | 0 | 2 | 6 | 6 | 5 | 6 | 1 | 0 | 6 | 6 | 6 | 6 | 6 | 3 | |
| | | 3 | 0 | 1 | 9 | 8 | 3 | 3 | 3 | 4 | 1 | 5 | 1 | 2 | 3 | 4 | 4 | 5 | 6 | | |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | | |
| | | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | *TOTALS | |

Special Senses System

Eye + 1

Urinary System

NONE

SYSTEMIC LESIONS

Multiple Organ + + + + + + + + + + + + + + + + + 18

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
Test Type: 1-YEAR
Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
Time Report Requested: 05:11:08
First Dose M/F: NA / NA
Lab: NCTR

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SKH-1/NCTR Mouse Female | 1 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 3 | 3 | 3 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| NO CREAM0.9 MED | 9 | 9 | 6 | 4 | 9 | 3 | 1 | 2 | 6 | 0 | 1 | 1 | 6 | 3 | 9 | 0 | 9 | 3 | 4 | 9 | 8 | 2 | 6 | 8 | 3 | 2 | 9 | 9 | 6 | 6 | 6 | 3 | 3 | 3 | 3 | 3 | |
| ANIMAL ID | 2 | 8 | 7 | 6 | 8 | 4 | 1 | 5 | 0 | 9 | 1 | 1 | 9 | 3 | 0 | 3 | 0 | 3 | 0 | 2 | 6 | 7 | 1 | 1 | 1 | 7 | 1 | 2 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Alimentary System

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Cardiovascular System

NONE

Endocrine System

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Pituitary Gland | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pars Intermed, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

General Body System

NONE

Genital System

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Clitoral Gland | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ovary | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Uterus | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Polyp Adenomatous | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Hematopoietic System

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Date Report Requested: 10/16/2014

Test Type: 1-YEAR

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)

Time Report Requested: 05:11:08

Species/Strain: Mouse/SKH-1/NCTR

CAS Number: HYDROXYGLYSAL

First Dose M/F: NA / NA

Lab: NCTR

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | |
| SKH-1/NCTR Mouse Female | 1 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 3 | 3 | 3 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 2 | | | | | | | |
| NO CREAM0.9 MED | 9 | 9 | 6 | 4 | 9 | 3 | 1 | 2 | 6 | 0 | 1 | 1 | 6 | 3 | 9 | 0 | 9 | 3 | 4 | 9 | 8 | 2 | 6 | 8 | 3 | 2 | 9 | 9 | 6 | 6 | 3 | | | | | |
| | 2 | 8 | 7 | 6 | 8 | 4 | 1 | 5 | 0 | 9 | 1 | 1 | 9 | 3 | 0 | 3 | 0 | 2 | 6 | 7 | 1 | 1 | 7 | 1 | 2 | 5 | 0 | 0 | 0 | 9 | 9 | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | | | | |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | | | | |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | | | | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | | | | | |
| Lymph Node | | + | + | + | + | | + | + | + | + | + | + | + | + | | + | + | + | + | + | | + | + | + | | + | + | | | | | | | | | |
| Axillary, Squamous Cell Carcinoma, Metastatic, Skin | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inguinal, Squamous Cell Carcinoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumbar, Squamous Cell Carcinoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | | + | | | + | | + | + | | | | | | + | | | + | | + | + | | | + | | | + | | + | + | | | | | | | |
| Lymph Node, Mesenteric | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Spleen | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Integumentary System | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Skin, Control | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Skin, Site of Application | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Carcinoma In Situ | | | | | | | X | | | X | X | | | | | | X | X | | X | | | | | | | | | | | | | | | | |
| Carcinoma In Situ, Three | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma In Situ, Two | | X | | X | X | | | | | | | | | | | | | | | | X | | | | X | | | | | | | | | | X | |
| Squamous Cell Carcinoma | | | X | | X | | X | | | | X | X | | X | X | | X | X | | X | X | | X | | X | | | | | | | | | | X | |
| Squamous Cell Carcinoma, > Five | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Squamous Cell Carcinoma, Five | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Squamous Cell Carcinoma, Four | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Squamous Cell Carcinoma, Three | | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | |
| Squamous Cell Carcinoma, Two | | X | | | | X | | | X | X | | | | | | X | X | | | | | | X | | | X | X | | X | X | | | | | | X |
| Squamous Cell Papilloma | | | | | | | | | | | X | | | | | | | | | | | | | | | X | | | | | | | | | | X |

* ..Total animals with tissue examined microscopically; Total animals with tumor
+ ..Tissue examined microscopically
X ..Lesion present
I ..Insufficient tissue

M ..Missing tissue
A ..Autolysis precludes evaluation
BLANK ..Not examined microscopically

Experiment Number: 97010-02

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Date Report Requested: 10/16/2014

Test Type: 1-YEAR

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)

Time Report Requested: 05:11:08

Species/Strain: Mouse/SKH-1/NCTR

CAS Number: HYDROXGLYSAL

First Dose M/F: NA / NA

Lab: NCTR

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| SKH-1/NCTR Mouse Female | 1 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 3 | 3 | 3 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 2 | |
| NO CREAM0.9 MED | 9 | 9 | 6 | 4 | 9 | 3 | 1 | 2 | 6 | 0 | 1 | 1 | 6 | 3 | 9 | 0 | 9 | 3 | 4 | 9 | 8 | 2 | 6 | 8 | 3 | 2 | 9 | 9 | 6 | 6 | 3 |
| | 2 | 8 | 7 | 6 | 8 | 4 | 1 | 5 | 0 | 9 | 1 | 1 | 9 | 3 | 0 | 3 | 0 | 2 | 6 | 7 | 1 | 1 | 7 | 1 | 2 | 5 | 0 | 0 | 0 | 9 | 9 |

Musculoskeletal System

Bone +

Skeletal Muscle +

Nervous System

NONE

Respiratory System

Lung M +

Special Senses System

Eye + + +

Urinary System

NONE

SYSTEMIC LESIONS

Multiple Organ +

* ..Total animals with tissue examined microscopically; Total animals with tumor

+ ..Tissue examined microscopically

X ..Lesion present

I ..Insufficient tissue

M ..Missing tissue

A ..Autolysis precludes evaluation

BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:08
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 |
|--|-----------|---|---|---|---|----------------|
| SKH-1/NCTR Mouse Female NO CREAM0.9 MED | | 3 | 2 | 2 | 2 | 2 |
| | | 1 | 7 | 3 | 9 | 9 |
| | | 1 | 6 | 9 | 7 | 7 |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | |
| | 4 | 4 | 4 | 4 | 4 | |
| | 7 | 7 | 7 | 7 | 7 | |
| | 2 | 3 | 4 | 5 | 6 | |
| | | | | | | *TOTALS |

Alimentary System

| | | | | | | | |
|-----------|--|--|--|--|--|---|---|
| Liver | | | | | | + | 4 |
| Mesentery | | | | | | | 1 |
| Pancreas | | | | | | | 1 |

Cardiovascular System

NONE

Endocrine System

| | | | | | | | |
|------------------------|--|--|--|--|--|--|---|
| Pituitary Gland | | | | | | | 1 |
| Pars Intermed, Adenoma | | | | | | | 1 |

General Body System

NONE

Genital System

| | | | | | | | |
|-------------------|--|--|--|--|--|---|----|
| Clitoral Gland | | | | | | | 4 |
| Ovary | | | | | | + | 12 |
| Cystadenoma | | | | | | | 1 |
| Uterus | | | | | | | 3 |
| Polyp Adenomatous | | | | | | | 1 |

Hematopoietic System

| | | | | | | | | | | | |
|-------------|--|--|--|--|--|---|---|---|---|---|----|
| Bone Marrow | | | | | | + | + | + | + | + | 35 |
|-------------|--|--|--|--|--|---|---|---|---|---|----|

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXYGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:08
 First Dose M/F: NA / NA
 Lab: NCTR

| SKH-1/NCTR Mouse Female NO CREAM0.9 MED | DAY ON TEST | | | | | ANIMAL ID | *TOTALS |
|---|-------------|---|---|---|---|-----------|---------|
| | 0 | 0 | 0 | 0 | 0 | | |
| | 3 | 2 | 2 | 2 | 2 | | |
| | 1 | 7 | 3 | 9 | 9 | | |
| | 1 | 6 | 9 | 7 | 7 | | |
| | 0 | 0 | 0 | 0 | 0 | | |
| | 3 | 3 | 3 | 3 | 3 | | |
| | 4 | 4 | 4 | 4 | 4 | | |
| | 7 | 7 | 7 | 7 | 7 | | |
| | 2 | 3 | 4 | 5 | 6 | | |
| Lymph Node | + | + | + | + | + | | 29 |
| Axillary, Squamous Cell Carcinoma, Metastatic, Skin | | | | | | | 1 |
| Inguinal, Squamous Cell Carcinoma, Metastatic, Skin | | | | X | | | 2 |
| Lumbar, Squamous Cell Carcinoma, Metastatic, Skin | | | | | X | | 1 |
| Lymph Node, Mandibular | | + | + | + | | | 14 |
| Lymph Node, Mesenteric | | | | | | | 1 |
| Spleen | + | + | + | + | + | | 35 |
| Integumentary System | | | | | | | |
| Skin, Control | + | + | + | + | + | | 36 |
| Skin, Site of Application | + | + | + | + | + | | 36 |
| Carcinoma In Situ | X | X | X | X | | | 11 |
| Carcinoma In Situ, Three | | | | | | | 1 |
| Carcinoma In Situ, Two | | | | | | | 6 |
| Squamous Cell Carcinoma | | X | | | | | 14 |
| Squamous Cell Carcinoma, > Five | | | | | | | 1 |
| Squamous Cell Carcinoma, Five | | | | | | | 2 |
| Squamous Cell Carcinoma, Four | X | | | | | | 4 |
| Squamous Cell Carcinoma, Three | | | X | X | | | 3 |
| Squamous Cell Carcinoma, Two | | | | | X | | 11 |
| Squamous Cell Papilloma | | | | | | | 3 |

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically

Experiment Number: 97010-02
 Test Type: 1-YEAR
 Species/Strain: Mouse/SKH-1/NCTR

P07: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Test Compound: alpha/beta Hydroxy acids (glycolic acid, salicylic acid)
 CAS Number: HYDROXGLYSAL

Date Report Requested: 10/16/2014
 Time Report Requested: 05:11:08
 First Dose M/F: NA / NA
 Lab: NCTR

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 |
|--|-----------|---|---|---|---|----------------|
| SKH-1/NCTR Mouse Female NO CREAM0.9 MED | | 3 | 2 | 2 | 2 | 2 |
| | | 1 | 7 | 3 | 9 | 9 |
| | | 1 | 6 | 9 | 7 | 7 |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | |
| | 4 | 4 | 4 | 4 | 4 | |
| | 7 | 7 | 7 | 7 | 7 | |
| | 2 | 3 | 4 | 5 | 6 | |
| | | | | | | *TOTALS |

Musculoskeletal System

Bone 2
 Skeletal Muscle 1

Nervous System

NONE

Respiratory System

Lung + + + + + 35

Special Senses System

Eye 3

Urinary System

NONE

SYSTEMIC LESIONS

Multiple Organ + + + + + 36

**** END OF REPORT ****

* ..Total animals with tissue examined microscopically; Total animals with tumor
 + ..Tissue examined microscopically
 X ..Lesion present
 I ..Insufficient tissue

M ..Missing tissue
 A ..Autolysis precludes evaluation
 BLANK ..Not examined microscopically