

Experiment Number: 99028-01
Test Type: 14-DAY
Route: SKIN APPLICATION
Species/Strain: Rat/F 344/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA
Test Compound: bis(2-Chloroethoxy)methane
CAS Number: 111-91-1

Date Report Requested: 10/18/2014
Time Report Requested: 13:35:17
First Dose M/F: NA / NA
Lab: BAT

C Number:	C99028
Lock Date:	Not Entered.
Cage Range:	All
Date Range:	All
Reasons For Removal:	All
Removal Date Range:	All
Treatment Groups:	All
Study Gender:	Both
PWG Approval Date	NONE

Experiment Number: 99028-01
Test Type: 14-DAY
Route: SKIN APPLICATION
Species/Strain: Rat/F 344/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA
Test Compound: bis(2-Chloroethoxy)methane
CAS Number: 111-91-1

Date Report Requested: 10/18/2014
Time Report Requested: 13:35:17
First Dose M/F: NA / NA
Lab: BAT

Male RAT
FIRST TERMINAL SACRIFICE AT 17 DAYS
INDIVIDUAL SURVIVAL TIMES (DAYS)

DOSE = 0 MG/KG			
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			

DOSE = 12.5 MG/KG			
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			

DOSE = 25 MG/KG			
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			

DOSE = 50 MG/KG			
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			

(A) FIRST TERMINAL SACRIFICE

(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Experiment Number: 99028-01
Test Type: 14-DAY
Route: SKIN APPLICATION
Species/Strain: Rat/F 344/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA
Test Compound: bis(2-Chloroethoxy)methane
CAS Number: 111-91-1

Date Report Requested: 10/18/2014
Time Report Requested: 13:35:17
First Dose M/F: NA / NA
Lab: BAT

Male RAT
FIRST TERMINAL SACRIFICE AT 17 DAYS
INDIVIDUAL SURVIVAL TIMES (DAYS)

DOSE = 100 MG/KG

TOTAL 5 UNCENSORED DEATHS 0 CENSORED DEATHS 0 TERMINAL 5

UNCENSORED DEATH DAYS

none

CENSORED DEATH DAYS

none

DOSE = 200 MG/KG

TOTAL 5 UNCENSORED DEATHS 0 CENSORED DEATHS 0 TERMINAL 5

UNCENSORED DEATH DAYS

none

CENSORED DEATH DAYS

none

(A) FIRST TERMINAL SACRIFICE

(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Experiment Number: 99028-01
Test Type: 14-DAY
Route: SKIN APPLICATION
Species/Strain: Rat/F 344/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA
Test Compound: bis(2-Chloroethoxy)methane
CAS Number: 111-91-1

Date Report Requested: 10/18/2014
Time Report Requested: 13:35:17
First Dose M/F: NA / NA
Lab: BAT

Male RAT
FIRST TERMINAL SACRIFICE AT 17 DAYS

KAPLAN-MEIER SURVIVAL PROBABILITY ESTIMATES (%)

DOSE	TIME (DAYS)									
	2	4	6	8	10	12	14	16	18	17(A)
0 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
12.5 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
25 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
50 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
100 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
200 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

(A) FIRST TERMINAL SACRIFICE

(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Experiment Number: 99028-01
Test Type: 14-DAY
Route: SKIN APPLICATION
Species/Strain: Rat/F 344/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA
Test Compound: bis(2-Chloroethoxy)methane
CAS Number: 111-91-1

Date Report Requested: 10/18/2014
Time Report Requested: 13:35:17
First Dose M/F: NA / NA
Lab: BAT

Male RAT
FIRST TERMINAL SACRIFICE AT 17 DAYS

SURVIVAL SUMMARY STATISTICS

DOSE	0 MG/KG	12.5 MG/KG	25 MG/KG	50 MG/KG
SURVIVAL AT END OF STUDY (KAPLAN-MEIER)	100.0%	100.0%	100.0%	100.0%
SIGNIFICANCE (B) (LIFE TABLE)	-----	-----	-----	-----
MEAN DAY OF NATURAL DEATHS (C) (STANDARD ERROR)	. (.)	. (.)	. (.)	. (.)
MEAN LIFE SPAN (D) (STANDARD ERROR)	17.0 (0.0)	17.0 (0.0)	17.0 (0.0)	17.0 (0.0)

(A) FIRST TERMINAL SACRIFICE

(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Experiment Number: 99028-01
Test Type: 14-DAY
Route: SKIN APPLICATION
Species/Strain: Rat/F 344/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA
Test Compound: bis(2-Chloroethoxy)methane
CAS Number: 111-91-1

Date Report Requested: 10/18/2014
Time Report Requested: 13:35:17
First Dose M/F: NA / NA
Lab: BAT

Male RAT
FIRST TERMINAL SACRIFICE AT 17 DAYS

SURVIVAL SUMMARY STATISTICS

DOSE	100 MG/KG	200 MG/KG
SURVIVAL AT END OF STUDY (KAPLAN-MEIER)	100.0%	100.0%
SIGNIFICANCE (B) (LIFE TABLE)	-----	-----
MEAN DAY OF NATURAL DEATHS (C) (STANDARD ERROR)	. (.)	. (.)
MEAN LIFE SPAN (D) (STANDARD ERROR)	17.0 (0.0)	17.0 (0.0)

(A) FIRST TERMINAL SACRIFICE

(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Experiment Number: 99028-01

Test Type: 14-DAY

Route: SKIN APPLICATION

Species/Strain: Rat/F 344/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: bis(2-Chloroethoxy)methane

CAS Number: 111-91-1

Date Report Requested: 10/18/2014

Time Report Requested: 13:35:17

First Dose M/F: NA / NA

Lab: BAT

Female RAT
FIRST TERMINAL SACRIFICE AT 17 DAYS
INDIVIDUAL SURVIVAL TIMES (DAYS)

DOSE = 0 MG/KG			
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			
<hr/>			
DOSE = 12.5 MG/KG			
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			
<hr/>			
DOSE = 25 MG/KG			
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			
<hr/>			
DOSE = 50 MG/KG			
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			

(A) FIRST TERMINAL SACRIFICE

(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Experiment Number: 99028-01
Test Type: 14-DAY
Route: SKIN APPLICATION
Species/Strain: Rat/F 344/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA
Test Compound: bis(2-Chloroethoxy)methane
CAS Number: 111-91-1

Date Report Requested: 10/18/2014
Time Report Requested: 13:35:17
First Dose M/F: NA / NA
Lab: BAT

Female RAT
FIRST TERMINAL SACRIFICE AT 17 DAYS
INDIVIDUAL SURVIVAL TIMES (DAYS)

DOSE = 100 MG/KG

TOTAL 5 UNCENSORED DEATHS 0 CENSORED DEATHS 0 TERMINAL 5

UNCENSORED DEATH DAYS

none

CENSORED DEATH DAYS

none

DOSE = 200 MG/KG

TOTAL 5 UNCENSORED DEATHS 0 CENSORED DEATHS 0 TERMINAL 5

UNCENSORED DEATH DAYS

none

CENSORED DEATH DAYS

none

(A) FIRST TERMINAL SACRIFICE

(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Experiment Number: 99028-01
Test Type: 14-DAY
Route: SKIN APPLICATION
Species/Strain: Rat/F 344/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA
Test Compound: bis(2-Chloroethoxy)methane
CAS Number: 111-91-1

Date Report Requested: 10/18/2014
Time Report Requested: 13:35:17
First Dose M/F: NA / NA
Lab: BAT

Female RAT
FIRST TERMINAL SACRIFICE AT 17 DAYS

KAPLAN-MEIER SURVIVAL PROBABILITY ESTIMATES (%)

DOSE	TIME (DAYS)									
	2	4	6	8	10	12	14	16	18	17(A)
0 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
12.5 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
25 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
50 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
100 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
200 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

(A) FIRST TERMINAL SACRIFICE

(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Experiment Number: 99028-01
Test Type: 14-DAY
Route: SKIN APPLICATION
Species/Strain: Rat/F 344/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA
Test Compound: bis(2-Chloroethoxy)methane
CAS Number: 111-91-1

Date Report Requested: 10/18/2014
Time Report Requested: 13:35:17
First Dose M/F: NA / NA
Lab: BAT

Female RAT
FIRST TERMINAL SACRIFICE AT 17 DAYS

SURVIVAL SUMMARY STATISTICS

DOSE	0 MG/KG	12.5 MG/KG	25 MG/KG	50 MG/KG
SURVIVAL AT END OF STUDY (KAPLAN-MEIER)	100.0%	100.0%	100.0%	100.0%
SIGNIFICANCE (B) (LIFE TABLE)	-----	-----	-----	-----
MEAN DAY OF NATURAL DEATHS (C) (STANDARD ERROR)	. (.)	. (.)	. (.)	. (.)
MEAN LIFE SPAN (D) (STANDARD ERROR)	17.0 (0.0)	17.0 (0.0)	17.0 (0.0)	17.0 (0.0)

(A) FIRST TERMINAL SACRIFICE

(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Experiment Number: 99028-01
Test Type: 14-DAY
Route: SKIN APPLICATION
Species/Strain: Rat/F 344/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA
Test Compound: bis(2-Chloroethoxy)methane
CAS Number: 111-91-1

Date Report Requested: 10/18/2014
Time Report Requested: 13:35:17
First Dose M/F: NA / NA
Lab: BAT

Female RAT
FIRST TERMINAL SACRIFICE AT 17 DAYS

SURVIVAL SUMMARY STATISTICS

DOSE	100 MG/KG	200 MG/KG
SURVIVAL AT END OF STUDY (KAPLAN-MEIER)	100.0%	100.0%
SIGNIFICANCE (B) (LIFE TABLE)	-----	-----
MEAN DAY OF NATURAL DEATHS (C) (STANDARD ERROR)	. (.)	. (.)
MEAN LIFE SPAN (D) (STANDARD ERROR)	17.0 (0.0)	17.0 (0.0)

(A) FIRST TERMINAL SACRIFICE

(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Experiment Number: 99028-01
Test Type: 14-DAY
Route: SKIN APPLICATION
Species/Strain: Rat/F 344/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA
Test Compound: bis(2-Chloroethoxy)methane
CAS Number: 111-91-1

Date Report Requested: 10/18/2014
Time Report Requested: 13:35:17
First Dose M/F: NA / NA
Lab: BAT

**** END OF REPORT ****

(A) FIRST TERMINAL SACRIFICE

(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)