

Experiment Number: 91001-02

Species/Strain: Mouse/B6C3F1

P44: Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:05:16

First Dose M/F: NA / NA

Lab: NA

C Number: C91001

Cage Range: All

Date Range: All

Reasons For Removal: All

Removal Date Range: All

Treatment Groups: All

Study Gender: Both

Experiment Number: 91001-02

Species/Strain: Mouse/B6C3F1

P44: Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:05:16

First Dose M/F: NA / NA

Lab: NA

MALE

| Animal No. | Dose | Time In Study | Band Neutrophil Percentage % | Basophil Percentage % | Eosinophil Percentage % | Heinz Bodies Pct % |
|------------|----------|---------------|------------------------------|-----------------------|-------------------------|--------------------|
| 0001_02 | 0 mg/kg | Day : 93 | 0 | 0 | 2 | 0.0 |
| 0002_02 | 0 mg/kg | Day : 93 | 0 | 0 | 2 | 0.0 |
| 0003_02 | 0 mg/kg | Day : 93 | 0 | 0 | 6 | 0.0 |
| 0004_02 | 0 mg/kg | Day : 93 | 0 | 0 | 1 | 0.0 |
| 0005_02 | 0 mg/kg | Day : 93 | 0 | 0 | 2 | 0.0 |
| 0006_02 | 0 mg/kg | Day : 93 | 0 | 0 | 1 | 0.0 |
| 0007_02 | 0 mg/kg | Day : 93 | 0 | 0 | 3 | 0.0 |
| 0008_02 | 0 mg/kg | Day : 93 | 0 | 0 | 5 | 0.0 |
| 0009_02 | 0 mg/kg | Day : 93 | 0 | 0 | 3 | 0.0 |
| 0010_02 | 0 mg/kg | Day : 93 | 0 | 0 | 4 | 0.0 |
| 0012_02 | 10 mg/kg | Day : 93 | 0 | 0 | 1 | 0.0 |
| 0013_02 | 10 mg/kg | Day : 93 | 0 | 0 | 3 | 0.0 |
| 0014_02 | 10 mg/kg | Day : 93 | 0 | 0 | 0 | 0.0 |
| 0015_02 | 10 mg/kg | Day : 93 | 0 | 0 | 1 | 0.0 |
| 0016_02 | 10 mg/kg | Day : 93 | 0 | 0 | 2 | 0.0 |
| 0017_02 | 10 mg/kg | Day : 93 | 0 | 0 | 0 | 0.0 |
| 0018_02 | 10 mg/kg | Day : 93 | 0 | 0 | 5 | 0.0 |
| 0019_02 | 10 mg/kg | Day : 93 | 0 | 0 | 0 | 0.0 |
| 0020_02 | 10 mg/kg | Day : 93 | 0 | 0 | 1 | 0.0 |
| 0021_02 | 20 mg/kg | Day : 93 | 0 | 0 | 1 | 0.0 |
| 0022_02 | 20 mg/kg | Day : 93 | 0 | 0 | 0 | 0.0 |
| 0023_02 | 20 mg/kg | Day : 93 | 0 | 0 | 0 | 0.0 |

Experiment Number: 91001-02

Species/Strain: Mouse/B6C3F1

P44: Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:05:16

First Dose M/F: NA / NA

Lab: NA

MALE

| Animal No. | Dose | Time In Study | Band Neutrophil Percentage % | Basophil Percentage % | Eosinophil Percentage % | Heinz Bodies Pct % |
|------------|----------|---------------|------------------------------|-----------------------|-------------------------|--------------------|
| 0024_02 | 20 mg/kg | Day : 93 | 0 | 0 | 2 | 0.0 |
| 0025_02 | 20 mg/kg | Day : 93 | 0 | 0 | 2 | 0.0 |
| 0026_02 | 20 mg/kg | Day : 93 | 0 | 0 | 0 | 0.0 |
| 0027_02 | 20 mg/kg | Day : 93 | 0 | 0 | 1 | 0.0 |
| 0028_02 | 20 mg/kg | Day : 93 | 0 | 0 | 1 | 0.0 |
| 0029_02 | 20 mg/kg | Day : 93 | 0 | 0 | 1 | 0.0 |
| 0030_02 | 20 mg/kg | Day : 93 | 0 | 0 | 0 | 0.0 |
| 0031_02 | 40 mg/kg | Day : 93 | 0 | 0 | 1 | 0.0 |
| 0032_02 | 40 mg/kg | Day : 93 | 0 | 0 | 5 | 0.0 |
| 0033_02 | 40 mg/kg | Day : 93 | 0 | 0 | 2 | 0.0 |
| 0034_02 | 40 mg/kg | Day : 93 | 0 | 0 | 0 | 0.0 |
| 0035_02 | 40 mg/kg | Day : 93 | 0 | 0 | 4 | 0.0 |
| 0036_02 | 40 mg/kg | Day : 93 | 0 | 0 | 1 | 0.0 |
| 0037_02 | 40 mg/kg | Day : 93 | 0 | 0 | 2 | 0.0 |
| 0038_02 | 40 mg/kg | Day : 93 | 0 | 0 | 5 | 0.0 |
| 0039_02 | 40 mg/kg | Day : 93 | 0 | 0 | 1 | 0.0 |
| 0040_02 | 40 mg/kg | Day : 93 | 0 | 0 | 2 | 0.0 |
| 0041_02 | 80 mg/kg | Day : 93 | 0 | 0 | 3 | 0.0 |
| 0042_02 | 80 mg/kg | Day : 93 | 0 | 0 | 1 | 0.0 |
| 0043_02 | 80 mg/kg | Day : 93 | 0 | 0 | 2 | 0.0 |
| 0044_02 | 80 mg/kg | Day : 93 | 0 | 0 | 7* | 0.0 |
| 0045_02 | 80 mg/kg | Day : 93 | 0 | 0 | 2 | 1.2 |

Experiment Number: 91001-02

Species/Strain: Mouse/B6C3F1

P44: Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:05:16

First Dose M/F: NA / NA

Lab: NA

MALE

| Animal No. | Dose | Time In Study | Band Neutrophil Percentage % | Basophil Percentage % | Eosinophil Percentage % | Heinz Bodies Pct % |
|------------|-----------|---------------|------------------------------|-----------------------|-------------------------|--------------------|
| 0045_02 | 80 mg/kg | Day : 93 | 0 | 0 | 2 | 1.2 |
| 0046_02 | 80 mg/kg | Day : 93 | 0 | 0 | 1 | 0.0 |
| 0047_02 | 80 mg/kg | Day : 93 | 0 | 0 | 1 | 0.0 |
| 0048_02 | 80 mg/kg | Day : 93 | 0 | 0 | 3 | 0.0 |
| 0049_02 | 80 mg/kg | Day : 93 | 0 | 0 | 1 | 0.0 |
| 0050_02 | 80 mg/kg | Day : 93 | 0 | 0 | 1 | 0.0 |
| 0051_02 | 160 mg/kg | Day : 93 | 0 | 0 | 4 | 10.6 |
| 0052_02 | 160 mg/kg | Day : 93 | 0 | 0 | 3 | 5.0 |
| 0053_02 | 160 mg/kg | Day : 93 | 0 | 0 | 0 | 6.5 |
| 0054_02 | 160 mg/kg | Day : 93 | 0 | 0 | 3 | 8.9 |
| 0055_02 | 160 mg/kg | Day : 93 | 0 | 0 | 1 | 4.1 |
| 0056_02 | 160 mg/kg | Day : 93 | 0 | 0 | 0 | 1.8 |
| 0057_02 | 160 mg/kg | Day : 93 | 0 | 0 | 4 | 5.1 |
| 0058_02 | 160 mg/kg | Day : 93 | 0 | 0 | 2 | 8.6 |
| 0059_02 | 160 mg/kg | Day : 93 | 0 | 0 | 4 | 5.0 |
| 0060_02 | 160 mg/kg | Day : 93 | 0 | 0 | 1 | 8.2 |

Experiment Number: 91001-02

Species/Strain: Mouse/B6C3F1

P44: Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:05:16

First Dose M/F: NA / NA

Lab: NA

MALE

| Animal No. | Dose | Time In Study | Hematocrit % | Hemoglobin g per dL | Lymphocyte Percentage % | Mean Cell Hemoglobin pg |
|------------|----------|---------------|--------------|---------------------|-------------------------|-------------------------|
| 0001_02 | 0 mg/kg | Day : 93 | 49.0 | 16.9 | 79 | 17.1 |
| 0002_02 | 0 mg/kg | Day : 93 | 48.9 | 17.0 | 61 | 17.0 |
| 0003_02 | 0 mg/kg | Day : 93 | 51.3 | 16.7 | 74 | 16.1 |
| 0004_02 | 0 mg/kg | Day : 93 | 52.0 | 16.5 | 84 | 15.8 |
| 0005_02 | 0 mg/kg | Day : 93 | 52.1 | 16.7 | 55 | 15.8 |
| 0006_02 | 0 mg/kg | Day : 93 | 50.2 | 16.8 | 76 | 16.7 |
| 0007_02 | 0 mg/kg | Day : 93 | 47.6 | 16.3 | 82 | 17.2 |
| 0008_02 | 0 mg/kg | Day : 93 | 49.1 | 16.8 | 71 | 17.1 |
| 0009_02 | 0 mg/kg | Day : 93 | 50.9 | 16.1 | 75 | 15.8 |
| 0010_02 | 0 mg/kg | Day : 93 | 50.9 | 16.3 | 54 | 16.1 |
| 0012_02 | 10 mg/kg | Day : 93 | 48.8 | 16.0 | 74 | 16.4 |
| 0013_02 | 10 mg/kg | Day : 93 | 49.5 | 16.6 | 79 | 16.4 |
| 0014_02 | 10 mg/kg | Day : 93 | 49.7 | 16.4 | 71 | 16.4 |
| 0015_02 | 10 mg/kg | Day : 93 | 57.5 | 18.5 | 83 | 15.9 |
| 0016_02 | 10 mg/kg | Day : 93 | 51.3 | 17.0 | 68 | 16.3 |
| 0017_02 | 10 mg/kg | Day : 93 | 47.6 | 16.4 | 75 | 17.0 |
| 0018_02 | 10 mg/kg | Day : 93 | 49.0 | 16.1 | 76 | 16.1 |
| 0019_02 | 10 mg/kg | Day : 93 | 53.0 | 16.7 | 75 | 15.5 |
| 0020_02 | 10 mg/kg | Day : 93 | 53.2 | 16.8 | 65 | 15.7 |
| 0021_02 | 20 mg/kg | Day : 93 | 50.4 | 17.0 | 66 | 16.5 |
| 0022_02 | 20 mg/kg | Day : 93 | 48.4 | 16.3 | 80 | 16.5 |
| 0023_02 | 20 mg/kg | Day : 93 | 50.0 | 16.3 | 66 | 16.2 |

Experiment Number: 91001-02

Species/Strain: Mouse/B6C3F1

P44: Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:05:16

First Dose M/F: NA / NA

Lab: NA

MALE

| Animal No. | Dose | Time In Study | Hematocrit % | Hemoglobin g per dL | Lymphocyte Percentage % | Mean Cell Hemoglobin pg |
|------------|----------|---------------|--------------|---------------------|-------------------------|-------------------------|
| 0024_02 | 20 mg/kg | Day : 93 | 52.6 | 17.2 | 68 | 15.8 |
| 0025_02 | 20 mg/kg | Day : 93 | 50.3 | 16.2 | 69 | 15.8 |
| 0026_02 | 20 mg/kg | Day : 93 | 51.1 | 16.6 | 68 | 17.0 |
| 0027_02 | 20 mg/kg | Day : 93 | 46.6 | 16.0 | 74 | 16.9 |
| 0028_02 | 20 mg/kg | Day : 93 | 47.5 | 16.4 | 62 | 16.9 |
| 0029_02 | 20 mg/kg | Day : 93 | 52.4 | 17.0 | 70 | 15.9 |
| 0030_02 | 20 mg/kg | Day : 93 | 52.2 | 16.8 | 74 | 15.8 |
| 0031_02 | 40 mg/kg | Day : 93 | 50.1 | 16.4 | 72 | 16.4 |
| 0032_02 | 40 mg/kg | Day : 93 | 45.1 | 15.9 | 55 | 17.4 |
| 0033_02 | 40 mg/kg | Day : 93 | 50.2 | 16.7 | 69 | 16.2 |
| 0034_02 | 40 mg/kg | Day : 93 | 51.2 | 16.5 | 78 | 16.0 |
| 0035_02 | 40 mg/kg | Day : 93 | 45.1 | 15.5 | 63 | 16.8 |
| 0036_02 | 40 mg/kg | Day : 93 | 50.1 | 16.9 | 60 | 16.5 |
| 0037_02 | 40 mg/kg | Day : 93 | 47.5 | 16.1 | 82 | 16.8 |
| 0038_02 | 40 mg/kg | Day : 93 | 48.5 | 16.4 | 63 | 16.6 |
| 0039_02 | 40 mg/kg | Day : 93 | 48.9 | 16.4 | 60 | 16.5 |
| 0040_02 | 40 mg/kg | Day : 93 | 45.1 | 15.5 | 66 | 17.2 |
| 0041_02 | 80 mg/kg | Day : 93 | 45.6 | 16.3 | 75 | 18.1 |
| 0042_02 | 80 mg/kg | Day : 93 | 47.1 | 16.0 | 49 | 16.8 |
| 0043_02 | 80 mg/kg | Day : 93 | 48.1 | 16.2 | 54 | 16.9 |
| 0044_02 | 80 mg/kg | Day : 93 | 52.0 | 17.0 | 62 | 16.5 |
| 0045_02 | 80 mg/kg | Day : 93 | 48.1 | 16.3 | 65 | 17.0 |

Experiment Number: 91001-02

Species/Strain: Mouse/B6C3F1

P44: Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:05:16

First Dose M/F: NA / NA

Lab: NA

MALE

| Animal No. | Dose | Time In Study | Hematocrit % | Hemoglobin g per dL | Lymphocyte Percentage % | Mean Cell Hemoglobin pg |
|------------|-----------|---------------|--------------|---------------------|-------------------------|-------------------------|
| 0045_02 | 80 mg/kg | Day : 93 | 48.1 | 16.3 | 65 | 17.0 |
| 0046_02 | 80 mg/kg | Day : 93 | 46.4 | 15.5 | 79 | 16.8 |
| 0047_02 | 80 mg/kg | Day : 93 | 46.1 | 16.3 | 67 | 17.4 |
| 0048_02 | 80 mg/kg | Day : 93 | 44.1 | 15.5 | 66 | 17.4 |
| 0049_02 | 80 mg/kg | Day : 93 | 46.9 | 16.0 | 70 | 17.6 |
| 0050_02 | 80 mg/kg | Day : 93 | 45.9 | 16.1 | 22 | 17.8 |
| 0051_02 | 160 mg/kg | Day : 93 | 46.0 | 17.9 | 83 | 19.4 |
| 0052_02 | 160 mg/kg | Day : 93 | 42.4 | 15.7 | 63 | 18.6 |
| 0053_02 | 160 mg/kg | Day : 93 | 47.0 | 18.8 | 39 | 20.4 |
| 0054_02 | 160 mg/kg | Day : 93 | 43.3 | 16.6 | 53 | 18.9 |
| 0055_02 | 160 mg/kg | Day : 93 | 47.4 | 18.1 | 79 | 19.3 |
| 0056_02 | 160 mg/kg | Day : 93 | 45.6 | 16.4 | 79 | 17.7 |
| 0057_02 | 160 mg/kg | Day : 93 | 42.5 | 16.1 | 68 | 18.7 |
| 0058_02 | 160 mg/kg | Day : 93 | 44.9 | 17.2 | 66 | 18.9 |
| 0059_02 | 160 mg/kg | Day : 93 | 49.8 | 18.4 | 77 | 18.4 |
| 0060_02 | 160 mg/kg | Day : 93 | 46.0 | 17.4 | 81 | 19.2 |

Experiment Number: 91001-02

Species/Strain: Mouse/B6C3F1

P44: Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:05:16

First Dose M/F: NA / NA

Lab: NA

MALE

| Animal No. | Dose | Time In Study | Mean Cell Hemoglobin Concentration % | Mean Corpuscular Volume fL | Monocyte Percentage % | Nucleated Rbc Per 100 Wbc per 100 WC |
|------------|----------|---------------|--------------------------------------|----------------------------|-----------------------|--------------------------------------|
| 0001_02 | 0 mg/kg | Day : 93 | 34.5 | 49.5 | 0 | 0 |
| 0002_02 | 0 mg/kg | Day : 93 | 34.8 | 48.9 | 0 | 0 |
| 0003_02 | 0 mg/kg | Day : 93 | 32.6 | 49.5 | 0 | 0 |
| 0004_02 | 0 mg/kg | Day : 93 | 31.7 | 49.9 | 0 | 0 |
| 0005_02 | 0 mg/kg | Day : 93 | 32.1 | 49.2 | 0 | 0 |
| 0006_02 | 0 mg/kg | Day : 93 | 33.5 | 49.9 | 0 | 0 |
| 0007_02 | 0 mg/kg | Day : 93 | 34.2 | 50.2 | 0 | 0 |
| 0008_02 | 0 mg/kg | Day : 93 | 34.2 | 49.9 | 0 | 0 |
| 0009_02 | 0 mg/kg | Day : 93 | 31.6 | 50.0 | 0 | 0 |
| 0010_02 | 0 mg/kg | Day : 93 | 32.0 | 50.3 | 0 | 0 |
| 0012_02 | 10 mg/kg | Day : 93 | 32.8 | 50.0 | 0 | 0 |
| 0013_02 | 10 mg/kg | Day : 93 | 33.5 | 49.0 | 0 | 0 |
| 0014_02 | 10 mg/kg | Day : 93 | 33.0 | 49.8 | 0 | 0 |
| 0015_02 | 10 mg/kg | Day : 93 | 32.2 | 49.5 | 0 | 0 |
| 0016_02 | 10 mg/kg | Day : 93 | 33.1 | 49.0 | 0 | 0 |
| 0017_02 | 10 mg/kg | Day : 93 | 34.5 | 49.3 | 0 | 0 |
| 0018_02 | 10 mg/kg | Day : 93 | 32.9 | 49.0 | 0 | 0 |
| 0019_02 | 10 mg/kg | Day : 93 | 31.5 | 49.2 | 0 | 0 |
| 0020_02 | 10 mg/kg | Day : 93 | 31.6 | 49.6 | 0 | 0 |
| 0021_02 | 20 mg/kg | Day : 93 | 33.7 | 49.0 | 0 | 0 |
| 0022_02 | 20 mg/kg | Day : 93 | 33.7 | 49.0 | 0 | 0 |

Experiment Number: 91001-02

Species/Strain: Mouse/B6C3F1

P44: Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:05:16

First Dose M/F: NA / NA

Lab: NA

MALE

| Animal No. | Dose | Time In Study | Mean Cell Hemoglobin Concentration % | Mean Corpuscular Volume fL | Monocyte Percentage % | Nucleated Rbc Per 100 Wbc per 100 WC |
|------------|----------|---------------|--------------------------------------|----------------------------|-----------------------|--------------------------------------|
| 0023_02 | 20 mg/kg | Day : 93 | 32.6 | 49.6 | 0 | 0 |
| 0024_02 | 20 mg/kg | Day : 93 | 32.7 | 48.4 | 0 | 0 |
| 0025_02 | 20 mg/kg | Day : 93 | 32.2 | 49.0 | 0 | 0 |
| 0026_02 | 20 mg/kg | Day : 93 | 32.5 | 52.3 | 0 | 0 |
| 0027_02 | 20 mg/kg | Day : 93 | 34.3 | 49.2 | 1 | 0 |
| 0028_02 | 20 mg/kg | Day : 93 | 34.5 | 49.0 | 0 | 0 |
| 0029_02 | 20 mg/kg | Day : 93 | 32.4 | 49.1 | 0 | 0 |
| 0030_02 | 20 mg/kg | Day : 93 | 32.2 | 49.1 | 0 | 1 |
| 0031_02 | 40 mg/kg | Day : 93 | 32.7 | 50.0 | 0 | 0 |
| 0032_02 | 40 mg/kg | Day : 93 | 35.3 | 49.3 | 0 | 0 |
| 0033_02 | 40 mg/kg | Day : 93 | 33.3 | 48.6 | 0 | 0 |
| 0034_02 | 40 mg/kg | Day : 93 | 32.2 | 49.8 | 1 | 0 |
| 0035_02 | 40 mg/kg | Day : 93 | 34.4 | 48.9 | 0 | 0 |
| 0036_02 | 40 mg/kg | Day : 93 | 33.7 | 48.8 | 0 | 0 |
| 0037_02 | 40 mg/kg | Day : 93 | 33.9 | 49.6 | 0 | 0 |
| 0038_02 | 40 mg/kg | Day : 93 | 33.8 | 49.2 | 2 | 0 |
| 0039_02 | 40 mg/kg | Day : 93 | 33.5 | 49.1 | 0 | 0 |
| 0040_02 | 40 mg/kg | Day : 93 | 34.4 | 50.0 | 0 | 0 |
| 0041_02 | 80 mg/kg | Day : 93 | 35.7 | 50.5 | 0 | 0 |
| 0042_02 | 80 mg/kg | Day : 93 | 34.0 | 49.4 | 0 | 0 |
| 0043_02 | 80 mg/kg | Day : 93 | 33.7 | 50.3 | 0 | 0 |

Experiment Number: 91001-02

Species/Strain: Mouse/B6C3F1

P44: Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:05:16

First Dose M/F: NA / NA

Lab: NA

MALE

| Animal No. | Dose | Time In Study | Mean Cell Hemoglobin Concentration % | Mean Corpuscular Volume fL | Monocyte Percentage % | Nucleated Rbc Per 100 Wbc per 100 WC |
|------------|-----------|---------------|--------------------------------------|----------------------------|-----------------------|--------------------------------------|
| 0044_02 | 80 mg/kg | Day : 93 | 32.7 | 50.3 | 1 | 0 |
| 0045_02 | 80 mg/kg | Day : 93 | 33.9 | 50.2 | 0 | 0 |
| 0046_02 | 80 mg/kg | Day : 93 | 33.4 | 50.2 | 0 | 0 |
| 0047_02 | 80 mg/kg | Day : 93 | 35.4 | 49.3 | 0 | 0 |
| 0048_02 | 80 mg/kg | Day : 93 | 35.1 | 49.5 | 0 | 0 |
| 0049_02 | 80 mg/kg | Day : 93 | 34.1 | 51.6 | 0 | 0 |
| 0050_02 | 80 mg/kg | Day : 93 | 35.1 | 50.7 | 0 | 0 |
| 0051_02 | 160 mg/kg | Day : 93 | 38.9 | 49.8 | 0 | 0 |
| 0052_02 | 160 mg/kg | Day : 93 | 37.0 | 50.2 | 0 | 0 |
| 0053_02 | 160 mg/kg | Day : 93 | 40.0 | 51.1 | 0 | 0 |
| 0054_02 | 160 mg/kg | Day : 93 | 38.3 | 49.3 | 0 | 0 |
| 0055_02 | 160 mg/kg | Day : 93 | 38.2 | 50.5 | 0 | 0 |
| 0056_02 | 160 mg/kg | Day : 93 | 36.0 | 49.4 | 0 | 0 |
| 0057_02 | 160 mg/kg | Day : 93 | 37.9 | 49.3 | 0 | 0 |
| 0058_02 | 160 mg/kg | Day : 93 | 38.3 | 49.5 | 0 | 0 |
| 0059_02 | 160 mg/kg | Day : 93 | 36.9 | 49.8 | 0 | 0 |
| 0060_02 | 160 mg/kg | Day : 93 | 37.8 | 50.8 | 0 | 0 |

Experiment Number: 91001-02

P44: Hematology Data

Date Report Requested: 10/24/2014

Species/Strain: Mouse/B6C3F1

Time Report Requested: 17:05:16

First Dose M/F: NA / NA

Lab: NA

MALE

| Animal No. | Dose | Time In Study | Platelet Count 1000 per uL | Red Blood Cell Count million per uL | Reticulocyte Percentage % | Segmented Neutrophil Percentage % |
|------------|----------|---------------|-------------------------------|---|---------------------------------|--|
| 0001_02 | 0 mg/kg | Day : 93 | 1033 | 9.90 | 1.3 | 19 |
| 0002_02 | 0 mg/kg | Day : 93 | 1124 | 10.00 | 2.1 | 37 |
| 0003_02 | 0 mg/kg | Day : 93 | 1037 | 10.36 | 1.9 | 20 |
| 0004_02 | 0 mg/kg | Day : 93 | 976 | 10.43 | 3.6 | 15 |
| 0005_02 | 0 mg/kg | Day : 93 | 956 | 10.59 | 2.4 | 43 |
| 0006_02 | 0 mg/kg | Day : 93 | 1236 | 10.07 | 2.2 | 23 |
| 0007_02 | 0 mg/kg | Day : 93 | 1003 | 9.49 | 2.3 | 15 |
| 0008_02 | 0 mg/kg | Day : 93 | 1035 | 9.83 | 3.4 | 24 |
| 0009_02 | 0 mg/kg | Day : 93 | 1123 | 10.17 | 1.8 | 22 |
| 0010_02 | 0 mg/kg | Day : 93 | 1400 | 10.11 | 2.6 | 42 |
| 0012_02 | 10 mg/kg | Day : 93 | 1073 | 9.75 | 2.3 | 25 |
| 0013_02 | 10 mg/kg | Day : 93 | 1015 | 10.11 | 2.6 | 18 |
| 0014_02 | 10 mg/kg | Day : 93 | 975 | 9.97 | 2.5 | 29 |
| 0015_02 | 10 mg/kg | Day : 93 | 1148 | 11.61 | 2.5 | 16 |
| 0016_02 | 10 mg/kg | Day : 93 | 1095 | 10.46 | 2.2 | 30 |
| 0017_02 | 10 mg/kg | Day : 93 | 988 | 9.66 | 1.5 | 25 |
| 0018_02 | 10 mg/kg | Day : 93 | 1211 | 10.00 | 2.1 | 19 |
| 0019_02 | 10 mg/kg | Day : 93 | 960 | 10.77 | 2.2 | 25 |
| 0020_02 | 10 mg/kg | Day : 93 | 986 | 10.73 | 1.0 | 34 |
| 0021_02 | 20 mg/kg | Day : 93 | 1084 | 10.28 | 3.2 | 33 |
| 0022_02 | 20 mg/kg | Day : 93 | 1045 | 9.87 | 2.0 | 20 |

Experiment Number: 91001-02

Species/Strain: Mouse/B6C3F1

P44: Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:05:16

First Dose M/F: NA / NA

Lab: NA

MALE

| Animal No. | Dose | Time In Study | Platelet Count 1000 per uL | Red Blood Cell Count million per uL | Reticulocyte Percentage % | Segmented Neutrophil Percentage % |
|------------|----------|---------------|-------------------------------|---|---------------------------------|--|
| 0023_02 | 20 mg/kg | Day : 93 | 1021 | 10.09 | 4.3 | 34 |
| 0024_02 | 20 mg/kg | Day : 93 | 1038 | 10.87 | 2.5 | 30 |
| 0025_02 | 20 mg/kg | Day : 93 | 1075 | 10.26 | 2.3 | 29 |
| 0026_02 | 20 mg/kg | Day : 93 | 1108 | 9.77 | 1.4 | 32 |
| 0027_02 | 20 mg/kg | Day : 93 | 996 | 9.48 | 2.9 | 24 |
| 0028_02 | 20 mg/kg | Day : 93 | 1019 | 9.70 | 3.6 | 37 |
| 0029_02 | 20 mg/kg | Day : 93 | 1078 | 10.67 | 3.1 | 29 |
| 0030_02 | 20 mg/kg | Day : 93 | 1038 | 10.64 | 2.2 | 26 |
| 0031_02 | 40 mg/kg | Day : 93 | 1123 | 10.02 | 2.8 | 27 |
| 0032_02 | 40 mg/kg | Day : 93 | 919 | 9.14 | 1.6 | 40 |
| 0033_02 | 40 mg/kg | Day : 93 | 1142 | 10.33 | 2.5 | 29 |
| 0034_02 | 40 mg/kg | Day : 93 | 984 | 10.29 | 1.4 | 21 |
| 0035_02 | 40 mg/kg | Day : 93 | 983 | 9.23 | 2.9 | 33 |
| 0036_02 | 40 mg/kg | Day : 93 | 1031 | 10.26 | 2.8 | 39 |
| 0037_02 | 40 mg/kg | Day : 93 | 995 | 9.58 | 1.7 | 16 |
| 0038_02 | 40 mg/kg | Day : 93 | 1054 | 9.85 | 2.2 | 30 |
| 0039_02 | 40 mg/kg | Day : 93 | 1063 | 9.95 | 2.2 | 39 |
| 0040_02 | 40 mg/kg | Day : 93 | 963 | 9.02 | 2.8 | 32 |
| 0041_02 | 80 mg/kg | Day : 93 | 1045 | 9.03 | 3.0 | 22 |
| 0042_02 | 80 mg/kg | Day : 93 | 1005 | 9.53 | 4.3 | 50 |
| 0043_02 | 80 mg/kg | Day : 93 | 1069 | 9.56 | 3.0 | 44 |

Experiment Number: 91001-02

Species/Strain: Mouse/B6C3F1

P44: Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:05:16

First Dose M/F: NA / NA

Lab: NA

MALE

| Animal No. | Dose | Time In Study | Platelet Count 1000 per uL | Red Blood Cell Count million per uL | Reticulocyte Percentage % | Segmented Neutrophil Percentage % |
|------------|-----------|---------------|-------------------------------|---|---------------------------------|--|
| 0044_02 | 80 mg/kg | Day : 93 | 1089 | 10.33 | 5.0 | 30 |
| 0045_02 | 80 mg/kg | Day : 93 | 1078 | 9.58 | 4.6 | 33 |
| 0046_02 | 80 mg/kg | Day : 93 | 1013 | 9.24 | 4.2 | 20 |
| 0047_02 | 80 mg/kg | Day : 93 | 1077 | 9.36 | 4.1 | 32 |
| 0048_02 | 80 mg/kg | Day : 93 | 1000 | 8.90 | 3.1 | 31 |
| 0049_02 | 80 mg/kg | Day : 93 | 1020 | 9.08 | 4.5 | 29 |
| 0050_02 | 80 mg/kg | Day : 93 | 1020 | 9.05 | 4.5 | 77* |
| 0051_02 | 160 mg/kg | Day : 93 | 1025 | 9.23 | 8.2 | 13 |
| 0052_02 | 160 mg/kg | Day : 93 | 1016 | 8.44 | 10.0 | 34 |
| 0053_02 | 160 mg/kg | Day : 93 | 991 | 9.20 | 6.5 | 61 |
| 0054_02 | 160 mg/kg | Day : 93 | 985 | 8.78 | 5.7 | 44 |
| 0055_02 | 160 mg/kg | Day : 93 | 1077 | 9.38 | 5.6 | 20 |
| 0056_02 | 160 mg/kg | Day : 93 | 1058 | 9.24 | 5.2 | 21 |
| 0057_02 | 160 mg/kg | Day : 93 | 954 | 8.62 | 9.4 | 28 |
| 0058_02 | 160 mg/kg | Day : 93 | 1090 | 9.08 | 7.3 | 32 |
| 0059_02 | 160 mg/kg | Day : 93 | 751 | 9.99 | 5.6 | 19 |
| 0060_02 | 160 mg/kg | Day : 93 | 949 | 9.06 | 8.9 | 18 |

Experiment Number: 91001-02

Species/Strain: Mouse/B6C3F1

P44: Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:05:16

First Dose M/F: NA / NA

Lab: NA

MALE

| Animal No. | Dose | Time In Study | White Blood Cell Count 1000 per uL |
|------------|----------|---------------|---------------------------------------|
| 0001_02 | 0 mg/kg | Day : 93 | 5.4 |
| 0002_02 | 0 mg/kg | Day : 93 | 5.4 |
| 0003_02 | 0 mg/kg | Day : 93 | 5.6 |
| 0004_02 | 0 mg/kg | Day : 93 | 5.0 |
| 0005_02 | 0 mg/kg | Day : 93 | 6.5 |
| 0006_02 | 0 mg/kg | Day : 93 | 5.7 |
| 0007_02 | 0 mg/kg | Day : 93 | 4.1 |
| 0008_02 | 0 mg/kg | Day : 93 | 5.6 |
| 0009_02 | 0 mg/kg | Day : 93 | 4.7 |
| 0010_02 | 0 mg/kg | Day : 93 | 6.2 |
| 0012_02 | 10 mg/kg | Day : 93 | 6.9 |
| 0013_02 | 10 mg/kg | Day : 93 | 5.7 |
| 0014_02 | 10 mg/kg | Day : 93 | 5.4 |
| 0015_02 | 10 mg/kg | Day : 93 | 5.0 |
| 0016_02 | 10 mg/kg | Day : 93 | 4.7 |
| 0017_02 | 10 mg/kg | Day : 93 | 4.8 |
| 0018_02 | 10 mg/kg | Day : 93 | 5.1 |
| 0019_02 | 10 mg/kg | Day : 93 | 5.7 |
| 0020_02 | 10 mg/kg | Day : 93 | 4.7 |
| 0021_02 | 20 mg/kg | Day : 93 | 5.1 |
| 0022_02 | 20 mg/kg | Day : 93 | 5.0 |
| 0023_02 | 20 mg/kg | Day : 93 | 5.4 |

Experiment Number: 91001-02

Species/Strain: Mouse/B6C3F1

P44: Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:05:16

First Dose M/F: NA / NA

Lab: NA

MALE

| Animal No. | Dose | Time In Study | White Blood Cell Count 1000 per uL |
|------------|----------|---------------|---------------------------------------|
| 0024_02 | 20 mg/kg | Day : 93 | 6.6 |
| 0025_02 | 20 mg/kg | Day : 93 | 4.1 |
| 0026_02 | 20 mg/kg | Day : 93 | 6.6 |
| 0027_02 | 20 mg/kg | Day : 93 | 5.8 |
| 0028_02 | 20 mg/kg | Day : 93 | 5.7 |
| 0029_02 | 20 mg/kg | Day : 93 | 5.1 |
| 0030_02 | 20 mg/kg | Day : 93 | 5.1 |
| 0031_02 | 40 mg/kg | Day : 93 | 5.6 |
| 0032_02 | 40 mg/kg | Day : 93 | 5.6 |
| 0033_02 | 40 mg/kg | Day : 93 | 5.5 |
| 0034_02 | 40 mg/kg | Day : 93 | 6.5 |
| 0035_02 | 40 mg/kg | Day : 93 | 5.7 |
| 0036_02 | 40 mg/kg | Day : 93 | 6.8 |
| 0037_02 | 40 mg/kg | Day : 93 | 3.3 |
| 0038_02 | 40 mg/kg | Day : 93 | 6.4 |
| 0039_02 | 40 mg/kg | Day : 93 | 6.2 |
| 0040_02 | 40 mg/kg | Day : 93 | 3.6 |
| 0041_02 | 80 mg/kg | Day : 93 | 6.3 |
| 0042_02 | 80 mg/kg | Day : 93 | 5.4 |
| 0043_02 | 80 mg/kg | Day : 93 | 5.2 |
| 0044_02 | 80 mg/kg | Day : 93 | 7.8 |
| 0045_02 | 80 mg/kg | Day : 93 | 5.5 |

Experiment Number: 91001-02

Species/Strain: Mouse/B6C3F1

P44: Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:05:16

First Dose M/F: NA / NA

Lab: NA

MALE

| Animal No. | Dose | Time In Study | White Blood Cell Count 1000 per uL |
|------------|-----------|---------------|---------------------------------------|
| 0045_02 | 80 mg/kg | Day : 93 | 5.5 |
| 0046_02 | 80 mg/kg | Day : 93 | 5.1 |
| 0047_02 | 80 mg/kg | Day : 93 | 4.0 |
| 0048_02 | 80 mg/kg | Day : 93 | 5.7 |
| 0049_02 | 80 mg/kg | Day : 93 | 5.4 |
| 0050_02 | 80 mg/kg | Day : 93 | 10.5 |
| 0051_02 | 160 mg/kg | Day : 93 | 5.8 |
| 0052_02 | 160 mg/kg | Day : 93 | 14.2 |
| 0053_02 | 160 mg/kg | Day : 93 | 7.9 |
| 0054_02 | 160 mg/kg | Day : 93 | 7.4 |
| 0055_02 | 160 mg/kg | Day : 93 | 4.7 |
| 0056_02 | 160 mg/kg | Day : 93 | 7.9 |
| 0057_02 | 160 mg/kg | Day : 93 | 5.3 |
| 0058_02 | 160 mg/kg | Day : 93 | 3.5 |
| 0059_02 | 160 mg/kg | Day : 93 | 6.6 |
| 0060_02 | 160 mg/kg | Day : 93 | 9.0 |

Experiment Number: 91001-02

Species/Strain: Mouse/B6C3F1

P44: Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:05:16

First Dose M/F: NA / NA

Lab: NA

FEMALE

| Animal No. | Dose | Time In Study | Band Neutrophil Percentage % | Basophil Percentage % | Eosinophil Percentage % | Heinz Bodies Pct % |
|------------|----------|---------------|------------------------------|-----------------------|-------------------------|--------------------|
| 0061_02 | 0 mg/kg | Day : 94 | 0 | 0 | 6 | |
| 0062_02 | 0 mg/kg | Day : 94 | 0 | 0 | 1 | 0.0 |
| 0063_02 | 0 mg/kg | Day : 94 | 0 | 0 | 2 | 0.0 |
| 0064_02 | 0 mg/kg | Day : 94 | 0 | 0 | 2 | 0.0 |
| 0065_02 | 0 mg/kg | Day : 94 | 0 | 0 | 0 | 0.0 |
| 0066_02 | 0 mg/kg | Day : 94 | 0 | 0 | 7 | 0.0 |
| 0067_02 | 0 mg/kg | Day : 94 | 0 | 0 | 1 | 0.0 |
| 0068_02 | 0 mg/kg | Day : 94 | 0 | 0 | 0 | 0.0 |
| 0069_02 | 0 mg/kg | Day : 94 | 0 | 0 | 2 | 0.0 |
| 0070_02 | 0 mg/kg | Day : 94 | 0 | 0 | 4 | 0.0 |
| 0071_02 | 10 mg/kg | Day : 94 | 0 | 0 | 0 | 0.0 |
| 0072_02 | 10 mg/kg | Day : 94 | 0 | 0 | 1 | 0.0 |
| 0073_02 | 10 mg/kg | Day : 94 | 0 | 0 | 1 | 0.0 |
| 0074_02 | 10 mg/kg | Day : 94 | 0 | 0 | 2 | 0.0 |
| 0075_02 | 10 mg/kg | Day : 94 | 0 | 0 | 2 | 0.0 |
| 0076_02 | 10 mg/kg | Day : 94 | 0 | 0 | 1 | 0.0 |
| 0077_02 | 10 mg/kg | Day : 94 | 0 | 0 | 4 | 0.0 |
| 0078_02 | 10 mg/kg | Day : 94 | 0 | 0 | 1 | 0.0 |
| 0079_02 | 10 mg/kg | Day : 94 | 0 | 0 | 0 | 0.0 |
| 0080_02 | 10 mg/kg | Day : 94 | 0 | 0 | 2 | 0.0 |
| 0081_02 | 20 mg/kg | Day : 94 | 0 | 0 | 1 | 0.0 |
| 0082_02 | 20 mg/kg | Day : 94 | 0 | 0 | 3 | 0.0 |

Experiment Number: 91001-02

Species/Strain: Mouse/B6C3F1

P44: Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:05:16

First Dose M/F: NA / NA

Lab: NA

FEMALE

| Animal No. | Dose | Time In Study | Band Neutrophil Percentage % | Basophil Percentage % | Eosinophil Percentage % | Heinz Bodies Pct % |
|------------|----------|---------------|------------------------------|-----------------------|-------------------------|--------------------|
| 0083_02 | 20 mg/kg | Day : 94 | 0 | 0 | 1 | 0.0 |
| 0084_02 | 20 mg/kg | Day : 94 | 0 | 0 | 2 | 0.0 |
| 0085_02 | 20 mg/kg | Day : 94 | 0 | 0 | 5 | 0.0 |
| 0086_02 | 20 mg/kg | Day : 94 | 0 | 0 | 6 | 0.0 |
| 0088_02 | 20 mg/kg | Day : 94 | 0 | 0 | 5 | 0.0 |
| 0089_02 | 20 mg/kg | Day : 94 | 0 | 0 | 1 | 0.0 |
| 0090_02 | 20 mg/kg | Day : 94 | 0 | 0 | 1 | 0.0 |
| 0091_02 | 40 mg/kg | Day : 94 | 0 | 0 | 2 | 0.0 |
| 0092_02 | 40 mg/kg | Day : 94 | 0 | 0 | 1 | 0.0 |
| 0093_02 | 40 mg/kg | Day : 94 | 0 | 0 | 2 | 0.0 |
| 0094_02 | 40 mg/kg | Day : 94 | 0 | 0 | 3 | 0.0 |
| 0095_02 | 40 mg/kg | Day : 94 | 0 | 0 | 1 | 0.0 |
| 0096_02 | 40 mg/kg | Day : 94 | 0 | 0 | 1 | 0.0 |
| 0097_02 | 40 mg/kg | Day : 94 | 0 | 0 | 3 | 0.0 |
| 0098_02 | 40 mg/kg | Day : 94 | 0 | 0 | 3 | 0.0 |
| 0099_02 | 40 mg/kg | Day : 94 | 0 | 0 | 2 | 0.0 |
| 0100_02 | 40 mg/kg | Day : 94 | 0 | 0 | 1 | 0.0 |
| 0101_02 | 80 mg/kg | Day : 94 | 0 | 0 | 0 | 0.0 |
| 0102_02 | 80 mg/kg | Day : 94 | 0 | 0 | 0 | 0.0 |
| 0103_02 | 80 mg/kg | Day : 94 | 0 | 0 | 2 | 0.0 |
| 0104_02 | 80 mg/kg | Day : 94 | 0 | 0 | 2 | 0.0 |
| 0105_02 | 80 mg/kg | Day : 94 | 0 | 0 | 1 | 0.0 |

Experiment Number: 91001-02

Species/Strain: Mouse/B6C3F1

P44: Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:05:16

First Dose M/F: NA / NA

Lab: NA

FEMALE

| Animal No. | Dose | Time In Study | Band Neutrophil Percentage % | Basophil Percentage % | Eosinophil Percentage % | Heinz Bodies Pct % |
|------------|-----------|---------------|------------------------------|-----------------------|-------------------------|--------------------|
| 0105_02 | 80 mg/kg | Day : 94 | 0 | 0 | 1 | 0.0 |
| 0106_02 | 80 mg/kg | Day : 94 | 0 | 0 | 0 | 0.0 |
| 0107_02 | 80 mg/kg | Day : 94 | 0 | 0 | 2 | 0.0 |
| 0108_02 | 80 mg/kg | Day : 94 | 0 | 0 | 1 | 0.0 |
| 0109_02 | 80 mg/kg | Day : 94 | 0 | 0 | 3 | 0.0 |
| 0110_02 | 80 mg/kg | Day : 94 | 0 | 0 | 3 | 0.0 |
| 0111_02 | 160 mg/kg | Day : 94 | 0 | 0 | 1 | 5.0 |
| 0113_02 | 160 mg/kg | Day : 94 | 0 | 0 | 1 | 6.5 |
| 0114_02 | 160 mg/kg | Day : 94 | 0 | 0 | 2 | 5.5 |
| 0115_02 | 160 mg/kg | Day : 94 | 0 | 0 | 3 | 5.5 |
| 0116_02 | 160 mg/kg | Day : 94 | 0 | 0 | 3 | 7.3 |
| 0117_02 | 160 mg/kg | Day : 94 | 0 | 0 | 3 | 5.9 |
| 0118_02 | 160 mg/kg | Day : 94 | 0 | 0 | 1 | 7.9 |
| 0119_02 | 160 mg/kg | Day : 94 | 0 | 0 | 1 | 9.0 |
| 0120_02 | 160 mg/kg | Day : 94 | 0 | 0 | 0 | 5.3 |

FEMALE

| Animal No. | Dose | Time In Study | Hematocrit % | Hemoglobin g per dL | Lymphocyte Percentage % | Mean Cell Hemoglobin pg |
|------------|----------|---------------|--------------|---------------------|-------------------------|-------------------------|
| 0061_02 | 0 mg/kg | Day : 94 | 44.5 | 15.9 | 71 | 18.2 |
| 0062_02 | 0 mg/kg | Day : 94 | 47.3 | 17.0 | 69 | 18.0 |
| 0063_02 | 0 mg/kg | Day : 94 | 55.3 | 18.9 | 69 | 16.8 |
| 0064_02 | 0 mg/kg | Day : 94 | 46.5 | 16.5 | 68 | 17.4 |
| 0065_02 | 0 mg/kg | Day : 94 | 47.2 | 16.4 | 71 | 16.9 |
| 0066_02 | 0 mg/kg | Day : 94 | 47.7 | 16.6 | 77 | 17.4 |
| 0067_02 | 0 mg/kg | Day : 94 | 48.3 | 16.9 | 75 | 17.4 |
| 0068_02 | 0 mg/kg | Day : 94 | 45.4 | 15.7 | 80 | 17.2 |
| 0069_02 | 0 mg/kg | Day : 94 | 45.7 | 16.1 | 61 | 17.8 |
| 0070_02 | 0 mg/kg | Day : 94 | 48.6 | 16.8 | 83 | 17.1 |
| 0071_02 | 10 mg/kg | Day : 94 | 45.0 | 15.6 | 74 | 17.0 |
| 0072_02 | 10 mg/kg | Day : 94 | 44.4 | 15.6 | 69 | 17.4 |
| 0073_02 | 10 mg/kg | Day : 94 | 44.2 | 15.6 | 78 | 17.8 |
| 0074_02 | 10 mg/kg | Day : 94 | 46.6 | 16.6 | 61 | 17.5 |
| 0075_02 | 10 mg/kg | Day : 94 | 47.2 | 16.4 | 61 | 17.3 |
| 0076_02 | 10 mg/kg | Day : 94 | 48.6 | 16.7 | 74 | 16.9 |
| 0077_02 | 10 mg/kg | Day : 94 | 48.0 | 16.4 | 64 | 16.9 |
| 0078_02 | 10 mg/kg | Day : 94 | 48.6 | 16.3 | 84 | 16.3 |
| 0079_02 | 10 mg/kg | Day : 94 | 46.3 | 16.2 | 83 | 17.2 |
| 0080_02 | 10 mg/kg | Day : 94 | 48.5 | 16.7 | 63 | 17.2 |
| 0081_02 | 20 mg/kg | Day : 94 | 45.4 | 15.7 | 69 | 17.3 |
| 0082_02 | 20 mg/kg | Day : 94 | 48.2 | 16.3 | 76 | 16.9 |

FEMALE

| Animal No. | Dose | Time In Study | Hematocrit % | Hemoglobin g per dL | Lymphocyte Percentage % | Mean Cell Hemoglobin pg |
|------------|----------|---------------|--------------|---------------------|-------------------------|-------------------------|
| 0083_02 | 20 mg/kg | Day : 94 | 45.5 | 15.5 | 65 | 16.8 |
| 0084_02 | 20 mg/kg | Day : 94 | 44.9 | 15.5 | 84 | 16.9 |
| 0085_02 | 20 mg/kg | Day : 94 | 45.4 | 16.0 | 69 | 17.3 |
| 0086_02 | 20 mg/kg | Day : 94 | 49.1 | 16.1 | 60 | 16.3 |
| 0088_02 | 20 mg/kg | Day : 94 | 45.4 | 15.9 | 54 | 17.3 |
| 0089_02 | 20 mg/kg | Day : 94 | 49.8 | 16.8 | 53 | 17.1 |
| 0090_02 | 20 mg/kg | Day : 94 | 45.0 | 15.6 | 82 | 17.3 |
| 0091_02 | 40 mg/kg | Day : 94 | 48.5 | 16.4 | 80 | 16.6 |
| 0092_02 | 40 mg/kg | Day : 94 | 46.3 | 15.9 | 76 | 16.8 |
| 0093_02 | 40 mg/kg | Day : 94 | 47.2 | 16.2 | 63 | 17.0 |
| 0094_02 | 40 mg/kg | Day : 94 | 46.3 | 16.1 | 82 | 17.3 |
| 0095_02 | 40 mg/kg | Day : 94 | 46.7 | 16.1 | 61 | 17.1 |
| 0096_02 | 40 mg/kg | Day : 94 | 45.3 | 15.7 | 82 | 17.1 |
| 0097_02 | 40 mg/kg | Day : 94 | 45.4 | 16.0 | 71 | 17.4 |
| 0098_02 | 40 mg/kg | Day : 94 | 44.9 | 15.9 | 75 | 17.3 |
| 0099_02 | 40 mg/kg | Day : 94 | 47.1 | 15.9 | 72 | 17.4 |
| 0100_02 | 40 mg/kg | Day : 94 | 50.3 | 17.2 | 52 | 16.8 |
| 0101_02 | 80 mg/kg | Day : 94 | 46.6 | 15.9 | 74 | 16.9 |
| 0102_02 | 80 mg/kg | Day : 94 | 45.8 | 16.0 | 57 | 17.4 |
| 0103_02 | 80 mg/kg | Day : 94 | 44.2 | 15.4 | 72 | 17.4 |
| 0104_02 | 80 mg/kg | Day : 94 | 44.8 | 15.7 | 64 | 17.2 |
| 0105_02 | 80 mg/kg | Day : 94 | 43.9 | 15.1 | 66 | 17.2 |

Experiment Number: 91001-02

Species/Strain: Mouse/B6C3F1

P44: Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:05:16

First Dose M/F: NA / NA

Lab: NA

FEMALE

| Animal No. | Dose | Time In Study | Hematocrit % | Hemoglobin g per dL | Lymphocyte Percentage % | Mean Cell Hemoglobin pg |
|------------|-----------|---------------|--------------|---------------------|-------------------------|-------------------------|
| 0105_02 | 80 mg/kg | Day : 94 | 43.9 | 15.1 | 66 | 17.2 |
| 0106_02 | 80 mg/kg | Day : 94 | 46.2 | 15.9 | 80 | 16.9 |
| 0107_02 | 80 mg/kg | Day : 94 | 46.3 | 15.6 | 77 | 16.6 |
| 0108_02 | 80 mg/kg | Day : 94 | 45.9 | 16.0 | 78 | 17.2 |
| 0109_02 | 80 mg/kg | Day : 94 | 45.7 | 15.5 | 55 | 16.7 |
| 0110_02 | 80 mg/kg | Day : 94 | 44.3 | 15.2 | 81 | 16.7 |
| 0111_02 | 160 mg/kg | Day : 94 | 44.9 | 16.8 | 48 | 18.5 |
| 0113_02 | 160 mg/kg | Day : 94 | 45.2 | 16.4 | 66 | 18.0 |
| 0114_02 | 160 mg/kg | Day : 94 | 46.7 | 17.5 | 59 | 18.8 |
| 0115_02 | 160 mg/kg | Day : 94 | 46.6 | 16.9 | 47 | 19.0 |
| 0116_02 | 160 mg/kg | Day : 94 | 42.3 | 15.6 | 65 | 18.5 |
| 0117_02 | 160 mg/kg | Day : 94 | 43.8 | 16.0 | 82 | 18.5 |
| 0118_02 | 160 mg/kg | Day : 94 | 43.2 | 15.9 | 67 | 18.7 |
| 0119_02 | 160 mg/kg | Day : 94 | 45.1 | 16.4 | 45 | 18.6 |
| 0120_02 | 160 mg/kg | Day : 94 | 41.9 | 15.5 | 28 | 18.5 |

FEMALE

| Animal No. | Dose | Time In Study | Mean Cell Hemoglobin Concentration % | Mean Corpuscular Volume fL | Monocyte Percentage % | Nucleated Rbc Per 100 Wbc per 100 WC |
|------------|----------|---------------|--------------------------------------|----------------------------|-----------------------|--------------------------------------|
| 0061_02 | 0 mg/kg | Day : 94 | 35.7 | 50.9 | 1 | 0 |
| 0062_02 | 0 mg/kg | Day : 94 | 35.9 | 50.0 | 0 | 0 |
| 0063_02 | 0 mg/kg | Day : 94 | 34.2 | 49.2 | 1 | 0 |
| 0064_02 | 0 mg/kg | Day : 94 | 35.5 | 49.1 | 3 | 0 |
| 0065_02 | 0 mg/kg | Day : 94 | 34.7 | 48.5 | 1 | 0 |
| 0066_02 | 0 mg/kg | Day : 94 | 34.8 | 49.9 | 0 | 0 |
| 0067_02 | 0 mg/kg | Day : 94 | 35.0 | 49.8 | 1 | 0 |
| 0068_02 | 0 mg/kg | Day : 94 | 34.6 | 49.8 | 0 | 0 |
| 0069_02 | 0 mg/kg | Day : 94 | 35.2 | 50.4 | 0 | 0 |
| 0070_02 | 0 mg/kg | Day : 94 | 34.6 | 49.4 | 0 | 0 |
| 0071_02 | 10 mg/kg | Day : 94 | 34.7 | 49.2 | 0 | 0 |
| 0072_02 | 10 mg/kg | Day : 94 | 35.1 | 49.5 | 0 | 0 |
| 0073_02 | 10 mg/kg | Day : 94 | 35.3 | 50.6 | 1 | 0 |
| 0074_02 | 10 mg/kg | Day : 94 | 35.6 | 49.2 | 0 | 0 |
| 0075_02 | 10 mg/kg | Day : 94 | 34.7 | 49.9 | 1 | 0 |
| 0076_02 | 10 mg/kg | Day : 94 | 34.4 | 49.2 | 0 | 0 |
| 0077_02 | 10 mg/kg | Day : 94 | 34.2 | 49.4 | 0 | 0 |
| 0078_02 | 10 mg/kg | Day : 94 | 33.5 | 48.5 | 1 | 0 |
| 0079_02 | 10 mg/kg | Day : 94 | 35.0 | 49.2 | 0 | 0 |
| 0080_02 | 10 mg/kg | Day : 94 | 34.4 | 49.8 | 1 | 0 |
| 0081_02 | 20 mg/kg | Day : 94 | 34.6 | 50.2 | 0 | 0 |

FEMALE

| Animal No. | Dose | Time In Study | Mean Cell Hemoglobin Concentration % | Mean Corpuscular Volume fL | Monocyte Percentage % | Nucleated Rbc Per 100 Wbc per 100 WC |
|------------|----------|---------------|--------------------------------------|----------------------------|-----------------------|--------------------------------------|
| 0082_02 | 20 mg/kg | Day : 94 | 33.8 | 50.1 | 0 | 0 |
| 0083_02 | 20 mg/kg | Day : 94 | 34.1 | 49.3 | 0 | 0 |
| 0084_02 | 20 mg/kg | Day : 94 | 34.5 | 49.0 | 0 | 0 |
| 0085_02 | 20 mg/kg | Day : 94 | 35.2 | 49.0 | 0 | 0 |
| 0086_02 | 20 mg/kg | Day : 94 | 32.8 | 49.6 | 2 | 0 |
| 0088_02 | 20 mg/kg | Day : 94 | 35.0 | 49.4 | 0 | 0 |
| 0089_02 | 20 mg/kg | Day : 94 | 33.7 | 50.8 | 0 | 0 |
| 0090_02 | 20 mg/kg | Day : 94 | 34.7 | 49.8 | 0 | 0 |
| 0091_02 | 40 mg/kg | Day : 94 | 33.8 | 49.2 | 2 | 0 |
| 0092_02 | 40 mg/kg | Day : 94 | 34.3 | 48.8 | 0 | 0 |
| 0093_02 | 40 mg/kg | Day : 94 | 34.3 | 49.5 | 0 | 0 |
| 0094_02 | 40 mg/kg | Day : 94 | 34.8 | 49.6 | 0 | 0 |
| 0095_02 | 40 mg/kg | Day : 94 | 34.5 | 49.6 | 0 | 0 |
| 0096_02 | 40 mg/kg | Day : 94 | 34.7 | 49.2 | 0 | 0 |
| 0097_02 | 40 mg/kg | Day : 94 | 35.2 | 49.4 | 0 | 0 |
| 0098_02 | 40 mg/kg | Day : 94 | 35.4 | 49.0 | 0 | 0 |
| 0099_02 | 40 mg/kg | Day : 94 | 33.8 | 51.6 | 0 | 0 |
| 0100_02 | 40 mg/kg | Day : 94 | 34.2 | 49.3 | 0 | 0 |
| 0101_02 | 80 mg/kg | Day : 94 | 34.1 | 49.5 | 3 | 0 |
| 0102_02 | 80 mg/kg | Day : 94 | 34.9 | 49.8 | 0 | 0 |
| 0103_02 | 80 mg/kg | Day : 94 | 34.8 | 49.8 | 0 | 0 |

Experiment Number: 91001-02

Species/Strain: Mouse/B6C3F1

P44: Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:05:17

First Dose M/F: NA / NA

Lab: NA

FEMALE

| Animal No. | Dose | Time In Study | Mean Cell Hemoglobin Concentration % | Mean Corpuscular Volume fL | Monocyte Percentage % | Nucleated Rbc Per 100 Wbc per 100 WC |
|------------|-----------|---------------|--------------------------------------|----------------------------|-----------------------|--------------------------------------|
| 0104_02 | 80 mg/kg | Day : 94 | 35.0 | 49.0 | 0 | 0 |
| 0105_02 | 80 mg/kg | Day : 94 | 34.4 | 49.9 | 0 | 0 |
| 0106_02 | 80 mg/kg | Day : 94 | 34.4 | 49.0 | 0 | 0 |
| 0107_02 | 80 mg/kg | Day : 94 | 33.7 | 49.4 | 0 | 0 |
| 0108_02 | 80 mg/kg | Day : 94 | 34.9 | 49.4 | 0 | 0 |
| 0109_02 | 80 mg/kg | Day : 94 | 33.9 | 49.2 | 0 | 0 |
| 0110_02 | 80 mg/kg | Day : 94 | 34.3 | 48.8 | 0 | 0 |
| 0111_02 | 160 mg/kg | Day : 94 | 37.4 | 49.6 | 0 | 0 |
| 0113_02 | 160 mg/kg | Day : 94 | 36.3 | 49.6 | 1 | 0 |
| 0114_02 | 160 mg/kg | Day : 94 | 37.5 | 50.3 | 0 | 0 |
| 0115_02 | 160 mg/kg | Day : 94 | 36.3 | 52.3 | 0 | 0 |
| 0116_02 | 160 mg/kg | Day : 94 | 36.9 | 50.1 | 1 | 0 |
| 0117_02 | 160 mg/kg | Day : 94 | 36.5 | 50.7 | 0 | 0 |
| 0118_02 | 160 mg/kg | Day : 94 | 36.8 | 50.8 | 0 | 0 |
| 0119_02 | 160 mg/kg | Day : 94 | 36.4 | 51.0 | 1 | 0 |
| 0120_02 | 160 mg/kg | Day : 94 | 37.0 | 50.1 | 0 | 0 |

FEMALE

| Animal No. | Dose | Time In Study | Platelet Count 1000 per uL | Red Blood Cell Count million per uL | Reticulocyte Percentage % | Segmented Neutrophil Percentage % |
|------------|----------|---------------|-------------------------------|---|---------------------------------|--|
| 0061_02 | 0 mg/kg | Day : 94 | 956 | 8.74 | 2.7 | 22 |
| 0062_02 | 0 mg/kg | Day : 94 | 963 | 9.46 | 2.3 | 30 |
| 0063_02 | 0 mg/kg | Day : 94 | 1005 | 11.24 | 2.3 | 28 |
| 0064_02 | 0 mg/kg | Day : 94 | 1146 | 9.48 | 4.2 | 27 |
| 0065_02 | 0 mg/kg | Day : 94 | 934 | 9.73 | 3.7 | 28 |
| 0066_02 | 0 mg/kg | Day : 94 | 956 | 9.56 | 2.9 | 16 |
| 0067_02 | 0 mg/kg | Day : 94 | 960 | 9.70 | 3.0 | 23 |
| 0068_02 | 0 mg/kg | Day : 94 | 1093 | 9.12 | 2.3 | 20 |
| 0069_02 | 0 mg/kg | Day : 94 | 833 | 9.06 | 3.3 | 37 |
| 0070_02 | 0 mg/kg | Day : 94 | 811 | 9.83 | 3.9 | 13 |
| 0071_02 | 10 mg/kg | Day : 94 | 978 | 9.15 | 2.7 | 26 |
| 0072_02 | 10 mg/kg | Day : 94 | 889 | 8.97 | 4.0 | 30 |
| 0073_02 | 10 mg/kg | Day : 94 | 863 | 8.74 | 5.2 | 20 |
| 0074_02 | 10 mg/kg | Day : 94 | 804 | 9.48 | 2.3 | 37 |
| 0075_02 | 10 mg/kg | Day : 94 | 893 | 9.46 | 3.6 | 36 |
| 0076_02 | 10 mg/kg | Day : 94 | 884 | 9.88 | 2.0 | 25 |
| 0077_02 | 10 mg/kg | Day : 94 | 939 | 9.72 | 3.2 | 32 |
| 0078_02 | 10 mg/kg | Day : 94 | 800 | 10.02 | 2.4 | 14 |
| 0079_02 | 10 mg/kg | Day : 94 | 967 | 9.42 | 4.0 | 17 |
| 0080_02 | 10 mg/kg | Day : 94 | 974 | 9.73 | 2.6 | 34 |
| 0081_02 | 20 mg/kg | Day : 94 | 900 | 9.05 | 3.8 | 30 |

FEMALE

| Animal No. | Dose | Time In Study | Platelet Count 1000 per uL | Red Blood Cell Count million per uL | Reticulocyte Percentage % | Segmented Neutrophil Percentage % |
|------------|----------|---------------|-------------------------------|---|---------------------------------|--|
| 0082_02 | 20 mg/kg | Day : 94 | 891 | 9.63 | 2.1 | 21 |
| 0083_02 | 20 mg/kg | Day : 94 | 863 | 9.23 | 2.1 | 34 |
| 0084_02 | 20 mg/kg | Day : 94 | 948 | 9.17 | 4.1 | 14 |
| 0085_02 | 20 mg/kg | Day : 94 | 1045 | 9.27 | 4.4 | 26 |
| 0086_02 | 20 mg/kg | Day : 94 | 881 | 9.90 | 3.0 | 32 |
| 0088_02 | 20 mg/kg | Day : 94 | 1184 | 9.20 | 4.9 | 41 |
| 0089_02 | 20 mg/kg | Day : 94 | 925 | 9.80 | 2.6 | 46 |
| 0090_02 | 20 mg/kg | Day : 94 | 923 | 9.03 | 2.5 | 17 |
| 0091_02 | 40 mg/kg | Day : 94 | 924 | 9.85 | 4.6 | 16 |
| 0092_02 | 40 mg/kg | Day : 94 | 998 | 9.48 | 3.1 | 23 |
| 0093_02 | 40 mg/kg | Day : 94 | 878 | 9.54 | 3.5 | 35 |
| 0094_02 | 40 mg/kg | Day : 94 | 832 | 9.33 | 3.5 | 15 |
| 0095_02 | 40 mg/kg | Day : 94 | 962 | 9.42 | 3.8 | 38 |
| 0096_02 | 40 mg/kg | Day : 94 | 864 | 9.20 | 4.2 | 17 |
| 0097_02 | 40 mg/kg | Day : 94 | 898 | 9.20 | 2.8 | 26 |
| 0098_02 | 40 mg/kg | Day : 94 | 848 | 9.17 | 2.7 | 22 |
| 0099_02 | 40 mg/kg | Day : 94 | 895 | 9.12 | 4.1 | 26 |
| 0100_02 | 40 mg/kg | Day : 94 | 891 | 10.21 | 3.4 | 47 |
| 0101_02 | 80 mg/kg | Day : 94 | 895 | 9.42 | 4.2 | 23 |
| 0102_02 | 80 mg/kg | Day : 94 | 981 | 9.20 | 4.0 | 43 |
| 0103_02 | 80 mg/kg | Day : 94 | 886 | 8.87 | 5.3 | 26 |

Experiment Number: 91001-02

Species/Strain: Mouse/B6C3F1

P44: Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:05:17

First Dose M/F: NA / NA

Lab: NA

FEMALE

| Animal No. | Dose | Time In Study | Platelet Count 1000 per uL | Red Blood Cell Count million per uL | Reticulocyte Percentage % | Segmented Neutrophil Percentage % |
|------------|-----------|---------------|-------------------------------|---|---------------------------------|--|
| 0104_02 | 80 mg/kg | Day : 94 | 933 | 9.14 | 2.8 | 34 |
| 0105_02 | 80 mg/kg | Day : 94 | 929 | 8.79 | 4.9 | 33 |
| 0106_02 | 80 mg/kg | Day : 94 | 969 | 9.42 | 5.0 | 20 |
| 0107_02 | 80 mg/kg | Day : 94 | 937 | 9.38 | 4.0 | 21 |
| 0108_02 | 80 mg/kg | Day : 94 | 981 | 9.30 | 5.5 | 21 |
| 0109_02 | 80 mg/kg | Day : 94 | 811 | 9.29 | 2.5 | 42 |
| 0110_02 | 80 mg/kg | Day : 94 | 1011 | 9.08 | 3.2 | 16 |
| 0111_02 | 160 mg/kg | Day : 94 | 916 | 9.06 | 7.1 | 51 |
| 0113_02 | 160 mg/kg | Day : 94 | 969 | 9.12 | 6.1 | 32 |
| 0114_02 | 160 mg/kg | Day : 94 | 926 | 9.29 | 9.9 | 39 |
| 0115_02 | 160 mg/kg | Day : 94 | 1010 | 8.91 | 9.1 | 50 |
| 0116_02 | 160 mg/kg | Day : 94 | 945 | 8.44 | 4.8 | 31 |
| 0117_02 | 160 mg/kg | Day : 94 | 1109 | 8.63 | 7.6 | 15 |
| 0118_02 | 160 mg/kg | Day : 94 | 914 | 8.50 | 11.3 | 32 |
| 0119_02 | 160 mg/kg | Day : 94 | 995 | 8.84 | 6.6 | 53 |
| 0120_02 | 160 mg/kg | Day : 94 | 988 | 8.37 | 10.3 | 72 |

Experiment Number: 91001-02

Species/Strain: Mouse/B6C3F1

P44: Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:05:17

First Dose M/F: NA / NA

Lab: NA

FEMALE

| Animal No. | Dose | Time In Study | White Blood Cell Count 1000 per uL |
|------------|----------|---------------|---------------------------------------|
| 0061_02 | 0 mg/kg | Day : 94 | 3.2 |
| 0062_02 | 0 mg/kg | Day : 94 | 5.7 |
| 0063_02 | 0 mg/kg | Day : 94 | 4.9 |
| 0064_02 | 0 mg/kg | Day : 94 | 5.9 |
| 0065_02 | 0 mg/kg | Day : 94 | 5.3 |
| 0066_02 | 0 mg/kg | Day : 94 | 4.5 |
| 0067_02 | 0 mg/kg | Day : 94 | 4.1 |
| 0068_02 | 0 mg/kg | Day : 94 | 4.6 |
| 0069_02 | 0 mg/kg | Day : 94 | 4.1 |
| 0070_02 | 0 mg/kg | Day : 94 | 5.3 |
| 0071_02 | 10 mg/kg | Day : 94 | 5.4 |
| 0072_02 | 10 mg/kg | Day : 94 | 3.5 |
| 0073_02 | 10 mg/kg | Day : 94 | 4.0 |
| 0074_02 | 10 mg/kg | Day : 94 | 5.0 |
| 0075_02 | 10 mg/kg | Day : 94 | 5.2 |
| 0076_02 | 10 mg/kg | Day : 94 | 5.2 |
| 0077_02 | 10 mg/kg | Day : 94 | 5.4 |
| 0078_02 | 10 mg/kg | Day : 94 | 5.2 |
| 0079_02 | 10 mg/kg | Day : 94 | 4.1 |
| 0080_02 | 10 mg/kg | Day : 94 | 5.7 |
| 0081_02 | 20 mg/kg | Day : 94 | 3.7 |
| 0082_02 | 20 mg/kg | Day : 94 | 4.0 |

Experiment Number: 91001-02

Species/Strain: Mouse/B6C3F1

P44: Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:05:17

First Dose M/F: NA / NA

Lab: NA

FEMALE

| Animal No. | Dose | Time In Study | White Blood Cell Count 1000 per uL |
|------------|----------|---------------|---------------------------------------|
| 0083_02 | 20 mg/kg | Day : 94 | 3.6 |
| 0084_02 | 20 mg/kg | Day : 94 | 3.4 |
| 0085_02 | 20 mg/kg | Day : 94 | 5.6 |
| 0086_02 | 20 mg/kg | Day : 94 | 5.0 |
| 0088_02 | 20 mg/kg | Day : 94 | 6.2 |
| 0089_02 | 20 mg/kg | Day : 94 | 5.7 |
| 0090_02 | 20 mg/kg | Day : 94 | 3.3 |
| 0091_02 | 40 mg/kg | Day : 94 | 4.1 |
| 0092_02 | 40 mg/kg | Day : 94 | 3.7 |
| 0093_02 | 40 mg/kg | Day : 94 | 4.5 |
| 0094_02 | 40 mg/kg | Day : 94 | 3.9 |
| 0095_02 | 40 mg/kg | Day : 94 | 6.2 |
| 0096_02 | 40 mg/kg | Day : 94 | 4.7 |
| 0097_02 | 40 mg/kg | Day : 94 | 3.9 |
| 0098_02 | 40 mg/kg | Day : 94 | 4.6 |
| 0099_02 | 40 mg/kg | Day : 94 | 3.6 |
| 0100_02 | 40 mg/kg | Day : 94 | 3.9 |
| 0101_02 | 80 mg/kg | Day : 94 | 5.9 |
| 0102_02 | 80 mg/kg | Day : 94 | 5.8 |
| 0103_02 | 80 mg/kg | Day : 94 | 5.0 |
| 0104_02 | 80 mg/kg | Day : 94 | 5.2 |
| 0105_02 | 80 mg/kg | Day : 94 | 4.2 |

Experiment Number: 91001-02

Species/Strain: Mouse/B6C3F1

P44: Hematology Data

Date Report Requested: 10/24/2014

Time Report Requested: 17:05:17

First Dose M/F: NA / NA

Lab: NA

FEMALE

| Animal No. | Dose | Time In Study | White Blood Cell Count 1000 per uL |
|------------|-----------|---------------|---------------------------------------|
| 0105_02 | 80 mg/kg | Day : 94 | 4.2 |
| 0106_02 | 80 mg/kg | Day : 94 | 5.8 |
| 0107_02 | 80 mg/kg | Day : 94 | 4.3 |
| 0108_02 | 80 mg/kg | Day : 94 | 5.0 |
| 0109_02 | 80 mg/kg | Day : 94 | 4.5 |
| 0110_02 | 80 mg/kg | Day : 94 | 3.8 |
| 0111_02 | 160 mg/kg | Day : 94 | 12.2 |
| 0113_02 | 160 mg/kg | Day : 94 | 7.1 |
| 0114_02 | 160 mg/kg | Day : 94 | 6.4 |
| 0115_02 | 160 mg/kg | Day : 94 | 7.1 |
| 0116_02 | 160 mg/kg | Day : 94 | 5.2 |
| 0117_02 | 160 mg/kg | Day : 94 | 4.4 |
| 0118_02 | 160 mg/kg | Day : 94 | 6.3 |
| 0119_02 | 160 mg/kg | Day : 94 | 8.0 |
| 0120_02 | 160 mg/kg | Day : 94 | 9.1 |

** END OF REPORT **