

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I04: Mean Body Weight Summary
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 05/03/2022
Time Report Requested: 11:45:29
Lab: Battelle

Study Number: C11054B-02
Study Sex: Both
PWG Approval Date: See web page for date of PWG Approval
Version: v1.4.1
Stat Version: v2.8.8A

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I04: Mean Body Weight Summary
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 05/03/2022
Time Report Requested: 11:45:29
Lab: Battelle

Males: Biosample Animals

Phase Day	Treatment Groups (mg/L)										
	0		30			100			300		
	Wt (g)	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
SD0	22.1 ± 0.6	5	22.0 ± 0.5	99.4	5	22.0 ± 0.4	99.3	5	22.6 ± 0.5	101.9	5
SD7	24.0 ± 0.7	5	23.6 ± 0.4	98.4	5	24.2 ± 0.4	101.1	5	24.6 ± 0.5	102.5	5
SD14	25.5 ± 0.6 *	5	25.2 ± 0.5	99.0	5	25.4 ± 0.3	99.6	5	26.2 ± 0.6	103.1	5
SD21	26.1 ± 0.7 *	5	26.1 ± 0.4	100.2	5	26.5 ± 0.4	101.5	5	27.4 ± 0.7	104.8	5
SD28	27.4 ± 0.9 **	5	27.2 ± 0.5	99.3	5	27.8 ± 0.4	101.7	5	28.9 ± 0.7	105.5	5
SD35	28.4 ± 1.0 **	5	28.3 ± 0.8	99.9	5	28.7 ± 0.6	101.3	5	30.1 ± 1.0	106.3	5
SD42	29.5 ± 0.9 **	5	30.0 ± 0.7	101.6	5	30.2 ± 0.5	102.2	5	31.6 ± 1.2	107.0	5
SD49	31.5 ± 1.0 **	5	31.0 ± 0.7	98.5	5	31.7 ± 0.8	100.6	5	33.5 ± 1.2	106.2	5
SD56	32.1 ± 0.9 *	5	32.0 ± 0.7	99.8	5	32.0 ± 0.6	99.9	5	33.5 ± 1.1	104.6	5
SD63	33.0 ± 1.2 *	5	33.2 ± 0.8	100.5	5	33.5 ± 0.9	101.4	5	35.0 ± 1.3	105.9	5
SD70	34.3 ± 1.4 *	5	34.8 ± 0.9	101.4	5	34.7 ± 1.0	101.0	5	36.4 ± 1.4	106.1	5
SD77	35.1 ± 1.3 *	5	36.5 ± 0.9	103.9	5	35.7 ± 1.3	101.7	5	37.1 ± 1.5	105.7	5
SD84	36.0 ± 1.5 **	5	37.5 ± 1.0	103.9	5	37.4 ± 1.4	103.8	5	38.2 ± 1.4	106.0	5
SD91	37.4 ± 1.4 *	5	38.2 ± 1.3	102.1	5	38.7 ± 1.5	103.5	5	39.7 ± 1.7	106.1	5

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I04: Mean Body Weight Summary
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 05/03/2022
Time Report Requested: 11:45:29
Lab: Battelle

Males: Biosample Animals

Phase Day	Treatment Groups (mg/L)		
	1000		
	Wt (g)	% of CNTL	N
SD0	22.9 ± 0.5	103.4	5
SD7	25.0 ± 0.5	104.2	5
SD14	26.7 ± 0.4	104.9	5
SD21	27.7 ± 0.5	106.1	5
SD28	29.4 ± 0.4 *	107.5	5
SD35	30.9 ± 0.7 *	109.1	5
SD42	32.6 ± 0.6 *	110.4	5
SD49	34.5 ± 0.4 *	109.5	5
SD56	35.4 ± 0.6 *	110.4	5
SD63	36.4 ± 0.8	110.2	5
SD70	38.1 ± 0.6	110.9	5
SD77	39.5 ± 0.5 *	112.6	5
SD84	41.1 ± 0.6 *	113.9	5
SD91	43.0 ± 0.7 *	115.1	5

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I04: Mean Body Weight Summary
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 05/03/2022
Time Report Requested: 11:45:29
Lab: Battelle

Females: Biosample Animals

Phase Day	Treatment Groups (mg/L)										
	0		30			100			300		
	Wt (g)	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
SD0	18.4 ± 0.3	5	17.5 ± 0.3	95.3	5	17.1 ± 0.4	93.4	5	17.1 ± 0.7	93.0	5
SD7	19.4 ± 0.4	5	18.8 ± 0.3	97.2	5	18.6 ± 0.5	96.0	5	18.3 ± 0.8	94.4	5
SD14	20.7 ± 0.4	5	19.6 ± 0.3	94.7	5	19.7 ± 0.4	94.9	5	19.6 ± 0.9	94.8	5
SD21	21.4 ± 0.5	5	20.1 ± 0.1	93.9	5	20.5 ± 0.4	95.9	5	20.7 ± 1.2	96.5	5
SD28	22.4 ± 0.5	5	21.2 ± 0.3	94.9	5	21.5 ± 0.3	96.2	5	21.7 ± 1.5	97.1	5
SD35	23.2 ± 0.5	5	22.0 ± 0.3	94.8	5	22.4 ± 0.2	96.8	5	22.1 ± 1.2	95.3	5
SD42	25.1 ± 1.1	5	23.4 ± 0.3	93.1	5	23.9 ± 0.4	95.0	5	22.3 ± 0.6 *	88.8	5
SD49	25.1 ± 0.7	5	24.4 ± 0.7	97.0	5	24.3 ± 0.2	96.7	5	24.1 ± 1.0	96.0	5
SD56	26.0 ± 0.8	5	25.4 ± 0.7	97.6	5	24.7 ± 0.4	95.0	5	25.5 ± 1.5	98.0	5
SD63	27.5 ± 1.1	5	25.9 ± 0.5	94.2	5	25.8 ± 0.3	94.0	5	26.7 ± 1.9	97.2	5
SD70	28.1 ± 1.1	5	26.1 ± 0.6	92.8	5	26.5 ± 0.3	94.2	5	27.9 ± 2.1	99.3	5
SD77	29.4 ± 1.4	5	28.3 ± 1.3	96.2	5	27.2 ± 0.7	92.4	5	29.0 ± 2.6	98.4	5
SD84	29.6 ± 1.6	5	27.5 ± 0.9	92.8	5	28.4 ± 0.7	96.1	5	30.0 ± 2.9	101.4	5
SD91	30.8 ± 1.7	5	29.3 ± 0.7	95.0	5	30.8 ± 0.8	100.0	5	31.2 ± 2.8	101.2	5

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I04: Mean Body Weight Summary
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 05/03/2022
Time Report Requested: 11:45:29
Lab: Battelle

Females: Biosample Animals

Phase Day	Treatment Groups (mg/L)		
	1000		
	Wt (g)	% of CNTL	N
SD0	17.8 ± 0.3	96.9	5
SD7	19.0 ± 0.4	98.0	5
SD14	20.0 ± 0.5	96.3	5
SD21	21.0 ± 0.6	98.2	5
SD28	22.2 ± 0.7	99.3	5
SD35	22.9 ± 0.7	98.9	5
SD42	24.8 ± 0.8	98.5	5
SD49	25.2 ± 0.4	100.1	5
SD56	25.9 ± 0.7	99.7	5
SD63	27.7 ± 0.8	100.7	5
SD70	28.6 ± 1.2	101.9	5
SD77	29.7 ± 1.1	100.8	5
SD84	30.2 ± 1.0	101.9	5
SD91	31.6 ± 1.2	102.4	5

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I04: Mean Body Weight Summary
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 05/03/2022
Time Report Requested: 11:45:29
Lab: Battelle

Males: Interim Animals

Phase Day	Treatment Groups (mg/L)										
	0		30			100			300		
	Wt (g)	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
SD0	22.4 ± 0.2	10	22.5 ± 0.4	100.4	10	22.1 ± 0.2	98.4	10	22.4 ± 0.3	100.0	10
SD7	24.4 ± 0.3	10	24.7 ± 0.4	101.4	10	24.0 ± 0.2	98.4	10	24.3 ± 0.3	99.8	10
SD14	25.5 ± 0.7	10	25.8 ± 0.4	101.2	10	25.6 ± 0.2	100.2	10	25.8 ± 0.3	100.9	10
SD21	26.4 ± 0.3	10	27.2 ± 0.4	103.0	10	26.5 ± 0.3	100.4	10	26.9 ± 0.4	102.1	10
SD28	27.7 ± 0.3	10	28.3 ± 0.5	102.2	10	27.5 ± 0.4	99.1	10	27.9 ± 0.4	100.7	10
SD35	29.0 ± 0.4	10	28.4 ± 1.0	97.8	10	29.0 ± 0.4	99.8	10	29.0 ± 0.4	100.0	10
SD42	30.2 ± 0.5	10	30.9 ± 0.6	102.1	10	30.2 ± 0.5	99.9	10	30.5 ± 0.5	101.0	10
SD49	32.1 ± 0.7	10	32.6 ± 0.8	101.7	10	32.1 ± 0.5	100.1	10	32.2 ± 0.7	100.6	10
SD56	33.0 ± 0.8	10	33.5 ± 0.7	101.7	10	32.7 ± 0.5	99.0	10	33.0 ± 0.5	100.1	10
SD63	34.1 ± 0.8	10	34.9 ± 0.8	102.1	10	34.2 ± 0.6	100.1	10	34.3 ± 0.6	100.6	10
SD70	35.2 ± 0.9	10	36.5 ± 0.8	103.7	10	35.6 ± 0.7	101.1	10	35.8 ± 0.6	101.6	10
SD77	36.6 ± 0.9	10	37.6 ± 0.9	102.7	10	36.6 ± 0.7	100.1	10	36.8 ± 0.7	100.7	10
SD84	37.8 ± 0.9	10	38.6 ± 0.9	102.1	10	37.9 ± 0.8	100.2	10	38.1 ± 0.7	101.0	10
SD91	39.0 ± 0.8	10	40.0 ± 1.0	102.5	10	39.2 ± 0.7	100.6	10	38.6 ± 0.9	99.0	10

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I04: Mean Body Weight Summary
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 05/03/2022
Time Report Requested: 11:45:29
Lab: Battelle

Males: Interim Animals

Phase Day	Treatment Groups (mg/L)		
	1000		
	Wt (g)	% of CNTL	N
SD0	22.4 ± 0.3	100.2	10
SD7	24.3 ± 0.4	99.5	10
SD14	25.8 ± 0.4	100.9	10
SD21	27.0 ± 0.5	102.3	10
SD28	28.2 ± 0.6	101.8	10
SD35	29.5 ± 0.7	101.7	10
SD42	31.3 ± 0.8	103.5	10
SD49	32.7 ± 0.9	102.0	10
SD56	33.6 ± 0.8	101.9	10
SD63	34.8 ± 0.8	101.8	10
SD70	35.8 ± 0.9	101.7	10
SD77	37.1 ± 0.9	101.5	10
SD84	37.8 ± 0.9	99.9	10
SD91	39.1 ± 0.9	100.3	10

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I04: Mean Body Weight Summary
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 05/03/2022
Time Report Requested: 11:45:29
Lab: Battelle

Females: Interim Animals

Phase Day	Treatment Groups (mg/L)										
	0		30			100			300		
	Wt (g)	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
SD0	16.7 ± 0.3	10	16.9 ± 0.4	101.4	10	17.8 ± 0.3	106.6	10	17.0 ± 0.4	101.9	10
SD7	18.2 ± 0.3	10	18.0 ± 0.4	99.1	10	18.8 ± 0.2	103.5	10	18.1 ± 0.4	99.3	10
SD14	19.3 ± 0.3	10	19.5 ± 0.4	101.3	10	20.2 ± 0.3	104.6	10	19.7 ± 0.4	102.3	10
SD21	20.1 ± 0.3	10	20.3 ± 0.4	100.9	10	20.9 ± 0.3	103.9	10	20.2 ± 0.5	100.2	10
SD28	21.0 ± 0.2	10	21.5 ± 0.6	102.5	10	22.0 ± 0.4	105.0	10	21.3 ± 0.5	101.7	10
SD35	21.5 ± 0.4	10	22.7 ± 0.5	105.4	10	22.9 ± 0.4	106.2	10	22.2 ± 0.5	103.0	10
SD42	22.9 ± 0.3	10	23.8 ± 0.5	104.2	10	24.3 ± 0.5	106.5	10	23.8 ± 0.6	104.0	10
SD49	23.8 ± 0.4	10	24.9 ± 0.8	104.7	10	25.2 ± 0.4	105.9	10	24.2 ± 0.7	101.8	10
SD56	24.6 ± 0.6	10	25.6 ± 0.8	104.2	10	26.1 ± 0.5	106.1	10	24.5 ± 0.6	99.6	10
SD63	25.1 ± 0.5	10	26.7 ± 1.2	106.1	10	26.9 ± 0.6	107.1	10	25.7 ± 0.8	102.5	10
SD70	25.5 ± 0.6	10	27.6 ± 1.3	107.9	10	28.1 ± 0.7	110.1	10	26.8 ± 1.0	104.8	10
SD77	25.6 ± 0.7	10	28.6 ± 1.5	111.9	10	28.3 ± 0.7	110.5	10	27.1 ± 1.1	106.0	10
SD84	27.0 ± 0.6	10	29.7 ± 1.7	109.8	10	28.8 ± 0.8	106.6	10	27.4 ± 0.8	101.3	10
SD91	27.9 ± 0.7	10	31.4 ± 1.5	112.7	10	30.0 ± 0.8	107.5	10	28.7 ± 1.0	102.9	10

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I04: Mean Body Weight Summary
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 05/03/2022
Time Report Requested: 11:45:29
Lab: Battelle

Females: Interim Animals

Phase Day	Treatment Groups (mg/L)		
	1000		
	Wt (g)	% of CNTL	N
SD0	16.8 ± 0.6	100.6	10
SD7	17.9 ± 0.4	98.4	10
SD14	19.2 ± 0.4	99.5	10
SD21	19.9 ± 0.3	98.7	10
SD28	21.3 ± 0.4	101.5	10
SD35	22.0 ± 0.3	102.4	10
SD42	23.1 ± 0.4	101.1	10
SD49	24.3 ± 0.4	102.1	10
SD56	23.8 ± 0.7	96.9	10
SD63	24.6 ± 0.9	98.1	10
SD70	26.5 ± 0.6	103.9	10
SD77	27.5 ± 0.8	107.6	10
SD84	28.2 ± 0.8	104.1	10
SD91	29.7 ± 1.1	106.7	10

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I04: Mean Body Weight Summary
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 05/03/2022
Time Report Requested: 11:45:29
Lab: Battelle

Males: Core Animals

Phase Day	Treatment Groups (mg/L)										
	0		30			100			300		
	Wt (g)	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
SD0	22.5 ± 0.1	50	22.6 ± 0.1	100.1	50	22.7 ± 0.1	100.6	50	22.6 ± 0.1	100.1	50
SD7	24.6 ± 0.1	50	24.6 ± 0.1	99.9	50	24.6 ± 0.1	99.8	50	24.4 ± 0.1	99.1	50
SD14	26.2 ± 0.1	50	25.9 ± 0.1	98.9	50	26.0 ± 0.1	99.2	50	25.9 ± 0.2	98.8	50
SD21	26.6 ± 0.1	50	26.9 ± 0.2	101.2	50	26.9 ± 0.2	101.2	50	27.1 ± 0.2	102.0	50
SD28	28.0 ± 0.2	50	28.1 ± 0.2	100.2	50	27.9 ± 0.2	99.8	50	28.2 ± 0.2	100.9	50
SD35	29.6 ± 0.2	50	29.3 ± 0.2	99.2	50	29.2 ± 0.2	98.7	50	29.5 ± 0.3	99.9	50
SD42	30.8 ± 0.3	50	30.7 ± 0.3	99.7	50	30.8 ± 0.3	99.7	50	30.9 ± 0.3	100.3	50
SD49	32.5 ± 0.3	50	32.5 ± 0.3	99.8	50	32.5 ± 0.3	99.9	50	32.7 ± 0.3	100.6	50
SD56	33.6 ± 0.3	50	33.3 ± 0.3	99.1	50	33.0 ± 0.3	98.4	50	33.5 ± 0.3	99.9	50
SD63	34.9 ± 0.3	50	34.4 ± 0.3	98.7	50	34.4 ± 0.3	98.6	50	34.7 ± 0.4	99.5	50
SD70	36.2 ± 0.4	50	35.7 ± 0.3	98.8	50	35.8 ± 0.4	99.0	50	36.1 ± 0.4	99.8	50
SD77	37.5 ± 0.4	50	36.9 ± 0.4	98.6	50	36.9 ± 0.4	98.5	50	37.2 ± 0.4	99.2	50
SD84	38.5 ± 0.4	50	38.3 ± 0.4	99.3	50	38.2 ± 0.4	99.2	50	38.6 ± 0.4	100.3	50
SD91	39.9 ± 0.5	50	39.5 ± 0.4	99.1	50	39.6 ± 0.4	99.3	50	39.8 ± 0.4	99.8	50
SD119	44.2 ± 0.5	50	44.0 ± 0.4	99.5	50	43.9 ± 0.5	99.2	50	44.3 ± 0.5	100.2	50
SD147	47.3 ± 0.5	50	47.0 ± 0.4	99.4	50	46.5 ± 0.4	98.4	50	46.6 ± 0.5	98.5	49
SD175	48.8 ± 0.4	50	49.0 ± 0.4	100.4	50	48.7 ± 0.3	99.9	50	48.7 ± 0.3	99.8	50
SD203	50.0 ± 0.4	50	50.2 ± 0.3	100.3	50	49.8 ± 0.3	99.5	50	50.1 ± 0.3	100.1	50
SD231	50.5 ± 0.6	50	51.9 ± 0.4	102.7	50	51.0 ± 0.3	100.9	50	51.3 ± 0.3	101.6	49
SD259	52.8 ± 0.4	50	52.9 ± 0.4	100.0	50	52.4 ± 0.3	99.2	50	52.7 ± 0.4	99.6	50
SD287	53.7 ± 0.4	50	53.6 ± 0.4	99.9	50	53.3 ± 0.3	99.2	50	53.3 ± 0.4	99.2	50
SD315	54.9 ± 0.4 *	50	54.5 ± 0.4	99.4	50	53.8 ± 0.4	98.1	50	53.9 ± 0.4	98.3	50
SD343	55.4 ± 0.4 *	50	55.0 ± 0.4	99.3	50	54.1 ± 0.4	97.7	50	54.5 ± 0.4	98.4	50
SD371	55.4 ± 0.4	50	55.2 ± 0.5	99.6	50	54.4 ± 0.5	98.3	50	54.7 ± 0.5	98.8	50
SD399	55.2 ± 0.4	50	55.2 ± 0.5	100.0	50	54.4 ± 0.4	98.5	49	55.0 ± 0.5	99.5	50
SD427	55.5 ± 0.5	50	55.3 ± 0.5	99.7	50	54.5 ± 0.5	98.2	49	55.2 ± 0.5	99.4	48
SD455	55.7 ± 0.6	50	55.3 ± 0.6	99.2	50	54.9 ± 0.5	98.4	49	55.3 ± 0.5	99.2	48
SD483	55.9 ± 0.6	49	55.8 ± 0.6	99.8	50	54.3 ± 0.7	97.0	49	55.5 ± 0.6	99.1	48
SD511	56.1 ± 0.7	49	55.0 ± 0.8	98.0	49	53.8 ± 0.8	95.8	48	55.1 ± 0.7	98.2	48
SD539	55.3 ± 0.8	48	54.4 ± 0.8	98.5	49	53.6 ± 0.9	97.0	47	54.9 ± 0.8	99.3	46
SD567	54.3 ± 0.9	48	53.5 ± 0.9	98.5	46	52.7 ± 0.9	97.0	44	53.5 ± 0.9	98.4	46

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I04: Mean Body Weight Summary
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 05/03/2022
Time Report Requested: 11:45:29
Lab: Battelle

Males: Core Animals

Phase Day	Treatment Groups (mg/L)										
	0		30			100			300		
	Wt (g)	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
SD595	52.8 ± 1.1	48	51.6 ± 1.1	97.8	43	50.5 ± 1.1	95.7	42	52.6 ± 1.0	99.6	43
SD623	52.9 ± 1.2	45	50.7 ± 1.3	95.8	42	49.2 ± 1.3	93.0	41	51.3 ± 1.2	97.0	42
SD651	49.7 ± 1.4	43	48.5 ± 1.4	97.5	38	48.1 ± 1.4	96.8	40	49.4 ± 1.3	99.4	38
SD679	49.2 ± 1.5	37	46.2 ± 1.7	93.9	35	46.6 ± 1.6	94.8	39	47.4 ± 1.5	96.3	37
SD707	49.2 ± 1.4	36	45.5 ± 1.9	92.6	32	45.1 ± 1.7	91.8	37	45.9 ± 1.7	93.3	36

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I04: Mean Body Weight Summary
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 05/03/2022
Time Report Requested: 11:45:29
Lab: Battelle

Males: Core Animals

Phase Day	Treatment Groups (mg/L)		
	1000		
	Wt (g)	% of CNTL	N
SD0	22.5 ± 0.1	99.7	50
SD7	24.4 ± 0.1	99.2	50
SD14	25.9 ± 0.2	98.8	50
SD21	26.9 ± 0.2	101.3	50
SD28	28.0 ± 0.2	100.0	50
SD35	29.3 ± 0.2	99.0	50
SD42	30.8 ± 0.3	99.8	50
SD49	32.5 ± 0.3	99.8	50
SD56	33.2 ± 0.3	99.0	50
SD63	34.5 ± 0.4	99.0	50
SD70	35.7 ± 0.4	98.7	50
SD77	36.9 ± 0.4	98.5	50
SD84	38.3 ± 0.4	99.3	50
SD91	39.6 ± 0.4	99.4	50
SD119	43.8 ± 0.5	99.1	50
SD147	46.7 ± 0.4	98.8	50
SD175	48.8 ± 0.4	100.1	50
SD203	50.1 ± 0.3	100.1	50
SD231	51.1 ± 0.3	101.1	50
SD259	52.6 ± 0.3	99.6	50
SD287	53.6 ± 0.4	99.7	50
SD315	54.0 ± 0.4	98.4	50
SD343	54.6 ± 0.4	98.7	50
SD371	55.1 ± 0.4	99.4	50
SD399	55.0 ± 0.4	99.5	49
SD427	55.3 ± 0.4	99.7	49
SD455	55.3 ± 0.5	99.2	49
SD483	55.3 ± 0.6	98.8	49
SD511	54.6 ± 0.8	97.2	49
SD539	53.9 ± 1.0	97.5	49
SD567	53.7 ± 1.0	98.8	45

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I04: Mean Body Weight Summary
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 05/03/2022
Time Report Requested: 11:45:29
Lab: Battelle

Males: Core Animals

Phase Day	Treatment Groups (mg/L)		
	1000		
	Wt (g)	% of CNTL	N
SD595	53.1 ± 1.1	100.6	44
SD623	52.6 ± 1.3	99.4	43
SD651	53.3 ± 1.4	107.1	38
SD679	51.8 ± 1.5	105.2	36
SD707	51.8 ± 1.5	105.3	32

Study Number: C11054B-02
 Test Type: TOX
 Route: Dosing in Water
 Species/Strain: Mouse/B6C3F1/N

I04: Mean Body Weight Summary
 Test Compound: Sulfolane
 CAS Number: 126-33-0

Date Report Requested: 05/03/2022
 Time Report Requested: 11:45:29
 Lab: Battelle

Females: Core Animals

Phase Day	Treatment Groups (mg/L)										
	0		30			100			300		
	Wt (g)	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
SD0	17.5 ± 0.2	50	17.5 ± 0.1	100.1	50	17.4 ± 0.2	99.2	50	17.5 ± 0.2	99.8	50
SD7	18.6 ± 0.2	50	18.6 ± 0.1	99.7	50	18.4 ± 0.2	98.8	50	18.7 ± 0.1	100.3	50
SD14	19.9 ± 0.2	50	19.8 ± 0.1	99.3	50	19.8 ± 0.2	99.6	50	19.7 ± 0.2	99.0	50
SD21	20.7 ± 0.2	50	20.6 ± 0.2	99.2	50	20.8 ± 0.2	100.2	50	20.6 ± 0.2	99.1	50
SD28	21.7 ± 0.2	50	21.3 ± 0.2	98.3	50	21.8 ± 0.2	100.4	50	21.5 ± 0.2	99.2	50
SD35	22.3 ± 0.2	50	22.2 ± 0.2	99.5	50	22.3 ± 0.2	99.7	50	22.2 ± 0.2	99.5	50
SD42	23.8 ± 0.2	50	23.5 ± 0.2	99.0	50	23.6 ± 0.3	99.1	50	23.7 ± 0.2	99.5	50
SD49	24.6 ± 0.3	50	24.6 ± 0.2	100.1	50	24.5 ± 0.3	99.7	50	24.7 ± 0.2	100.4	50
SD56	25.3 ± 0.3	50	25.2 ± 0.3	99.9	50	25.3 ± 0.3	100.1	50	25.3 ± 0.3	100.3	50
SD63	26.5 ± 0.4	50	25.9 ± 0.3	97.8	50	26.4 ± 0.3	99.6	50	26.2 ± 0.3	99.1	50
SD70	27.2 ± 0.4	50	27.0 ± 0.4	99.1	50	26.9 ± 0.4	98.8	50	27.0 ± 0.3	99.2	50
SD77	28.2 ± 0.5	50	27.9 ± 0.4	99.0	50	27.5 ± 0.4	97.5	50	28.2 ± 0.4	100.1	50
SD84	29.0 ± 0.5	50	29.3 ± 0.4	100.8	50	28.5 ± 0.4	98.3	50	29.0 ± 0.4	100.0	50
SD91	30.2 ± 0.5	50	30.1 ± 0.5	99.6	50	29.7 ± 0.5	98.5	50	29.8 ± 0.4	98.8	50
SD119	34.7 ± 0.6	50	34.3 ± 0.6	99.0	50	34.3 ± 0.6	98.9	50	35.0 ± 0.5	100.9	50
SD147	38.6 ± 0.7	50	37.6 ± 0.6	97.4	50	38.2 ± 0.7	98.8	50	39.1 ± 0.6	101.4	50
SD175	42.4 ± 0.7 *	50	41.8 ± 0.6	98.6	50	41.9 ± 0.8	98.8	50	43.7 ± 0.7	103.2	50
SD203	45.1 ± 0.7	50	45.1 ± 0.7	100.0	50	45.3 ± 0.8	100.4	50	46.8 ± 0.7	103.8	50
SD231	48.5 ± 0.7 *	50	48.7 ± 0.7	100.4	50	48.7 ± 0.8	100.4	50	50.6 ± 0.8	104.2	50
SD259	52.3 ± 0.7	50	52.3 ± 0.7	99.8	50	52.2 ± 0.9	99.7	50	53.4 ± 0.8	102.0	50
SD287	54.3 ± 0.6 *	50	54.4 ± 0.7	100.2	50	54.5 ± 0.9	100.3	50	56.0 ± 0.7	103.2	50
SD315	56.0 ± 0.6	50	56.2 ± 0.7	100.5	50	55.8 ± 0.8	99.8	49	57.0 ± 0.6	101.8	49
SD343	57.8 ± 0.6	50	58.0 ± 0.6	100.3	50	58.1 ± 0.7	100.5	49	58.6 ± 0.6	101.4	49
SD371	59.1 ± 0.5	50	59.2 ± 0.6	100.2	50	59.3 ± 0.7	100.4	49	59.7 ± 0.6	101.0	49
SD399	58.6 ± 0.5	50	59.3 ± 0.6	101.2	49	59.6 ± 0.7	101.8	49	59.2 ± 0.7	101.1	49
SD427	59.1 ± 0.6	50	60.0 ± 0.6	101.5	49	60.7 ± 0.7	102.8	49	60.5 ± 0.7	102.4	48
SD455	60.7 ± 0.6 *	50	60.4 ± 0.7	99.5	49	61.5 ± 0.8	101.3	49	62.0 ± 0.6	102.1	48
SD483	61.8 ± 0.7	50	61.4 ± 0.7	99.3	49	61.9 ± 0.9	100.1	49	62.9 ± 0.8	101.9	48
SD511	60.9 ± 0.9 *	48	60.8 ± 0.8	99.9	48	61.4 ± 1.1	100.8	49	62.2 ± 0.8	102.2	48
SD539	60.0 ± 1.2 *	48	60.7 ± 0.9	101.1	48	60.4 ± 1.3	100.5	48	62.2 ± 0.9	103.6	45
SD567	59.9 ± 1.2	47	61.4 ± 0.8	102.5	46	61.3 ± 1.2	102.4	46	61.1 ± 1.1	102.0	45

Females: Core Animals											
Treatment Groups (mg/L)											
Phase Day	0		30			100			300		
	Wt (g)	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N	Wt (g)	% of CNTL	N
SD595	59.3 ± 1.2 *	45	60.6 ± 0.8	102.0	46	60.1 ± 1.3	101.2	46	60.8 ± 1.1	102.5	44
SD623	58.9 ± 1.2	45	60.5 ± 1.0	102.7	46	60.1 ± 1.5	102.1	44	59.8 ± 1.4	101.5	44
SD651	58.3 ± 1.3	44	60.7 ± 1.0	104.1	45	59.1 ± 1.6	101.3	44	59.9 ± 1.6	102.7	42
SD679	56.7 ± 1.5	41	58.8 ± 1.1	103.7	43	58.6 ± 1.7	103.4	40	60.1 ± 1.3	106.1	40
SD707	56.3 ± 1.4	38	56.8 ± 1.1	100.9	42	56.7 ± 1.8	100.6	37	55.8 ± 1.4	99.0	39

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I04: Mean Body Weight Summary
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 05/03/2022
Time Report Requested: 11:45:29
Lab: Battelle

Females: Core Animals

Phase Day	Treatment Groups (mg/L)		
	1000		
	Wt (g)	% of CNTL	N
SD0	17.6 ± 0.2	100.3	50
SD7	18.5 ± 0.1	99.2	50
SD14	19.7 ± 0.2	98.8	50
SD21	20.7 ± 0.2	99.9	50
SD28	21.6 ± 0.2	99.6	50
SD35	22.3 ± 0.2	99.8	50
SD42	23.6 ± 0.2	99.1	50
SD49	24.8 ± 0.3	100.9	50
SD56	24.9 ± 0.3	98.8	50
SD63	26.2 ± 0.3	98.9	50
SD70	26.9 ± 0.3	98.8	50
SD77	28.1 ± 0.4	99.7	50
SD84	29.0 ± 0.4	99.8	50
SD91	29.9 ± 0.4	99.0	50
SD119	34.3 ± 0.5	98.9	50
SD147	38.6 ± 0.6	100.0	50
SD175	43.2 ± 0.6	101.9	50
SD203	46.0 ± 0.7	101.9	50
SD231	50.0 ± 0.7	103.1	50
SD259	53.6 ± 0.8	102.5	50
SD287	55.4 ± 0.7	102.0	50
SD315	56.3 ± 0.7	100.6	49
SD343	57.8 ± 0.7	99.9	49
SD371	59.0 ± 0.6	99.8	47
SD399	58.4 ± 0.8	99.7	48
SD427	60.0 ± 0.8	101.5	47
SD455	61.2 ± 1.0	100.7	47
SD483	62.1 ± 1.1	100.6	46
SD511	62.3 ± 1.1	102.3	46
SD539	62.0 ± 1.1	103.3	46
SD567	62.2 ± 1.1	103.9	46

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I04: Mean Body Weight Summary
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 05/03/2022
Time Report Requested: 11:45:29
Lab: Battelle

Females: Core Animals

Phase Day	Treatment Groups (mg/L)		
	1000		
	Wt (g)	% of CNTL	N
SD595	61.9 ± 1.2	104.4	44
SD623	60.7 ± 1.3	103.0	44
SD651	59.9 ± 1.3	102.8	43
SD679	58.8 ± 1.2	103.8	43
SD707	55.8 ± 1.5	99.1	39

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I04: Mean Body Weight Summary
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 05/03/2022
Time Report Requested: 11:45:29
Lab: Battelle

LEGEND

Data are displayed as mean $\pm$ SEM

SD – Study Day

Statistical analysis of weight data performed by Jonckheere (trend) and Williams or Dunnett (pairwise) tests.

Statistical significance for the control group indicates a significant trend test

Statistical significance for a treatment group indicates a significant pairwise test compared to the vehicle control group

* Statistically significant at $P \leq 0.05$

** Statistically significant at $P \leq 0.01$

One SD 231 Male body weight from the 300 mg/L Core Animals group, one SD 371 Female body weight from the 1000 mg/L Core Animals group, and one SD 511 Male body weight from the 30 mg/L Core Animals group were excluded as outliers, along with the weight gain intervals bounded by these excluded weight values.

**** END OF REPORT ****