Study Number:	C11054B-02
Study Sex:	Both
PWG Approval Date:	See web page for date of PWG Approval
Version:	v1.7.4
Stat Version:	2026.03.13S

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I07: Mean Water Consumption
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 03/18/2026
Time Report Requested: 12:53:47
Lab: Battelle

Males: Biosample Animals

Phase	Days	Treatment Groups (mg/L)								
		0			30			100		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	3.7 ± 0.3	158.7 ± 10.1	5	3.4 ± 0.3	150.4 ± 14.5	5	3.4 ± 0.3	148.7 ± 9.3	5
	7 - 14	4.3 ± 0.8	172.1 ± 29.2	5	3.0 ± 0.1	122.3 ± 5.7	3	3.2 ± 0.3	128.8 ± 11.3	4
	14 - 21	3.5 ± 0.1	134.9 ± 5.7	4	3.4 ± 0.1	130.8 ± 6.0	4	3.9 ± 0.6	147.2 ± 21.5	3
	21 - 28	3.5 ± 0.1	130.3 ± 3.3	4	3.3 ± 0.1	124.4 ± 6.0	5	3.6 ± 0.2	130.6 ± 6.8	5
	28 - 35	3.2 ± 0.1	113.1 ± 6.3	3	3.2 ± 0.2	114.8 ± 5.7	5	3.4 ± 0.4	119.5 ± 11.9	3
	35 - 42	3.4 ± 0.1	116.8 ± 4.4 *	4	3.4 ± 0.2	115.2 ± 9.1	3	3.4 ± 0.2	115.6 ± 7.1	5
	42 - 49	3.7 ± 0.1 *	122.9 ± 3.2	4	3.8 ± 0.2	122.4 ± 11.3	3	3.5 ± 0.4	116.8 ± 11.8	3
	49 - 56	3.3 ± 0.1	102.9 ± 3.5	4	3.5 ± 0.2	112.1 ± 8.2	5	3.8 ± 0.3	118.5 ± 8.0	5
	56 - 63	3.8 ± 0.3	116.3 ± 8.8 *	5	3.7 ± 0.5	113.2 ± 16.0	4	3.6 ± 0.2	109.6 ± 6.2	5
	63 - 70	3.5 ± 0.2	104.3 ± 5.3 *	5	3.2 ± 0.1	93.5 ± 3.3	5	3.3 ± 0.2	95.2 ± 3.9	5
	70 - 77	3.4 ± 0.1	98.6 ± 4.3	5	3.2 ± 0.0	90.0 ± 2.6	5	3.5 ± 0.2	99.2 ± 6.0	5
	77 - 84	3.3 ± 0.0	93.8 ± 3.3	5	3.1 ± 0.2	84.4 ± 5.6	4	3.4 ± 0.2	94.0 ± 4.1	5
	84 - 91	3.4 ± 0.1	94.0 ± 4.4 *	5	3.1 ± 0.1	81.2 ± 4.3	4	3.5 ± 0.2	91.1 ± 4.0	4
	0 - 91	3.5 ± 0.1	117.3 ± 3.7 *	5	3.3 ± 0.1	110.1 ± 5.3	5	3.5 ± 0.2	114.3 ± 5.8	5

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I07: Mean Water Consumption
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 03/18/2026
Time Report Requested: 12:53:47
Lab: Battelle

Males: Biosample Animals

Phase	Days	Treatment Groups (mg/L)					
		300			1000		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	3.5 ± 0.2	150.4 ± 9.8	5	3.2 ± 0.1	132.1 ± 4.0	5
	7 - 14	3.4 ± 0.2	135.2 ± 8.2	5	3.3 ± 0.1	129.8 ± 5.2	5
	14 - 21	3.8 ± 0.1	138.1 ± 4.6	4	3.5 ± 0.1	126.5 ± 3.8	4
	21 - 28	3.4 ± 0.2	122.5 ± 5.8	5	3.6 ± 0.1	125.2 ± 5.5	4
	28 - 35	3.3 ± 0.2	111.3 ± 5.3	5	3.3 ± 0.1	110.4 ± 3.2	5
	35 - 42	3.3 ± 0.1	107.0 ± 3.0	5	3.3 ± 0.0	103.6 ± 2.9	5
	42 - 49	3.9 ± 0.1	120.8 ± 3.9	5	4.1 ± 0.1	122.9 ± 5.6	5
	49 - 56	3.3 ± 0.2	99.6 ± 3.8	5	3.3 ± 0.1	94.8 ± 3.0	5
	56 - 63	3.4 ± 0.1	98.9 ± 4.7	5	3.4 ± 0.1	93.8 ± 2.9	5
	63 - 70	3.3 ± 0.1	92.1 ± 4.2	5	3.4 ± 0.1	90.4 ± 5.2	5
	70 - 77	3.2 ± 0.1	88.5 ± 3.9	5	3.4 ± 0.1	87.0 ± 3.8	5
	77 - 84	3.2 ± 0.1	85.8 ± 4.5	5	3.4 ± 0.1	83.6 ± 3.9	5
	84 - 91	3.3 ± 0.1	84.4 ± 4.4	5	3.3 ± 0.1	78.4 ± 2.8	5
	0 - 91	3.4 ± 0.1	107.6 ± 4.2	5	3.4 ± 0.1	103.0 ± 3.3	5

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I07: Mean Water Consumption
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 03/18/2026
Time Report Requested: 12:53:47
Lab: Battelle

Females: Biosample Animals

Phase	Days	Treatment Groups (mg/L)								
		0			30			100		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	2.4 ± 0.1	124.8 ± 1.7	5	2.3 ± 0.1	126.9 ± 4.4	5	2.6 ± 0.4	142.3 ± 20.4	5
	7 - 14	2.5 ± 0.1	125.0 ± 3.4	5	2.4 ± 0.1	126.9 ± 5.0	5	2.4 ± 0.1	124.4 ± 6.3	5
	14 - 21	2.8 ± 0.1	132.2 ± 4.5	5	2.8 ± 0.2	142.6 ± 10.4	5	2.4 ± 0.2	121.0 ± 6.9	5
	21 - 28	2.6 ± 0.1	118.2 ± 1.7	5	2.5 ± 0.1	122.3 ± 4.5	5	2.6 ± 0.1	121.8 ± 4.9	5
	28 - 35	2.7 ± 0.1	118.1 ± 3.9	5	2.7 ± 0.1	124.6 ± 6.6	5	2.6 ± 0.1	120.1 ± 3.9	5
	35 - 42	2.9 ± 0.1	120.9 ± 1.8	5	3.0 ± 0.2	132.4 ± 8.2	5	2.8 ± 0.2	122.3 ± 6.0	5
	42 - 49	3.1 ± 0.1	122.8 ± 3.6	5	3.3 ± 0.1	138.9 ± 5.0	5	3.1 ± 0.1	129.0 ± 4.3	5
	49 - 56	2.9 ± 0.1	115.0 ± 3.6	5	3.0 ± 0.1	120.2 ± 5.3	5	3.0 ± 0.1	120.9 ± 4.2	5
	56 - 63	2.8 ± 0.1	105.2 ± 3.4	5	2.9 ± 0.1	111.5 ± 5.1	5	3.4 ± 0.6	132.5 ± 21.6	5
	63 - 70	2.8 ± 0.1	102.2 ± 4.5	5	2.8 ± 0.1	108.5 ± 3.1	5	3.0 ± 0.1	113.8 ± 4.2	5
	70 - 77	3.0 ± 0.1	103.8 ± 3.5	5	3.0 ± 0.1	110.5 ± 6.2	5	3.1 ± 0.2	115.3 ± 4.9	5
	77 - 84	2.8 ± 0.1	95.0 ± 2.6	5	3.0 ± 0.1	108.2 ± 5.7	5	3.0 ± 0.1	108.0 ± 2.4	5
	84 - 91	2.7 ± 0.1	89.2 ± 3.7	5	2.9 ± 0.1	102.1 ± 6.8	5	3.2 ± 0.3	106.8 ± 9.7	5
	0 - 91	2.8 ± 0.1	111.6 ± 2.4	5	2.8 ± 0.1	120.1 ± 4.0	5	2.9 ± 0.2	120.3 ± 5.1	5

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I07: Mean Water Consumption
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 03/18/2026
Time Report Requested: 12:53:47
Lab: Battelle

Females: Biosample Animals

Phase	Days	Treatment Groups (mg/L)					
		300			1000		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	2.3 ± 0.2	132.6 ± 10.4	5	2.4 ± 0.1	128.5 ± 7.3	5
	7 - 14	2.4 ± 0.2	124.6 ± 5.1	5	2.5 ± 0.1	128.0 ± 7.4	5
	14 - 21	2.4 ± 0.2	121.4 ± 6.3	5	2.8 ± 0.1	136.0 ± 7.4	5
	21 - 28	2.5 ± 0.2	117.6 ± 5.6	5	2.6 ± 0.1	121.6 ± 7.6	5
	28 - 35	2.5 ± 0.2	116.7 ± 6.4	5	2.7 ± 0.1	118.4 ± 7.3	5
	35 - 42	2.7 ± 0.2	123.9 ± 9.3	5	2.8 ± 0.0	116.1 ± 3.7	5
	42 - 49	3.4 ± 0.1	144.9 ± 4.2	5	3.2 ± 0.1	127.9 ± 6.7	5
	49 - 56	2.9 ± 0.2	116.2 ± 5.4	5	2.9 ± 0.1	113.2 ± 3.5	5
	56 - 63	2.8 ± 0.1	108.7 ± 3.3	5	2.9 ± 0.1	107.6 ± 4.2	5
	63 - 70	2.8 ± 0.1	104.5 ± 5.6	5	2.8 ± 0.1	99.3 ± 4.5	5
	70 - 77	2.9 ± 0.1	101.8 ± 5.3	5	2.9 ± 0.0	100.3 ± 4.3	5
	77 - 84	2.7 ± 0.2	94.3 ± 8.4	5	2.8 ± 0.1	93.3 ± 6.3	5
	84 - 91	2.6 ± 0.1	86.6 ± 5.8	5	3.0 ± 0.4	96.1 ± 10.9	5
	0 - 91	2.7 ± 0.1	112.5 ± 5.3	5	2.8 ± 0.1	112.0 ± 4.7	5

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I07: Mean Water Consumption
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 03/18/2026
Time Report Requested: 12:53:47
Lab: Battelle

Males: Interim Animals

Phase	Days	Treatment Groups (mg/L)								
		0			30			100		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	3.2 ± 0.1	135.4 ± 4.5	10	3.4 ± 0.1	146.3 ± 4.5	10	3.4 ± 0.1	148.9 ± 5.2	10
	7 - 14	3.8 ± 0.3	147.5 ± 9.5	8	3.5 ± 0.1	135.8 ± 4.8	8	3.7 ± 0.1	147.9 ± 5.9	10
	14 - 21	5.6 ± 2.0	219.1 ± 79.8	9	3.6 ± 0.1	137.5 ± 3.7	9	3.6 ± 0.1	139.8 ± 3.0	9
	21 - 28	3.6 ± 0.1	131.7 ± 3.0	10	3.4 ± 0.1	122.8 ± 3.4	8	3.6 ± 0.1	131.4 ± 2.8	6
	28 - 35	3.3 ± 0.1	115.9 ± 3.2	8	3.3 ± 0.1	118.9 ± 5.1	8	3.5 ± 0.0	122.1 ± 2.1	9
	35 - 42	3.4 ± 0.1	114.6 ± 2.5	10	3.5 ± 0.1	114.8 ± 4.2	8	3.4 ± 0.1	115.2 ± 3.0	9
	42 - 49	4.1 ± 0.1 *	132.6 ± 5.0	9	3.8 ± 0.1	121.0 ± 4.1	10	3.6 ± 0.1	115.7 ± 2.4	5
	49 - 56	3.8 ± 0.4	114.6 ± 10.5	9	3.6 ± 0.2	110.6 ± 5.3	10	4.3 ± 0.4	132.2 ± 13.6	10
	56 - 63	3.3 ± 0.1	100.2 ± 3.3	10	3.6 ± 0.3	106.6 ± 7.9	10	3.5 ± 0.1	105.9 ± 3.2	8
	63 - 70	3.3 ± 0.1	95.5 ± 3.3	9	3.3 ± 0.1	93.5 ± 3.6	10	3.6 ± 0.2	102.8 ± 6.7	10
	70 - 77	3.3 ± 0.1	93.0 ± 2.6	10	3.2 ± 0.1	88.1 ± 3.3	9	3.7 ± 0.3	102.5 ± 7.6	10
	77 - 84	3.4 ± 0.1	91.0 ± 3.8	10	3.3 ± 0.1	86.7 ± 2.9	9	3.5 ± 0.1	94.4 ± 3.2	10
	84 - 91	3.7 ± 0.2 **	95.9 ± 5.3 **	10	3.8 ± 0.2	97.2 ± 7.9	10	3.5 ± 0.1	89.8 ± 3.1	10
	0 - 91	3.6 ± 0.2	117.9 ± 6.5	10	3.5 ± 0.1	112.6 ± 3.6	10	3.6 ± 0.1	117.1 ± 4.7	10

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I07: Mean Water Consumption
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 03/18/2026
Time Report Requested: 12:53:47
Lab: Battelle

Males: Interim Animals

Phase	Days	Treatment Groups (mg/L)					
		300			1000		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	3.5 ± 0.1	148.1 ± 4.9	10	3.4 ± 0.1	143.9 ± 4.6	10
	7 - 14	3.4 ± 0.1	136.7 ± 4.8	10	3.5 ± 0.1	141.1 ± 4.5	10
	14 - 21	3.4 ± 0.1	130.0 ± 4.9	6	3.5 ± 0.1	130.2 ± 5.3	8
	21 - 28	3.5 ± 0.1	126.1 ± 4.1	10	3.4 ± 0.2	124.3 ± 6.6	8
	28 - 35	3.4 ± 0.1	119.5 ± 4.9	10	3.3 ± 0.1	111.3 ± 5.9	8
	35 - 42	3.3 ± 0.1	112.2 ± 3.7	9	3.4 ± 0.1	113.3 ± 5.4	10
	42 - 49	3.6 ± 0.0	118.5 ± 2.2	5	3.8 ± 0.1	119.6 ± 5.4	6
	49 - 56	3.7 ± 0.4	115.2 ± 12.3	10	4.0 ± 0.5	120.9 ± 12.9	10
	56 - 63	3.4 ± 0.1	99.2 ± 3.3	9	3.2 ± 0.1	94.4 ± 3.3	9
	63 - 70	3.3 ± 0.1	93.0 ± 2.5	9	3.2 ± 0.1	92.3 ± 4.1	10
	70 - 77	3.3 ± 0.1	91.1 ± 2.0	9	3.3 ± 0.1	90.5 ± 3.2	9
	77 - 84	3.2 ± 0.1	85.4 ± 1.6	9	3.2 ± 0.1	86.0 ± 4.1	10
	84 - 91	3.1 ± 0.1 *	80.4 ± 2.5 *	9	3.2 ± 0.1 *	82.7 ± 3.2 *	10
	0 - 91	3.4 ± 0.1	109.9 ± 3.2	10	3.4 ± 0.1	109.3 ± 3.4	10

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I07: Mean Water Consumption
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 03/18/2026
Time Report Requested: 12:53:47
Lab: Battelle

Females: Interim Animals

Phase	Days	Treatment Groups (mg/L)								
		0			30			100		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	2.2 ± 0.1	126.0 ± 5.3	10	2.3 ± 0.1	129.3 ± 5.3	10	2.2 ± 0.1	119.5 ± 4.4	10
	7 - 14	2.3 ± 0.1	125.3 ± 5.1	10	2.4 ± 0.1	126.6 ± 5.4	10	2.5 ± 0.1	127.0 ± 5.6	10
	14 - 21	2.6 ± 0.1	130.6 ± 4.1	10	2.6 ± 0.1	132.6 ± 5.2	10	2.6 ± 0.1	125.4 ± 4.3	10
	21 - 28	2.6 ± 0.1	127.5 ± 5.8	10	2.6 ± 0.1	125.5 ± 5.5	10	2.6 ± 0.1	120.2 ± 3.6	10
	28 - 35	2.6 ± 0.1	123.4 ± 2.8	10	2.6 ± 0.1	119.7 ± 5.7	10	2.6 ± 0.1	117.0 ± 3.2	10
	35 - 42	2.9 ± 0.1	131.5 ± 2.7	10	2.8 ± 0.1	119.9 ± 5.4 *	10	2.8 ± 0.1	118.0 ± 1.9 *	10
	42 - 49	3.2 ± 0.1	137.0 ± 1.6	10	3.2 ± 0.1	132.5 ± 5.2	10	3.1 ± 0.1	126.3 ± 3.2	10
	49 - 56	3.0 ± 0.1	124.5 ± 2.4	10	2.9 ± 0.1	115.1 ± 3.5	10	2.9 ± 0.1	111.5 ± 3.0	10
	56 - 63	2.8 ± 0.1	114.7 ± 2.4	10	2.8 ± 0.1	106.4 ± 4.3	10	3.4 ± 0.2	127.4 ± 6.7	10
	63 - 70	2.7 ± 0.1	106.9 ± 3.4	10	2.8 ± 0.1	105.0 ± 5.1	10	2.8 ± 0.1	102.1 ± 2.2	10
	70 - 77	2.9 ± 0.1	115.8 ± 3.8	10	3.0 ± 0.1	108.4 ± 4.8	10	2.9 ± 0.1	103.5 ± 3.4	10
	77 - 84	2.8 ± 0.0	107.8 ± 2.9	10	3.0 ± 0.1	104.7 ± 6.0	10	2.9 ± 0.0	100.7 ± 2.8	10
	84 - 91	2.7 ± 0.1	99.6 ± 2.7	10	2.8 ± 0.1	92.9 ± 4.8	10	2.7 ± 0.1	91.3 ± 2.5	10
	0 - 91	2.7 ± 0.1	119.9 ± 2.7	10	2.7 ± 0.1	115.0 ± 4.3	10	2.8 ± 0.1	113.6 ± 1.9	10

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I07: Mean Water Consumption
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 03/18/2026
Time Report Requested: 12:53:47
Lab: Battelle

Females: Interim Animals

Phase	Days	Treatment Groups (mg/L)					
		300			1000		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	2.2 ± 0.1	127.5 ± 5.5	10	2.1 ± 0.1	123.9 ± 3.1	10
	7 - 14	2.5 ± 0.1	132.1 ± 5.6	10	2.4 ± 0.1	127.6 ± 5.5	10
	14 - 21	2.5 ± 0.1	125.0 ± 5.2	10	2.7 ± 0.2	137.3 ± 8.9	10
	21 - 28	2.6 ± 0.2	125.1 ± 6.3	10	2.5 ± 0.1	121.0 ± 3.5	10
	28 - 35	2.7 ± 0.1	122.9 ± 4.9	10	2.6 ± 0.0	119.2 ± 2.6	10
	35 - 42	2.8 ± 0.1	122.7 ± 4.1	10	2.7 ± 0.1	121.0 ± 2.6	10
	42 - 49	3.1 ± 0.1	128.5 ± 5.2	10	3.1 ± 0.1	132.2 ± 2.8	10
	49 - 56	2.8 ± 0.1	115.8 ± 5.5	10	3.2 ± 0.2	135.7 ± 10.0	10
	56 - 63	2.9 ± 0.1	114.9 ± 5.1	10	2.3 ± 0.2	92.3 ± 9.1	8
	63 - 70	2.7 ± 0.1	104.1 ± 4.5	10	3.2 ± 0.3	125.3 ± 14.2	10
	70 - 77	2.9 ± 0.1	107.3 ± 4.5	10	2.9 ± 0.1	109.1 ± 4.6	10
	77 - 84	2.8 ± 0.1	102.9 ± 4.2	10	2.9 ± 0.1	103.7 ± 3.4	10
	84 - 91	2.6 ± 0.1	94.8 ± 3.6	10	2.7 ± 0.0	93.7 ± 3.4	10
	0 - 91	2.7 ± 0.1	116.2 ± 4.1	10	2.7 ± 0.1	117.9 ± 4.0	10

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I07: Mean Water Consumption
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 03/18/2026
Time Report Requested: 12:53:47
Lab: Battelle

Males: Core Animals

Phase	Days	Treatment Groups (mg/L)								
		0			30			100		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	3.7 ± 0.1	156.5 ± 4.1	50	3.5 ± 0.0	148.5 ± 2.0	49	3.6 ± 0.1	151.7 ± 3.3	49
	7 - 14	3.7 ± 0.1	143.9 ± 2.7	49	3.5 ± 0.1	139.3 ± 2.8	43	3.6 ± 0.1	142.1 ± 2.7	48
	14 - 21	4.3 ± 0.5	162.0 ± 19.4	35	3.6 ± 0.1	135.1 ± 2.0 *	39	3.6 ± 0.0	136.2 ± 1.6	43
	21 - 28	3.6 ± 0.0	132.1 ± 1.6	41	3.5 ± 0.1	126.0 ± 1.9	45	3.5 ± 0.0	128.8 ± 1.9	47
	28 - 35	3.5 ± 0.0	120.1 ± 1.5	42	3.4 ± 0.1	119.1 ± 2.2	45	3.5 ± 0.1	122.1 ± 2.2	45
	35 - 42	3.5 ± 0.0	116.0 ± 1.5	43	3.4 ± 0.0	114.0 ± 1.7	45	3.5 ± 0.0	116.1 ± 2.0	48
	42 - 49	4.0 ± 0.1	127.5 ± 2.0	39	3.9 ± 0.1	124.3 ± 2.1	40	3.9 ± 0.1	123.4 ± 2.2	38
	49 - 56	3.7 ± 0.1	113.0 ± 4.4	44	3.6 ± 0.1	108.1 ± 3.2	47	3.6 ± 0.1	110.9 ± 2.4	50
	56 - 63	3.6 ± 0.1	104.0 ± 2.3	42	3.4 ± 0.1	101.9 ± 2.3	47	3.5 ± 0.1	103.5 ± 2.2	47
	63 - 70	3.5 ± 0.1	98.0 ± 2.1	45	3.5 ± 0.1	98.8 ± 2.7	46	3.3 ± 0.1	95.9 ± 2.0	50
	70 - 77	3.6 ± 0.1	97.9 ± 3.8	45	3.4 ± 0.1	94.4 ± 2.0	49	3.4 ± 0.0	94.6 ± 1.7	48
	77 - 84	3.4 ± 0.1	88.2 ± 1.6	45	3.3 ± 0.0	89.3 ± 1.6	41	3.3 ± 0.0	88.8 ± 1.6	49
	84 - 91	3.4 ± 0.1	86.3 ± 2.1	45	3.3 ± 0.0	85.2 ± 1.4	47	3.4 ± 0.0	86.4 ± 1.6	47
	0 - 91	3.7 ± 0.1 *	117.3 ± 2.4	50	3.5 ± 0.0	112.2 ± 1.9	49	3.5 ± 0.0	112.6 ± 1.5	50
	112 - 119	3.5 ± 0.1	78.5 ± 1.5	47	3.4 ± 0.1	77.4 ± 1.6	47	3.4 ± 0.1	77.8 ± 1.7	50
	140 - 147	4.4 ± 0.6	91.4 ± 12.7	45	4.3 ± 0.5	90.9 ± 11.0	49	3.7 ± 0.1	79.2 ± 2.1	49
	168 - 175	3.7 ± 0.1	76.2 ± 2.0	47	3.6 ± 0.1	72.8 ± 1.5	49	3.6 ± 0.1	74.0 ± 2.0	48
	196 - 203	4.1 ± 0.2 *	80.8 ± 3.6 **	48	3.7 ± 0.1	74.6 ± 1.0	47	3.7 ± 0.1	74.9 ± 1.2	45
	224 - 231	3.8 ± 0.1	75.3 ± 1.9	47	3.8 ± 0.1	73.3 ± 1.5	48	3.7 ± 0.1	72.5 ± 1.3	44
	252 - 259	4.1 ± 0.1	76.9 ± 1.4	45	4.1 ± 0.1	76.9 ± 1.0	47	4.1 ± 0.1	78.3 ± 1.9	42
	280 - 287	4.2 ± 0.1	78.0 ± 1.8	48	4.0 ± 0.1	75.4 ± 1.5	48	4.2 ± 0.1	78.1 ± 1.4	50
	308 - 315	4.7 ± 0.3	84.7 ± 5.2	48	4.2 ± 0.1	76.3 ± 1.3	47	4.4 ± 0.2	81.1 ± 3.9	47
	336 - 343	4.3 ± 0.1	77.8 ± 2.0	46	4.3 ± 0.1	77.6 ± 1.5	50	4.2 ± 0.1	77.5 ± 1.6	48
	364 - 371	4.4 ± 0.1	79.8 ± 2.2	46	4.5 ± 0.1	80.9 ± 1.8	50	4.5 ± 0.1	83.6 ± 2.3	49
	392 - 399	4.3 ± 0.1	78.5 ± 1.6	45	4.5 ± 0.1	82.3 ± 2.4	49	4.4 ± 0.1	81.0 ± 2.1	48
	420 - 427	4.5 ± 0.1	81.1 ± 2.2	48	4.5 ± 0.1	80.8 ± 2.4	49	4.4 ± 0.1	81.8 ± 2.1	47
	448 - 455	4.6 ± 0.1	82.7 ± 2.2	49	4.6 ± 0.1	83.6 ± 2.7	49	4.5 ± 0.1	82.6 ± 2.5	47
	476 - 483	4.8 ± 0.1 *	87.4 ± 3.2	49	4.8 ± 0.2	87.2 ± 4.2	49	4.7 ± 0.2	86.7 ± 2.9	46
	504 - 511	4.9 ± 0.2	89.2 ± 4.1	49	4.8 ± 0.2	88.6 ± 4.9	46	4.9 ± 0.2	91.3 ± 3.9	46
	532 - 539	4.9 ± 0.2	89.1 ± 3.4	46	5.0 ± 0.2	91.9 ± 5.0	46	5.4 ± 0.2	103.2 ± 7.4	45
	560 - 567	5.0 ± 0.2	90.1 ± 2.6	42	5.1 ± 0.1	93.9 ± 2.8	41	5.3 ± 0.2	99.8 ± 4.6	41

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I07: Mean Water Consumption
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 03/18/2026
Time Report Requested: 12:53:47
Lab: Battelle

Males: Core Animals

Phase	Days	Treatment Groups (mg/L)								
		0			30			100		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
	588 - 595	4.9 ± 0.2	91.4 ± 3.4	40	4.9 ± 0.2	93.9 ± 3.8	37	4.9 ± 0.2	93.6 ± 2.9	33
	616 - 623	5.1 ± 0.2	99.4 ± 7.5	42	4.9 ± 0.2	96.6 ± 5.8	40	5.4 ± 0.3	113.3 ± 8.9	38
	644 - 651	5.1 ± 0.4	114.4 ± 14.4	38	5.4 ± 0.5	116.4 ± 12.3	35	6.2 ± 0.5	137.0 ± 13.5	38
	672 - 679	5.1 ± 0.3	113.4 ± 10.7	38	5.3 ± 0.4	119.5 ± 12.1	33	6.2 ± 0.5	145.3 ± 14.6	39
	700 - 707	5.3 ± 0.3	109.2 ± 6.7	35	5.9 ± 0.5	136.5 ± 13.0	32	6.0 ± 0.4	145.2 ± 14.2	36
	0 - 707	4.2 ± 0.1 *	93.6 ± 1.7 *	36	4.1 ± 0.1	92.4 ± 1.3	32	4.1 ± 0.1	94.0 ± 1.5	37

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I07: Mean Water Consumption
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 03/18/2026
Time Report Requested: 12:53:47
Lab: Battelle

Males: Core Animals

Phase	Days	Treatment Groups (mg/L)					
		300			1000		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	3.5 ± 0.1	149.4 ± 3.2	50	3.5 ± 0.1	150.2 ± 2.4	50
	7 - 14	3.4 ± 0.1 *	135.1 ± 1.9	45	3.6 ± 0.1	142.5 ± 2.6	45
	14 - 21	3.6 ± 0.1 *	134.8 ± 2.1 *	39	3.7 ± 0.0	139.4 ± 1.8	43
	21 - 28	3.5 ± 0.0	125.7 ± 1.7 *	45	3.5 ± 0.0	128.3 ± 1.7	42
	28 - 35	3.4 ± 0.0	116.2 ± 1.9	38	3.4 ± 0.0	120.0 ± 1.5	45
	35 - 42	3.4 ± 0.0	112.3 ± 1.6	47	3.4 ± 0.0	113.7 ± 1.7	46
	42 - 49	3.9 ± 0.1	121.3 ± 2.1	37	4.2 ± 0.1	132.4 ± 2.3	39
	49 - 56	3.5 ± 0.1	105.7 ± 1.8	43	3.6 ± 0.1	109.3 ± 2.3	47
	56 - 63	3.5 ± 0.1	104.0 ± 2.5	47	3.5 ± 0.1	105.0 ± 2.5	48
	63 - 70	3.3 ± 0.0 *	92.1 ± 1.7	48	3.4 ± 0.1	97.8 ± 2.1	49
	70 - 77	3.4 ± 0.1	95.0 ± 4.0	49	3.4 ± 0.0	93.3 ± 1.7	46
	77 - 84	3.3 ± 0.0	86.3 ± 1.4	49	3.3 ± 0.0	89.2 ± 1.4	48
	84 - 91	3.2 ± 0.1	83.1 ± 1.6	48	3.2 ± 0.0	83.4 ± 1.3	45
	0 - 91	3.5 ± 0.1 **	111.4 ± 2.6 *	50	3.5 ± 0.0	112.6 ± 1.5	50
	112 - 119	3.3 ± 0.1	75.4 ± 1.3	50	3.4 ± 0.0	77.6 ± 1.4	48
	140 - 147	4.3 ± 0.6	91.2 ± 12.3	45	4.2 ± 0.6	90.4 ± 11.8	48
	168 - 175	3.7 ± 0.1	76.0 ± 2.1	48	3.5 ± 0.1	70.9 ± 1.2	48
	196 - 203	3.8 ± 0.1	75.7 ± 1.5	40	3.6 ± 0.1	71.7 ± 0.9 **	43
	224 - 231	3.8 ± 0.1	73.5 ± 1.2	41	3.8 ± 0.1	73.8 ± 1.7	45
	252 - 259	4.1 ± 0.1	77.5 ± 1.1	48	4.1 ± 0.1	77.0 ± 1.4	47
	280 - 287	4.1 ± 0.1	77.5 ± 1.5	50	4.0 ± 0.1	73.7 ± 1.0	50
	308 - 315	4.3 ± 0.1	79.4 ± 2.7	48	4.2 ± 0.1	78.2 ± 2.8	43
	336 - 343	4.3 ± 0.1	78.3 ± 1.6	49	4.1 ± 0.1	75.1 ± 1.1	50
	364 - 371	4.3 ± 0.1	78.2 ± 1.7	48	4.3 ± 0.1	77.7 ± 1.2	50
	392 - 399	4.4 ± 0.1	80.6 ± 2.0	50	4.2 ± 0.1	76.6 ± 1.7	49
	420 - 427	4.4 ± 0.1	80.5 ± 2.8	47	4.4 ± 0.1	78.8 ± 1.9	48
	448 - 455	4.5 ± 0.1	82.8 ± 2.9	47	4.6 ± 0.1	83.0 ± 2.9	48
	476 - 483	4.6 ± 0.1	82.9 ± 3.1	46	4.6 ± 0.1	82.8 ± 2.9	47
	504 - 511	4.8 ± 0.2	88.6 ± 3.8	46	4.5 ± 0.1	81.9 ± 2.4	46
	532 - 539	4.9 ± 0.2	90.6 ± 4.4	44	4.9 ± 0.2	93.9 ± 6.6	49
	560 - 567	5.0 ± 0.2	93.9 ± 4.5	41	4.8 ± 0.1	89.4 ± 3.8	41

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I07: Mean Water Consumption
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 03/18/2026
Time Report Requested: 12:53:47
Lab: Battelle

Males: Core Animals

Phase	Days	Treatment Groups (mg/L)					
		300			1000		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
	588 - 595	4.8 ± 0.2	87.4 ± 3.5	35	4.8 ± 0.1	89.3 ± 4.0	40
	616 - 623	4.8 ± 0.2	92.2 ± 5.5	38	4.6 ± 0.2	92.3 ± 7.8	41
	644 - 651	5.7 ± 0.5	118.7 ± 12.5	33	4.7 ± 0.2	94.9 ± 8.6	37
	672 - 679	5.7 ± 0.5	129.9 ± 14.6	37	4.6 ± 0.2	95.7 ± 8.4	36
	700 - 707	5.7 ± 0.4	133.4 ± 12.9	36	4.8 ± 0.2	97.7 ± 7.5	32
	0 - 707	4.1 ± 0.1	93.4 ± 1.8	36	3.9 ± 0.1	88.7 ± 1.5	32

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I07: Mean Water Consumption
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 03/18/2026
Time Report Requested: 12:53:47
Lab: Battelle

Females: Core Animals

Phase	Days	Treatment Groups (mg/L)								
		0			30			100		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	2.3 ± 0.1	125.4 ± 3.5	17	2.3 ± 0.1	126.6 ± 3.1	17	2.2 ± 0.1	123.9 ± 7.3	17
	7 - 14	2.5 ± 0.1	127.7 ± 3.7	17	2.4 ± 0.1	123.0 ± 3.5	17	2.4 ± 0.1	125.2 ± 4.2	17
	14 - 21	2.7 ± 0.1	132.9 ± 3.0	17	2.7 ± 0.1	131.5 ± 4.0	17	2.6 ± 0.1	125.3 ± 3.2	17
	21 - 28	2.7 ± 0.1	125.8 ± 3.5	17	2.5 ± 0.1	120.6 ± 3.4	17	2.6 ± 0.1	120.2 ± 2.6	17
	28 - 35	2.7 ± 0.1	122.4 ± 3.3	17	2.6 ± 0.1	119.4 ± 3.3	17	2.6 ± 0.1	119.3 ± 2.2	17
	35 - 42	3.0 ± 0.1	127.8 ± 4.3	17	2.8 ± 0.1	121.4 ± 3.1	17	2.8 ± 0.1	122.6 ± 2.8	17
	42 - 49	3.2 ± 0.1	132.3 ± 3.1	16	3.2 ± 0.1	131.8 ± 2.3	17	3.1 ± 0.1	129.8 ± 2.8	17
	49 - 56	3.0 ± 0.1	119.0 ± 2.9	16	2.9 ± 0.1	115.8 ± 2.6	17	3.0 ± 0.1	118.8 ± 3.9	17
	56 - 63	3.1 ± 0.3	121.4 ± 13.7	17	2.7 ± 0.1	106.3 ± 2.4	17	3.3 ± 0.2	126.7 ± 7.1	17
	63 - 70	3.0 ± 0.3	111.4 ± 9.4	17	2.8 ± 0.1	105.3 ± 1.9	17	2.9 ± 0.1	107.5 ± 3.0	17
	70 - 77	3.1 ± 0.1	111.6 ± 4.8	17	3.0 ± 0.0	109.6 ± 2.1	17	3.0 ± 0.1	110.8 ± 3.2	17
	77 - 84	2.8 ± 0.1	99.0 ± 2.9	16	3.0 ± 0.1	104.8 ± 2.0	17	2.9 ± 0.1	104.4 ± 2.9	17
	84 - 91	2.8 ± 0.1	94.0 ± 3.0	17	2.8 ± 0.0	95.0 ± 2.2	17	3.0 ± 0.2	101.4 ± 5.4	17
	0 - 91	2.8 ± 0.1	118.2 ± 4.1	17	2.7 ± 0.0	114.9 ± 1.8	17	2.8 ± 0.1	117.4 ± 2.7	17
	112 - 119	3.0 ± 0.1	87.9 ± 3.2	17	3.0 ± 0.1	87.3 ± 3.0	17	3.1 ± 0.1	90.8 ± 3.0	17
	140 - 147	2.8 ± 0.1	72.2 ± 3.3	17	2.8 ± 0.1	74.1 ± 2.3	17	2.8 ± 0.1	74.9 ± 2.6	17
	168 - 175	2.8 ± 0.1	66.8 ± 3.5	17	3.0 ± 0.2	71.6 ± 4.8	17	2.8 ± 0.1	66.1 ± 1.7	17
	196 - 203	2.6 ± 0.1	57.9 ± 1.9	17	2.6 ± 0.1	57.2 ± 1.4	17	2.7 ± 0.0	59.3 ± 1.3	17
	224 - 231	2.7 ± 0.1	56.5 ± 1.9	17	2.8 ± 0.1	57.8 ± 1.4	17	2.9 ± 0.1	59.1 ± 2.3	17
	252 - 259	2.7 ± 0.1	51.2 ± 1.8	17	2.6 ± 0.0	50.0 ± 1.1	17	2.7 ± 0.1	51.9 ± 1.7	17
	280 - 287	2.5 ± 0.1	45.9 ± 1.2	17	2.5 ± 0.1	45.6 ± 1.2	17	2.5 ± 0.0	46.4 ± 1.1	17
	308 - 315	2.5 ± 0.1	45.0 ± 1.1	17	2.7 ± 0.1	47.2 ± 1.1	17	2.7 ± 0.1	49.2 ± 1.3	17
	336 - 343	2.5 ± 0.1	42.8 ± 1.2	17	2.6 ± 0.1	45.1 ± 1.8	17	2.7 ± 0.1	45.9 ± 1.4	17
	364 - 371	2.6 ± 0.1	43.4 ± 1.5	17	2.6 ± 0.2	44.4 ± 2.6	17	2.5 ± 0.1	42.6 ± 1.3	17
	392 - 399	2.6 ± 0.1	44.2 ± 1.3	17	2.6 ± 0.1	43.1 ± 1.1	17	2.7 ± 0.1	45.4 ± 1.2	17
	420 - 427	2.5 ± 0.1 *	42.7 ± 1.1	17	2.5 ± 0.1	42.1 ± 1.2	17	2.7 ± 0.1	44.6 ± 1.0	17
	448 - 455	2.7 ± 0.1	44.1 ± 1.5	17	2.5 ± 0.1	41.7 ± 1.3	17	2.8 ± 0.1	45.2 ± 1.3	17
	476 - 483	2.7 ± 0.1	43.0 ± 1.4	17	2.7 ± 0.1	44.2 ± 2.3	17	3.1 ± 0.2	49.4 ± 3.6	17
	504 - 511	2.8 ± 0.1	46.1 ± 1.8	17	2.6 ± 0.1	42.9 ± 1.6	17	3.2 ± 0.3	52.4 ± 4.8	17
	532 - 539	2.9 ± 0.1	48.5 ± 2.6	17	2.9 ± 0.1	47.9 ± 1.8	17	3.3 ± 0.3	55.2 ± 5.9	17
	560 - 567	3.1 ± 0.2	53.3 ± 4.4	17	3.1 ± 0.2	50.2 ± 3.2	17	3.3 ± 0.1	54.1 ± 2.4	16

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I07: Mean Water Consumption
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 03/18/2026
Time Report Requested: 12:53:47
Lab: Battelle

Females: Core Animals

Phase	Days	Treatment Groups (mg/L)								
		0			30			100		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
	588 - 595	3.1 ± 0.2	54.0 ± 6.0	17	3.0 ± 0.1	50.7 ± 3.0	17	3.7 ± 0.4	65.4 ± 11.3	17
	616 - 623	3.1 ± 0.3	57.5 ± 10.6	17	2.9 ± 0.1	48.3 ± 1.9	17	3.6 ± 0.5	65.3 ± 13.4	17
	644 - 651	3.7 ± 0.6	71.9 ± 17.1	17	3.1 ± 0.2	52.1 ± 5.4	17	3.8 ± 0.4	69.4 ± 12.3	17
	672 - 679	3.2 ± 0.3 *	61.3 ± 10.0	17	3.4 ± 0.5	59.4 ± 10.9	17	3.3 ± 0.2	57.5 ± 3.5	16
	700 - 707	3.4 ± 0.2	62.2 ± 4.4	16	3.5 ± 0.2	61.1 ± 3.6	17	3.7 ± 0.2	67.5 ± 4.6	16
	0 - 707	2.8 ± 0.1	65.4 ± 1.8	16	2.8 ± 0.0	64.3 ± 1.0	17	2.9 ± 0.1	66.2 ± 1.3	16

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I07: Mean Water Consumption
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 03/18/2026
Time Report Requested: 12:53:47
Lab: Battelle

Females: Core Animals

Phase	Days	Treatment Groups (mg/L)					
		300			1000		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
Study	0 - 7	2.3 ± 0.1	124.9 ± 4.4	17	2.3 ± 0.1	125.4 ± 3.4	17
	7 - 14	2.5 ± 0.1	127.4 ± 3.5	17	2.4 ± 0.1	127.2 ± 4.4	17
	14 - 21	2.6 ± 0.1	126.9 ± 3.4	17	2.7 ± 0.1	135.8 ± 5.9	17
	21 - 28	2.6 ± 0.1	124.3 ± 4.2	17	2.5 ± 0.1	120.0 ± 3.3	17
	28 - 35	2.7 ± 0.1	122.5 ± 3.3	17	2.7 ± 0.1	121.0 ± 2.7	17
	35 - 42	2.8 ± 0.1	123.6 ± 3.1	17	2.8 ± 0.1	120.7 ± 3.2	17
	42 - 49	3.3 ± 0.1	134.7 ± 3.1	17	3.2 ± 0.1	131.0 ± 2.6	17
	49 - 56	2.9 ± 0.1	115.4 ± 2.5	17	3.0 ± 0.1	122.0 ± 4.7	17
	56 - 63	2.9 ± 0.1	110.5 ± 2.4	17	2.7 ± 0.1	105.5 ± 3.4	16
	63 - 70	2.8 ± 0.1	105.1 ± 2.3	17	2.9 ± 0.1	110.6 ± 6.5	17
	70 - 77	2.9 ± 0.1	105.7 ± 1.6	17	3.0 ± 0.1	108.5 ± 2.7	17
	77 - 84	2.8 ± 0.1	99.2 ± 2.3	17	2.9 ± 0.1	100.9 ± 2.6	17
	84 - 91	2.7 ± 0.1	91.6 ± 2.3	17	2.9 ± 0.1	97.8 ± 4.4	17
	0 - 91	2.7 ± 0.1	114.8 ± 2.1	17	2.8 ± 0.1	116.0 ± 2.4	17
	112 - 119	3.2 ± 0.1	93.6 ± 2.8	17	3.1 ± 0.1	92.5 ± 4.5	17
	140 - 147	2.8 ± 0.1	72.3 ± 2.8	17	2.9 ± 0.1	74.6 ± 2.3	17
	168 - 175	2.8 ± 0.1	64.8 ± 2.1	17	2.8 ± 0.1	64.9 ± 2.0	17
	196 - 203	2.7 ± 0.1	57.3 ± 1.5	17	2.7 ± 0.1	58.2 ± 1.5	17
	224 - 231	2.8 ± 0.1	55.6 ± 1.7	17	2.8 ± 0.1	56.6 ± 2.1	17
	252 - 259	2.7 ± 0.0	51.2 ± 1.5	17	2.7 ± 0.1	50.4 ± 1.4	17
	280 - 287	2.7 ± 0.1	47.8 ± 1.5	17	2.6 ± 0.1	46.8 ± 1.3	17
	308 - 315	2.7 ± 0.1	47.4 ± 1.4	17	2.6 ± 0.1	46.9 ± 1.3	17
	336 - 343	2.6 ± 0.1	45.2 ± 1.7	17	2.7 ± 0.1	47.0 ± 1.9	17
	364 - 371	2.6 ± 0.1	43.5 ± 1.1	17	2.8 ± 0.1	46.6 ± 1.9	17
	392 - 399	2.7 ± 0.1	45.4 ± 1.6	17	2.8 ± 0.1	47.8 ± 2.1	17
	420 - 427	2.7 ± 0.1	45.0 ± 1.7	17	2.8 ± 0.1	45.9 ± 1.7	17
	448 - 455	2.8 ± 0.1	45.1 ± 2.0	17	2.8 ± 0.1	45.8 ± 1.9	17
	476 - 483	2.8 ± 0.1	43.9 ± 1.8	17	2.9 ± 0.1	46.5 ± 1.6	17
	504 - 511	3.0 ± 0.1	47.4 ± 1.6	17	3.0 ± 0.2	48.1 ± 1.9	17
	532 - 539	3.1 ± 0.1	49.2 ± 1.3	17	3.0 ± 0.1	48.4 ± 1.9	17
	560 - 567	3.2 ± 0.2	53.3 ± 2.6	17	3.2 ± 0.1	51.6 ± 2.5	17

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I07: Mean Water Consumption
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 03/18/2026
Time Report Requested: 12:53:47
Lab: Battelle

Females: Core Animals

Phase	Days	Treatment Groups (mg/L)					
		300			1000		
		Wt (g/animal/day)	Wt (g/kg/day)	N	Wt (g/animal/day)	Wt (g/kg/day)	N
	588 - 595	3.3 ± 0.2	55.3 ± 2.8	17	3.1 ± 0.2	50.8 ± 3.0	17
	616 - 623	3.1 ± 0.1	52.2 ± 2.7	17	3.2 ± 0.2	53.0 ± 4.0	17
	644 - 651	3.3 ± 0.1	55.7 ± 2.7	17	3.5 ± 0.2	60.1 ± 4.7	17
	672 - 679	3.5 ± 0.2	58.2 ± 4.1	17	3.6 ± 0.3	62.1 ± 5.6	17
	700 - 707	4.1 ± 0.3	75.9 ± 8.5	17	3.8 ± 0.3	67.8 ± 5.6	17
	0 - 707	2.8 ± 0.1	64.9 ± 1.3	17	2.8 ± 0.0	65.3 ± 1.3	17

LEGEND

Reported as the mean ± SEM. N is the number of cages for Core females, or the number of animals for all other cohorts

Females were housed up to four animals per cage. As much as possible, one randomly selected female per cage was assigned to either the Interim or Biosample group.

Water consumption values were excluded when excessive spillage was recorded.

Consumption data for Interim females, Biosample females, and all males were analyzed with animal as the statistical unit. Consumption data for Core females were analyzed with cage as the statistical unit.

Statistical analysis was performed by Jonckheere (trend) and Shirley or Dunn (pairwise) tests.

Statistical significance for the control group indicates a significant trend test.

Statistical significance for a treatment group indicates a significant pairwise test compared to the vehicle control group.

* Statistically significant at p <= 0.05

** Statistically significant at p <= 0.01

Observations without water weight (g/animal/day) or corresponding body weight measurements were excluded, as relative water weight values (g/kg/day) could not be calculated in the absence of a recorded body weight.

One water weight was excluded from analysis as an outlier, a Core Animals 0 mg/L Male SD 14-21, along with the corresponding water weight relative to body weight value and chemical intake value.

** END OF REPORT **