

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I08: Mean Test Compound Consumption
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 03/18/2026
Time Report Requested: 13:00:19
Lab: Battelle

Study Number: C11054B-02
Study Sex: Both
PWG Approval Date: See web page for date of PWG Approval
Version: v1.7.4
Stat Version: 2026.03.13S

Males: Biosample Animals											
Phase	Days	Treatment Groups (mg/L)									
		0		30		100		300		1000	
		Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N
Study	0 - 7	0.0 ± 0.0	5	4.5 ± 0.4	5	14.9 ± 0.9	5	45.1 ± 2.9	5	132.1 ± 4.0	5
	7 - 14	0.0 ± 0.0	5	3.7 ± 0.2	3	12.9 ± 1.1	4	40.6 ± 2.4	5	129.8 ± 5.2	5
	14 - 21	0.0 ± 0.0	4	3.9 ± 0.2	4	14.7 ± 2.1	3	41.4 ± 1.4	4	126.5 ± 3.8	4
	21 - 28	0.0 ± 0.0	4	3.7 ± 0.2	5	13.1 ± 0.7	5	36.7 ± 1.8	5	125.2 ± 5.5	4
	28 - 35	0.0 ± 0.0	3	3.4 ± 0.2	5	12.0 ± 1.2	3	33.4 ± 1.6	5	110.4 ± 3.2	5
	35 - 42	0.0 ± 0.0	4	3.5 ± 0.3	3	11.6 ± 0.7	5	32.1 ± 0.9	5	103.6 ± 2.9	5
	42 - 49	0.0 ± 0.0	4	3.7 ± 0.3	3	11.7 ± 1.2	3	36.2 ± 1.2	5	122.9 ± 5.6	5
	49 - 56	0.0 ± 0.0	4	3.4 ± 0.2	5	11.9 ± 0.8	5	29.9 ± 1.1	5	94.8 ± 3.0	5
	56 - 63	0.0 ± 0.0	5	3.4 ± 0.5	4	11.0 ± 0.6	5	29.7 ± 1.4	5	93.8 ± 2.9	5
	63 - 70	0.0 ± 0.0	5	2.8 ± 0.1	5	9.5 ± 0.4	5	27.6 ± 1.3	5	90.4 ± 5.2	5
	70 - 77	0.0 ± 0.0	5	2.7 ± 0.1	5	9.9 ± 0.6	5	26.6 ± 1.2	5	87.0 ± 3.8	5
	77 - 84	0.0 ± 0.0	5	2.5 ± 0.2	4	9.4 ± 0.4	5	25.7 ± 1.4	5	83.6 ± 3.9	5
	84 - 91	0.0 ± 0.0	5	2.4 ± 0.1	4	9.1 ± 0.4	4	25.3 ± 1.3	5	78.4 ± 2.8	5
	0 - 91	0.0 ± 0.0	5	3.3 ± 0.2	5	11.4 ± 0.6	5	32.3 ± 1.3	5	103.0 ± 3.3	5

Study Number: C11054B-02

Test Type: TOX

Route: Dosing in Water

Species/Strain: Mouse/B6C3F1/N

I08: Mean Test Compound Consumption

Test Compound: Sulfolane

CAS Number: 126-33-0

Date Report Requested: 03/18/2026

Time Report Requested: 13:00:19

Lab: Battelle

Females: Biosample Animals

Phase	Days	Treatment Groups (mg/L)									
		0		30		100		300		1000	
		Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N
Study	0 - 7	0.0 ± 0.0	5	3.8 ± 0.1	5	14.2 ± 2.0	5	39.8 ± 3.1	5	128.5 ± 7.3	5
	7 - 14	0.0 ± 0.0	5	3.8 ± 0.1	5	12.4 ± 0.6	5	37.4 ± 1.5	5	128.0 ± 7.4	5
	14 - 21	0.0 ± 0.0	5	4.3 ± 0.3	5	12.1 ± 0.7	5	36.4 ± 1.9	5	136.0 ± 7.4	5
	21 - 28	0.0 ± 0.0	5	3.7 ± 0.1	5	12.2 ± 0.5	5	35.3 ± 1.7	5	121.6 ± 7.6	5
	28 - 35	0.0 ± 0.0	5	3.7 ± 0.2	5	12.0 ± 0.4	5	35.0 ± 1.9	5	118.4 ± 7.3	5
	35 - 42	0.0 ± 0.0	5	4.0 ± 0.2	5	12.2 ± 0.6	5	37.2 ± 2.8	5	116.1 ± 3.7	5
	42 - 49	0.0 ± 0.0	5	4.2 ± 0.1	5	12.9 ± 0.4	5	43.5 ± 1.3	5	127.9 ± 6.7	5
	49 - 56	0.0 ± 0.0	5	3.6 ± 0.2	5	12.1 ± 0.4	5	34.9 ± 1.6	5	113.2 ± 3.5	5
	56 - 63	0.0 ± 0.0	5	3.3 ± 0.2	5	13.2 ± 2.2	5	32.6 ± 1.0	5	107.6 ± 4.2	5
	63 - 70	0.0 ± 0.0	5	3.3 ± 0.1	5	11.4 ± 0.4	5	31.3 ± 1.7	5	99.3 ± 4.5	5
	70 - 77	0.0 ± 0.0	5	3.3 ± 0.2	5	11.5 ± 0.5	5	30.5 ± 1.6	5	100.3 ± 4.3	5
	77 - 84	0.0 ± 0.0	5	3.2 ± 0.2	5	10.8 ± 0.2	5	28.3 ± 2.5	5	93.3 ± 6.3	5
	84 - 91	0.0 ± 0.0	5	3.1 ± 0.2	5	10.7 ± 1.0	5	26.0 ± 1.8	5	96.1 ± 10.9	5
	0 - 91	0.0 ± 0.0	5	3.6 ± 0.1	5	12.0 ± 0.5	5	33.7 ± 1.6	5	112.0 ± 4.7	5

Study Number: C11054B-02

Test Type: TOX

Route: Dosing in Water

Species/Strain: Mouse/B6C3F1/N

I08: Mean Test Compound Consumption

Test Compound: Sulfolane

CAS Number: 126-33-0

Date Report Requested: 03/18/2026

Time Report Requested: 13:00:19

Lab: Battelle

Males: Interim Animals

Phase	Days	Treatment Groups (mg/L)									
		0		30		100		300		1000	
		Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N
Study	0 - 7	0.0 ± 0.0	10	4.4 ± 0.1	10	14.9 ± 0.5	10	44.4 ± 1.5	10	143.9 ± 4.6	10
	7 - 14	0.0 ± 0.0	8	4.1 ± 0.1	8	14.8 ± 0.6	10	41.0 ± 1.5	10	141.1 ± 4.5	10
	14 - 21	0.0 ± 0.0	9	4.1 ± 0.1	9	14.0 ± 0.3	9	39.0 ± 1.5	6	130.2 ± 5.3	8
	21 - 28	0.0 ± 0.0	10	3.7 ± 0.1	8	13.1 ± 0.3	6	37.8 ± 1.2	10	124.3 ± 6.6	8
	28 - 35	0.0 ± 0.0	8	3.6 ± 0.2	8	12.2 ± 0.2	9	35.9 ± 1.5	10	111.3 ± 5.9	8
	35 - 42	0.0 ± 0.0	10	3.4 ± 0.1	8	11.5 ± 0.3	9	33.7 ± 1.1	9	113.3 ± 5.4	10
	42 - 49	0.0 ± 0.0	9	3.6 ± 0.1	10	11.6 ± 0.2	5	35.6 ± 0.6	5	119.6 ± 5.4	6
	49 - 56	0.0 ± 0.0	9	3.3 ± 0.2	10	13.2 ± 1.4	10	34.6 ± 3.7	10	120.9 ± 12.9	10
	56 - 63	0.0 ± 0.0	10	3.2 ± 0.2	10	10.6 ± 0.3	8	29.8 ± 1.0	9	94.4 ± 3.3	9
	63 - 70	0.0 ± 0.0	9	2.8 ± 0.1	10	10.3 ± 0.7	10	27.9 ± 0.7	9	92.3 ± 4.1	10
	70 - 77	0.0 ± 0.0	10	2.6 ± 0.1	9	10.2 ± 0.8	10	27.3 ± 0.6	9	90.5 ± 3.2	9
	77 - 84	0.0 ± 0.0	10	2.6 ± 0.1	9	9.4 ± 0.3	10	25.6 ± 0.5	9	86.0 ± 4.1	10
	84 - 91	0.0 ± 0.0	10	2.9 ± 0.2	10	9.0 ± 0.3	10	24.1 ± 0.8	9	82.7 ± 3.2	10
	0 - 91	0.0 ± 0.0	10	3.4 ± 0.1	10	11.7 ± 0.5	10	33.0 ± 1.0	10	109.3 ± 3.4	10

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I08: Mean Test Compound Consumption
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 03/18/2026
Time Report Requested: 13:00:19
Lab: Battelle

Females: Interim Animals											
Phase	Days	Treatment Groups (mg/L)									
		0		30		100		300		1000	
		Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N
Study	0 - 7	0.0 ± 0.0	10	3.9 ± 0.2	10	12.0 ± 0.4	10	38.2 ± 1.6	10	123.9 ± 3.1	10
	7 - 14	0.0 ± 0.0	10	3.8 ± 0.2	10	12.7 ± 0.6	10	39.6 ± 1.7	10	127.6 ± 5.5	10
	14 - 21	0.0 ± 0.0	10	4.0 ± 0.2	10	12.5 ± 0.4	10	37.5 ± 1.6	10	137.3 ± 8.9	10
	21 - 28	0.0 ± 0.0	10	3.8 ± 0.2	10	12.0 ± 0.4	10	37.5 ± 1.9	10	121.0 ± 3.5	10
	28 - 35	0.0 ± 0.0	10	3.6 ± 0.2	10	11.7 ± 0.3	10	36.9 ± 1.5	10	119.2 ± 2.6	10
	35 - 42	0.0 ± 0.0	10	3.6 ± 0.2	10	11.8 ± 0.2	10	36.8 ± 1.2	10	121.0 ± 2.6	10
	42 - 49	0.0 ± 0.0	10	4.0 ± 0.2	10	12.6 ± 0.3	10	38.5 ± 1.5	10	132.2 ± 2.8	10
	49 - 56	0.0 ± 0.0	10	3.5 ± 0.1	10	11.2 ± 0.3	10	34.7 ± 1.7	10	135.7 ± 10.0	10
	56 - 63	0.0 ± 0.0	10	3.2 ± 0.1	10	12.7 ± 0.7	10	34.5 ± 1.5	10	92.3 ± 9.1	8
	63 - 70	0.0 ± 0.0	10	3.1 ± 0.2	10	10.2 ± 0.2	10	31.2 ± 1.4	10	125.3 ± 14.2	10
	70 - 77	0.0 ± 0.0	10	3.3 ± 0.1	10	10.3 ± 0.3	10	32.2 ± 1.4	10	109.1 ± 4.6	10
	77 - 84	0.0 ± 0.0	10	3.1 ± 0.2	10	10.1 ± 0.3	10	30.9 ± 1.3	10	103.7 ± 3.4	10
	84 - 91	0.0 ± 0.0	10	2.8 ± 0.1	10	9.1 ± 0.3	10	28.4 ± 1.1	10	93.7 ± 3.4	10
	0 - 91	0.0 ± 0.0	10	3.4 ± 0.1	10	11.4 ± 0.2	10	34.9 ± 1.2	10	117.9 ± 4.0	10

Study Number: C11054B-02

Test Type: TOX

Route: Dosing in Water

Species/Strain: Mouse/B6C3F1/N

I08: Mean Test Compound Consumption

Test Compound: Sulfolane

CAS Number: 126-33-0

Date Report Requested: 03/18/2026

Time Report Requested: 13:00:19

Lab: Battelle

Males: Core Animals

Phase	Days	Treatment Groups (mg/L)									
		0		30		100		300		1000	
		Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N
Study	0 - 7	0.0 ± 0.0	50	4.5 ± 0.1	49	15.2 ± 0.3	49	44.8 ± 1.0	50	150.2 ± 2.4	50
	7 - 14	0.0 ± 0.0	49	4.2 ± 0.1	43	14.2 ± 0.3	48	40.5 ± 0.6	45	142.5 ± 2.6	45
	14 - 21	0.0 ± 0.0	35	4.1 ± 0.1	39	13.6 ± 0.2	43	40.5 ± 0.6	39	139.4 ± 1.8	43
	21 - 28	0.0 ± 0.0	41	3.8 ± 0.1	45	12.9 ± 0.2	47	37.7 ± 0.5	45	128.3 ± 1.7	42
	28 - 35	0.0 ± 0.0	42	3.6 ± 0.1	45	12.2 ± 0.2	45	34.9 ± 0.6	38	120.0 ± 1.5	45
	35 - 42	0.0 ± 0.0	43	3.4 ± 0.1	45	11.6 ± 0.2	48	33.7 ± 0.5	47	113.7 ± 1.7	46
	42 - 49	0.0 ± 0.0	39	3.7 ± 0.1	40	12.3 ± 0.2	38	36.4 ± 0.6	37	132.4 ± 2.3	39
	49 - 56	0.0 ± 0.0	44	3.2 ± 0.1	47	11.1 ± 0.2	50	31.7 ± 0.6	43	109.3 ± 2.3	47
	56 - 63	0.0 ± 0.0	42	3.1 ± 0.1	47	10.4 ± 0.2	47	31.2 ± 0.8	47	105.0 ± 2.5	48
	63 - 70	0.0 ± 0.0	45	3.0 ± 0.1	46	9.6 ± 0.2	50	27.6 ± 0.5	48	97.8 ± 2.1	49
	70 - 77	0.0 ± 0.0	45	2.8 ± 0.1	49	9.5 ± 0.2	48	28.5 ± 1.2	49	93.3 ± 1.7	46
	77 - 84	0.0 ± 0.0	45	2.7 ± 0.0	41	8.9 ± 0.2	49	25.9 ± 0.4	49	89.2 ± 1.4	48
	84 - 91	0.0 ± 0.0	45	2.6 ± 0.0	47	8.6 ± 0.2	47	24.9 ± 0.5	48	83.4 ± 1.3	45
	0 - 91	0.0 ± 0.0	50	3.4 ± 0.1	49	11.3 ± 0.2	50	33.4 ± 0.8	50	112.6 ± 1.5	50
	112 - 119	0.0 ± 0.0	47	2.3 ± 0.0	47	7.8 ± 0.2	50	22.6 ± 0.4	50	77.6 ± 1.4	48
	140 - 147	0.0 ± 0.0	45	2.7 ± 0.3	49	7.9 ± 0.2	49	27.4 ± 3.7	45	90.4 ± 11.8	48
	168 - 175	0.0 ± 0.0	47	2.2 ± 0.0	49	7.4 ± 0.2	48	22.8 ± 0.6	48	70.9 ± 1.2	48
	196 - 203	0.0 ± 0.0	48	2.2 ± 0.0	47	7.5 ± 0.1	45	22.7 ± 0.5	40	71.7 ± 0.9	43
	224 - 231	0.0 ± 0.0	47	2.2 ± 0.0	48	7.3 ± 0.1	44	22.0 ± 0.4	41	73.8 ± 1.7	45
	252 - 259	0.0 ± 0.0	45	2.3 ± 0.0	47	7.8 ± 0.2	42	23.3 ± 0.3	48	77.0 ± 1.4	47
	280 - 287	0.0 ± 0.0	48	2.3 ± 0.0	48	7.8 ± 0.1	50	23.3 ± 0.5	50	73.7 ± 1.0	50
	308 - 315	0.0 ± 0.0	48	2.3 ± 0.0	47	8.1 ± 0.4	47	23.8 ± 0.8	48	78.2 ± 2.8	43
	336 - 343	0.0 ± 0.0	46	2.3 ± 0.0	50	7.7 ± 0.2	48	23.5 ± 0.5	49	75.1 ± 1.1	50
	364 - 371	0.0 ± 0.0	46	2.4 ± 0.1	50	8.4 ± 0.2	49	23.5 ± 0.5	48	77.7 ± 1.2	50
	392 - 399	0.0 ± 0.0	45	2.5 ± 0.1	49	8.1 ± 0.2	48	24.2 ± 0.6	50	76.6 ± 1.7	49
	420 - 427	0.0 ± 0.0	48	2.4 ± 0.1	49	8.2 ± 0.2	47	24.1 ± 0.9	47	78.8 ± 1.9	48
	448 - 455	0.0 ± 0.0	49	2.5 ± 0.1	49	8.3 ± 0.2	47	24.8 ± 0.9	47	83.0 ± 2.9	48
	476 - 483	0.0 ± 0.0	49	2.6 ± 0.1	49	8.7 ± 0.3	46	24.9 ± 0.9	46	82.8 ± 2.9	47
	504 - 511	0.0 ± 0.0	49	2.7 ± 0.1	46	9.1 ± 0.4	46	26.6 ± 1.1	46	81.9 ± 2.4	46
	532 - 539	0.0 ± 0.0	46	2.8 ± 0.1	46	10.3 ± 0.7	45	27.2 ± 1.3	44	93.9 ± 6.6	49
	560 - 567	0.0 ± 0.0	42	2.8 ± 0.1	41	10.0 ± 0.5	41	28.2 ± 1.4	41	89.4 ± 3.8	41

Males: Core Animals											
Phase	Days	Treatment Groups (mg/L)									
		0		30		100		300		1000	
		Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N
	588 - 595	0.0 ± 0.0	40	2.8 ± 0.1	37	9.4 ± 0.3	33	26.2 ± 1.1	35	89.3 ± 4.0	40
	616 - 623	0.0 ± 0.0	42	2.9 ± 0.2	40	11.3 ± 0.9	38	27.7 ± 1.7	38	92.3 ± 7.8	41
	644 - 651	0.0 ± 0.0	38	3.5 ± 0.4	35	13.7 ± 1.3	38	35.6 ± 3.8	33	94.9 ± 8.6	37
	672 - 679	0.0 ± 0.0	38	3.6 ± 0.4	33	14.5 ± 1.5	39	39.0 ± 4.4	37	95.7 ± 8.4	36
	700 - 707	0.0 ± 0.0	35	4.1 ± 0.4	32	14.5 ± 1.4	36	40.0 ± 3.9	36	97.7 ± 7.5	32
	0 - 707	0.0 ± 0.0	36	2.8 ± 0.0	32	9.4 ± 0.2	37	28.0 ± 0.6	36	88.7 ± 1.5	32

Study Number: C11054B-02

Test Type: TOX

Route: Dosing in Water

Species/Strain: Mouse/B6C3F1/N

I08: Mean Test Compound Consumption

Test Compound: Sulfolane

CAS Number: 126-33-0

Date Report Requested: 03/18/2026

Time Report Requested: 13:00:19

Lab: Battelle

Females: Core Animals											
Phase	Days	Treatment Groups (mg/L)									
		0		30		100		300		1000	
		Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N
Study	0 - 7	0.0 ± 0.0	17	3.8 ± 0.1	17	12.4 ± 0.7	17	37.5 ± 1.3	17	125.4 ± 3.4	17
	7 - 14	0.0 ± 0.0	17	3.7 ± 0.1	17	12.5 ± 0.4	17	38.2 ± 1.1	17	127.2 ± 4.4	17
	14 - 21	0.0 ± 0.0	17	3.9 ± 0.1	17	12.5 ± 0.3	17	38.1 ± 1.0	17	135.8 ± 5.9	17
	21 - 28	0.0 ± 0.0	17	3.6 ± 0.1	17	12.0 ± 0.3	17	37.3 ± 1.3	17	120.0 ± 3.3	17
	28 - 35	0.0 ± 0.0	17	3.6 ± 0.1	17	11.9 ± 0.2	17	36.7 ± 1.0	17	121.0 ± 2.7	17
	35 - 42	0.0 ± 0.0	17	3.6 ± 0.1	17	12.3 ± 0.3	17	37.1 ± 0.9	17	120.7 ± 3.2	17
	42 - 49	0.0 ± 0.0	16	4.0 ± 0.1	17	13.0 ± 0.3	17	40.4 ± 0.9	17	131.0 ± 2.6	17
	49 - 56	0.0 ± 0.0	16	3.5 ± 0.1	17	11.9 ± 0.4	17	34.6 ± 0.8	17	122.0 ± 4.7	17
	56 - 63	0.0 ± 0.0	17	3.2 ± 0.1	17	12.7 ± 0.7	17	33.2 ± 0.7	17	105.5 ± 3.4	16
	63 - 70	0.0 ± 0.0	17	3.2 ± 0.1	17	10.8 ± 0.3	17	31.5 ± 0.7	17	110.6 ± 6.5	17
	70 - 77	0.0 ± 0.0	17	3.3 ± 0.1	17	11.1 ± 0.3	17	31.7 ± 0.5	17	108.5 ± 2.7	17
	77 - 84	0.0 ± 0.0	16	3.1 ± 0.1	17	10.4 ± 0.3	17	29.7 ± 0.7	17	100.9 ± 2.6	17
	84 - 91	0.0 ± 0.0	17	2.8 ± 0.1	17	10.1 ± 0.5	17	27.5 ± 0.7	17	97.8 ± 4.4	17
	0 - 91	0.0 ± 0.0	17	3.4 ± 0.1	17	11.7 ± 0.3	17	34.4 ± 0.6	17	116.0 ± 2.4	17
	112 - 119	0.0 ± 0.0	17	2.6 ± 0.1	17	9.1 ± 0.3	17	28.1 ± 0.8	17	92.5 ± 4.5	17
	140 - 147	0.0 ± 0.0	17	2.2 ± 0.1	17	7.5 ± 0.3	17	21.7 ± 0.9	17	74.6 ± 2.3	17
	168 - 175	0.0 ± 0.0	17	2.1 ± 0.1	17	6.6 ± 0.2	17	19.5 ± 0.6	17	64.9 ± 2.0	17
	196 - 203	0.0 ± 0.0	17	1.7 ± 0.0	17	5.9 ± 0.1	17	17.2 ± 0.5	17	58.2 ± 1.5	17
	224 - 231	0.0 ± 0.0	17	1.7 ± 0.0	17	5.9 ± 0.2	17	16.7 ± 0.5	17	56.6 ± 2.1	17
	252 - 259	0.0 ± 0.0	17	1.5 ± 0.0	17	5.2 ± 0.2	17	15.4 ± 0.4	17	50.4 ± 1.4	17
	280 - 287	0.0 ± 0.0	17	1.4 ± 0.0	17	4.6 ± 0.1	17	14.3 ± 0.5	17	46.8 ± 1.3	17
	308 - 315	0.0 ± 0.0	17	1.4 ± 0.0	17	4.9 ± 0.1	17	14.2 ± 0.4	17	46.9 ± 1.3	17
	336 - 343	0.0 ± 0.0	17	1.4 ± 0.1	17	4.6 ± 0.1	17	13.5 ± 0.5	17	47.0 ± 1.9	17
	364 - 371	0.0 ± 0.0	17	1.3 ± 0.1	17	4.3 ± 0.1	17	13.1 ± 0.3	17	46.6 ± 1.9	17
	392 - 399	0.0 ± 0.0	17	1.3 ± 0.0	17	4.5 ± 0.1	17	13.6 ± 0.5	17	47.8 ± 2.1	17
	420 - 427	0.0 ± 0.0	17	1.3 ± 0.0	17	4.5 ± 0.1	17	13.5 ± 0.5	17	45.9 ± 1.7	17
	448 - 455	0.0 ± 0.0	17	1.3 ± 0.0	17	4.5 ± 0.1	17	13.5 ± 0.6	17	45.8 ± 1.9	17
	476 - 483	0.0 ± 0.0	17	1.3 ± 0.1	17	4.9 ± 0.4	17	13.2 ± 0.5	17	46.5 ± 1.6	17
	504 - 511	0.0 ± 0.0	17	1.3 ± 0.0	17	5.2 ± 0.5	17	14.2 ± 0.5	17	48.1 ± 1.9	17
	532 - 539	0.0 ± 0.0	17	1.4 ± 0.1	17	5.5 ± 0.6	17	14.8 ± 0.4	17	48.4 ± 1.9	17
	560 - 567	0.0 ± 0.0	17	1.5 ± 0.1	17	5.4 ± 0.2	16	16.0 ± 0.8	17	51.6 ± 2.5	17

Females: Core Animals											
Phase	Days	Treatment Groups (mg/L)									
		0		30		100		300		1000	
		Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N
	588 - 595	0.0 ± 0.0	17	1.5 ± 0.1	17	6.5 ± 1.1	17	16.6 ± 0.8	17	50.8 ± 3.0	17
	616 - 623	0.0 ± 0.0	17	1.4 ± 0.1	17	6.5 ± 1.3	17	15.7 ± 0.8	17	53.0 ± 4.0	17
	644 - 651	0.0 ± 0.0	17	1.6 ± 0.2	17	6.9 ± 1.2	17	16.7 ± 0.8	17	60.1 ± 4.7	17
	672 - 679	0.0 ± 0.0	17	1.8 ± 0.3	17	5.7 ± 0.4	16	17.5 ± 1.2	17	62.1 ± 5.6	17
	700 - 707	0.0 ± 0.0	16	1.8 ± 0.1	17	6.8 ± 0.5	16	22.8 ± 2.6	17	67.8 ± 5.6	17
	0 - 707	0.0 ± 0.0	16	1.9 ± 0.0	17	6.6 ± 0.1	16	19.5 ± 0.4	17	65.3 ± 1.3	17

Study Number: C11054B-02
Test Type: TOX
Route: Dosing in Water
Species/Strain: Mouse/B6C3F1/N

I08: Mean Test Compound Consumption
Test Compound: Sulfolane
CAS Number: 126-33-0

Date Report Requested: 03/18/2026
Time Report Requested: 13:00:19
Lab: Battelle

LEGEND

Reported as the mean $\pm$ SEM. N is the number of cages for Core females, or the number of animals for all other cohorts.

Females were housed up to four animals per cage. As much as possible, one randomly selected female per cage was assigned to either the Interim or Biosample group. Chemical intake values were excluded when excessive spillage was recorded.

Consumption data for Interim females, Biosample females, and all males were analyzed with animal as the statistical unit. Consumption data for Core females were analyzed with cage as the statistical unit.

Statistical analysis was not performed on this data.

Observations without water weight (g/animal/day) or corresponding body weight measurements were excluded, as relative water weight values (g/kg/day) could not be calculated in the absence of a recorded body weight.

One water weight was excluded from analysis as an outlier, a Core Animals 0 mg/L Male SD 14-21, along with the corresponding water weight relative to body weight value and chemical intake value.

**** END OF REPORT ****