

Study Number: C11054B-01

Test Type: TOX

Route: Dosing in Water

Species/Strain: Rat/Harlan Sprague Dawley

Study Number:

Study Sex:

PWG Approval Date:

Version:

Stat Version:

I08: Mean Test Compound Consumption (Interim and Chronic Animals)

Test Compound: Sulfolane

CAS Number: 126-33-0

C11054B-01

Both

See web page for date of PWG Approval

v1.4.1

S

Date Report Requested: 06/22/2022

Time Report Requested: 08:41:51

Lab: Battelle

Study Number: C11054B-01

I08: Mean Test Compound Consumption (Interim and Chronic Animals)

Date Report Requested: 06/22/2022

Test Type: TOX

Test Compound: Sulfolane

Time Report Requested: 08:41:51

Route: Dosing in Water

CAS Number: 126-33-0

Lab: Battelle with CRL

Species/Strain: Rat/Harlan Sprague Dawley

F0 Females											
Phase	Days	Treatment Groups (mg/L)									
		0		30		100		300		1000	
		Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N
Gestation	6 - 9	0.0 ± 0.0	41	3.5 ± 0.1	33	11.5 ± 0.2	35	34.1 ± 0.6	37	115.2 ± 2.9	38
	9 - 12	0.0 ± 0.0	41	3.8 ± 0.1	33	12.5 ± 0.3	35	38.0 ± 1.2	37	129.9 ± 3.0	38
	12 - 15	0.0 ± 0.0	41	3.7 ± 0.1	33	12.1 ± 0.3	35	36.5 ± 0.7	37	121.8 ± 2.8	38
	15 - 18	0.0 ± 0.0	41	4.1 ± 0.1	33	13.3 ± 0.3	34	40.8 ± 0.8	37	141.3 ± 3.3	38
	18 - 21	0.0 ± 0.0	41	3.5 ± 0.1	33	11.8 ± 0.4	35	35.1 ± 0.7	37	126.1 ± 4.4	37
	6 - 21	0.0 ± 0.0	41	3.7 ± 0.1	33	12.2 ± 0.3	35	36.5 ± 0.6	37	126.0 ± 2.6	38
Lactation	1 - 4	0.0 ± 0.0	38	5.3 ± 0.3	31	17.7 ± 1.4	32	50.0 ± 1.0	34	172.9 ± 3.5	34
	4 - 7	0.0 ± 0.0	38	5.3 ± 0.1	31	16.8 ± 0.4	32	51.1 ± 0.9	34	178.1 ± 3.0	33
	7 - 10	0.0 ± 0.0	38	6.4 ± 0.1	30	20.1 ± 0.6	32	62.9 ± 1.1	34	208.0 ± 4.6	34
	10 - 14	0.0 ± 0.0	38	6.7 ± 0.1	30	23.1 ± 0.6	31	68.1 ± 1.1	34	241.8 ± 9.5	34
	1 - 14	0.0 ± 0.0	38	6.0 ± 0.1	31	20.1 ± 0.5	31	59.4 ± 0.8	34	205.6 ± 4.4	34
	14 - 17	0.0 ± 0.0	38	7.4 ± 0.2	31	24.8 ± 0.7	31	76.0 ± 1.4	34	261.1 ± 6.3	34
	17 - 21	0.0 ± 0.0	38	9.5 ± 0.2	31	30.3 ± 0.9	31	90.9 ± 1.7	34	321.3 ± 9.1	34
	21 - 24	0.0 ± 0.0	38	10.9 ± 0.2	31	36.6 ± 1.1	31	112.3 ± 2.4	34	396.6 ± 7.1	34
	24 - 28	0.0 ± 0.0	38	11.8 ± 0.4	31	38.6 ± 1.1	31	117.7 ± 2.9	34	404.2 ± 8.4	34
	1 - 28	0.0 ± 0.0	38	8.1 ± 0.1	31	26.8 ± 0.6	31	80.8 ± 1.1	34	282.1 ± 5.2	34

F1 Males: F1 Immunotox											
Phase	Days	Treatment Groups (mg/L)									
		0		30		100		300		1000	
		Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N
Postnatal	28 - 35	0.0 ± 0.0	31	4.6 ± 0.1	31	15.3 ± 0.3	32	46.5 ± 2.4	31	145.0 ± 4.0	31
	35 - 42	0.0 ± 0.0	31	5.0 ± 0.1	31	16.6 ± 0.3	32	49.9 ± 0.7	31	159.8 ± 2.3	31
	42 - 49	0.0 ± 0.0	31	4.3 ± 0.1	31	14.8 ± 0.4	32	43.7 ± 0.7	31	142.9 ± 1.9	31
	49 - 56	0.0 ± 0.0	31	3.5 ± 0.1	31	12.3 ± 0.4	32	35.6 ± 0.4	31	120.8 ± 3.0	31
	56 - 63	0.0 ± 0.0	30	3.2 ± 0.1	30	10.7 ± 0.2	30	32.5 ± 0.4	31	108.3 ± 1.3	30

F1 Females: F1 Immunotox											
Phase	Days	Treatment Groups (mg/L)									
		0		30		100		300		1000	
		Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N
Postnatal	28 - 35	0.0 ± 0.0	16	4.4 ± 0.1	18	15.9 ± 1.7	17	43.5 ± 1.4	17	138.6 ± 4.1	18
	35 - 42	0.0 ± 0.0	16	4.8 ± 0.1	18	16.7 ± 0.3	17	48.0 ± 0.8	17	166.4 ± 8.8	18
	42 - 49	0.0 ± 0.0	16	4.2 ± 0.1	18	14.2 ± 0.4	17	41.9 ± 0.9	17	138.5 ± 3.3	18
	49 - 56	0.0 ± 0.0	16	3.5 ± 0.1	18	11.8 ± 0.2	17	36.4 ± 0.9	17	121.1 ± 2.5	18
	56 - 63	0.0 ± 0.0	16	3.3 ± 0.1	18	11.0 ± 0.2	17	34.9 ± 1.1	17	115.6 ± 3.1	17

Study Number: C11054B-01

I08: Mean Test Compound Consumption (Interim and Chronic Animals)

Date Report Requested: 06/22/2022

Test Type: TOX

Test Compound: Sulfolane

Time Report Requested: 08:41:51

Route: Dosing in Water

CAS Number: 126-33-0

Lab: Battelle with CRL

Species/Strain: Rat/Harlan Sprague Dawley

F1 Males: F1 Biosample Animals

Phase	Days	Treatment Groups (mg/L)									
		0		30		100		300		1000	
		Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N
Postnatal	28 - 35	0.0 ± 0.0	4	4.7 ± 0.4	3	17.5 ± 1.5	5	47.2 ± 0.7	4	155.8 ± 8.1	4
	35 - 42	0.0 ± 0.0	4	4.8 ± 0.5	3	14.9 ± 1.4	5	46.9 ± 1.5	4	132.1 ± 6.4	4
	42 - 49	0.0 ± 0.0	4	4.1 ± 0.3	3	14.1 ± 0.4	5	44.8 ± 2.9	4	133.2 ± 8.8	4
	49 - 56	0.0 ± 0.0	4	3.5 ± 0.2	3	11.7 ± 0.1	5	37.3 ± 1.8	4	112.6 ± 9.5	4
	56 - 63	0.0 ± 0.0	4	3.0 ± 0.0	3	10.0 ± 0.3	5	31.2 ± 2.0	4	93.7 ± 6.4	4
	63 - 70	0.0 ± 0.0	4	2.7 ± 0.2	3	8.8 ± 0.3	5	27.3 ± 0.8	4	81.9 ± 7.1	4
	70 - 77	0.0 ± 0.0	4	2.4 ± 0.1	3	8.0 ± 0.2	5	24.6 ± 0.7	4	76.8 ± 5.7	4
	77 - 84	0.0 ± 0.0	4	2.2 ± 0.2	3	7.5 ± 0.2	5	22.9 ± 1.0	4	73.7 ± 5.4	4
	84 - 91	0.0 ± 0.0	4	2.1 ± 0.2	3	6.9 ± 0.3	5	21.7 ± 1.3	4	67.2 ± 5.0	4
	91 - 98	0.0 ± 0.0	4	2.1 ± 0.1	3	6.3 ± 0.1	5	18.6 ± 1.9	4	60.5 ± 4.4	4
	98 - 105	0.0 ± 0.0	4	2.0 ± 0.1	3	6.3 ± 0.2	5	19.8 ± 1.2	4	61.8 ± 5.4	4
	105 - 112	0.0 ± 0.0	4	2.0 ± 0.1	3	6.3 ± 0.3	5	18.8 ± 1.2	4	58.1 ± 5.4	4
	112 - 119	0.0 ± 0.0	4	1.8 ± 0.1	3	5.8 ± 0.2	5	17.4 ± 1.5	4	56.7 ± 4.3	4
	28 - 119	0.0 ± 0.0	4	2.6 ± 0.1	3	8.4 ± 0.2	5	25.9 ± 1.3	4	79.5 ± 4.4	4

Study Number: C11054B-01

I08: Mean Test Compound Consumption (Interim and Chronic Animals)

Date Report Requested: 06/22/2022

Test Type: TOX

Test Compound: Sulfolane

Time Report Requested: 08:41:51

Route: Dosing in Water

CAS Number: 126-33-0

Lab: Battelle with CRL

Species/Strain: Rat/Harlan Sprague Dawley

F1 Females: F1 Biosample Animals

Phase	Days	Treatment Groups (mg/L)									
		0		30		100		300		1000	
		Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N
Postnatal	28 - 35	0.0 ± 0.0	3	5.1 ± 0.3	4	14.9 ± 3.1	3	43.2 ± 5.0	2	141.7 ± 2.1	3
	35 - 42	0.0 ± 0.0	3	4.9 ± 0.3	4	17.3 ± 2.4	3	42.3 ± 4.2	2	139.4 ± 4.3	3
	42 - 49	0.0 ± 0.0	3	4.3 ± 0.3	4	14.3 ± 2.1	3	37.6 ± 5.4	2	137.0 ± 5.7	3
	49 - 56	0.0 ± 0.0	3	3.7 ± 0.3	4	12.7 ± 1.3	3	33.3 ± 1.8	2	112.2 ± 7.2	3
	56 - 63	0.0 ± 0.0	3	3.6 ± 0.2	4	11.1 ± 0.9	3	31.0 ± 0.2	2	102.3 ± 6.4	3
	63 - 70	0.0 ± 0.0	3	3.3 ± 0.4	4	11.1 ± 1.3	3	34.6 ± 6.8	2	95.6 ± 5.2	3
	70 - 77	0.0 ± 0.0	3	3.2 ± 0.3	4	9.9 ± 1.1	3	29.6 ± 0.4	2	88.7 ± 6.2	3
	77 - 84	0.0 ± 0.0	3	3.0 ± 0.4	4	9.5 ± 0.8	3	28.5 ± 0.7	2	84.8 ± 2.8	3
	84 - 91	0.0 ± 0.0	3	2.7 ± 0.4	4	9.6 ± 0.9	3	27.0 ± 1.1	2	93.7 ± 10.1	3
	91 - 98	0.0 ± 0.0	3	2.7 ± 0.3	4	9.3 ± 1.1	3	25.8 ± 1.6	2	84.2 ± 4.0	3
	98 - 105	0.0 ± 0.0	3	2.8 ± 0.4	4	9.2 ± 1.3	3	27.4 ± 1.8	2	79.9 ± 4.6	3
	105 - 112	0.0 ± 0.0	3	2.8 ± 0.3	4	9.0 ± 0.9	3	24.9 ± 1.0	2	76.6 ± 1.9	3
	112 - 119	0.0 ± 0.0	3	2.6 ± 0.3	4	8.4 ± 0.8	3	24.6 ± 1.7	2	75.8 ± 2.8	3
	28 - 119	0.0 ± 0.0	3	3.3 ± 0.3	4	10.8 ± 1.1	3	30.3 ± 0.5	2	96.0 ± 3.2	3

Study Number: C11054B-01

Test Type: TOX

Route: Dosing in Water

Species/Strain: Rat/Harlan Sprague Dawley

I08: Mean Test Compound Consumption (Interim and Chronic Animals)

Test Compound: Sulfolane

CAS Number: 126-33-0

Date Report Requested: 06/22/2022

Time Report Requested: 08:41:51

Lab: Battelle with CRL

F1 Males: F1 Interim Animals

Phase	Days	Treatment Groups (mg/L)									
		0		30		100		300		1000	
		Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N
Postnatal	28 - 35	0.0 ± 0.0	6	4.7 ± 0.2	5	16.8 ± 1.3	6	46.2 ± 0.8	5	155.7 ± 5.3	5
	35 - 42	0.0 ± 0.0	6	4.8 ± 0.2	5	14.9 ± 1.2	6	45.6 ± 1.6	5	135.4 ± 6.7	5
	42 - 49	0.0 ± 0.0	6	4.2 ± 0.1	5	14.0 ± 0.5	6	43.1 ± 2.0	5	131.7 ± 6.4	5
	49 - 56	0.0 ± 0.0	6	3.5 ± 0.1	5	11.6 ± 0.2	6	35.4 ± 1.3	5	111.8 ± 6.6	5
	56 - 63	0.0 ± 0.0	6	3.0 ± 0.1	5	10.0 ± 0.3	6	29.9 ± 1.4	5	93.8 ± 4.6	5
	63 - 70	0.0 ± 0.0	6	2.7 ± 0.1	5	8.7 ± 0.3	6	26.7 ± 0.4	5	82.1 ± 5.3	5
	70 - 77	0.0 ± 0.0	6	2.4 ± 0.1	5	7.9 ± 0.2	6	23.8 ± 0.3	5	76.6 ± 4.7	5
	77 - 84	0.0 ± 0.0	6	2.2 ± 0.1	5	7.4 ± 0.2	6	22.3 ± 0.3	5	72.6 ± 4.8	5
	84 - 91	0.0 ± 0.0	6	2.1 ± 0.1	5	6.9 ± 0.2	6	21.2 ± 0.5	5	67.2 ± 4.2	5
	91 - 98	0.0 ± 0.0	6	2.0 ± 0.0	5	6.4 ± 0.1	6	18.3 ± 1.0	5	61.3 ± 3.4	5
	98 - 105	0.0 ± 0.0	6	1.9 ± 0.0	5	6.3 ± 0.2	6	19.2 ± 0.4	5	62.5 ± 4.3	5
	105 - 112	0.0 ± 0.0	6	1.9 ± 0.1	5	6.1 ± 0.3	6	18.2 ± 0.3	5	58.3 ± 4.4	5
	112 - 119	0.0 ± 0.0	6	1.8 ± 0.0	5	5.8 ± 0.2	6	17.2 ± 0.7	5	56.6 ± 3.4	5
	28 - 119	0.0 ± 0.0	6	2.5 ± 0.1	5	8.3 ± 0.2	6	25.1 ± 0.5	5	79.9 ± 3.5	5

Study Number: C11054B-01

I08: Mean Test Compound Consumption (Interim and Chronic Animals)

Date Report Requested: 06/22/2022

Test Type: TOX

Test Compound: Sulfolane

Time Report Requested: 08:41:51

Route: Dosing in Water

CAS Number: 126-33-0

Lab: Battelle with CRL

Species/Strain: Rat/Harlan Sprague Dawley

F1 Females: F1 Interim Animals

Phase	Days	Treatment Groups (mg/L)									
		0		30		100		300		1000	
		Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N
Postnatal	28 - 35	0.0 ± 0.0	3	5.1 ± 0.3	4	14.7 ± 2.2	4	44.2 ± 2.9	3	117.7 ± 27.4	4
	35 - 42	0.0 ± 0.0	3	5.0 ± 0.3	4	16.8 ± 1.8	4	46.3 ± 5.5	3	165.7 ± 23.2	4
	42 - 49	0.0 ± 0.0	3	4.5 ± 0.3	4	14.0 ± 1.5	4	41.5 ± 5.7	3	157.2 ± 17.2	4
	49 - 56	0.0 ± 0.0	3	3.8 ± 0.2	4	12.5 ± 0.9	4	35.9 ± 3.3	3	120.8 ± 7.8	4
	56 - 63	0.0 ± 0.0	3	3.7 ± 0.1	4	10.9 ± 0.6	4	33.6 ± 2.9	3	116.1 ± 12.3	4
	63 - 70	0.0 ± 0.0	3	3.3 ± 0.3	4	10.8 ± 1.0	4	33.1 ± 4.0	3	114.8 ± 16.5	4
	70 - 77	0.0 ± 0.0	3	3.2 ± 0.2	4	9.7 ± 0.8	4	30.6 ± 1.1	3	103.6 ± 12.5	4
	77 - 84	0.0 ± 0.0	3	3.1 ± 0.3	4	9.4 ± 0.6	4	29.0 ± 0.7	3	99.9 ± 12.7	4
	84 - 91	0.0 ± 0.0	3	2.8 ± 0.3	4	9.2 ± 0.8	4	26.4 ± 0.6	3	105.4 ± 11.7	4
	91 - 98	0.0 ± 0.0	3	2.6 ± 0.2	4	9.1 ± 0.8	4	26.5 ± 1.3	3	102.6 ± 15.7	4
	98 - 105	0.0 ± 0.0	3	2.7 ± 0.3	4	8.9 ± 1.0	4	26.2 ± 1.0	3	91.3 ± 8.7	4
	105 - 112	0.0 ± 0.0	3	2.8 ± 0.2	4	8.9 ± 0.6	4	26.4 ± 1.8	3	92.4 ± 13.0	4
	112 - 119	0.0 ± 0.0	3	2.6 ± 0.2	4	8.4 ± 0.5	4	23.7 ± 1.3	3	87.6 ± 9.4	4
	28 - 119	0.0 ± 0.0	3	3.3 ± 0.3	4	10.6 ± 0.9	4	31.1 ± 1.2	3	103.8 ± 5.4	4

Study Number: C11054B-01

Test Type: TOX

Route: Dosing in Water

Species/Strain: Rat/Harlan Sprague Dawley

I08: Mean Test Compound Consumption (Interim and Chronic Animals)

Test Compound: Sulfolane

CAS Number: 126-33-0

Date Report Requested: 06/22/2022

Time Report Requested: 08:41:51

Lab: Battelle with CRL

F1 Males: F1 Core Animals

Phase	Days	Treatment Groups (mg/L)									
		0		30		100		300		1000	
		Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N
Postnatal	28 - 35	0.0 ± 0.0	27	4.5 ± 0.1	25	14.3 ± 0.3	26	45.8 ± 1.4	25	147.4 ± 3.2	26
	35 - 42	0.0 ± 0.0	27	4.8 ± 0.1	25	15.8 ± 0.4	26	48.0 ± 1.2	25	159.9 ± 4.7	26
	42 - 49	0.0 ± 0.0	27	4.4 ± 0.1	25	13.9 ± 0.3	25	43.1 ± 0.8	25	142.3 ± 2.8	26
	49 - 56	0.0 ± 0.0	27	3.6 ± 0.1	25	11.7 ± 0.2	26	35.1 ± 0.5	25	120.2 ± 2.2	26
	56 - 63	0.0 ± 0.0	27	3.1 ± 0.0	25	10.1 ± 0.3	26	29.8 ± 0.4	25	104.0 ± 1.8	26
	63 - 70	0.0 ± 0.0	27	2.6 ± 0.0	25	8.6 ± 0.1	26	26.0 ± 0.4	25	90.1 ± 1.6	26
	70 - 77	0.0 ± 0.0	27	2.4 ± 0.0	25	7.9 ± 0.1	26	24.0 ± 0.4	25	82.2 ± 1.7	26
	77 - 84	0.0 ± 0.0	27	2.2 ± 0.0	25	7.4 ± 0.1	26	22.7 ± 0.4	25	77.4 ± 2.0	26
	84 - 91	0.0 ± 0.0	27	2.0 ± 0.1	25	6.8 ± 0.1	26	20.8 ± 0.4	25	70.7 ± 1.4	26
	91 - 98	0.0 ± 0.0	27	2.0 ± 0.0	25	6.5 ± 0.1	26	19.2 ± 0.5	25	67.5 ± 1.5	26
	98 - 105	0.0 ± 0.0	27	1.9 ± 0.0	25	6.2 ± 0.1	26	19.2 ± 0.3	25	64.2 ± 1.5	26
	105 - 112	0.0 ± 0.0	27	1.9 ± 0.0	25	6.2 ± 0.1	26	18.4 ± 0.3	25	64.2 ± 1.7	26
	112 - 119	0.0 ± 0.0	27	1.8 ± 0.0	25	6.0 ± 0.1	26	17.8 ± 0.3	25	62.1 ± 1.7	26
	28 - 119	0.0 ± 0.0	27	2.5 ± 0.0	25	8.3 ± 0.1	26	25.3 ± 0.3	25	86.0 ± 1.4	26
	28 - 741	0.0 ± 0.0	16	1.6 ± 0.0	15	5.6 ± 0.2	14	15.7 ± 0.4	14	58.6 ± 3.3	12

Study Number: C11054B-01

I08: Mean Test Compound Consumption (Interim and Chronic Animals)

Date Report Requested: 06/22/2022

Test Type: TOX

Test Compound: Sulfolane

Time Report Requested: 08:41:51

Route: Dosing in Water

CAS Number: 126-33-0

Lab: Battelle with CRL

Species/Strain: Rat/Harlan Sprague Dawley

F1 Females: F1 Core Animals

Phase	Days	Treatment Groups (mg/L)									
		0		30		100		300		1000	
		Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N	Dose/Day (mg/kg/day)	N
Postnatal	28 - 35	0.0 ± 0.0	14	4.6 ± 0.2	14	17.0 ± 1.6	13	44.4 ± 1.7	13	142.4 ± 3.6	15
	35 - 42	0.0 ± 0.0	14	4.7 ± 0.2	14	16.8 ± 0.5	13	44.0 ± 1.5	13	150.0 ± 5.0	15
	42 - 49	0.0 ± 0.0	14	4.4 ± 0.1	14	14.3 ± 0.4	13	41.4 ± 0.9	13	136.9 ± 3.1	15
	49 - 56	0.0 ± 0.0	14	3.6 ± 0.1	14	12.0 ± 0.3	13	35.8 ± 0.8	13	115.5 ± 2.7	15
	56 - 63	0.0 ± 0.0	14	3.3 ± 0.1	14	10.8 ± 0.3	13	32.9 ± 0.6	13	109.6 ± 3.0	15
	63 - 70	0.0 ± 0.0	14	2.9 ± 0.0	14	9.7 ± 0.2	13	29.6 ± 0.8	13	99.5 ± 3.0	15
	70 - 77	0.0 ± 0.0	14	2.8 ± 0.0	14	9.4 ± 0.2	13	27.9 ± 0.6	13	92.9 ± 2.5	15
	77 - 84	0.0 ± 0.0	14	2.7 ± 0.0	14	9.3 ± 0.2	13	27.7 ± 0.8	13	87.3 ± 3.2	15
	84 - 91	0.0 ± 0.0	14	2.6 ± 0.0	14	8.5 ± 0.2	13	25.3 ± 0.7	13	87.9 ± 2.9	15
	91 - 98	0.0 ± 0.0	14	2.6 ± 0.1	14	8.6 ± 0.2	13	25.2 ± 0.8	13	86.9 ± 2.1	15
	98 - 105	0.0 ± 0.0	14	2.5 ± 0.0	14	8.4 ± 0.1	13	24.7 ± 0.8	13	82.4 ± 1.2	15
	105 - 112	0.0 ± 0.0	14	2.4 ± 0.0	14	8.1 ± 0.2	13	24.5 ± 0.5	13	80.5 ± 1.8	15
	112 - 119	0.0 ± 0.0	14	2.4 ± 0.0	14	8.0 ± 0.2	13	25.7 ± 1.3	13	81.7 ± 1.7	15
	28 - 119	0.0 ± 0.0	14	3.0 ± 0.0	14	10.2 ± 0.2	13	30.0 ± 0.6	13	99.4 ± 1.6	15
	28 - 742	0.0 ± 0.0	12	2.5 ± 0.0	13	8.3 ± 0.3	12	23.5 ± 0.7	11	84.7 ± 5.0	12

Study Number: C11054B-01

Test Type: TOX

Route: Dosing in Water

Species/Strain: Rat/Harlan Sprague Dawley

I08: Mean Test Compound Consumption (Interim and Chronic Animals)

Test Compound: Sulfolane

CAS Number: 126-33-0

Date Report Requested: 06/22/2022

Time Report Requested: 08:41:51

Lab: Battelle with CRL

LEGEND

Reported as the mean $\pm$ SEM. N is the number of animals, number of cages for group housed adult animals or number of litters.

F0 females were singly housed. All F1 cohorts were group housed

Chemical intake values were excluded when excessive spillage was recorded.

Statistical analysis was not performed on this data.

Consumption is not reported for the non-pregnant animals during gestation and lactation phases

Consumption is not reported for animals during mating

One female in the 30 mg/L dose group was excluded from the analysis of the PND 28-742 consumption due to a cage change during the interval.

**** END OF REPORT ****