| | |
|---|---|
| **Study Number:** | C12007-01 |
| **Study Sex:** | Male |
| **PWG Approval Date:** | See web page for date of PWG Approval |
| **Version:** | v1.2.0 |

**Study Number:** C12007-01
**Test Type:** TOX
**Route:** Oral Gavage
**Species/Strain:** Rat/Harlan Sprague Dawley

**I04: Mean Body Weight Summary**
**Test Compound:** 2-(2H-benzotriazol-2-yl)-4,6-bis(1-methyl-1-phenylethyl)phenol
**CAS Number:** 70321-86-7

**Date Report Requested:** 05/19/2021
**Time Report Requested:** 05:52:36
**Lab:** Battelle

**Males**

| | Treatment Groups (mg/kg) | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **Phase Day** | **0** | | **30** | | | **100** | | | **300** | | |
| | **Wt (g)** | **N** | **Wt (g)** | **% from CNTL** | **N** | **Wt (g)** | **% from CNTL** | **N** | **Wt (g)** | **% from CNTL** | **N** |
| SD0 | 305.8 ± 9.0 | 5 | 309.3 ± 6.4 | 1.2 | 5 | 310.9 ± 4.8 | 1.7 | 5 | 308.3 ± 8.0 | 0.8 | 5 |
| SD4 | 306.9 ± 9.3 | 5 | 312.6 ± 7.0 | 1.8 | 5 | 316.2 ± 4.8 | 3.0 | 5 | 314.1 ± 9.4 | 2.3 | 5 |
| SD7 | 314.7 ± 11.4 | 5 | 317.3 ± 8.1 | 0.8 | 5 | 320.4 ± 5.4 | 1.8 | 5 | 316.7 ± 10.0 | 0.7 | 5 |
| SD11 | 319.5 ± 10.2 | 5 | 323.0 ± 8.1 | 1.1 | 5 | 325.8 ± 4.5 | 2.0 | 5 | 322.3 ± 9.8 | 0.9 | 5 |
| SD14 | 325.1 ± 11.9 | 5 | 329.0 ± 9.1 | 1.2 | 5 | 329.9 ± 4.3 | 1.5 | 5 | 326.4 ± 11.0 | 0.4 | 5 |

**Study Number:** C12007-01
**Test Type:** TOX
**Route:** Oral Gavage
**Species/Strain:** Rat/Harlan Sprague Dawley

**I04: Mean Body Weight Summary**
**Test Compound:** 2-(2H-benzotriazol-2-yl)-4,6-bis(1-methyl-1-phenylethyl)phenol
**CAS Number:** 70321-86-7

**Date Report Requested:** 05/19/2021
**Time Report Requested:** 05:52:36
**Lab:** Battelle

**Males**

| Phase Day | Treatment Groups (mg/kg) | | |
|---|---|---|---|
| | 1000 | | |
| | Wt (g) | % from CNTL | N |
| SD0 | 310.5 ± 6.5 | 1.5 | 5 |
| SD4 | 314.9 ± 7.2 | 2.6 | 5 |
| SD7 | 320.8 ± 7.8 | 1.9 | 5 |
| SD11 | 326.6 ± 8.2 | 2.2 | 5 |
| SD14 | 333.7 ± 8.3 | 2.6 | 5 |

LEGEND

---

Data are displayed as mean ± SEM

SD – Study Day

Statistical analysis of weight data performed by Jonckheere (trend) and Williams or Dunnett (pairwise) tests.

Statistical significance for the control group indicates a significant trend test

Statistical significance for a treatment group indicates a significant pairwise test compared to the vehicle control group

* Statistically significant at P <= 0.05

** Statistically significant at P <= 0.01

** END OF REPORT **