

TDMS No. 99032 - 04
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
CAS Number: 87-66-1

Date Report Requested: 10/04/2011
Time Report Requested: 13:47:35
First Dose M/F: 09/21/04 / 09/20/04
Lab: BAT

F2_M3

C Number: C99032
Lock Date: 03/04/2008
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL
Study Gender: Both
TDMSE Version: 2.4.2.1_003
PWG Approval Date: 08/24/2010

Note: Animals arranged according to days on test.

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

B6C3F1 MICE MALE 0 MG/KG	DAY ON TEST	ANIMAL ID																									* TOTALS
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7		
		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3			
		0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1			
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
		1	1	1	1	2	2	2	3	3	3	4	0	1	1	2	2	2	2	3	4	4	4	5			
		3	5	8	9	2	7	8	0	1	8	4	2	0	4	0	1	4	6	9	4	3	5	0			

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Epididymis	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Penis																												1
Preputial Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Hemangioma																												1
Hemangiosarcoma																												1
Prostate	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Seminal Vesicle	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Testes	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50

HEMATOPOIETIC SYSTEM

Bone Marrow	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Lymph Node									+	+											+	+						10
Lymph Node, Mandibular	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Mast Cell Tumor Malignant, Metastatic, Skin	X																											1
Lymph Node, Mesenteric	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Spleen	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Hemangiosarcoma																												1

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

B6C3F1 MICE MALE 0 MG/KG	DAY ON TEST																						* TOTALS	
	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0		
ANIMAL ID	0 0 0 1 3	0 0 0 1 5	0 0 0 1 8	0 0 0 1 9	0 0 0 2 2	0 0 0 2 7	0 0 0 2 8	0 0 0 3 0	0 0 0 3 1	0 0 0 3 8	0 0 0 3 4	0 0 0 4 2	0 0 0 0 0	0 0 0 1 4	0 0 0 1 0	0 0 0 2 4	0 0 0 2 6	0 0 0 2 9	0 0 0 3 4	0 0 0 4 3	0 0 0 4 5	0 0 0 4 7	0 0 0 4 8	0 0 0 5 0
Thymus Mast Cell Tumor Malignant, Metastatic, Skin	+	M	+	+	+	+	+	+	+	+	M	+	+	+	+	+	+	+	+	+	+	+	48 1	
INTEGUMENTARY SYSTEM																								
Mammary Gland	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	
Skin	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Control, Mast Cell Tumor Malignant	X																						1	
Site Of Application, Subcutaneous Tissue, Hemangiosarcoma																							1	
Subcutaneous Tissue, Fibrous Histiocytoma																							1	
MUSCULOSKELETAL SYSTEM																								
Bone	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
NERVOUS SYSTEM																								
Brain	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
RESPIRATORY SYSTEM																								
Lung	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Alveolar/Bronchiolar Adenoma					X	X					X	X					X	X					10	
Alveolar/Bronchiolar Adenoma, Multiple												X											2	
Alveolar/Bronchiolar Carcinoma				X															X	X			4	
Hepatocellular Carcinoma, Metastatic, Liver	X					X			X													X	8	
Nose	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Trachea	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

B6C3F1 MICE MALE	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	
0 MG/KG	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	* TOTALS
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		3	5	8	9	2	7	8	0	1	8	4	2	0	4	0	1	2	2	2	3	4	3	5	

SPECIAL SENSES SYSTEM

Eye	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Harderian Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Adenoma			X										X				X							6
Carcinoma																								2

URINARY SYSTEM

Kidney	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Urinary Bladder	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50

SYSTEMIC LESIONS

Multiple Organ	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Histiocytic Sarcoma																								1
Lymphoma Malignant																X								2

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 99032 - 04
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
CAS Number: 87-66-1

Date Report Requested: 10/04/2011
Time Report Requested: 13:47:35
First Dose M/F: 09/21/04 / 09/20/04
Lab: BAT

DAY ON TEST	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0																							
	3 4 4 5 5 5 6 6 6 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7																							
ANIMAL ID	3 3 9 0 4 9 1 6 6 7 7 8 1 2 2 2 3 3 3 3 3 3 3 3																							
	2 7 4 2 3 3 0 4 5 0 3 6 5 4 9 9 0 0 0 0 0 0 0 0																							
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0																								
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0																								
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0																								
7 5 5 9 9 7 8 6 8 9 9 8 9 8 8 9 5 5 5 6 6 6 6 6																								
8 3 8 9 2 9 2 1 4 3 8 0 6 9 3 5 4 7 9 0 2 6 7 8 9																								
males (cont...)																								

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Gallbladder	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Large, Cecum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Large, Colon	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Ileum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Jejunum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Hemangiosarcoma													X		X								
Hepatoblastoma																							
Hepatocellular Adenoma				X		X		X		X	X	X						X	X			X	X
Hepatocellular Adenoma, Multiple							X						X		X	X				X		X	
Hepatocellular Carcinoma							X			X			X	X	X			X			X		X
Hepatocellular Carcinoma, Multiple								X								X							
Mast Cell Tumor Malignant, Metastatic, Bone Marrow																							
Mesentery										+	+									+			
Mast Cell Tumor Malignant, Metastatic, Bone Marrow																							
Sarcoma, Metastatic, Skin																							

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

B6C3F1 MICE MALE 5 MG/KG	DAY ON TEST	ANIMAL ID																								males (cont...)	
		0332	0347	0344	0350	0355	0355	0366	0366	0366	0366	0366	0377	0377	0377	0377	0377	0377	0377	0377	0377	0377	0377	0377	0377		
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		7	5	5	9	9	7	8	6	8	9	9	8	9	8	8	9	5	5	5	6	6	6	6	6		
		8	3	8	9	2	9	2	1	4	3	8	0	6	9	3	5	4	7	9	0	2	6	7	8	9	

Hemangiosarcoma

X

HEMATOPOIETIC SYSTEM

Bone Marrow	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Hemangiosarcoma														X										
Hemangiosarcoma, Metastatic, Spleen																								
Mast Cell Tumor Malignant																								
Lymph Node	+	+								+	+	+	+									+		
Axillary, Hemangiosarcoma																								
Lumbar, Sarcoma, Metastatic, Skin																								
Lymph Node, Mandibular	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Lymph Node, Mesenteric	+	+	+	+	+	+	+	+	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+
Plasma Cell Tumor Malignant																								
Sarcoma, Metastatic, Skin																								
Spleen	+	+	+	+	+	+	+	+	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+
Hemangiosarcoma																								
Mast Cell Tumor Malignant, Metastatic, Bone Marrow																								
Thymus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Mast Cell Tumor Malignant, Metastatic, Bone Marrow																								

INTEGUMENTARY SYSTEM

Mammary Gland	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M
Skin	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

B6C3F1 MICE MALE	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3	4	4	5	5	5	6	6	6	6	6	7	7	7	7	7	7	7	7	7	7	7	7	7	
5 MG/KG	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	males (cont...)
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		

SPECIAL SENSES SYSTEM

Eye	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Harderian Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Adenoma														X									
Carcinoma																						X	

URINARY SYSTEM

Kidney	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Mast Cell Tumor Malignant, Metastatic, Bone Marrow																							
Urethra																							
Urinary Bladder	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

SYSTEMIC LESIONS

Multiple Organ Lymphoma Malignant	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
-----------------------------------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

B6C3F1 MICE MALE 5 MG/KG	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	* TOTALS
	ANIMAL ID	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	
		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		7	7	7	7	8	8	8	8	9	9	0	5	5	5	5	6	6	6	7	7	7	8	9	9	
		0	2	5	6	5	6	7	8	4	7	0	1	2	5	6	3	4	5	1	3	4	7	1	0	

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Gallbladder	+	+	+	M	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49
Intestine Large, Cecum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Intestine Large, Colon	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Intestine Small, Ileum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Intestine Small, Jejunum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Hemangiosarcoma											X							X						X	5	
Hepatoblastoma											X															1
Hepatocellular Adenoma			X				X							X		X			X	X			X			17
Hepatocellular Adenoma, Multiple	X			X		X			X		X	X						X		X		X	X	X	X	19
Hepatocellular Carcinoma					X				X									X	X				X		X	15
Hepatocellular Carcinoma, Multiple													X													3
Mast Cell Tumor Malignant, Metastatic, Bone Marrow																								X		1
Mesentery								+											+					+		6
Mast Cell Tumor Malignant, Metastatic, Bone Marrow																								X		1
Sarcoma, Metastatic, Skin																			X							1

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

B6C3F1 MICE MALE 5 MG/KG	DAY ON TEST	ANIMAL ID																				* TOTALS	
		0730	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730		0730
Pancreas		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Mast Cell Tumor Malignant, Metastatic, Bone Marrow																						X	1
Plasma Cell Tumor Malignant, Metastatic, Lymph Node, Mesenteric																						X	1
Salivary Glands		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Stomach, Forestomach		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Squamous Cell Papilloma															X								1
Stomach, Glandular		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Mast Cell Tumor Malignant, Metastatic, Bone Marrow																						X	1
Tooth		+	+	+	+		+	+	+					+	+	+	+					+	30
Odontoma								X															3
CARDIOVASCULAR SYSTEM																							
Blood Vessel		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Heart		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Hemangiosarcoma																					X		1
ENDOCRINE SYSTEM																							
Adrenal Cortex		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Sarcoma, Metastatic, Skin																			X				1
Subcapsular, Adenoma											X			X	X					X			7
Subcapsular, Adenoma, Multiple			X																				1
Adrenal Medulla		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

B6C3F1 MICE MALE 5 MG/KG	DAY ON TEST																					* TOTALS			
	0730	0733	0730	0733	0733	0733	0730	0733	0733	0730	0733	0733	0733	0733	0733	0733	0733	0733	0733	0733	0733		0733		
	ANIMAL ID	0007	0007	0007	0007	0008	0008	0008	0008	0009	0009	0005	0005	0005	0005	0006	0006	0006	0007	0007	0007		0008	0009	0009
Islets, Pancreatic Carcinoma	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50 1	
Parathyroid Gland	+	+	+	+	+	+	+	+	+	+	M	+	+	+	+	+	+	M	+	+	+	+	+	44	
Pituitary Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Thyroid Gland C-cell, Carcinoma	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50 1	
GENERAL BODY SYSTEM																									
Peritoneum																								1	
GENITAL SYSTEM																									
Coagulating Gland Sarcoma, Metastatic, Skin														+									+	X	2 1
Epididymis Sarcoma, Metastatic, Skin	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50 1
Preputial Gland Squamous Cell Carcinoma	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50 1
Prostate Sarcoma, Metastatic, Skin	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50 1
Seminal Vesicle Sarcoma, Metastatic, Skin	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50 1
Testes Hemangioma	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50 1

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

B6C3F1 MICE MALE 5 MG/KG	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	* TOTALS
	ANIMAL ID	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	
		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		7	7	7	7	8	8	8	8	9	9	0	5	5	5	5	6	6	6	7	7	7	8	9	9	
		0	2	5	6	5	6	7	8	4	7	0	1	2	5	6	3	4	5	1	3	4	7	1	0	

Hemangiosarcoma

1

HEMATOPOIETIC SYSTEM

Bone Marrow	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Hemangiosarcoma																				X					2
Hemangiosarcoma, Metastatic, Spleen														X											1
Mast Cell Tumor Malignant																							X		1
Lymph Node									+										+	+	+			+	12
Axillary, Hemangiosarcoma																			X						1
Lumbar, Sarcoma, Metastatic, Skin																			X						1
Lymph Node, Mandibular	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Lymph Node, Mesenteric	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49
Plasma Cell Tumor Malignant																							X		1
Sarcoma, Metastatic, Skin																				X					1
Spleen	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49
Hemangiosarcoma														X						X					2
Mast Cell Tumor Malignant, Metastatic, Bone Marrow																							X		1
Thymus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Mast Cell Tumor Malignant, Metastatic, Bone Marrow																							X		1

INTEGUMENTARY SYSTEM

Mammary Gland	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0
Skin	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

B6C3F1 MICE MALE	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	* TOTALS
		7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	
5 MG/KG	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		7	7	7	7	8	8	8	8	9	9	0	5	5	5	5	6	6	6	7	7	7	8	9		
		0	2	5	6	5	6	7	8	4	7	0	1	2	5	6	3	4	5	1	3	4	7	1		

SPECIAL SENSES SYSTEM

Eye	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Harderian Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Adenoma				X												X									3
Carcinoma								X																	2

URINARY SYSTEM

Kidney	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Mast Cell Tumor Malignant, Metastatic, Bone Marrow																							X		1
Urethra																									1
Urinary Bladder	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50

SYSTEMIC LESIONS

Multiple Organ Lymphoma Malignant	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
								X														X			3

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

B6C3F1 MICE MALE 20 MG/KG	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	ANIMAL ID	males (cont...)
		4	5	5	5	5	5	5	5	6	6	6	6	6	6	7	7	7	7	7	7	7	7	7	7	7		
		7	3	4	4	6	6	8	9	3	4	8	8	9	2	2	2	3	3	3	3	3	3	3	3	0		
		0	1	8	9	4	7	8	5	6	8	1	6	1	7	2	5	9	0	0	0	0	0	0	0	0		
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
		3	1	2	2	5	2	1	2	3	0	3	3	4	4	0	2	1	0	0	1	1	2	3	3	1		
		1	8	1	4	0	0	4	3	4	1	0	9	7	9	8	7	0	3	7	1	9	9	2	6	1		

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Gallbladder	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Large, Cecum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Large, Colon	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Ileum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Jejunum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Hemangioma																								
Hemangiosarcoma																						X		
Hepatoblastoma											X											X		
Hepatoblastoma, Multiple																								X
Hepatocellular Adenoma			X	X	X	X						X	X	X		X							X	X
Hepatocellular Adenoma, Multiple									X		X				X		X	X			X	X		
Hepatocellular Carcinoma				X					X	X		X	X									X	X	
Hepatocellular Carcinoma, Multiple											X					X					X			
Mesentery					+		+	+							+									+
Pancreas	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

B6C3F1 MICE MALE 20 MG/KG	DAY ON TEST		ANIMAL ID																				males (cont...)			
	0470	0531	0554	0556	0557	0558	0559	0665	0666	0667	0668	0669	0670	0671	0672	0673	0674	0675	0676	0677	0678	0679		0680		
Salivary Glands	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Stomach, Forestomach	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Stomach, Glandular	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Tooth Odontoma					+	+		+					+	+			+		+	+			+			
CARDIOVASCULAR SYSTEM																										
Blood Vessel	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Heart	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
ENDOCRINE SYSTEM																										
Adrenal Cortex Subcapsular, Adenoma	+	+	+	+	+	+	+		+	+	+	+	+	+	+	+	+		+	+	+		+	+		
Adrenal Medulla	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Islets, Pancreatic	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Parathyroid Gland	+	+	+	+	+	M	M	+	+	+	+	+	+	+	+	+	+	M	+	+	+	+	+	+		
Pituitary Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Thyroid Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
GENERAL BODY SYSTEM																										
Peritoneum																								+		

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

B6C3F1 MICE MALE	DAY ON TEST																								ANIMAL ID	males (cont...)
	0 4 7 0	0 5 3 1	0 5 4 8	0 5 4 9	0 5 6 4	0 5 6 7	0 5 8 8	0 5 9 5	0 6 3 6	0 6 4 8	0 6 8 1	0 6 8 6	0 6 9 1	0 6 9 7	0 7 2 2	0 7 2 5	0 7 2 9	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0		
20 MG/KG	0 0 1 3 1	0 0 1 1 8	0 0 1 2 1	0 0 1 2 4	0 0 1 5 0	0 0 1 2 0	0 0 1 1 4	0 0 0 2 3	0 0 1 3 4	0 0 1 0 1	0 0 1 3 0	0 0 1 3 9	0 0 1 3 7	0 0 1 4 9	0 0 1 0 8	0 0 1 2 7	0 0 1 1 0	0 0 1 0 3	0 0 1 0 7	0 0 1 1 1	0 0 1 1 9	0 0 1 2 2	0 0 1 3 6	0 0 1 3 1	0 0 1 3 6	

GENITAL SYSTEM

Coagulating Gland Carcinoma																												
Epididymis	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Preputial Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Prostate	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Seminal Vesicle	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Testes Interstitial Cell, Adenoma	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

HEMATOPOIETIC SYSTEM

Bone Marrow	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Lymph Node Bronchial, Alveolar/Bronchiolar Carcinoma, Metastatic, Lung	+					+					+															+			
Lymph Node, Mandibular	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Lymph Node, Mesenteric	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Spleen	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Thymus	+	+	+	+	+	+	+	+	+	+	M	+	+	+	+	+	+	+	+	+	+	+	+	+	M	+	M	M	+

INTEGUMENTARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

B6C3F1 MICE MALE 20 MG/KG	DAY ON TEST																								ANIMAL ID	males (cont...)	
	0 4 7 0	0 5 3 1	0 5 4 8	0 5 4 9	0 5 6 4	0 5 6 7	0 5 8 8	0 5 9 5	0 6 3 6	0 6 4 8	0 6 8 1	0 6 8 6	0 6 9 1	0 7 2 7	0 7 2 5	0 7 2 9	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0			
Mammary Gland	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M		
Skin	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Fibrous Histiocytoma																											
Subcutaneous Tissue, Schwannoma Malignant																							X				
MUSCULOSKELETAL SYSTEM																											
Bone	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Skeletal Muscle																											
NERVOUS SYSTEM																											
Brain	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Peripheral Nerve																											
Spinal Cord																											
RESPIRATORY SYSTEM																											
Lung	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Alveolar/Bronchiolar Adenoma																							X				
Alveolar/Bronchiolar Carcinoma										X	X					X											
Hepatocellular Carcinoma, Metastatic, Liver			X				X			X	X		X			X											
Nose	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Trachea	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
SPECIAL SENSES SYSTEM																											

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

B6C3F1 MICE MALE 20 MG/KG	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	ANIMAL ID	males (cont...)
	4	5	5	5	5	5	5	5	6	6	6	6	6	6	7	7	7	7	7	7	7	7	7	7	7		
	7	3	4	4	6	6	8	9	3	4	8	8	9	2	2	2	3	3	3	3	3	3	3	3	3		
	0	1	8	9	4	7	8	5	6	8	1	6	1	7	2	5	9	0	0	0	0	0	0	0	0		
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
	3	1	2	2	5	2	1	2	3	0	3	3	4	4	0	2	1	0	0	1	1	2	3	3	4		
	1	8	1	4	0	0	4	3	4	1	0	9	7	9	8	7	0	3	7	1	9	9	2	6	1		

Eye	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Harderian Gland Adenoma	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Harderian Gland Carcinoma										X								X	X				X		

URINARY SYSTEM

Kidney	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Kidney Renal Tubule, Adenoma											X														
Urethra											+														
Urinary Bladder	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

SYSTEMIC LESIONS

Multiple Organ	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Multiple Organ Histiocytic Sarcoma																									
Multiple Organ Lymphoma Malignant							X																		

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

B6C3F1 MICE MALE	DAY ON TEST																								* TOTALS
	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730	0730	
20 MG/KG	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145
	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145	00145
	56824	56824	56824	56824	56824	56824	56824	56824	56824	56824	56824	56824	56824	56824	56824	56824	56824	56824	56824	56824	56824	56824	56824	56824	56824

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Gallbladder	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Intestine Large, Cecum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Intestine Large, Colon	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Intestine Small, Ileum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Intestine Small, Jejunum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Hemangioma																									1
Hemangiosarcoma				X															X						2
Hepatoblastoma															X										3
Hepatoblastoma, Multiple																									1
Hepatocellular Adenoma			X											X					X		X	X	X		16
Hepatocellular Adenoma, Multiple				X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X					22
Hepatocellular Carcinoma				X		X			X		X	X	X	X				X			X				17
Hepatocellular Carcinoma, Multiple																									3
Mesentery					+					+													+		8
Pancreas	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

B6C3F1 MICE MALE 20 MG/KG	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	* TOTALS
		7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	
	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
		4	4	4	0	0	0	0	0	1	1	1	1	1	2	2	2	2	3	3	3	3	4	4		
		5	6	8	2	4	5	6	9	2	3	5	6	7	2	5	6	8	3	5	7	8	0	2		
Salivary Glands		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Stomach, Forestomach		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Stomach, Glandular		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Tooth Odontoma		+	+			+	+				+	+		+			+	+	+	+	+	+		+	24	
																									3	
CARDIOVASCULAR SYSTEM																										
Blood Vessel		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Heart		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
ENDOCRINE SYSTEM																										
Adrenal Cortex Subcapsular, Adenoma		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
		X								X												X			6	
Adrenal Medulla		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Islets, Pancreatic		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Parathyroid Gland		+	+	+	+	+	M	+	+	+	+	+	+	+	+	M	M	M	+	+	+	+	M	+	42	
Pituitary Gland		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Thyroid Gland		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
GENERAL BODY SYSTEM																										
Peritoneum																									1	

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

B6C3F1 MICE MALE	DAY ON TEST	0																				* TOTALS		
		7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7		7	
20 MG/KG	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		4	4	4	0	0	0	0	0	1	1	1	1	1	2	2	2	2	3	3	3	3	4	
		5	6	8	2	4	5	6	9	2	3	5	6	7	2	5	6	8	3	5	7	8	0	

Mammary Gland	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0
Skin	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Fibrous Histiocytoma								X																	1	
Subcutaneous Tissue, Schwannoma Malignant																									1	

MUSCULOSKELETAL SYSTEM

Bone	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Skeletal Muscle																										1

NERVOUS SYSTEM

Brain	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Peripheral Nerve																										1
Spinal Cord																										1

RESPIRATORY SYSTEM

Lung	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Alveolar/Bronchiolar Adenoma			X				X		X									X		X						8
Alveolar/Bronchiolar Carcinoma													X					X								5
Hepatocellular Carcinoma, Metastatic, Liver							X					X	X													10
Nose	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Trachea	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50

SPECIAL SENSES SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

B6C3F1 MICE MALE	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	* TOTALS	
		7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7		
20 MG/KG	ANIMAL ID	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3		
		0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
		4	4	4	0	0	0	0	0	1	1	1	1	1	2	2	2	2	3	3	3	3	4	4	4		
		5	6	8	2	4	5	6	9	2	3	5	6	7	2	5	6	8	3	5	7	8	0	2	3	4	
Eye		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Harderian Gland		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Adenoma								X	X	X				X												7	
Carcinoma																										1	
URINARY SYSTEM																											
Kidney		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Renal Tubule, Adenoma																										1	
Urethra																										1	
Urinary Bladder		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
SYSTEMIC LESIONS																											
Multiple Organ		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Histiocytic Sarcoma																										2	
Lymphoma Malignant													X													3	

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

B6C3F1 MICE MALE	DAY ON TEST	0 1	0 4	0 4	0 4	0 4	0 5	0 5	0 5	0 5	0 6	0 6	0 6	0 6	0 6	0 6	0 6	0 6	0 6	0 7	0 7	0 7	0 7	0 7	males (cont...)
		1	4	7	9	9	0	6	8	0	0	2	3	5	6	8	8	9	2	2	2	2	3	3	
75 MG/KG	ANIMAL ID	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	
		9	9	8	5	7	5	7	7	7	9	7	9	6	9	5	8	0	8	6	8	8	9	5	5
		7	1	2	5	5	8	6	9	0	6	7	0	8	3	9	0	5	0	4	6	5	1	3	7

Pharyngeal, Squamous Cell Carcinoma

Pancreas

Salivary Glands

Stomach, Forestomach

Stomach, Glandular

Tooth
 Odontoma

CARDIOVASCULAR SYSTEM

Blood Vessel

Heart

ENDOCRINE SYSTEM

Adrenal Cortex
 Subcapsular, Adenoma
 Subcapsular, Adenoma, Multiple

Adrenal Medulla
 Pheochromocytoma Benign

Islets, Pancreatic

Parathyroid Gland

Pituitary Gland

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
DAY ON TEST		1	4	4	4	4	5	5	5	5	6	6	6	6	6	6	6	6	7	7	7	7	7	7	
		1	4	7	9	9	0	0	6	8	0	0	2	3	5	6	8	8	9	2	2	2	3	3	
		9	6	0	2	3	5	5	9	9	0	5	8	3	3	7	1	9	9	2	9	9	0	0	
ANIMAL ID		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	
		9	9	8	5	7	5	7	7	9	7	9	6	9	5	8	0	8	6	8	8	9	5	5	
		7	1	2	5	5	8	6	9	0	6	7	0	8	3	9	0	5	0	4	6	5	3	7	males (cont...)

Thyroid Gland

+ + + + + + + + + + + + + + + + + + + + + + + +

GENERAL BODY SYSTEM

Peritoneum

+

GENITAL SYSTEM

Epididymis

+ + + + + + + + + + + + + + + + + + + + + + + +

Preputial Gland

+ + + + + + + + + + + + + + + + + + + + + + + +

Prostate

+ + + + + + + + + + + + + + + + + + + + + + + +

Seminal Vesicle

+ + + + + + + + + + + + + + + + + + + + + + + +

Testes

+ + + + + + + + + + + + + + + + + + + + + + + +

Interstitial Cell, Adenoma

X

HEMATOPOIETIC SYSTEM

Bone Marrow

+ + + + + + + + + + + + + + + + + + + + + + + +

Hemangiosarcoma, Metastatic, Spleen

X

Lymph Node

+ + + + + + + + + + + + + + +

Lymph Node, Mandibular

+ + + + + + + + + + + + + + + + + + + + + + + +

Lymph Node, Mesenteric

+ + + + + + + + + + + + + + + M + + + + + + + +

Spleen

+ + + + + + + + + + + + + + + + + + + + + + + +

Hemangiosarcoma

X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
CAS Number: 87-66-1

Date Report Requested: 10/04/2011
Time Report Requested: 13:47:35
First Dose M/F: 09/21/04 / 09/20/04
Lab: BAT

| | | | |
|--------------------------------------------|-------------|-------------------------------------------------|-----------------|
| B6C3F1 MICE MALE
75 MG/KG | DAY ON TEST | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | |
| | ANIMAL ID | 1 4 4 4 4 5 5 5 5 6 6 6 6 6 6 6 6 6 7 7 7 7 7 | |
| | | 1 4 7 9 9 0 0 6 8 0 0 2 3 5 6 8 8 9 2 2 2 2 3 | |
| | | 9 6 0 2 3 5 5 9 9 0 5 8 3 3 7 1 9 9 2 9 9 9 0 0 | |
| | | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | |
| | | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | |
| | | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 2 1 1 1 1 1 1 | |
| | | 9 9 8 5 7 5 7 7 7 9 7 9 6 9 5 8 0 8 6 8 8 9 5 | |
| | | 7 1 2 5 5 8 6 9 0 6 7 0 8 3 9 0 0 5 0 4 6 5 1 | |
| | | 7 7 3 3 0 7 7 0 0 8 3 9 0 0 5 0 4 6 5 1 3 7 | |
| | | | males (cont...) |

Thymus + + + + + + M + + + + + + + + + + + + + + + +

INTEGUMENTARY SYSTEM

Mammary Gland M M M M M M M M M M M M M M M M M M M M M M M M M M

Skin + + + + + + + + + + + + + + + + + + + + + + + + + + + +

Site Of Application, Squamous Cell Papilloma X

Site Of Application, Subcutaneous Tissue, Lipoma

MUSCULOSKELETAL SYSTEM

Bone + + + + + + + + + + + + + + + + + + + + + + + + + +

Skeletal Muscle +

NERVOUS SYSTEM

Brain + + + + + + + + + + + + + + + + + + + + + + + + + +

RESPIRATORY SYSTEM

Lung + + + + + + + + + + + + + + + + + + + + + + + + + +

Alveolar/Bronchiolar Adenoma X X X

Alveolar/Bronchiolar Carcinoma X X X

Hepatocellular Carcinoma, Metastatic, Liver X X X

Nose + + + + + + + + + + + + + + + + + + + + + + + + + +

Trachea + + + + + + + + + + + + + + + + + + + + + + + + + +

SPECIAL SENSES SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE MALE
75 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ANIMAL ID | males
(cont...) |
|------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|--------------------|
| | | 1 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | | 1 | 4 | 7 | 9 | 9 | 0 | 0 | 6 | 8 | 0 | 0 | 2 | 3 | 5 | 6 | 8 | 8 | 9 | 2 | 2 | 2 | 3 | 3 | 0 | |
| | | 9 | 6 | 0 | 2 | 3 | 5 | 5 | 9 | 9 | 0 | 5 | 8 | 3 | 3 | 7 | 1 | 9 | 9 | 2 | 9 | 9 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 0 | |
| | | 9 | 9 | 8 | 5 | 7 | 5 | 7 | 7 | 9 | 7 | 9 | 6 | 9 | 5 | 8 | 0 | 8 | 6 | 8 | 8 | 9 | 5 | 5 | 0 | |
| | | 7 | 1 | 2 | 5 | 5 | 8 | 6 | 9 | 0 | 6 | 7 | 0 | 8 | 3 | 9 | 0 | 5 | 0 | 4 | 6 | 5 | 1 | 3 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Adenoma | | | | | | | | | | | | X | | | | | X | | | | X | | | |
| Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | X |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Urethra | | | | | | | | | | | | | | | | | | | | | | | | + |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | X | | | | | | | | | | | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/04/2011

Time Report Requested: 13:47:35

First Dose M/F: 09/21/04 / 09/20/04

Lab: BAT

| B6C3F1 MICE MALE | 75 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | |
|------------------|----------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------------|
| | | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | | 0730 | |
| | | 0062 | 0063 | 0064 | 0066 | 0069 | 0072 | 0073 | 0077 | 0079 | 0088 | 0088 | 0089 | 0092 | 0092 | 0094 | 0096 | 0097 | 0098 | 0101 | 0103 | 0104 | 0108 | |
| | | 0001 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | |
| | | 1162 | 1163 | 1164 | 1166 | 1169 | 1172 | 1173 | 1177 | 1179 | 1188 | 1188 | 1189 | 1192 | 1192 | 1194 | 1196 | 1197 | 1198 | 1201 | 1203 | 1204 | 1208 | |
| | | 2346 | 2336 | 2436 | 2666 | 2969 | 2272 | 2373 | 2777 | 2979 | 2888 | 2888 | 2989 | 2292 | 2492 | 2694 | 2796 | 2797 | 2798 | 2801 | 2803 | 2804 | 2808 | * TOTALS |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | M | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma | | | | | | | | | X | | | | | | | | | | | | | | | | 1 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | X | | | | | | | | | | | | | | | | | | | | | 2 |
| Hemangiosarcoma, Metastatic, Spleen | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatoblastoma | | | | | | | | | X | | | | X | | X | | | | | | | | | | 3 |
| Hepatocellular Adenoma | | X | X | X | | X | | | | | | X | | X | | | | X | X | | | | | | 12 |
| Hepatocellular Adenoma, Multiple | X | | | | | X | X | X | X | X | | X | | | | | X | X | X | | X | | X | X | 22 |
| Hepatocellular Carcinoma | | X | | | X | X | | X | X | | | | | | | | | X | | X | | | | X | 15 |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | X | | X | | X | | | | | | | | 6 |
| Mesentery | | | | | | | | | + | | | + | | + | + | + | | | | | | | | | 10 |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | X | | | | | | | | | 1 |
| Oral Mucosa | | | | | | | | | | | | | | | | | | | | | | | | + | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE MALE
75 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|-------------------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|------|
| | 0730 | 0733 | 0730 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | | 0733 |
| ANIMAL ID | 00162 | 00163 | 00164 | 00166 | 00169 | 00172 | 00173 | 00177 | 00179 | 00182 | 00189 | 00192 | 00199 | 00202 | 00204 | 00206 | 00207 | 00209 | 00211 | 00213 | 00214 | 00218 | 00221 | 00224 | 00228 | 00231 | |
| Pharyngeal, Squamous Cell Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | X | | 1 | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Tooth Odontoma | | | + | + | | + | + | + | | + | + | | + | + | | + | + | | + | + | | + | + | | + | 22 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Subcapsular, Adenoma | | | | | | | | | | | | | | | | | X | | | | | | X | | | 2 | |
| Subcapsular, Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | X | | 1 | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | 47 | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE MALE
75 MG/KG | DAY ON TEST | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | * TOTALS |
|-------------------------------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------|
| | ANIMAL ID | 0
0
1
6
2 | 0
0
1
6
3 | 0
0
1
6
4 | 0
0
1
6
6 | 0
0
1
6
9 | 0
0
1
7
2 | 0
0
1
8
3 | 0
0
1
8
7 | 0
0
1
8
9 | 0
0
1
9
2 | 0
0
1
9
9 | 0
0
1
5
4 | 0
0
1
5
6 | 0
0
1
6
1 | 0
0
1
6
5 | 0
0
1
7
7 | 0
0
1
7
1 | 0
0
1
7
3 | 0
0
1
7
4 | 0
0
1
7
8 | 0
0
1
8
1 | 0
0
1
8
8 | |
| Thyroid Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Peritoneum | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Epididymis | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Preputial Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Prostate | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Seminal Vesicle | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Testes | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Interstitial Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| HEMATOPOIETIC SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone Marrow | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma, Metastatic, Spleen | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node | | | | | | | | + | + | | | | | | | + | + | | | | | | | 16 |
| Lymph Node, Mandibular | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymph Node, Mesenteric | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Spleen | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|---|----------|
| | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | | |
| 75 MG/KG | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 6 | 6 | 6 | 6 | 6 | 7 | 8 | 8 | 8 | 9 | 9 | 5 | 5 | 5 | 6 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | 9 | 9 | |
| 2 | 3 | 4 | 6 | 9 | 2 | 3 | 7 | 9 | 2 | 9 | 2 | 4 | 6 | 1 | 5 | 7 | 1 | 3 | 4 | 8 | 1 | 8 | 4 | 8 | |

Thymus + + + + + + + + + + + + + + + M + + + + + + + + + 48

INTEGUMENTARY SYSTEM

Mammary Gland M M M M M M M M M M M M M M M M M M M M + M M M M M 1

Skin + + + + + + + + + + + + + + + + + + + + + + + + + 50

Site Of Application, Squamous Cell Papilloma X 2

Site Of Application, Subcutaneous Tissue, Lipoma X 1

MUSCULOSKELETAL SYSTEM

Bone + + + + + + + + + + + + + + + + + + + + + + + + + 50

Skeletal Muscle + 2

NERVOUS SYSTEM

Brain + + + + + + + + + + + + + + + + + + + + + + + + + 50

RESPIRATORY SYSTEM

Lung + + + + + + + + + + + + + + + + + + + + + + + + + 50

Alveolar/Bronchiolar Adenoma X 6

Alveolar/Bronchiolar Carcinoma X X X X X X 8

Hepatocellular Carcinoma, Metastatic, Liver X 5

Nose + + + + + + + + + + + + + + + + + + + + + + + + + 50

Trachea + + + + + + + + + + + + + + + + + + + + + + + + + 50

SPECIAL SENSES SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE MALE
75 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
|------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----------------|
| | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| | | 6 | 6 | 6 | 6 | 6 | 7 | 8 | 8 | 8 | 9 | 9 | 5 | 5 | 5 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 8 | 8 | 9 | 9 | |
| | | 2 | 3 | 4 | 6 | 9 | 2 | 3 | 7 | 9 | 2 | 9 | 2 | 4 | 6 | 1 | 5 | 7 | 1 | 3 | 4 | 8 | 1 | 8 | 4 | 8 | * TOTALS |
| Eye | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Harderian Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Adenoma | | | | | | | | | | | | X | | | | | | | | | X | | | | | 6 | |
| Adenoma, Multiple | | | | | | | X | | | | | | | | | | | | | | | | | | | 1 | |
| Carcinoma | | | | | | | | | | | | X | | | | | | | | | | | | | | 1 | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Urethra | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Urinary Bladder | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Histiocytic Sarcoma | | | X | | | | | X | | | | | | | | | | | | | | | | | | 2 | |
| Lymphoma Malignant | | | | | | | | | | X | | | | | | | | | | | | | | | | 3 | |

*** END OF MALE DATA ***

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
CAS Number: 87-66-1

Date Report Requested: 10/04/2011
Time Report Requested: 13:47:35
First Dose M/F: 09/21/04 / 09/20/04
Lab: BAT

| B6C3F1 MICE FEMALE
0 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|-------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ANIMAL ID | 1 | 3 | 4 | 4 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 3 | 6 | 1 | 8 | 0 | 5 | 5 | 0 | 1 | 4 | 6 | 9 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 4 | 5 | 5 | 8 | 8 | 0 | 7 | 8 | 6 | 7 | 3 | 6 | 5 | 4 | 5 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 2 | 0 | 4 | 4 | 4 | 3 | 0 | 1 | 4 | 4 | 2 | 0 | 1 | 4 | 3 | 0 | 2 | 0 | 0 | 1 | 1 | 1 | 1 | 2 |
| | | 4 | 8 | 3 | 9 | 4 | 5 | 9 | 8 | 6 | 2 | 9 | 1 | 9 | 7 | 2 | 7 | 5 | 3 | 4 | 1 | 3 | 4 | 7 | 0 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 0 |

females
(cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | X | | | | | | | | | | | | | | | | | |
| Hepatoblastoma | | | | | | | | | | | | | | | | | | X | | | | | | |
| Hepatocellular Adenoma | | | | | | | | X | | | X | | | | | | | | X | | | | | |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | X | | X | | | | | | X | X | | X | X | | X |
| Hepatocellular Carcinoma | | | | | | | X | X | | | X | | | | X | X | | X | | | | X | | X |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | X | | | | | | | | | | | | | | | |
| Mesentery | | | | | | | + | + | | + | | + | | + | + | + | + | + | + | + | | | | + |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
0 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ANIMAL ID | females
(cont...) |
|-------------------------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------------------|
| | | 1 | 3 | 4 | 4 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | | 3 | 6 | 1 | 8 | 0 | 5 | 5 | 5 | 0 | 1 | 4 | 6 | 9 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | |
| | | 4 | 5 | 5 | 8 | 8 | 0 | 7 | 8 | 6 | 7 | 3 | 6 | 5 | 4 | 5 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | |
| | | 2 | 0 | 4 | 4 | 4 | 3 | 0 | 1 | 4 | 4 | 2 | 0 | 1 | 4 | 3 | 0 | 2 | 0 | 0 | 1 | 1 | 1 | 1 | 0 | |
| | | 4 | 8 | 3 | 9 | 4 | 5 | 9 | 8 | 6 | 2 | 9 | 1 | 9 | 7 | 2 | 7 | 5 | 3 | 4 | 1 | 3 | 4 | 7 | 0 | |
| Stomach, Forestomach
Squamous Cell Papilloma | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 0 | | |
| | | | | | X | | | | | | | | | | | | | | | | | | | 0 | | |
| Stomach, Glandular | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 0 | | |
| Tooth | | | | | | | | | | | | | | | | | | | | + | | | | 0 | | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 0 | | |
| Heart | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 0 | | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex
Adenoma | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 0 | | |
| | | | | | | | | X | | | | | | | | | | | | | | | | 0 | | |
| Adrenal Medulla
Pheochromocytoma Benign | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 0 | | |
| | | | | | | | | | | | | | | | | | | | | | X | | | 0 | | |
| Islets, Pancreatic
Adenoma | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 0 | | |
| Parathyroid Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | 0 | | |
| Pituitary Gland
Pars Distalis, Adenoma | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 0 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | 0 | X | |
| Thyroid Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 0 | | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|--------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|--|----------------------|
| | 0
1
3
4 | 0
3
6
5 | 0
4
1
5 | 0
4
8
8 | 0
5
0
8 | 0
5
5
7 | 0
5
5
8 | 0
5
5
8 | 0
6
0
6 | 0
6
1
7 | 0
6
4
3 | 0
6
6
6 | 0
6
9
5 | 0
7
1
4 | 0
7
1
5 | 0
7
1
8 | 0
7
2
8 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | | |
| 0 MG/KG | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | 2 | 0 | 4 | 4 | 4 | 3 | 0 | 1 | 4 | 4 | 2 | 0 | 1 | 4 | 3 | 0 | 2 | 0 | 0 | 1 | 1 | 1 | 1 | | |
| | 4 | 8 | 3 | 9 | 4 | 5 | 9 | 8 | 6 | 2 | 9 | 1 | 9 | 7 | 2 | 7 | 5 | 3 | 4 | 1 | 3 | 4 | 7 | | |

Peritoneum

Tissue NOS
 Mediastinum, Hemangiosarcoma

+
 X

GENITAL SYSTEM

Clitoral Gland

+ + + + + + + + + M + + + + + + + + + + + + + + + +

Ovary

+ + + + + + + + + + + + + + + + + + + + + + + + + +

Cystadenoma
 Granulosa Cell Tumor Benign
 Hemangioma
 Hemangiosarcoma

X

Oviduct

+

Uterus

+ + + + + + + + + + + + + + + + + + + + + + + + + +

Carcinoma
 Polyp Stromal

X

HEMATOPOIETIC SYSTEM

Bone Marrow

+ + + + + + + + + + + + + + + + + + + + + + + + + +

Hemangiosarcoma

X

X

X

Lymph Node

+ + + + + + + + + + + + + + + + + + + + + + + + + +

Lymph Node, Mandibular

+ + + + + + + + + + + + + + + + + + + + + + + + + +

Lymph Node, Mesenteric

+ + + + + + + + + + + + + + + + + + + + + + + + + +

Spleen

+ + + + + + + + + + + + + + + + + + + + + + + + + +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
0 MG/KG | DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | females
(cont...) | |
|----------------------------------------|-------------|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|------|
| | | 0134 | 0345 | 0448 | 0550 | 0555 | 0558 | 0660 | 0666 | 0667 | 0668 | 0669 | 0771 | 0777 | 0778 | 0779 | 0882 | 0889 | 0992 | 0993 | 0994 | | 0995 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | X | |
| Thymus | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Skin | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Subcutaneous Tissue, Fibrosarcoma | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | X | |
| Subcutaneous Tissue, Schwannoma Benign | | | | | | | | | | | | | | | | | | | | | | | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemangiosarcoma | | | | | X | | | | | | | | | | | | | | | | X | X | |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | + | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Brain | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Peripheral Nerve | | + | | | | | | | | | | | | | | | | | | | | + | |
| Spinal Cord | | + | | | | | | | | | | | | | | | | | | | | + | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | X | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
0 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | |
|---------------------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|---|-----------|----------------------|--|
| | 0
1
3
4 | 0
3
6
5 | 0
4
1
5 | 0
4
8
8 | 0
5
0
8 | 0
5
5
7 | 0
5
5
8 | 0
6
0
6 | 0
6
1
7 | 0
6
4
3 | 0
6
6
6 | 0
6
9
5 | 0
7
1
4 | 0
7
1
5 | 0
7
1
8 | 0
7
2
8 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | | | | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Adenoma | | | | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | X | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | X | | | | | | | | | X | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Lymphoma Malignant | | X | | | | | | | | X | | X | | X | | | X | X | X | X | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
0 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
|-------------------------------------------------|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|----------|
| | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| Stomach, Forestomach
Squamous Cell Papilloma | 2
9 | 2
9 | 2
9 | 2
9 | 2
9 | 2
9 | 2
9 | 2
9 | 2
9 | 2
9 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 50
1 | |
| Stomach, Glandular | 2
2 | 2
2 | 2
2 | 2
2 | 2
2 | 2
2 | 2
2 | 2
2 | 2
2 | 2
2 | 2
2 | 2
2 | 2
2 | 2
2 | 2
2 | 2
2 | 2
2 | 2
2 | 2
2 | 2
2 | 2
2 | 2
2 | 2
2 | 50 | |
| Tooth | 2
3 | 2
7 | 2
8 | 2
1 | 2
3 | 2
6 | 2
9 | 2
0 | 2
0 | 2
0 | 2
2 | 2
5 | 2
6 | 2
0 | 2
2 | 2
5 | 2
6 | 2
2 | 2
6 | 2
0 | 2
4 | 2
7 | 2
8 | 3 | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex
Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 | |
| Adrenal Medulla
Pheochromocytoma Benign | + | + | + | + | + | + | + | + | + | X | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
2 | |
| Islets, Pancreatic
Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | X | + | + | + | + | + | + | + | + | + | 50
1 | |
| Parathyroid Gland | + | M | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | M | + | + | + | + | + | 45 | |
| Pituitary Gland
Pars Distalis, Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | X | X | + | + | + | + | + | + | + | + | 50
4 | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
0 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|--------------------------------------------|-------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|--------|
| | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | | 0729 |
| ANIMAL ID | 0022233 | 0022233 | 0022233 | 0022233 | 0022233 | 0022233 | 0022233 | 0022233 | 0022233 | 0022233 | 0022233 | 0022233 | 0022233 | 0022233 | 0022233 | 0022233 | 0022233 | 0022233 | 0022233 | 0022233 | 0022233 | 0022233 | |
| Peritoneum | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Tissue NOS
Mediastinum, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | 1
1 |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cystadenoma | | | | | | | | | X | | | | | X | | | | | | | | | 2 |
| Granulosa Cell Tumor Benign | | | | X | | | | | | | | | | | | | | | | | | | 1 |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | X | | | | | | | 1 |
| Oviduct | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Polyp Stromal | | | | | | | | | | | | | | | X | | X | X | | | | | 3 |
| HEMATOPOIETIC SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Lymph Node | | | + | + | + | + | | | | + | | | | | | | | | | | + | + | 19 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
0 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---------------------------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|--|--|
| | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | | | |
| ANIMAL ID | 0023 | 0007 | 0008 | 0001 | 0003 | 0006 | 0009 | 0000 | 0000 | 0002 | 0005 | 0006 | 0000 | 0002 | 0005 | 0006 | 0002 | 0006 | 0000 | 0004 | 0007 | 0008 | 0001 | 0005 | 0008 | | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | X | | | | 1 | | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | | X | | 2 | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | X | | | | | | | | | X | | | | | | | | | | 4 | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | X | | 1 | | |
| Carcinoma | | | | | | X | X | | | | | | | | | | | | | | | | | | 2 | | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Lymphoma Malignant | | | | | X | X | | | | | | | | | X | | | | X | X | | | | | 13 | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------------|---|---|---|---|---|---|---|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 3 | 4 | 4 | 4 | 6 | 8 | 8 | 9 | 0 | 1 | 3 | 4 | 5 | 6 | 6 | 8 | 9 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 8 | 2 | 4 | 9 | 1 | 2 | 9 | 0 | 2 | 1 | 4 | 4 | 4 | 0 | 6 | 7 | 1 | 6 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 5 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 6 | 9 | 5 | 8 | 5 | 5 | 5 | 8 | 5 | 6 | 6 | 6 | 7 | 6 | 9 | 6 | 8 | 8 | 5 | 6 | 5 | 5 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 0 | 6 | 7 | 3 | 8 | 1 | 3 | 5 | 5 | 5 | 7 | 1 | 7 | 4 | 8 | 9 | 8 | 6 | 6 | 6 | 2 | 4 | 0 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | X | | | X | | | | | | | | | | | | | | | | | | | | | | | X | |
| Hepatoblastoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepato cellular Adenoma | | | X | | | | | X | | | | X | | X | | | | | | | | | | | | | | | | | | | | | | X | X |
| Hepato cellular Adenoma, Multiple | | | | X | X | | | | X | X | | | | | | | | | | X | X | X | | | | | | | | | | | | | | X | |
| Hepato cellular Carcinoma | | | | | | | X | | | | | | X | | | | | | X | X | | | X | | | | | | | | | | | | | | |
| Hepato cellular Carcinoma, Multiple | | | | | | | | X | X | X | X | | X | X | | | | | | | | | | | | | | | | | | | | | | | X |
| Serosa, Sarcoma, Metastatic, Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Mesentery | + | | + | + | + | | + | + | | | | + | + | | + | + | | + | | + | | | + | | | | | | | | | | | | | | |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Sarcoma Stromal, Metastatic, Uterus | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
5 MG/KG | DAY ON TEST | 0
4 | 0
5 | 0
5 | 0
5 | 0
5 | 0
5 | 0
5 | 0
5 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | females
(cont...) |
|-------------------------------------------------|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------------------|
| | ANIMAL ID | 3 | 4 | 4 | 4 | 6 | 8 | 8 | 9 | 0 | 1 | 3 | 4 | 5 | 6 | 6 | 8 | 9 | 1 | 1 | 1 | 2 | 2 | |
| Salivary Glands | | 8 | 2 | 4 | 9 | 1 | 2 | 9 | 0 | 2 | 1 | 4 | 4 | 4 | 0 | 6 | 7 | 1 | 6 | 8 | 8 | 9 | 9 | |
| Stomach, Forestomach
Squamous Cell Papilloma | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Stomach, Glandular | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| CARDIOVASCULAR SYSTEM | | 6 | 9 | 5 | 8 | 5 | 5 | 5 | 8 | 5 | 6 | 6 | 6 | 7 | 6 | 9 | 6 | 8 | 8 | 5 | 6 | 5 | 5 | |
| Blood Vessel | | 0 | 6 | 7 | 3 | 8 | 1 | 3 | 5 | 5 | 5 | 7 | 1 | 7 | 4 | 8 | 9 | 8 | 6 | 6 | 2 | 4 | 0 | |
| Heart | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| ENDOCRINE SYSTEM | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Adrenal Cortex | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Adrenal Medulla
Pheochromocytoma Benign | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Islets, Pancreatic
Adenoma | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | + | + | + | + | |
| Parathyroid Gland | | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Pituitary Gland
Pars Distalis, Adenoma | | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | X | + | + | |
| Thyroid Gland
Follicular Cell, Adenoma | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| GENERAL BODY SYSTEM | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/04/2011

Time Report Requested: 13:47:35

First Dose M/F: 09/21/04 / 09/20/04

Lab: BAT

| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
|--------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| 5 MG/KG | ANIMAL ID | 3 | 4 | 4 | 4 | 6 | 8 | 8 | 9 | 0 | 1 | 3 | 4 | 5 | 6 | 6 | 8 | 9 | 1 | 1 | 1 | 2 | 2 | 2 | |
| | | 8 | 2 | 4 | 9 | 1 | 2 | 9 | 0 | 2 | 1 | 4 | 4 | 4 | 0 | 6 | 7 | 1 | 6 | 8 | 8 | 9 | 9 | 9 | 0 |

females (cont...)

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | X | | | | | | | X | | | | | | | | | | | | X |
| Luteoma | | | | | | | | | | | | | | | | | | | | | | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Polyp Stromal | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma Stromal | | | | | | | | | | | X | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node | | | | | + | | | | | | + | + | | | + | + | | | | + | | | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|----------------------|--|
| | 0
4
3
8 | 0
5
4
2 | 0
5
4
4 | 0
5
4
9 | 0
5
6
1 | 0
5
8
2 | 0
5
8
9 | 0
5
9
0 | 0
6
0
2 | 0
6
1
1 | 0
6
3
4 | 0
6
4
4 | 0
6
5
0 | 0
6
6
6 | 0
6
8
7 | 0
6
9
1 | 0
7
1
6 | 0
7
1
8 | 0
7
2
8 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | | |
| 5 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | females
(cont...) | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | | |
| | 6 | 9 | 5 | 8 | 5 | 5 | 5 | 8 | 5 | 6 | 6 | 6 | 7 | 6 | 9 | 6 | 8 | 8 | 5 | 6 | 5 | 5 | | | |
| | 0 | 6 | 7 | 3 | 8 | 1 | 3 | 5 | 5 | 5 | 7 | 1 | 7 | 4 | 8 | 9 | 8 | 6 | 6 | 2 | 4 | 0 | | | |

Carcinoma X

Skin +
 Site Of Application, Subcutaneous Tissue, Lipoma +
 Subcutaneous Tissue, Hemangiosarcoma X
 Subcutaneous Tissue, Sarcoma +

MUSCULOSKELETAL SYSTEM

Bone +
 Skeletal Muscle +
 Sarcoma Stromal, Metastatic, Uterus X

NERVOUS SYSTEM

Brain +

RESPIRATORY SYSTEM

Lung +
 Alveolar/Bronchiolar Adenoma +
 Alveolar/Bronchiolar Carcinoma X
 Alveolar/Bronchiolar Carcinoma, Multiple X
 Hepatocellular Carcinoma, Metastatic, Liver X
 Nose +
 Trachea +

SPECIAL SENSES SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
5 MG/KG | DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------------------------------------------------------|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | |
| | | 3 | 4 | 4 | 4 | 6 | 8 | 8 | 9 | 0 | 1 | 3 | 4 | 5 | 6 | 6 | 8 | 9 | 1 | 1 | 1 | 2 | 2 | 2 | | |
| | | 8 | 2 | 4 | 9 | 1 | 2 | 9 | 0 | 2 | 1 | 4 | 4 | 4 | 0 | 6 | 7 | 1 | 6 | 8 | 8 | 9 | 9 | 9 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | | 6 | 9 | 5 | 8 | 5 | 5 | 5 | 8 | 5 | 6 | 6 | 6 | 7 | 6 | 9 | 6 | 8 | 8 | 5 | 6 | 5 | 5 | 7 | | |
| | | 0 | 6 | 7 | 3 | 8 | 1 | 3 | 5 | 5 | 5 | 7 | 1 | 7 | 4 | 8 | 9 | 8 | 6 | 6 | 2 | 4 | 0 | 1 | | |
| Eye | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Harderian Gland
Adenoma
Carcinoma | | + | + | + | + | + | + | + | + | + | + | + | X | + | + | + | + | + | + | + | + | + | + | X | | |
| | | | | | | | | | | | | | X | | | | | | | | | X | | | | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Urinary Bladder
Sarcoma Stromal, Metastatic, Uterus | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| | | | | | | | | | | | X | | | | | | | | | | | | | | | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ
Histiocytic Sarcoma
Lymphoma Malignant | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| | | X | | | | | X | | | | | | X | X | X | | | | | X | X | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
5 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | | |
| | 0073 | 0074 | 0076 | 0078 | 0079 | 0080 | 0081 | 0084 | 0090 | 0092 | 0093 | 0094 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | |
| | 0073 | 0074 | 0076 | 0078 | 0079 | 0080 | 0081 | 0084 | 0090 | 0092 | 0093 | 0094 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | |
| | 0073 | 0074 | 0076 | 0078 | 0079 | 0080 | 0081 | 0084 | 0090 | 0092 | 0093 | 0094 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | X | | | | | | | | | | | | | | | | 4 | |
| Hepatoblastoma | | | | | | X | | | | | | | | | | | | | | | | | | 1 | |
| Hepatocellular Adenoma | | | | | | | | | | | | | X | X | | | | X | | X | X | | | 12 | |
| Hepatocellular Adenoma, Multiple | X | X | X | X | X | X | X | X | | X | X | X | | | X | X | X | | | | | X | | 23 | |
| Hepatocellular Carcinoma | | X | X | | X | X | | | | X | | | | X | X | X | | | X | | | | | 13 | |
| Hepatocellular Carcinoma, Multiple | | | | X | X | | | X | | | | | X | X | | | | | | | | | X | 13 | |
| Serosa, Sarcoma, Metastatic, Mesentery | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Mesentery | | + | | | | | + | + | + | + | | | + | + | | | | + | | | + | | + | 22 | |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Sarcoma Stromal, Metastatic, Uterus | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|------------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | | |
| 5 MG/KG | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0073 | 0074 | 0076 | 0078 | 0079 | 0080 | 0081 | 0084 | 0090 | 0092 | 0093 | 0094 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | 0099 | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Squamous Cell Papilloma | | X | | | | | | | | | | | | | | | | | | | X | | | | 3 | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | | | | | | | | X | 2 | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | X | 3 | |
| Parathyroid Gland | + | M | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Pars Distalis, Adenoma | X | X | | X | | | | | | | | | | | | | | | | | | | X | | 6 | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Follicular Cell, Adenoma | | | X | | | | | | | | | | | | | | | | | | | | X | | 2 | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/04/2011

Time Report Requested: 13:47:35

First Dose M/F: 09/21/04 / 09/20/04

Lab: BAT

| B6C3F1 MICE FEMALE
5 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS | |
|-------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|--|
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 5 | 6 | 6 | 6 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 0 | |
| | | 3 | 4 | 6 | 8 | 9 | 0 | 1 | 4 | 0 | 2 | 3 | 4 | 9 | 9 | 2 | 3 | 8 | 5 | 2 | 7 | 9 | 1 | 5 | 7 | 0 | | |

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | X | | | | | 1 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | X | | | | | | | | | | 4 |
| Luteoma | | | | | | | | | | | | | | | | X | | | | | | | | | | | 1 |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Polyp Stromal | | | | | | | | | | | X | X | | | | | | | | | | | | | | | 2 |
| Sarcoma Stromal | | X | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymph Node | | + | | + | | | | | + | | | | + | | | | | | | | | | | | + | | 13 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | X | | | | | | | | | | 1 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04

Test Type: CHRONIC

Route: SKIN APPLICATION

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/04/2011

Time Report Requested: 13:47:35

First Dose M/F: 09/21/04 / 09/20/04

Lab: BAT

| | | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--------------------------------------------------|-----------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| B6C3F1 MICE FEMALE | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| 5 MG/KG | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | |
| | | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 5 | 6 | 6 | 6 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 0 | 0 | | |
| | | 3 | 4 | 6 | 8 | 9 | 0 | 1 | 4 | 0 | 2 | 3 | 4 | 9 | 9 | 2 | 3 | 8 | 5 | 2 | 7 | 9 | 1 | 5 | 7 | 0 | 0 | | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Skin | | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Site Of Application, Subcutaneous Tissue, Lipoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Sarcoma | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Sarcoma Stromal, Metastatic, Uterus | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain | | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Alveolar/Bronchiolar Carcinoma | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | 6 |
| Alveolar/Bronchiolar Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | 7 |
| Nose | | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Trachea | | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
5 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
|-------------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----------|
| | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | |
| | | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 5 | 6 | 6 | 6 | 7 | 8 | 8 | 8 | 9 | 9 | 0 | |
| | | 3 | 4 | 6 | 8 | 9 | 0 | 1 | 4 | 0 | 2 | 3 | 4 | 9 | 9 | 2 | 3 | 8 | 5 | 2 | 7 | 9 | 1 | 5 | 7 | |
| Eye | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Harderian Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Adenoma | | | | | | | X | | | | | | | | | | | | | X | | | | | 4 | |
| Carcinoma | | | | | X | | | | | | | | | | | | X | | | | | | | | 4 | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Urinary Bladder | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Sarcoma Stromal, Metastatic, Uterus | | | | | | | | | | | | | | | | | | | | | | | | I | 1 | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Histiocytic Sarcoma | | | X | | X | | | | | X | | | | X | | | | | | | X | | | | 8 | |
| Lymphoma Malignant | | | X | | | | X | | | | | X | | | | | X | | | X | | X | X | | 14 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-----------------|------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|------------------------------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0
5
2
9 | 0
5
4
2 | 0
5
7
3 | 0
5
8
0 | 0
5
9
7 | 0
6
1
9 | 0
6
5
4 | 0
6
6
3 | 0
6
7
8 | 0
6
8
9 | 0
7
0
3 | 0
7
1
0 | 0
7
1
8 | 0
7
2
2 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | females
(cont...) |
| | 20 MG/KG | ANIMAL ID | 0
0
3
1
3 | 0
0
3
3
0 | 0
0
3
1
6 | 0
0
3
0
5 | 0
0
3
3
3 | 0
0
3
0
8 | 0
0
3
3
3 | 0
0
3
4
6 | 0
0
3
4
1 | 0
0
3
0
2 | 0
0
3
0
6 | 0
0
3
3
9 | 0
0
3
4
7 | 0
0
3
1
2 | 0
0
3
0
4 | 0
0
3
0
9 | 0
0
3
1
2 | 0
0
3
1
4 | 0
0
3
1
7 | 0
0
3
1
8 | 0
0
3
2
0 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | X | | | | | | | | | | | | | | |
| Hepatoblastoma | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | | | | X | | | | X | X | X | | | | | | X | | | | | | | X |
| Hepatocellular Adenoma, Multiple | | | | | | | | | X | | X | | | | X | X | | | X | X | X | X | |
| Hepatocellular Carcinoma | | X | | | | X | | | | | | | | | | | | X | X | | X | | |
| Hepatocellular Carcinoma, Multiple | | | | X | | | | X | | | | | | | | | | | X | | X | | |
| Osteosarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | X | | | | | | | | |
| Mesentery | + | | + | | + | | | + | + | + | | | + | | | | + | + | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
20 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | | | | |
|--------------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|----------------------|------|------|------|------|
| | 0529 | 0542 | 0553 | 0558 | 0566 | 0566 | 0566 | 0566 | 0566 | 0566 | 0577 | 0577 | 0577 | 0577 | 0577 | 0577 | 0577 | 0577 | 0577 | 0577 | | | 0577 | 0577 | 0577 | 0577 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | 1 | 3 | 1 | 0 | 3 | 3 | 0 | 3 | 4 | 4 | 0 | 3 | 4 | 1 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | | |
| | 3 | 0 | 6 | 5 | 3 | 8 | 3 | 6 | 1 | 2 | 6 | 9 | 7 | 9 | 2 | 4 | 9 | 0 | 1 | 2 | 4 | 7 | 8 | 0 | | |

| | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Tooth | | | | | | | | | | | | | | | | | | + | | | | + | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adrenal Medulla
Pheochromocytoma Benign | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | + | + | + | + | + | + | + | + |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland | M | + | + | + | M | + | + | + | + | + | M | M | + | + | M | + | M | + | + | + | M | + | + |
| Pituitary Gland
Pars Distalis, Adenoma | + | + | + | + | X | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

GENERAL BODY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| NONE | | | | | | | | | | | | | | | | | | | | | | | |
|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| B6C3F1 MICE FEMALE
20 MG/KG | DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | females
(cont...) | | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|------|---|---|
| | | 0529 | 0542 | 0573 | 0580 | 0591 | 0604 | 0613 | 0626 | 0635 | 0648 | 0657 | 0666 | 0675 | 0684 | 0693 | 0702 | 0711 | 0720 | 0729 | 0738 | | 0747 | | |
| Mammary Gland | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Skin
Sarcoma
Subcutaneous Tissue, Fibrosarcoma | | 2 | 4 | 7 | 8 | 9 | 1 | 5 | 6 | 7 | 8 | 0 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 9 | 2 | 3 | 0 | 7 | 9 | 4 | 3 | 8 | 9 | 3 | 0 | 8 | 2 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 1 | 3 | 1 | 0 | 3 | 3 | 0 | 3 | 4 | 4 | 0 | 3 | 4 | 1 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | | 3 | 0 | 6 | 5 | 3 | 8 | 3 | 6 | 1 | 2 | 6 | 9 | 7 | 9 | 2 | 4 | 9 | 0 | 1 | 2 | 4 | 7 | 8 | 0 |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone
Hemangiosarcoma
Osteosarcoma | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Skeletal Muscle | | + | | | | | | | | | + | | | | | | | | | | | | | | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung
Alveolar/Bronchiolar Adenoma
Alveolar/Bronchiolar Carcinoma
Hepatocellular Carcinoma, Metastatic, Liver
Osteosarcoma, Metastatic, Uncertain Primary Site | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Trachea | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | females
(cont...) | |
|---------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|----------------------|------------------|
| | 0
5
2
9 | 0
5
4
2 | 0
5
7
3 | 0
5
8
0 | 0
5
9
7 | 0
6
1
9 | 0
6
5
4 | 0
6
6
3 | 0
6
7
8 | 0
6
8
9 | 0
7
0
3 | 0
7
1
0 | 0
7
1
8 | 0
7
2
2 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | | 0
7
2
9 |
| | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 20 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 1 | 3 | 1 | 0 | 3 | 3 | 0 | 3 | 4 | 4 | 0 | 3 | 4 | 1 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | |
| | 3 | 0 | 6 | 5 | 3 | 8 | 3 | 6 | 1 | 2 | 6 | 9 | 7 | 9 | 2 | 4 | 9 | 0 | 1 | 2 | 4 | 7 | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | X | |
| Carcinoma | | | | | X | | X | | | | | | | | X | | | | | | | | |
| Lacrimal Gland | | | | | | | | | | + | | | | | | | | | | | | | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Renal Tubule, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Histiocytic Sarcoma | | | | X | | | | | | | | X | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | X | | X | | | X | | | | | X | | X | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE | DAY ON TEST | | ANIMAL ID | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | |
|--------------------------------------------|-------------|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|----|---------|--|--|
| | 0 | 7 | 0 | 7 | 0 | 7 | 0 | 7 | 0 | 7 | 0 | 7 | 0 | 7 | 0 | 7 | 0 | 7 | 0 | 7 | 0 | 7 | | 0 | 7 | | |
| 20 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | | |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 5 | 0 | 0 | 0 | 1 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 4 | 4 | 4 | | | |
| | 4 | 5 | 7 | 8 | 5 | 7 | 4 | 8 | 9 | 0 | 1 | 7 | 8 | 5 | 1 | 2 | 6 | 9 | 1 | 2 | 4 | 0 | 3 | 5 | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Tooth | | | + | | | + | | | | | | | | | | | | | | | | | | | 4 | | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Adrenal Medulla
Pheochromocytoma Benign | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | M | + | M | M | + | M | + | + | + | + | + | + | 39 | | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Pars Distalis, Adenoma | | | X | | | X | | | | | | X | X | | | | | X | | | | X | X | 10 | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE | DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|--------------------|-------------|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|
| | | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | | 0729 |
| 20 MG/KG | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 50 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 50 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 5 | 0 | 0 | 1 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 3 | |
| | | 4 | 5 | 7 | 8 | 5 | 7 | 4 | 8 | 9 | 0 | 1 | 7 | 8 | 5 | 1 | 2 | 6 | 9 | 1 | 2 | 4 | 0 | 3 | 5 | 6 | 3 |

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cystadenoma | | | | | | | | | | | | | | | | | | X | | | | | | | 1 |
| Hemangioma | | | | | | | | | | | | X | | | | | | | | | | | | | 1 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Polyp Stromal | | | X | | | | | | | | | | | X | | | | | | | | | | | 2 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | X | | | | | | | | | | | | | | | | | | 2 |
| Lymph Node | | | | | | + | | | | | | + | | | | | | | | | | + | + | + | 18 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Thymus | + | + | I | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | I | + | + | + | + | + | 48 |

INTEGUMENTARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|--------------------------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------|-----------------------|-----------------------|
| | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | | | |
| 20 MG/KG | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
| | 0
0
3
2
4 | 0
0
3
2
5 | 0
0
3
2
7 | 0
0
3
2
8 | 0
0
3
3
5 | 0
0
3
3
7 | 0
0
3
4
4 | 0
0
3
4
4 | 0
0
3
4
4 | 0
0
3
5
8 | 0
0
3
0
9 | 0
0
3
0
0 | 0
0
3
0
1 | 0
0
3
0
7 | 0
0
3
0
8 | 0
0
3
1
5 | 0
0
3
2
1 | 0
0
3
2
2 | 0
0
3
2
6 | 0
0
3
3
9 | 0
0
3
3
1 | 0
0
3
3
2 | 0
0
3
4
4 | | 0
0
3
4
3 | 0
0
3
4
5 |
| Mammary Gland | + | | | | | | | | | | | | | | | | | | | | | | | 50 | | |
| Skin | + | | | | | | | | | | | | | | | | | | | | | | | 50 | | |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Subcutaneous Tissue, Fibrosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | + | | | | | | | | | | | | | | | | | | | | | | | 50 | | |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | 3 | | |
| Osteosarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain | + | | | | | | | | | | | | | | | | | | | | | | | 50 | | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | 50 | | |
| Alveolar/Bronchiolar Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Alveolar/Bronchiolar Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | 4 | | |
| Hepatocellular Carcinoma, Metastatic, Liver | X | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Osteosarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | 50 | | |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | 50 | | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| B6C3F1 MICE FEMALE
20 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
|--------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Eye | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 50 |
| Harderian Gland | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 50 |
| Adenoma | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 |
| Carcinoma | | 2 | 2 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 5 | 0 | 0 | 1 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| Lacrimal Gland | | 4 | 5 | 7 | 8 | 5 | 7 | 4 | 8 | 9 | 0 | 1 | 7 | 8 | 5 | 1 | 2 | 6 | 9 | 1 | 2 | 4 | 0 | 3 | 5 | 6 | 6 | 1 | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Renal Tubule, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Urinary Bladder | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | | | X | | X | X | X | X | X | X | | | X | | | | | X | | | | | | | | | | | 12 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ANIMAL ID | 2 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 75 MG/KG | | 5 | 9 | 9 | 9 | 4 | 0 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 0 | 4 | 6 | 7 | 8 | 9 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 6 | 1 | 1 | 1 | 7 | 0 | 2 | 4 | 7 | 7 | 7 | 7 | 3 | 6 | 4 | 1 | 5 | 5 | 0 | 0 | 0 | 0 | 4 | 4 | 7 | 4 | 4 | 2 | 4 | 8 | 8 | 8 | 8 | 9 | 5 | 6 | 7 | 8 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 6 | 5 | 8 | 0 | 7 | 6 | 9 | 6 | 5 | 6 | 8 | 9 | 5 | 6 | 7 | 6 | 6 | 9 | 8 | 6 | 5 | 6 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | | 0 | 5 | 0 | 0 | 0 | 9 | 2 | 4 | 8 | 3 | 6 | 5 | 9 | 2 | 8 | 8 | 5 | 9 | 9 | 9 | 6 | 4 | 1 | 4 | 7 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |

females
(cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Intestine Large, Cecum
Leiomyoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Intestine Small, Ileum
Hemangiosarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Liver
Hemangiosarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Hepatocellular Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
75 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | |
|-------------------------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------|----------------------|--|
| | 0
2
5
6 | 0
2
9
1 | 0
2
9
1 | 0
2
9
1 | 0
3
4
7 | 0
4
0
0 | 0
4
7
2 | 0
4
7
4 | 0
4
8
7 | 0
4
8
7 | 0
4
8
7 | 0
4
8
7 | 0
4
9
3 | 0
5
0
6 | 0
5
4
1 | 0
5
6
5 | 0
5
7
0 | 0
6
8
0 | 0
6
9
0 | 0
6
0
4 | 0
6
0
4 | 0
6
1
7 | 0
6
2
4 | 0
6
3
4 | | | |
| Stomach, Forestomach
Squamous Cell Papilloma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Parathyroid Gland | M | + | + | + | M | + | + | M | + | + | + | M | M | + | + | M | M | + | + | + | + | + | M | M | + | | |
| Pituitary Gland
Pars Distalis, Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
75 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | | | | |
|--------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------------------|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | | | |
| | 2 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | 5 | 9 | 9 | 9 | 4 | 0 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 0 | 4 | 6 | 7 | 8 | 9 | 0 | 0 | 0 | 1 | 2 | 3 | |
| | 6 | 1 | 1 | 1 | 7 | 0 | 2 | 4 | 7 | 7 | 7 | 7 | 3 | 6 | 4 | 1 | 5 | 5 | 0 | 0 | 4 | 4 | 7 | 4 | 2 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 6 | 5 | 8 | 0 | 7 | 6 | 9 | 6 | 5 | 6 | 8 | 9 | 5 | 6 | 7 | 6 | 6 | 9 | 8 | 6 | 5 | 6 | 7 | 7 | 8 | |
| | 0 | 5 | 0 | 0 | 0 | 9 | 2 | 4 | 8 | 3 | 6 | 5 | 9 | 2 | 8 | 8 | 5 | 9 | 9 | 6 | 4 | 1 | 4 | 7 | 4 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Polyp Stromal | | | | | | | | X | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node
Mediastinal, Hemangiosarcoma, Metastatic,
Skin | + | + | | + | + | + | + | | | | | + | + | + | + | + | + | + | | + | | + | + | + | + |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Spleen
Hemangiosarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X |
| Skin
Squamous Cell Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X |
| Site Of Application, Carcinoma, Metastatic,
Uncertain Primary Site | | | | | | | | | X | | | | | | | | | | | | | | | | |
| Site Of Application, Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | females
(cont...) |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------------------------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 2 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | | |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 75 MG/KG | | 5 | 9 | 9 | 9 | 4 | 0 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 0 | 4 | 6 | 7 | 8 | 9 | 0 | 0 | 0 | 1 | 2 | 3 | | |
| | | 6 | 1 | 1 | 1 | 7 | 0 | 2 | 4 | 7 | 7 | 7 | 7 | 3 | 6 | 4 | 1 | 5 | 5 | 0 | 0 | 4 | 4 | 7 | 4 | 2 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | | 6 | 5 | 8 | 0 | 7 | 6 | 9 | 6 | 5 | 6 | 8 | 9 | 5 | 6 | 7 | 6 | 6 | 9 | 8 | 6 | 5 | 6 | 7 | 7 | 8 | | |
| | | 0 | 5 | 0 | 0 | 0 | 9 | 2 | 4 | 8 | 3 | 6 | 5 | 9 | 2 | 8 | 8 | 5 | 9 | 9 | 6 | 4 | 1 | 4 | 4 | 4 | | |

Site Of Application, Squamous Cell Carcinoma
 Subcutaneous Tissue, Hemangiosarcoma

X X

MUSCULOSKELETAL SYSTEM

Bone + + + + + + + + + + + + + + + + + + + + + + + + + +

NERVOUS SYSTEM

Brain + + + + + + + + + + + + + + + + + + + + + + + + + +

RESPIRATORY SYSTEM

Lung + + + + + + + + + + + + + + + + + + + + + + + + + +
 Alveolar/Bronchiolar Adenoma X
 Alveolar/Bronchiolar Carcinoma X
 Carcinoma, Metastatic, Harderian Gland
 Hepatocellular Carcinoma, Metastatic, Liver X
 Nose + + + + + + + + + + + + + + + + + + + + + + + + + +
 Olfactory Epithelium, Neuroblastoma X
 Trachea + + + + + + + + + + + + + + + + + + + + + + + + + +

SPECIAL SENSES SYSTEM

Eye + + + + + + + + + + + + + + + + + + + + + + + + + +
 Harderian Gland + + + + + + + + + + + + + + + + + + + + + + + + + +
 Adenoma X X
 Carcinoma X

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
75 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | females
(cont...) | |
|--------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|---|
| | ANIMAL ID | 2 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | | 6 |
| | | 5 | 9 | 9 | 9 | 4 | 0 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 0 | 4 | 6 | 7 | 8 | 9 | 0 | 0 | 0 | 1 | 2 | 3 | | |
| | | 6 | 1 | 1 | 1 | 7 | 0 | 2 | 4 | 7 | 7 | 7 | 7 | 3 | 6 | 4 | 1 | 5 | 5 | 0 | 0 | 4 | 4 | 7 | 4 | 2 | 2 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 6 | 5 | 8 | 0 | 7 | 6 | 9 | 6 | 5 | 6 | 8 | 9 | 5 | 6 | 7 | 6 | 9 | 8 | 6 | 5 | 6 | 7 | 7 | 7 | 8 | | |
| | | 0 | 5 | 0 | 0 | 0 | 9 | 2 | 4 | 8 | 3 | 6 | 5 | 9 | 2 | 8 | 8 | 5 | 9 | 9 | 6 | 4 | 1 | 4 | 7 | 4 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
75 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
|-----------------------------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|---|---|----------|
| | ANIMAL ID | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | | 4 | 4 | 4 | 4 | 6 | 6 | 7 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | | 3 | 5 | 6 | 6 | 3 | 9 | 4 | 2 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | | 7 | 8 | 5 | 9 | 6 | 5 | 7 | 5 | 5 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 5 | 7 | 7 | 8 | 9 | 9 | 9 | 9 | | |
| | | 9 | 7 | 6 | 4 | 7 | 3 | 2 | 7 | 1 | 3 | 5 | 1 | 2 | 5 | 8 | 0 | 6 | 8 | 2 | 1 | 6 | 3 | 1 | 3 | 7 | | |
| Stomach, Forestomach Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | 50 | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | | |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | 50 | | | | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | 50 | | | | |
| Heart | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | 50 | | | | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | 50 | | | | |
| Adrenal Medulla | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | 50 | | | | |
| Islets, Pancreatic | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | 50 | | | | |
| Parathyroid Gland | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | 38 | | | | |
| Pituitary Gland Pars Distalis, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | 50 | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | 2 | | | | |
| Thyroid Gland | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | 50 | | | | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Clitoral Gland | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | 49 | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
75 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|---|
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 4 | 4 | 4 | 4 | 6 | 6 | 7 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 3 | 5 | 6 | 6 | 3 | 9 | 4 | 2 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 7 | 8 | 5 | 9 | 6 | 5 | 7 | 5 | 5 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 5 | 7 | 7 | 8 | 9 | |
| | | 9 | 7 | 6 | 4 | 7 | 3 | 2 | 7 | 1 | 3 | 5 | 1 | 2 | 5 | 8 | 0 | 6 | 8 | 2 | 1 | 6 | 3 | |
| | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Polyp Stromal | | | | | | | | | | | | | | | | | | | | | | | | 1 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | 29 |
| Mediastinal, Hemangiosarcoma, Metastatic, Skin | | + | + | + | + | + | + | | | + | | + | | | | | | | | | + | | | 1 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | X | X | 2 |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Squamous Cell Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Site Of Application, Carcinoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Site Of Application, Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:35
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
75 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---------------------------------------------|----------------------------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|-----------|
| | 0643 | 0644 | 0645 | 0646 | 0663 | 0669 | 0672 | 0677 | 0678 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | | 0679 |
| ANIMAL ID | 0037 | 0038 | 0039 | 0040 | 0041 | 0042 | 0043 | 0044 | 0045 | 0046 | 0047 | 0048 | 0049 | 0050 | 0051 | 0052 | 0053 | 0054 | 0055 | 0056 | 0057 | |
| | Site Of Application, Squamous Cell Carcinoma | | | | | | | | | X | | | | | | | | | | | X | |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | | | | | | | | | | | | | X | | | | | 1 |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | |
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | |
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | X | | | | | | | | | | | | | 2 |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | X | | | | | X | 3 |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | X | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | X | | | | 2 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Olfactory Epithelium, Neuroblastoma | | | | | | | | | | | | | | | | | | | | | | 1 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | X | | | X | | | | X | | | | | | | | | 5 |
| Carcinoma | | | | | | | | | X | | | | | | | | | | | | | 2 |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

