

TDMS No. 20107 - 03
Test Type: CHRONIC
Route: GAVAGE
Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine
CAS Number: 99-97-8

Date Report Requested: 01/24/2011
Time Report Requested: 10:59:00
First Dose M/F: 10/20/04 / 10/21/04
Lab: BAT

F1_R2

C Number: C20107
Lock Date: 02/20/2008
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL
Study Gender: Both
TDMSE Version: 2.3.0
PWG Approval Date: NONE

Note: Animals arranged according to days on test.

TDMS No. 20107 - 03
Test Type: CHRONIC
Route: GAVAGE
Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

FISCHER 344 RATS MALE 0 MG/KG	DAY ON TEST																								males (cont...)
	0 3 3 7	0 6 0 9	0 6 1 0	0 6 1 0	0 6 1 2	0 6 4 5	0 6 6 4	0 6 6 5	0 6 8 0	0 6 8 0	0 6 8 8	0 6 9 9	0 7 1 0	0 7 2 7	0 7 2 7	0 7 2 7	0 7 2 7	0 7 2 7	0 7 2 7	0 7 2 7	0 7 2 7	0 7 2 7	0 7 2 7	0 7 2 7	
	0 0 0 2 6	0 0 0 2 5	0 0 0 1 3	0 0 0 2 0	0 0 0 4 2	0 0 0 0 9	0 0 0 4 9	0 0 0 4 4	0 0 0 0 6	0 0 0 4 7	0 0 0 1 2	0 0 0 3 8	0 0 0 1 8	0 0 0 0 2	0 0 0 0 7	0 0 0 0 8	0 0 0 1 0	0 0 0 1 0	0 0 0 1 1	0 0 0 1 1	0 0 0 1 1	0 0 0 2 5	0 0 0 2 6	0 0 0 2 7	0 0 0 2 7

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Large, Cecum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Large, Colon	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Ileum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Jejunum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Mesentery		+				+									+									
Pancreas	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Salivary Glands Sarcoma	+	+	+	+	+	+	+	+	+	+														
Stomach, Forestomach	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Stomach, Glandular	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Tooth									+															

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

FISCHER 344 RATS MALE 0 MG/KG	DAY ON TEST																								ANIMAL ID	males (cont...)		
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			0	
	3	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7	7	7	7	7	7	7	7	0		
	3	0	1	1	1	4	6	6	8	8	8	9	1	2	2	2	2	2	2	2	2	2	2	2	2	0		
	7	9	0	0	2	5	4	5	0	0	8	9	0	7	7	7	7	7	7	7	7	7	7	7	7	0		
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	2	2	1	2	4	0	4	4	0	4	1	3	1	0	0	0	1	1	1	1	1	1	1	1	2	0		
	6	5	3	0	2	9	9	4	6	7	2	8	8	2	7	8	0	1	5	6	7	9	1	3	9	0		
Blood Vessel	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Heart	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Carcinoma, Metastatic, Uncertain Primary Site																									X			
ENDOCRINE SYSTEM																												
Adrenal Cortex	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Adenoma																												
Adrenal Medulla	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Pheochromocytoma Benign																			X									
Pheochromocytoma Complex																						X			X			
Pheochromocytoma Malignant											X																	
Islets, Pancreatic	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Adenoma																												
Carcinoma																											X	
Parathyroid Gland	+	+	+	+	M	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Pituitary Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Pars Distalis, Adenoma			X	X		X				X			X		X		X				X		X					
Pars Distalis, Carcinoma																												
Thyroid Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Sarcoma, Metastatic, Salivary Glands											X																	
Bilateral, C-cell, Adenoma																												
C-cell, Adenoma						X				X		X										X	X					
Follicular Cell, Adenoma																												

GENERAL BODY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

FISCHER 344 RATS MALE	DAY ON TEST																								males (cont...)
	0 3 3 7	0 6 0 9	0 6 1 0	0 6 1 0	0 6 1 2	0 6 4 5	0 6 6 4	0 6 6 5	0 6 8 0	0 6 8 0	0 6 8 8	0 6 9 9	0 6 1 0	0 7 2 7	0 7 2 7	0 7 2 7	0 7 2 7	0 7 2 7	0 7 2 7	0 7 2 7	0 7 2 7	0 7 2 7	0 7 2 7		
0 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
ANIMAL ID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
2	2	1	2	4	0	4	4	0	4	1	3	1	0	0	0	1	1	1	1	1	1	2	2		
6	5	3	0	2	9	9	4	6	7	2	8	8	2	7	8	0	1	5	6	7	9	1	3		

NONE

GENITAL SYSTEM

Coagulating Gland

+

Epididymis

+ +

Preputial Gland

+ +

Prostate

+ +

Seminal Vesicle

+ +

Testes

+ +

Hemangioma

Bilateral, Interstitial Cell, Adenoma

X X

Interstitial Cell, Adenoma

X X

HEMATOPOIETIC SYSTEM

Bone Marrow

+ +

Lymph Node

+ + + + + + + +

Lymph Node, Mandibular

M M

Lymph Node, Mesenteric

+ +

Spleen

+ +

Thymus

+ +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| DAY ON TEST | FISCHER 344 RATS MALE | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) | |
|-------------|-----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|--------------------|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 |
| 3 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 | |
| 3 | 0 | 1 | 1 | 1 | 4 | 6 | 6 | 8 | 8 | 8 | 9 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | |
| 7 | 9 | 0 | 0 | 2 | 5 | 4 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 2 | 2 | 1 | 2 | 4 | 0 | 4 | 4 | 0 | 4 | 1 | 3 | 1 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 0 | |
| 6 | 5 | 3 | 0 | 2 | 9 | 9 | 4 | 6 | 7 | 2 | 8 | 8 | 2 | 7 | 8 | 0 | 1 | 5 | 6 | 7 | 9 | 1 | 3 | 9 | 9 | 0 | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Basal Cell Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fibroma | | | | | | | | | | | | | | | | | | | X | X | X | | | | |
| Fibroma, Multiple | | | | | | X | | | | | | | | | | | | | | | | | | | |
| Keratoacanthoma | | | | | | | | | | | | | X | | | | | | | | | | | | |
| Sebaceous Gland, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Osteosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma, Metastatic, Pituitary Gland | | | | | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pheochromocytoma Malignant, Metastatic, Adrenal Medulla | | | | | | | | | | | X | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SPECIAL SENSES SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine
 CAS Number: 99-97-8

Date Report Requested: 01/24/2011
 Time Report Requested: 10:59:00
 First Dose M/F: 10/20/04 / 10/21/04
 Lab: BAT

| DAY ON TEST | FISCHER 344 RATS MALE | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|-------------------------|-----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|--------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 3 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 | |
| 3 | 0 | 1 | 1 | 1 | 4 | 6 | 6 | 8 | 8 | 8 | 9 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | |
| 7 | 9 | 0 | 0 | 2 | 5 | 4 | 5 | 0 | 0 | 8 | 9 | 0 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 | | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 2 | 2 | 1 | 2 | 4 | 0 | 4 | 4 | 0 | 4 | 1 | 3 | 1 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 0 | |
| 6 | 5 | 3 | 0 | 2 | 9 | 9 | 4 | 6 | 7 | 2 | 8 | 8 | 2 | 7 | 8 | 0 | 1 | 5 | 6 | 7 | 9 | 1 | 3 | 9 | 0 | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Zymbal's Gland | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Renal Tubule, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Leukemia Mononuclear | X | X | | | X | X | | X | X | | X | X | X | | | | X | | | | | | | | | |
| Mesothelioma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | | |
| 0 MG/KG | 2
7 | 2
7 | 2
7 | 2
8 | 2
8 | 2
8 | 2
8 | 2
8 | 2
8 | 2
8 | 2
8 | 2
8 | 2
8 | 2
8 | 2
8 | 2
8 | 2
8 | 2
9 | 2
9 | 2
9 | 2
9 | 2
9 | 2
9 | 2
9 | |
| | 0
0
0
3
1 | 0
0
0
3
3 | 0
0
0
5
0 | 0
0
0
0
4 | 0
0
0
0
1 | 0
0
0
0
4 | 0
0
0
1
4 | 0
0
0
2
4 | 0
0
0
2
7 | 0
0
0
3
0 | 0
0
0
3
4 | 0
0
0
3
7 | 0
0
0
3
9 | 0
0
0
4
3 | 0
0
0
4
5 | 0
0
0
4
6 | 0
0
0
0
3 | 0
0
0
2
2 | 0
0
0
2
8 | 0
0
0
3
2 | 0
0
0
3
5 | 0
0
0
3
6 | 0
0
0
4
0 | 0
0
0
4
1 | 0
0
0
4
8 |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Mesentery | | | | | | | + | | | | | + | | + | | | | | | | | + | | 7 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | 1 |

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine
 CAS Number: 99-97-8

Date Report Requested: 01/24/2011
 Time Report Requested: 10:59:00
 First Dose M/F: 10/20/04 / 10/21/04
 Lab: BAT

| FISCHER 344 RATS MALE
0 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | |
|--|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-------------------------|
| | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | | 0
7 | | | | |
| ANIMAL ID | 0
0
0
3
1 | 0
0
0
3
3 | 0
0
0
5
0 | 0
0
0
0
1 | 0
0
0
0
4 | 0
0
0
0
5 | 0
0
0
1
4 | 0
0
0
2
4 | 0
0
0
2
4 | 0
0
0
2
7 | 0
0
0
3
0 | 0
0
0
3
4 | 0
0
0
3
7 | 0
0
0
3
9 | 0
0
0
4
3 | 0
0
0
4
5 | 0
0
0
4
6 | 0
0
0
0
3 | 0
0
0
2
2 | 0
0
0
2
8 | 0
0
0
3
2 | 0
0
0
3
5 | 0
0
0
3
6 | 0
0
0
4
0 | 0
0
0
4
1 | 0
0
0
4
8 | |
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Heart
Carcinoma, Metastatic, Uncertain Primary Site | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex
Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 |
| Adrenal Medulla
Pheochromocytoma Benign
Pheochromocytoma Complex
Pheochromocytoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
6
1
1 |
| Islets, Pancreatic
Adenoma
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
2
1 |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Pituitary Gland
Pars Distalis, Adenoma
Pars Distalis, Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
23
1 |
| Thyroid Gland
Sarcoma, Metastatic, Salivary Glands
Bilateral, C-cell, Adenoma
C-cell, Adenoma
Follicular Cell, Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1
1
10
1 |

GENERAL BODY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS MALE
0 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|----------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | |
| ANIMAL ID | 0
0
0
3
1 | 0
0
0
3
3 | 0
0
0
5
0 | 0
0
0
0
1 | 0
0
0
0
4 | 0
0
0
0
5 | 0
0
0
1
4 | 0
0
0
2
4 | 0
0
0
2
4 | 0
0
0
2
7 | 0
0
0
3
0 | 0
0
0
3
4 | 0
0
0
3
7 | 0
0
0
3
9 | 0
0
0
4
3 | 0
0
0
4
5 | 0
0
0
4
6 | 0
0
0
0
3 | 0
0
0
2
2 | 0
0
0
2
8 | 0
0
0
3
2 | 0
0
0
3
5 | 0
0
0
3
6 | 0
0
0
4
0 | 0
0
0
4
8 |

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| Coagulating Gland | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | X | 1 | | | | | |
| Bilateral, Interstitial Cell, Adenoma | X | X | X | X | X | | X | X | | X | X | X | | | | X | | X | | | | | | | X | 29 | |
| Interstitial Cell, Adenoma | | | | | | | | | X | | | | | X | X | | | X | X | X | X | X | | | | 11 | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | 4 | | |
| Lymph Node, Mandibular | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| DAY ON TEST | FISCHER 344 RATS MALE | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------|-----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 3 | 3 | 5 | 0 | 0 | 0 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 0 | 2 | 2 | 3 | 3 | 3 | 4 | 4 | 4 | |
| 1 | 3 | 0 | 1 | 4 | 5 | 4 | 4 | 7 | 0 | 4 | 7 | 9 | 3 | 5 | 6 | 3 | 2 | 8 | 2 | 5 | 6 | 0 | 1 | 8 | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Basal Cell Adenoma | | | | | | | | | | | | | | | | | | | X | | | | | | 1 |
| Fibroma | | | | | | | | | | | | | | X | | | | | | X | | | | | 5 |
| Fibroma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Keratoacanthoma | | | | | | | | | | | | | X | X | | | | | | | | | | | 3 |
| Sebaceous Gland, Adenoma | | | | | | | | | | | | | | | | | | | | X | | | | | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Osteosarcoma | | | | | | | | | | | | | | | | | | | | X | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma, Metastatic, Pituitary Gland | | | | | | | | | | | | | | X | | | | | | | | | | | 1 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pheochromocytoma Malignant, Metastatic, Adrenal Medulla | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

SPECIAL SENSES SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine
 CAS Number: 99-97-8

Date Report Requested: 01/24/2011
 Time Report Requested: 10:59:00
 First Dose M/F: 10/20/04 / 10/21/04
 Lab: BAT

| FISCHER 344 RATS MALE
0 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|----------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--|
| | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | | | |
| ANIMAL ID | 0
0
0
3
1 | 0
0
0
3
3 | 0
0
0
5
0 | 0
0
0
0
1 | 0
0
0
0
4 | 0
0
0
0
5 | 0
0
0
1
4 | 0
0
0
2
4 | 0
0
0
2
4 | 0
0
0
2
7 | 0
0
0
3
0 | 0
0
0
3
4 | 0
0
0
3
7 | 0
0
0
3
9 | 0
0
0
4
3 | 0
0
0
4
5 | 0
0
0
4
6 | 0
0
0
0
3 | 0
0
0
2
2 | 0
0
0
2
8 | 0
0
0
3
2 | 0
0
0
3
5 | 0
0
0
3
6 | 0
0
0
4
0 | 0
0
0
4
1 | 0
0
0
4
8 | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Zymbal's Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Renal Tubule, Adenoma | | | X | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Leukemia Mononuclear | | | | | | | | X | | | X | | | | | | | | X | | | | X | | | 14 | |
| Mesothelioma Malignant | | | | | | | | | | | | | X | | | | | | | | | | | | | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine
 CAS Number: 99-97-8

Date Report Requested: 01/24/2011
 Time Report Requested: 10:59:00
 First Dose M/F: 10/20/04 / 10/21/04
 Lab: BAT

| FISCHER 344 RATS MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|-----------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------|--------------------|
| | 0
0
6
2 | 0
3
2
4 | 0
5
1
2 | 0
5
3
0 | 0
5
8
8 | 0
6
0
1 | 0
6
2
4 | 0
6
7
4 | 0
6
9
5 | 0
6
9
5 | 0
7
1
3 | 0
7
2
1 | 0
7
2
1 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | | | |
| 6 MG/KG | 0
0
8
4 | 0
0
0
5 | 0
0
7
1 | 0
0
8
0 | 0
0
9
7 | 0
0
5
6 | 0
0
5
7 | 0
0
9
2 | 0
0
7
2 | 0
0
7
3 | 0
0
8
2 | 0
0
7
7 | 0
0
8
6 | 0
0
5
9 | 0
0
6
0 | 0
0
6
6 | 0
0
6
6 | 0
0
6
6 | 0
0
7
8 | 0
0
7
4 | 0
0
7
8 | 0
0
7
9 | 0
0
8
1 | 0
0
8
8 | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Mesentery | | | | | | | + | | + | | | | | | + | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Tongue
Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine
 CAS Number: 99-97-8

Date Report Requested: 01/24/2011
 Time Report Requested: 10:59:00
 First Dose M/F: 10/20/04 / 10/21/04
 Lab: BAT

| FISCHER 344 RATS MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|-----------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|--------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 6 MG/KG | 0 | 3 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 | |
| | 6 | 2 | 1 | 3 | 8 | 0 | 2 | 7 | 9 | 9 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | |
| | 2 | 4 | 2 | 0 | 8 | 1 | 4 | 4 | 5 | 5 | 3 | 1 | 1 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 8 | 8 | 7 | 8 | 9 | 5 | 5 | 9 | 7 | 7 | 8 | 7 | 8 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 8 | 0 | |
| | 4 | 5 | 1 | 0 | 7 | 6 | 7 | 2 | 2 | 3 | 2 | 7 | 6 | 9 | 0 | 2 | 6 | 7 | 8 | 9 | 4 | 8 | 9 | 1 | 8 | 0 | |

Tooth + +

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Osteosarcoma, Metastatic, Bone | | | | | | | | | | | X | | | | | | | | | | | | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pheochromocytoma Complex | | | | | | | | | | | X | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | | | X | | | | | X | | | X | X | | | | X | | | | | | |
| Parathyroid Gland | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pars Distalis, Adenoma | | | X | | X | X | | X | | X | X | | | | | X | X | | X | | X | X | X | X | X |
| Pars Distalis, Carcinoma | | | | | | X | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| C-cell, Adenoma | | | | | | | | | | | | | | | X | | | | X | | X | | | | |
| C-cell, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Follicular Cell, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | males
(cont...) |
|------------------------------|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|
| FISCHER 344 RATS MALE | | 0 | 3 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 6 MG/KG | 6 | 2 | 1 | 3 | 8 | 0 | 2 | 7 | 9 | 9 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | ANIMAL ID | 2 | 4 | 2 | 0 | 8 | 1 | 4 | 4 | 5 | 5 | 3 | 1 | 1 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 8 | 8 | 7 | 8 | 9 | 5 | 5 | 9 | 7 | 7 | 8 | 7 | 8 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 8 | |
| | | 4 | 5 | 1 | 0 | 7 | 6 | 7 | 2 | 2 | 3 | 2 | 7 | 6 | 9 | 0 | 2 | 6 | 7 | 8 | 9 | 4 | 8 | 9 | 1 | |

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Coagulating Gland | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Preputial Gland
Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Bilateral, Interstitial Cell, Adenoma | | | | | | | | | | X | X | | | | X | X | X | X | X | X | | | | | | | |
| Interstitial Cell, Adenoma | | | | | | | | | | | X | | X | | | | | | | X | | | | | X | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemangiosarcoma | | X | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | males
(cont...) | |
|--|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|--|
| DAY ON TEST | | 0 | 3 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| FISCHER 344 RATS MALE | | 6 | 2 | 1 | 3 | 8 | 0 | 2 | 7 | 9 | 9 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| 6 MG/KG | | 2 | 4 | 2 | 0 | 8 | 1 | 4 | 4 | 5 | 5 | 3 | 1 | 1 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 8 | 8 | 7 | 8 | 9 | 5 | 5 | 9 | 7 | 7 | 8 | 7 | 8 | 5 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | | |
| | | 4 | 5 | 1 | 0 | 7 | 6 | 7 | 2 | 2 | 3 | 2 | 7 | 6 | 9 | 0 | 2 | 6 | 7 | 8 | 9 | 4 | 8 | 9 | 1 | 8 | |
| Thymus | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Carcinoma | | | | | | | | | | | | | | | | | X | | | | | | | | | | |
| Skin | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Basal Cell Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fibroma | | | | | | | | | | | | | | | | | | | | | | | | | X | | |
| Fibroma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Keratoacanthoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lipoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma | | | | | | | | | | | X | | | | | | | | | | | | | | | | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Osteosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Carcinoma, Metastatic, Pituitary Gland | | | | | | | | | | | X | | | | | | | | | | | | | | | | |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Osteosarcoma, Metastatic, Bone | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine
 CAS Number: 99-97-8

Date Report Requested: 01/24/2011
 Time Report Requested: 10:59:00
 First Dose M/F: 10/20/04 / 10/21/04
 Lab: BAT

| FISCHER 344 RATS MALE
6 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|--|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------|--------------------|
| | 0
0
6
2 | 0
3
2
4 | 0
5
1
2 | 0
5
3
0 | 0
5
8
8 | 0
6
0
1 | 0
6
2
4 | 0
6
7
4 | 0
6
9
5 | 0
6
9
5 | 0
7
1
3 | 0
7
2
1 | 0
7
2
1 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | | |
| Osteosarcoma, Metastatic, Bone | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose
Transitional Epithelium, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Trachea | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Zymbal's Gland | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney
Oncocytoma Benign | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ
Leukemia Mononuclear
Mesothelioma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| FISCHER 344 RATS MALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| 6 MG/KG | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 8 | 9 | 9 | 5 | 5 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | 9 | 9 | 9 | 5 | 5 | 5 | 5 | 6 | 6 | 9 | |
| | | 9 | 6 | 9 | 3 | 4 | 1 | 3 | 0 | 5 | 6 | 3 | 7 | 0 | 1 | 3 | 5 | 0 | 1 | 2 | 5 | 8 | 4 | 8 |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum
Carcinoma | + | + | + | + | + | + | + | + | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Mesentery | | | | | | | | | | | | | | | | | | | + | | | + | | 5 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Tongue | | | | | | | | | | | | | | | | | | | | | | | + | 1 |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | X | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS MALE
6 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|----------------------------------|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | | | |
| ANIMAL ID | 0
0
0
8
9 | 0
0
0
9
6 | 0
0
0
9
9 | 0
0
0
5
3 | 0
0
0
5
4 | 0
0
0
6
1 | 0
0
0
6
3 | 0
0
0
7
0 | 0
0
0
7
5 | 0
0
0
7
6 | 0
0
0
7
3 | 0
0
0
8
7 | 0
0
0
8
8 | 0
0
0
8
9 | 0
0
0
9
0 | 0
0
0
9
1 | 0
0
0
9
3 | 0
0
0
9
5 | 0
0
0
0
0 | 0
0
0
1
5 | 0
0
0
5
5 | 0
0
0
5
5 | 0
0
0
6
8 | 0
0
0
6
4 | 0
0
0
9
5 | 0
0
0
9
4 | 0
0
0
9
8 |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | | |
| Heart | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | | |
| Osteosarcoma, Metastatic, Bone | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Adrenal Medulla | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | | |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Pheochromocytoma Complex | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Islets, Pancreatic | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 6 | | |
| Parathyroid Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 49 | | |
| Pituitary Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | | |
| Pars Distalis, Adenoma | X X X X X X X X X X X X | | | | | | | | | | | | | | | | | | | | | | | | 27 | | |
| Pars Distalis, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Thyroid Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 49 | | |
| C-cell, Adenoma | X X X X X X X X X X X X | | | | | | | | | | | | | | | | | | | | | | | | 7 | | |
| C-cell, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Follicular Cell, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | |

GENERAL BODY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine
 CAS Number: 99-97-8

Date Report Requested: 01/24/2011
 Time Report Requested: 10:59:00
 First Dose M/F: 10/20/04 / 10/21/04
 Lab: BAT

| FISCHER 344 RATS MALE
6 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|----------------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|
| | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | |
| ANIMAL ID | 008996 | 00009 | 00005 | 00005 | 00006 | 00006 | 00007 | 00007 | 00007 | 00008 | 00008 | 00008 | 00008 | 00009 | 00009 | 00009 | 00009 | 00009 | 00009 | 00009 | 00009 | 00009 | 00009 | 00009 | |
| | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | |

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| Coagulating Gland | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Preputial Gland Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | 50
1 |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Bilateral, Interstitial Cell, Adenoma | | X | | X | | X | | | | | | | X | X | X | X | X | X | | | X | X | | X | 23 |
| Interstitial Cell, Adenoma | | | X | | | X | X | X | X | X | X | | | | | | | | X | | | | X | | 13 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | + | 3 |
| Lymph Node, Mandibular | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS MALE
6 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
|---|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|---------|
| | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | | 0
7
2
8 | | |
| ANIMAL ID | 0
0
8
9 | 0
0
9
6 | 0
0
9
9 | 0
0
5
3 | 0
0
5
4 | 0
0
6
1 | 0
0
6
3 | 0
0
7
0 | 0
0
7
5 | 0
0
7
6 | 0
0
7
3 | 0
0
8
7 | 0
0
8
8 | 0
0
9
9 | 0
0
9
9 | 0
0
0
0 | 0
0
1
5 | 0
0
5
5 | 0
0
5
5 | 0
0
6
6 | 0
0
6
5 | 0
0
9
4 | 0
0
9
8 | |
| Thymus | + | + | + | + | + | + | + | + | + | M | + | + | + | + | M | + | + | + | + | + | + | + | + | 48 |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Basal Cell Carcinoma | | | | | | | | | | | | | | | X | | | | | | | | | 1 |
| Fibroma | | | | | | | | X | | | | | | | | | | X | | | | | | 3 |
| Fibroma, Multiple | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Keratoacanthoma | | | | | X | | | | | | | | X | | | | | X | | | | | | 3 |
| Lipoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone
Osteosarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain
Carcinoma, Metastatic, Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 |
| Spinal Cord
Osteosarcoma, Metastatic, Bone | | | | | | | | | | | | | | | | | | | | | | | | 1
1 |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung
Alveolar/Bronchiolar Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS MALE
6 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------|
| | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | |
| ANIMAL ID | 000896 | 000999 | 000556 | 000556 | 000666 | 000666 | 000777 | 000777 | 000777 | 000888 | 000888 | 000999 | 000999 | 000999 | 001000 | 001000 | 001000 | 001000 | 001000 | 001000 | 001000 | 001000 | 001000 | 001000 | |
| Osteosarcoma, Metastatic, Bone | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Nose
Transitional Epithelium, Adenoma | + | + | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| | | | | X | | | | | | | | | | | | | | | | | | | | 3 | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Zymbal's Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney
Oncocytoma Benign | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | X | | 50 | |
| | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ
Leukemia Mononuclear | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Mesothelioma Malignant | | | | | | | | | | | | | | X | | | | | | | X | | | 2 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--------------------|
| | 0
1
2
9 | 0
1
4
7 | 0
2
3
3 | 0
2
3
7 | 0
5
1
9 | 0
5
3
8 | 0
5
8
1 | 0
6
1
2 | 0
6
1
6 | 0
6
2
6 | 0
6
4
3 | 0
6
4
5 | 0
6
6
4 | 0
6
6
1 | 0
6
8
0 | 0
6
8
6 | 0
7
0
7 | 0
7
1
2 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | | |
| 20 MG/KG | 0
0
1
4
1 | 0
0
0
3
8 | 0
0
1
4
4 | 0
0
1
3
6 | 0
0
1
0
3 | 0
0
1
0
5 | 0
0
1
2
3 | 0
0
1
1
4 | 0
0
1
1
5 | 0
0
1
2
2 | 0
0
1
4
0 | 0
0
1
2
9 | 0
0
1
1
9 | 0
0
1
1
3 | 0
0
1
3
4 | 0
0
1
3
9 | 0
0
1
4
8 | 0
0
1
3
3 | 0
0
1
3
5 | 0
0
1
0
4 | 0
0
1
0
6 | 0
0
1
0
8 | 0
0
1
1
1 | 0
0
1
1
7 | 0
0
1
1
1 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatocellular Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS MALE
20 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) | | | | | |
|---------------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------|--------------------|------------------|------------------|------------------|------------------|------------------|
| | 0
1
2
9 | 0
1
4
7 | 0
2
3
3 | 0
2
3
7 | 0
5
1
9 | 0
5
3
8 | 0
5
8
1 | 0
6
1
2 | 0
6
1
6 | 0
6
2
6 | 0
6
4
3 | 0
6
4
5 | 0
6
6
4 | 0
6
6
1 | 0
6
8
0 | 0
6
8
6 | 0
6
8
8 | 0
7
1
2 | 0
7
2
7 | 0
7
2
7 | | | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 |
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pheochromocytoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | + | + | + | M | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pars Distalis, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Bilateral, C-cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| C-cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Follicular Cell, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tissue NOS | + | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Zymbal'S Gland | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|-----------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|--------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 20 MG/KG | 1 | 1 | 2 | 2 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 0 | |
| | 2 | 4 | 3 | 3 | 1 | 3 | 8 | 1 | 1 | 2 | 4 | 4 | 5 | 6 | 8 | 8 | 8 | 0 | 1 | 2 | 2 | 2 | 2 | 2 | 0 | |
| | 9 | 7 | 3 | 7 | 9 | 8 | 1 | 2 | 6 | 6 | 3 | 5 | 4 | 1 | 0 | 6 | 8 | 7 | 2 | 7 | 7 | 7 | 7 | 7 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 0 | |
| | 4 | 3 | 4 | 3 | 0 | 0 | 2 | 1 | 1 | 2 | 4 | 2 | 1 | 1 | 3 | 3 | 4 | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 8 | 4 | 6 | 3 | 5 | 3 | 4 | 5 | 2 | 0 | 9 | 9 | 3 | 4 | 9 | 8 | 3 | 5 | 4 | 6 | 8 | 1 | 7 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Coagulating Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Preputial Gland Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Prostate Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Testes | + | + | + | + | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Bilateral, Interstitial Cell, Adenoma | | | | | | X | | X | X | X | X | | X | X | X | | | | X | X | X | | X | X | |
| Interstitial Cell, Adenoma | | | | | | X | | | | | X | | | | X | X | X | | | | | X | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node | | | | | | | | | | | | | + | | | | | | | | | | | | |
| Lymph Node, Mandibular | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Thymus | + | + | + | + | + | + | + | M | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

INTEGUMENTARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS MALE
20 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|-----------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------------------|--------------------|
| | 0
1
2
9 | 0
1
4
7 | 0
2
3
3 | 0
2
3
7 | 0
5
1
9 | 0
5
3
8 | 0
5
8
1 | 0
6
1
2 | 0
6
1
6 | 0
6
2
6 | 0
6
4
3 | 0
6
4
5 | 0
6
5
4 | 0
6
6
1 | 0
6
8
0 | 0
6
8
6 | 0
6
8
8 | 0
7
0
7 | 0
7
1
2 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0
0
1
4
1 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Basal Cell Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Basal Cell Carcinoma | | | | | | | | | | | | | | | | | | | | | | | X | | |
| Fibroma | | | | | | | | | | X | | | | | | | | | | | | | | | |
| Keratoacanthoma | | | | | | | | | | | | | | | | | | | | | | X | | | |
| Keratoacanthoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lipoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Liposarcoma | | | | | | | | | | | | | | | | | | | | | | X | | | |
| Sarcoma | | | | | | | | | | | | X | | | | | | | | | | | | | |
| Sebaceous Gland, Adenoma | | | | | | | | | | | | | | | | | | | | | | X | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Chondroma | | | | | X | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Astrocytoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Granular Cell Tumor Malignant | | | | | | | | | | X | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Tissue Nos | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Pheochromocytoma Malignant, Metastatic, Adrenal Medulla | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS MALE
20 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) | |
|-----------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------|--------------------|---|
| | 0
1
2
9 | 0
1
4
7 | 0
2
3
3 | 0
2
3
7 | 0
5
1
9 | 0
5
3
8 | 0
5
8
1 | 0
6
2
6 | 0
6
1
6 | 0
6
2
6 | 0
6
4
3 | 0
6
4
5 | 0
6
4
4 | 0
6
5
6 | 0
6
6
1 | 0
6
8
0 | 0
6
8
8 | 0
6
8
7 | 0
7
1
2 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | | | |
| Transitional Epithelium, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Zymbal's Gland
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | + | + | + | + | + | + | + | + | + | + | + | | X |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Leukemia Mononuclear | | | | | | | | | | | X | | | | | | | | | | | | | | | | | |
| Mesothelioma Malignant | | | | | | | | | | | X | | | | | | X | | | | | | | X | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-----------------------|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--|----------|
| | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | | |
| 20 MG/KG | 2
7 | 2
7 | 2
7 | 2
7 | 2
7 | 2
7 | 2
7 | 2
7 | 2
7 | 2
7 | 2
7 | 2
7 | 2
7 | 2
7 | 2
7 | 2
7 | 2
7 | 2
7 | 2
7 | 2
7 | 2
7 | 2
7 | 2
7 | | |
| | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | | |
| | 1
2 | 1
2 | 1
3 | 1
3 | 1
4 | 1
4 | 1
4 | 1
4 | 1
5 | 1
0 | 1
0 | 1
0 | 1
0 | 1
0 | 1
1 | 1
1 | 1
1 | 1
2 | 1
2 | 1
3 | 1
4 | 1
4 | 1
2 | | |
| | 5
6 | 5
6 | 1
1 | 2
2 | 3
3 | 4
4 | 4
4 | 5
5 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 1
1 | 1
1 | 1
1 | 2
2 | 2
2 | 3
3 | 4
4 | 4
4 | 2
2 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatocellular Adenoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | + | 2 |

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS MALE
20 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------|
| | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | | |
| ANIMAL ID | 0
0
1
2
5 | 0
0
1
2
6 | 0
0
1
3
1 | 0
0
1
3
2 | 0
0
1
4
3 | 0
0
1
4
5 | 0
0
1
4
6 | 0
0
1
4
9 | 0
0
1
4
0 | 0
0
1
5
1 | 0
0
1
0
2 | 0
0
1
0
7 | 0
0
1
0
9 | 0
0
1
0
0 | 0
0
1
1
2 | 0
0
1
1
6 | 0
0
1
2
7 | 0
0
1
2
8 | 0
0
1
2
8 | 0
0
1
2
8 | 0
0
1
2
8 | 0
0
1
2
8 | 0
0
1
2
8 | 0
0
1
2
8 | |
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Pheochromocytoma Benign | | | | | | | X | | X | | | | | X | X | | | | X | | | | X | 8 | |
| Pheochromocytoma Malignant | | | | | | | | | | | | | | | | | | | | X | | | | 3 | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Adenoma | | | | | X | | | | | | | | | | | | | | | | | X | X | 4 | |
| Parathyroid Gland | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | M | 45 | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Pars Distalis, Adenoma | | | X | X | X | | | X | | X | X | | | X | X | | | X | | | | | X | 18 | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Bilateral, C-cell, Adenoma | | | | | | | | | | | X | | | | | | | | | | | | | 1 | |
| C-cell, Adenoma | | | | | | | | | | | | | | X | X | | | | X | X | | | | 7 | |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Follicular Cell, Carcinoma | | | | | | | | | | | | | | X | | | | | | | | | | 1 | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tissue NOS | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Carcinoma, Metastatic, Zymbal'S Gland | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS MALE
20 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | | 0
7
2
7 | | |
| ANIMAL ID | 0
0
1
2
5 | 0
0
1
2
6 | 0
0
1
3
1 | 0
0
1
3
2 | 0
0
1
4
3 | 0
0
1
4
5 | 0
0
1
4
6 | 0
0
1
4
9 | 0
0
1
4
0 | 0
0
1
5
1 | 0
0
1
0
2 | 0
0
1
0
7 | 0
0
1
0
9 | 0
0
1
0
0 | 0
0
1
1
2 | 0
0
1
1
6 | 0
0
1
1
7 | 0
0
1
2
8 | 0
0
1
2
8 | 0
0
1
3
7 | 0
0
1
4
2 | 0
0
1
4
7 | 0
0
1
1
8 | 0
0
1
2
0 |
| Coagulating Gland | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Preputial Gland
Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 |
| Prostate
Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Testes
Bilateral, Interstitial Cell, Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
33 |
| Interstitial Cell, Adenoma | X | X | X | | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 10 |
| | | | | X | X | | X | X | | | | | | | | | | | | | | | | |
| HEMATOPOIETIC SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymph Node | | | | | + | | | | | | | | | | | | | | | | | | | 3 |
| Lymph Node, Mandibular | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS MALE
20 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | | 0
7
2
7 | | |
| ANIMAL ID | 0
0
1
2
5 | 0
0
1
2
6 | 0
0
1
3
1 | 0
0
1
3
2 | 0
0
1
4
3 | 0
0
1
4
5 | 0
0
1
4
6 | 0
0
1
4
9 | 0
0
1
5
0 | 0
0
1
0
1 | 0
0
1
0
2 | 0
0
1
0
7 | 0
0
1
0
9 | 0
0
1
1
0 | 0
0
1
1
2 | 0
0
1
1
6 | 0
0
1
2
7 | 0
0
1
2
8 | 0
0
1
3
7 | 0
0
1
4
2 | 0
0
1
4
7 | 0
0
1
1
8 | 0
0
1
2
0 | 0
0
1
2
4 |
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | 49 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Basal Cell Adenoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Basal Cell Carcinoma | | | | | | | X | | | | | | | | | | | X | | X | | | | 3 |
| Fibroma | | | | X | | | X | | | | | | X | | | | | | X | | | | | 5 |
| Keratoacanthoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Keratoacanthoma, Multiple | | | | | | | | | | | | | | | | | | | | | X | | | 1 |
| Lipoma | | | | | | | | | | | | | | | | | | | | | X | | | 1 |
| Liposarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Sebaceous Gland, Adenoma | | | | | | | | | | | | | | | | | | | | | X | | | 2 |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Chondroma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Astrocytoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Granular Cell Tumor Malignant | | | | | | | X | | | | | | | | | | | | | | | | | 1 |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | X | | | | | | | | | | | | 1 |
| Carcinoma, Metastatic, Tissue Nos | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pheochromocytoma Malignant, Metastatic, Adrenal Medulla | | | | | | | | | | | | | | | | | | | | | X | | | 1 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS MALE
20 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-----------------------------------|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|----------|
| | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | | |
| ANIMAL ID | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 4 | 5 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 1 | 2 | 2 | 3 | |
| | 5 | 6 | 1 | 2 | 3 | 5 | 6 | 9 | 0 | 1 | 2 | 7 | 9 | 0 | 2 | 6 | 7 | 8 | 7 | 2 | 7 | 8 | 4 | 0 | | |
| Transitional Epithelium, Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Zymbal's Gland
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
2 | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Leukemia Mononuclear | | | | | X | | | | | | | | | | | | | | | | | | | 2 | | |
| Mesothelioma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 3 | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| | | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|-----------------------|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|
| FISCHER 344 RATS MALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 60 MG/KG | | 1 | 3 | 3 | 4 | 4 | 4 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | |
| ANIMAL ID | | 9 | 4 | 8 | 1 | 3 | 9 | 7 | 8 | 0 | 1 | 1 | 1 | 2 | 2 | 4 | 4 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | |
| | | 2 | 8 | 4 | 2 | 1 | 6 | 6 | 2 | 1 | 2 | 4 | 6 | 2 | 6 | 5 | 5 | 3 | 6 | 1 | 1 | 8 | 9 | 9 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | |
| | | 8 | 8 | 6 | 6 | 8 | 7 | 7 | 5 | 8 | 9 | 6 | 7 | 9 | 5 | 6 | 7 | 9 | 5 | 6 | 7 | 0 | 6 | 9 | |
| | | 3 | 6 | 1 | 4 | 1 | 1 | 0 | 1 | 8 | 3 | 9 | 3 | 5 | 2 | 0 | 8 | 7 | 7 | 8 | 5 | 0 | 3 | 4 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatocellular Adenoma | | | | | | | | | | | | | | | | | | | | | | X | |
| Hepatocellular Carcinoma | | | | | | | | | | X | X | | | X | | | | | | | | X | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Tongue | | | | | | | | | | | | | | | | | | | | | | | |
| Squamous Cell Carcinoma | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| FISCHER 344 RATS MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | |
|-----------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|--|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 1 | 3 | 3 | 4 | 4 | 4 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | | |
| 9 | 4 | 8 | 1 | 3 | 9 | 7 | 8 | 0 | 1 | 1 | 1 | 2 | 2 | 4 | 4 | 5 | 5 | 6 | 6 | 6 | 7 | 9 | | | |
| 60 MG/KG | 2 | 8 | 4 | 2 | 1 | 6 | 6 | 2 | 1 | 2 | 4 | 6 | 2 | 6 | 5 | 5 | 3 | 6 | 1 | 1 | 8 | 9 | 9 | | |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | | | |
| 8 | 8 | 6 | 6 | 8 | 7 | 7 | 5 | 8 | 9 | 6 | 7 | 9 | 5 | 6 | 7 | 9 | 5 | 6 | 7 | 0 | 6 | 9 | | | |
| 3 | 6 | 1 | 4 | 1 | 1 | 0 | 1 | 8 | 3 | 9 | 3 | 5 | 2 | 0 | 8 | 7 | 7 | 8 | 5 | 0 | 3 | 4 | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex
Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adrenal Medulla
Pheochromocytoma Benign
Pheochromocytoma Malignant | + | + | + | + | + | + | + | + | + | + | X | + | + | + | + | + | + | + | + | + | + | + | X |
| Islets, Pancreatic
Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M |
| Pituitary Gland
Pars Distalis, Adenoma
Pars Intermedia, Carcinoma | + | + | + | + | + | X | + | + | + | + | + | + | X | + | + | + | + | + | + | + | + | X | X |
| Thyroid Gland
Bilateral, C-cell, Adenoma
C-cell, Adenoma
Follicular Cell, Adenoma
Follicular Cell, Carcinoma | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

GENERAL BODY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011
 Time Report Requested: 10:59:00
 First Dose M/F: 10/20/04 / 10/21/04
 Lab: BAT

| | | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|-----------|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------------------|---|--|--|
| FISCHER 344 RATS MALE
60 MG/KG | | 0
1 | 0
3 | 0
3 | 0
4 | 0
4 | 0
4 | 0
5 | 0
5 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | | | |
| | | 9 | 4 | 8 | 1 | 3 | 9 | 7 | 8 | 0 | 1 | 1 | 1 | 2 | 2 | 4 | 4 | 5 | 5 | 6 | 6 | 6 | 6 | | |
| | | 2 | 8 | 4 | 2 | 1 | 6 | 6 | 2 | 1 | 2 | 4 | 6 | 2 | 6 | 5 | 5 | 3 | 6 | 1 | 1 | 8 | 9 | | |
| | ANIMAL ID | | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | | | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | |
| | | 8 | 8 | 6 | 6 | 8 | 7 | 7 | 5 | 8 | 9 | 6 | 7 | 9 | 5 | 6 | 7 | 9 | 5 | 6 | 7 | 0 | | | |
| | | 3 | 6 | 1 | 4 | 1 | 1 | 0 | 1 | 8 | 3 | 9 | 3 | 5 | 2 | 0 | 8 | 7 | 7 | 8 | 5 | 0 | | | |
| | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | | | |

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Bilateral, Interstitial Cell, Adenoma | | | X | | | | | X | X | | X | X | | | | | X | | X | X | | X |
| Interstitial Cell, Adenoma | | | | | | | | | | | | | | | | X | | X | | X | X | X |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node | | | | | | | | | | | | | | | | | | | + | + | + | |
| Lymph Node, Mandibular | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Thymus | + | + | + | M | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | FISCHER 344 RATS MALE | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) | | | | |
|-------------|-----------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------|--------------------|------------------|---|---|--|
| | 0
1
9
2 | 0
3
4
8 | 0
3
8
4 | 0
4
1
2 | 0
4
3
1 | 0
4
9
6 | 0
5
7
6 | 0
5
8
2 | 0
6
0
1 | 0
6
1
2 | 0
6
1
4 | 0
6
2
6 | 0
6
2
6 | 0
6
4
5 | 0
6
4
5 | 0
6
5
3 | 0
6
5
6 | 0
6
6
1 | 0
6
6
1 | 0
6
6
8 | 0
6
7
9 | 0
6
9
1 | 0
6
9
5 | 0
6
9
9 | | | 0
6
9
9 | | | |
| 60 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 0 | |
| | 8 | 8 | 6 | 6 | 8 | 7 | 7 | 5 | 8 | 9 | 6 | 7 | 9 | 5 | 6 | 7 | 9 | 5 | 6 | 7 | 0 | 6 | 9 | 9 | 5 | 5 | 5 | 5 | 6 | |
| | 3 | 6 | 1 | 4 | 1 | 1 | 0 | 1 | 8 | 3 | 9 | 3 | 5 | 2 | 0 | 8 | 7 | 7 | 8 | 5 | 0 | 3 | 4 | 9 | 6 | 6 | 6 | 6 | 6 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Skin | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Basal Cell Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fibroma | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Keratoacanthoma | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Trichoepithelioma | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Sebaceous Gland, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone | + | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Brain | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Pituitary Gland | | | | | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Pheochromocytoma Malignant, Metastatic, Adrenal Medulla | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Glands, Olfactory Epithelium, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Transitional Epithelium, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Transitional Epithelium, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS MALE
60 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|-----------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------------------|--------------------|
| | 0
1
9
2 | 0
3
4
8 | 0
3
8
4 | 0
4
1
2 | 0
4
3
1 | 0
4
9
6 | 0
5
7
2 | 0
5
8
6 | 0
6
0
1 | 0
6
1
2 | 0
6
1
4 | 0
6
1
6 | 0
6
2
2 | 0
6
2
4 | 0
6
4
5 | 0
6
4
5 | 0
6
5
3 | 0
6
5
6 | 0
6
6
1 | 0
6
6
1 | 0
6
6
8 | 0
6
6
9 | 0
6
7
1 | 0
6
9
5 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0
0
1
8
3 | males
(cont...) |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Zymbal's Gland
Adenoma
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

X

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Ureter | | | | + | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder
Transitional Epithelium, Papilloma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ
Mesothelioma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine
 CAS Number: 99-97-8

Date Report Requested: 01/24/2011
 Time Report Requested: 10:59:00
 First Dose M/F: 10/20/04 / 10/21/04
 Lab: BAT

| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|------------------------------|------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
| DAY ON TEST | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| FISCHER 344 RATS MALE | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 3 | 4 | 4 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 |
| | 60 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 7 | 7 | 8 | 8 | 5 | 5 | 8 | 9 | 9 | 9 | 5 | 6 | 6 | 6 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 5 | 5 |
| | | 6 | 4 | 4 | 5 | 3 | 5 | 9 | 0 | 1 | 2 | 8 | 2 | 5 | 6 | 7 | 2 | 9 | 0 | 2 | 7 | 6 | 8 | 4 |
| | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatocellular Adenoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | 6 |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Tongue | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Squamous Cell Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011
 Time Report Requested: 10:59:00
 First Dose M/F: 10/20/04 / 10/21/04
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| FISCHER 344 RATS MALE | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| 60 MG/KG | 3 | 4 | 4 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 7 | 7 | 8 | 8 | 5 | 5 | 8 | 9 | 9 | 9 | 5 | 6 | 6 | 6 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 5 | 5 | 7 | 7 | 7 | 7 | |
| | 6 | 4 | 4 | 5 | 3 | 5 | 9 | 0 | 1 | 2 | 8 | 2 | 5 | 6 | 7 | 2 | 9 | 0 | 2 | 7 | 6 | 8 | 4 | 9 | 7 | 7 | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pheochromocytoma Benign | | X | | | | | | | | | | | | | | | | | | | | X | | | | | 4 |
| Pheochromocytoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | X | | | | | | | | | | | | | | | | | | | | 1 |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | 48 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pars Distalis, Adenoma | | X | X | | | | | | X | | | X | X | | X | | X | | | | X | X | | | | | 15 |
| Pars Intermedia, Carcinoma | | | | | | | X | | | | | | | | | | | | | | | | | | | | 1 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Bilateral, C-cell, Adenoma | | | | | | | | | | | | | | | | | | | | | X | | | | | | 1 |
| C-cell, Adenoma | | | | | | | | | | | | | | X | | | | | | | | | | | | | 2 |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | X | | | | | | | | | | X | | X | 3 |
| Follicular Cell, Carcinoma | | | | | | | | | | | | | | | | | | | | X | | X | | | | | 2 |

GENERAL BODY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 N,N-Dimethyl-p-toluidine
 CAS Number: 99-97-8

Date Report Requested: 01/24/2011
 Time Report Requested: 10:59:00
 First Dose M/F: 10/20/04 / 10/21/04
 Lab: BAT

| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
|------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| FISCHER 344 RATS MALE | DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 3 | 4 | 4 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | |
| 60 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 7 | 7 | 8 | 8 | 5 | 5 | 8 | 9 | 9 | 9 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 5 | 5 | |
| | 6 | 4 | 4 | 5 | 3 | 5 | 9 | 0 | 1 | 2 | 8 | 2 | 5 | 6 | 7 | 2 | 9 | 0 | 2 | 7 | 6 | 8 | 4 | 9 | | |

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|-----------|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Bilateral, Interstitial Cell, Adenoma | | | | X | X | X | X | X | | X | X | X | | X | | X | X | | | | X | X | X | 25 | |
| Interstitial Cell, Adenoma | X | X | X | | | | | | X | | | | | | | | | X | | X | X | | | 12 | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymph Node | | | | | | + | | | | | | | + | + | | + | | | | | | | | | 7 |
| Lymph Node, Mandibular | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | 47 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine
 CAS Number: 99-97-8

Date Report Requested: 01/24/2011
 Time Report Requested: 10:59:00
 First Dose M/F: 10/20/04 / 10/21/04
 Lab: BAT

| FISCHER 344 RATS MALE
60 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------|
| | 0723 | 0724 | 0724 | 0724 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | | |
| ANIMAL ID | 001766 | 001764 | 001764 | 001765 | 001763 | 001765 | 001769 | 001790 | 001791 | 001799 | 001795 | 001762 | 001765 | 001766 | 001766 | 001767 | 001762 | 001769 | 001760 | 001767 | 001768 | 001768 | 001769 | 001768 | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Basal Cell Adenoma | | | | | | | | | | | | X | | | | | | | | | | | | 1 | |
| Fibroma | | | | | | | | | | | | | | | | | | | X | | | | | 3 | |
| Keratoacanthoma | | | | | | | | | | X | | | | | | | | | | | | | | 2 | |
| Squamous Cell Papilloma | | | | | | | | | | X | | | | | | | | | | | | | | 1 | |
| Trichoepithelioma | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Sebaceous Gland, Adenoma | | | | | | | | | | | | | | | | | | | | | | X | | 1 | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Carcinoma, Metastatic, Pituitary Gland | | | | | | | | X | | | | | | | | | | | | | | | | 1 | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | X | | | | | | | | | | | | | | 1 | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Pheochromocytoma Malignant, Metastatic, Adrenal Medulla | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Glands, Olfactory Epithelium, Adenoma | | | | | | | | | | | | | | | | | | | | X | | | | 1 | |
| Transitional Epithelium, Adenoma | | | | | | | | X | X | | | | X | X | | | | X | X | | X | | | 11 | |
| Transitional Epithelium, Carcinoma | | | | X | | | | | | | | | | | | | | | | | | | | 2 | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine
 CAS Number: 99-97-8

Date Report Requested: 01/24/2011
 Time Report Requested: 10:59:00
 First Dose M/F: 10/20/04 / 10/21/04
 Lab: BAT

| FISCHER 344 RATS MALE
60 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-----------------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|
| | 073 | 074 | 074 | 074 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | 077 | |
| ANIMAL ID | 00176 | 00177 | 00178 | 00179 | 00180 | 00181 | 00182 | 00183 | 00184 | 00185 | 00186 | 00187 | 00188 | 00189 | 00190 | 00191 | 00192 | 00193 | 00194 | 00195 | 00196 | 00197 | 00198 | 00199 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 50 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 7 | 7 | 8 | 8 | 5 | 5 | 8 | 9 | 9 | 9 | 5 | 6 | 6 | 6 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 5 | 5 | 7 | 1 |
| | 6 | 4 | 4 | 5 | 3 | 5 | 9 | 0 | 1 | 2 | 8 | 2 | 5 | 6 | 7 | 2 | 9 | 0 | 2 | 7 | 6 | 8 | 4 | 9 | 7 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Zymbal's Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Ureter | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Transitional Epithelium, Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Mesothelioma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

*** END OF MALE DATA ***

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine
 CAS Number: 99-97-8

Date Report Requested: 01/24/2011
 Time Report Requested: 10:59:00
 First Dose M/F: 10/20/04 / 10/21/04
 Lab: BAT

| FISCHER 344 RATS FEMALE
0 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | |
|--|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|---|-----------|--|
| | 0
5
4
7 | 0
5
7
4 | 0
6
0
0 | 0
6
2
5 | 0
6
4
2 | 0
6
4
5 | 0
6
4
6 | 0
6
4
7 | 0
6
7
3 | 0
6
7
3 | 0
6
8
5 | 0
6
8
7 | 0
6
9
0 | 0
6
9
1 | 0
6
9
8 | 0
7
0
1 | 0
7
0
1 | 0
7
1
3 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | | |
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex
Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | |
| Adrenal Medulla
Pheochromocytoma Benign | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Pituitary Gland
Pars Distalis, Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | | |
| Thyroid Gland
C-cell, Adenoma
Follicular Cell, Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Clitoral Gland
Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X X | | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |

females
(cont...)

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| FISCHER 344 RATS FEMALE
0 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|------------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 4 | 7 | 0 | 2 | 4 | 4 | 4 | 7 | 7 | 8 | 8 | 9 | 9 | 9 | 0 | 0 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 7 | 4 | 0 | 5 | 2 | 5 | 6 | 3 | 3 | 5 | 7 | 0 | 1 | 8 | 1 | 1 | 3 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 0 | 2 | 4 | 4 | 1 | 3 | 0 | 0 | 3 | 4 | 0 | 0 | 1 | 2 | 3 | 3 | 4 | 0 | 1 | 1 | 2 | 2 | 3 | 4 | |
| | 8 | 1 | 2 | 5 | 0 | 4 | 3 | 5 | 9 | 3 | 4 | 9 | 1 | 5 | 5 | 8 | 7 | 1 | 3 | 8 | 2 | 8 | 9 | 2 | |

Bilateral, Fibrosarcoma

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Polyp Stromal | | | | | | | | X | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|--|--|--|--|--|---|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Vagina | | | | | | | | | | | | | | | | | | | | | | | | |
| Schwannoma Malignant | | | | | | + | | X | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|--|--|--|--|--|--|--|--|--|--|--|---|--|--|--|--|--|--|--|--|--|--|--|---|
| Lymph Node | | | | | | | | | | | | + | | | | | | | | | | | | + |
|------------|--|--|--|--|--|--|--|--|--|--|--|---|--|--|--|--|--|--|--|--|--|--|--|---|

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymph Node, Mandibular | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Carcinoma, Multiple | | X | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|--|--|--|---|---|---|---|--|---|--|---|---|--|---|---|---|--|--|---|--|--|--|--|--|
| Fibroadenoma | | | | X | X | X | X | | X | | X | X | | X | X | X | | | X | | | | | |
|--------------|--|--|--|---|---|---|---|--|---|--|---|---|--|---|---|---|--|--|---|--|--|--|--|--|

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|--|--|--|--|---|--|
| Fibroadenoma, Multiple | | | | | | | | | | | | | | | | | | X | | | | | X | |
|------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|--|--|--|--|---|--|

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Basal Cell Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Fibroma | | | | | | | | | | | | | | | | | | | | | | | | |
| Fibrosarcoma | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS FEMALE
0 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | |
|------------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------|----------------------|--|
| | 0
5
4
7 | 0
5
7
4 | 0
6
0
4 | 0
6
2
5 | 0
6
4
2 | 0
6
4
5 | 0
6
4
6 | 0
6
4
3 | 0
6
7
3 | 0
6
7
3 | 0
6
8
5 | 0
6
8
7 | 0
6
9
0 | 0
6
9
1 | 0
6
9
8 | 0
7
0
1 | 0
7
0
1 | 0
7
1
3 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0028 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0022 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0024 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0025 | |

Fibrosarcoma, Multiple
 Keratoacanthoma
 Liposarcoma

MUSCULOSKELETAL SYSTEM

Bone +

NERVOUS SYSTEM

Brain +

RESPIRATORY SYSTEM

Lung +
 Alveolar/Bronchiolar Adenoma X
 Fibrosarcoma, Metastatic, Skin

Nose +

Trachea +

SPECIAL SENSES SYSTEM

Ear +
 Neural Crest Tumor X

Eye +
 Melanoma Benign

Harderian Gland +

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS FEMALE
0 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) | |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|---|
| | 0
5
4
7 | 0
5
7
4 | 0
6
0
0 | 0
6
2
5 | 0
6
4
2 | 0
6
4
5 | 0
6
4
6 | 0
6
4
3 | 0
6
7
3 | 0
6
7
3 | 0
6
8
5 | 0
6
8
7 | 0
6
9
0 | 0
6
9
1 | 0
6
9
8 | 0
7
0
1 | 0
7
0
1 | 0
7
1
3 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | | |
| ANIMAL ID | 0
0
2
0
8 | 0
0
2
2
1 | 0
0
2
4
2 | 0
0
2
4
5 | 0
0
2
1
0 | 0
0
2
3
4 | 0
0
2
0
3 | 0
0
2
0
5 | 0
0
2
3
9 | 0
0
2
4
3 | 0
0
2
0
4 | 0
0
2
0
9 | 0
0
2
0
1 | 0
0
2
1
5 | 0
0
2
3
5 | 0
0
2
3
8 | 0
0
2
4
7 | 0
0
2
0
1 | 0
0
2
1
3 | 0
0
2
1
8 | 0
0
2
2
2 | 0
0
2
2
8 | 0
0
2
2
3 | 0
0
2
3
9 | 0
0
2
4
2 | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Urinary Bladder
Transitional Epithelium, Papilloma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ
Leukemia Mononuclear | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|
| | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | |
| 0 MG/KG | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 | |
| | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | |
| | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | |
| | 01 | 01 | 01 | 01 | 02 | 02 | 02 | 03 | 03 | 04 | 04 | 05 | 00 | 01 | 01 | 01 | 02 | 02 | 02 | 03 | 03 | 03 | 04 | 04 | |
| | 75 | 75 | 77 | 79 | 73 | 77 | 79 | 60 | 66 | 61 | 68 | 60 | 66 | 62 | 64 | 66 | 60 | 64 | 66 | 61 | 62 | 67 | 60 | 64 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum
Leiomyosarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | 8 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Tongue | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS FEMALE
0 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|------------------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | |
| ANIMAL ID | 0007 | 0007 | 0007 | 0007 | 0007 | 0007 | 0007 | 0007 | 0007 | 0007 | 0007 | 0007 | 0007 | 0007 | 0007 | 0007 | 0007 | 0007 | 0007 | 0007 | 0007 | 0007 | 0007 | 0007 | 0007 |
| | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| Adrenal Cortex
Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
3 |
| Adrenal Medulla
Pheochromocytoma Benign | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
2 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pituitary Gland
Pars Distalis, Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
31 |
| Thyroid Gland
C-cell, Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49
9 |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| Clitoral Gland
Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
5 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| DAY ON TEST | FISCHER 344 RATS FEMALE | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------|-------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | |
| 0 MG/KG | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | |
| ANIMAL ID | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Bilateral, Fibrosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Uterus | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Polyp Stromal | X | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Vagina | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Schwannoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|-----------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymph Node, Mandibular | M | | | | | | | | | | | | | | | | | | | | | | | | 0 |
| Lymph Node, Mesenteric | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Spleen | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Thymus | + M M + + + M + + + + | | | | | | | | | | | | | | | | | | | | | | | | 47 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Mammary Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Fibroadenoma | X | | | | | | | | | | | | | | | | | | | | | | | | 17 |
| Fibroadenoma, Multiple | X | | | | | | | | | | | | | | | | | | | | | | | | 12 |
| Skin | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Basal Cell Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Fibroma | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Fibrosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|----------|
| | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | | 0729 |
| 0 MG/KG | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | |
| ANIMAL ID | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | |
| | 229 | 229 | 229 | 229 | 229 | 229 | 229 | 229 | 229 | 229 | 229 | 229 | 229 | 229 | 229 | 229 | 229 | 229 | 229 | 229 | 229 | 229 | 229 | 229 | 229 | |
| | 017 | 015 | 017 | 019 | 013 | 017 | 019 | 010 | 016 | 011 | 018 | 010 | 016 | 012 | 014 | 016 | 010 | 014 | 016 | 011 | 012 | 017 | 010 | 014 | 016 | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Urinary Bladder
Transitional Epithelium, Papilloma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ
Leukemia Mononuclear | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
15 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|----------------------|
| | 0
3
7 | 0
5
6 | 0
5
4 | 0
6
1 | 0
6
1 | 0
6
8 | 0
7
0 | 0
7
1 | 0
7
8 | 0
7
8 | 0
7
8 | 0
7
8 | 0
7
8 | 0
7
8 | 0
7
9 | 0
7
9 | 0
7
9 | 0
7
9 | 0
7
9 | 0
7
9 | 0
7
9 | 0
7
9 | 0
7
9 | 0
7
9 | |
| 6 MG/KG | 0
0
8
4 | 0
0
3
0 | 0
0
9
0 | 0
0
8
3 | 0
0
9
6 | 0
0
8
5 | 0
0
9
1 | 0
0
5
9 | 0
0
6
2 | 0
0
6
7 | 0
0
7
8 | 0
0
7
8 | 0
0
7
8 | 0
0
7
8 | 0
0
7
8 | 0
0
7
8 | 0
0
7
8 | 0
0
7
8 | 0
0
7
8 | 0
0
7
8 | 0
0
7
8 | 0
0
7
8 | 0
0
7
8 | 0
0
7
8 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver
Hepatocellular Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Mesentery | | | | + | | | | | + | | | + | | | | | + | + | | | | + | | + |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS FEMALE
6 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|------------------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|----------------------|
| | 0037 | 0056 | 0056 | 0061 | 0066 | 0066 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | | |
| ANIMAL ID | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | | |
| | 284 | 300 | 209 | 208 | 209 | 205 | 201 | 209 | 202 | 207 | 208 | 201 | 205 | 201 | 202 | 203 | 204 | 207 | 208 | 201 | 204 | 208 | 200 | | |

| | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Granulosa Cell Tumor Benign | | | | | | | | | | | | | | | | | | | | | | | |
| Granulosa Cell Tumor Malignant | | | | | | | | | | | | | | | | | | | | | | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenocarcinoma | | | | | | | | | | | | | | | | | | | | | | | |
| Polyp Stromal | | | | | | | | | | | | | | | | | | | | | | | |
| Vagina | | | | | | | | | | | | | | | | | | | | | | | |
| Polyp | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M |
| Lymph Node, Mesenteric | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma | | | | X | | | | | | | | | | | | | | | | | | | |
| Fibroadenoma | | | | | | | | | X | | | | | | X | | X | | | | | X | |
| Fibroadenoma, Multiple | | | | | | X | | | | | | X | | | | X | | X | X | | | | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|
| FISCHER 344 RATS FEMALE

6 MG/KG | DAY ON TEST | 0037 | 0056 | 0056 | 0066 | 0067 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | females
(cont...) |
| | ANIMAL ID | 0028 | 0030 | 0033 | 0036 | 0035 | 0031 | 0032 | 0039 | 0042 | 0047 | 0048 | 0051 | 0052 | 0053 | 0054 | 0055 | 0056 | 0057 | 0058 | 0059 | 0060 | 0062 | |
| | | 0002 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | |
| | | 2384 | 0200 | 2200 | 2200 | 2200 | 2200 | 2200 | 2200 | 2200 | 2200 | 2200 | 2200 | 2200 | 2200 | 2200 | 2200 | 2200 | 2200 | 2200 | 2200 | 2200 | 2200 | |

Urinary Bladder

+ +

SYSTEMIC LESIONS

Multiple Organ
Leukemia Mononuclear

+
 X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|-------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
| FISCHER 344 RATS FEMALE | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 6 MG/KG | | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 7 | 8 | 8 | 9 | 9 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 9 | 9 |
| | | 7 | 7 | 8 | 3 | 8 | 5 | 6 | 0 | 3 | 5 | 6 | 9 | 1 | 3 | 4 | 6 | 9 | 0 | 2 | 6 | 9 | 2 | 9 |
| | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatocellular Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mesentery | + | | | | | | | | | | | | | | | | | | | | | | | | 9 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Tooth | | | | | | | | | + | | | | | | | | | | | | | | | | 1 |

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine
 CAS Number: 99-97-8

Date Report Requested: 01/24/2011
 Time Report Requested: 10:59:00
 First Dose M/F: 10/20/04 / 10/21/04
 Lab: BAT

| FISCHER 344 RATS FEMALE
6 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|------------------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | |
| ANIMAL ID | 0077 | 0077 | 0078 | 0073 | 0078 | 0075 | 0076 | 0070 | 0073 | 0075 | 0076 | 0079 | 0071 | 0073 | 0074 | 0076 | 0079 | 0070 | 0072 | 0076 | 0079 | 0072 | 0074 | 0079 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------|
| Adrenal Cortex
Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
3 |
| Adrenal Medulla
Pheochromocytoma Benign | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
2 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pituitary Gland
Pars Distalis, Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
29 |
| Thyroid Gland
C-cell, Adenoma
Follicular Cell, Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47
3
1 |

GENERAL BODY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| NONE | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------|
| Clitoral Gland
Adenoma
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49
3
2 |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS FEMALE
6 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|------------------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|--|--|
| | 079 | 072 | 079 | 072 | 079 | 072 | 079 | 072 | 079 | 072 | 079 | 072 | 079 | 072 | 079 | 072 | 079 | 072 | 079 | 072 | 079 | 072 | 079 | 072 | | | |
| ANIMAL ID | 0077 | 0078 | 0079 | 0080 | 0081 | 0082 | 0083 | 0084 | 0085 | 0086 | 0087 | 0088 | 0089 | 0090 | 0091 | 0092 | 0093 | 0094 | 0095 | 0096 | 0097 | 0098 | 0099 | 0100 | | | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Granulosa Cell Tumor Benign | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Granulosa Cell Tumor Malignant | | | | | X | | | | | | | | | | | | | | | | | | | | 2 | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Adenocarcinoma | | | | | | | | | | X | | | | | | | | | | | | | | | 1 | | |
| Polyp Stromal | | | X | | | X | | | | | | | | | | | | | | X | | | | | 9 | | |
| Vagina | | | | | | | | | | | | | | | | | | | | | | | + | | 1 | | |
| Polyp | | | | | | | | | | | | | | | | | | | | | | X | | | 1 | | |
| HEMATOPOIETIC SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Lymph Node | | | | | + | | | | | | | | | | | | | | | | | | | | 1 | | |
| Lymph Node, Mandibular | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0 | | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Fibroadenoma | X | | | X | | | X | | X | | | | | | X | X | | | | | | | | 11 | | | |
| Fibroadenoma, Multiple | | X | | X | | | | | X | X | X | | | X | | | | X | X | | X | X | | 15 | | | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS FEMALE
6 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|------------------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | |
| ANIMAL ID | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 7 | 8 | 8 | 9 | 9 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | |
| | 7 | 7 | 8 | 3 | 8 | 5 | 6 | 0 | 3 | 5 | 6 | 9 | 1 | 3 | 4 | 6 | 9 | 0 | 2 | 6 | 9 | 2 | 4 | 7 | 9 |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|--|--|--|--|--|--|---|--|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Basal Cell Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Fibroma | | | | | | | X | | | | | | | | | | | | | | | | | | 4 |
| Keratoacanthoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Schwannoma Malignant | | | | | | | | | | X | | | | | | | | | | | | | | | 1 |
| Trichoepithelioma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Transitional Epithelium, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine
 CAS Number: 99-97-8

Date Report Requested: 01/24/2011
 Time Report Requested: 10:59:00
 First Dose M/F: 10/20/04 / 10/21/04
 Lab: BAT

| FISCHER 344 RATS FEMALE
6 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|------------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 7 | 8 | 8 | 9 | 9 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 9 | |
| | | 7 | 7 | 8 | 3 | 8 | 5 | 6 | 0 | 3 | 5 | 6 | 9 | 1 | 3 | 4 | 6 | 9 | 0 | 2 | 6 | 9 | 2 | 9 | |
| Urinary Bladder | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Leukemia Mononuclear | + | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| | | | | | | | | | | | | | | | | | | | | | | X | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS FEMALE
20 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | |
|-------------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------|-----------------------|--|
| | 0
6
0
4 | 0
6
0
1 | 0
6
0
1 | 0
6
0
1 | 0
6
0
3 | 0
6
0
3 | 0
6
0
4 | 0
6
0
5 | 0
6
0
5 | 0
6
0
6 | 0
6
0
6 | 0
6
0
7 | 0
6
0
7 | 0
6
0
7 | 0
6
0
7 | 0
6
0
7 | 0
6
0
7 | 0
6
0
7 | 0
6
0
7 | 0
6
0
7 | 0
6
0
7 | 0
6
0
7 | 0
6
0
7 | 0
6
0
7 | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0
0
3
4
5 | |

Adenoma, Multiple
 Carcinoma

X

X

Ovary

+ +

Uterus

+ +

Adenoma
 Polyp Stromal
 Polyp Stromal, Multiple
 Sarcoma Stromal

X

X

HEMATOPOIETIC SYSTEM

Bone Marrow

+ +

Lymph Node
 Deep Cervical, Sarcoma, Metastatic, Skin

+

X

Lymph Node, Mandibular

M M

Lymph Node, Mesenteric

+ +

Spleen

+ +

Thymus
 Thymoma Benign

+ +

INTEGUMENTARY SYSTEM

Mammary Gland
 Carcinoma
 Fibroadenoma
 Fibroadenoma, Multiple

+ +

X

X

X

X

X

X

X

X

X

X

X

X

X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| DAY ON TEST | FISCHER 344 RATS FEMALE | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) |
|-------------|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 | 0 |
| 0 | 1 | 1 | 1 | 3 | 4 | 5 | 5 | 7 | 8 | 8 | 9 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | 0 |
| 4 | 1 | 3 | 3 | 0 | 6 | 9 | 9 | 3 | 0 | 0 | 0 | 0 | 7 | 5 | 9 | 0 | 4 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 4 | 2 | 4 | 4 | 2 | 0 | 1 | 2 | 4 | 1 | 1 | 2 | 1 | 3 | 0 | 2 | 4 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 3 | 0 | 0 |
| 5 | 2 | 3 | 7 | 0 | 9 | 5 | 5 | 9 | 3 | 6 | 9 | 0 | 1 | 2 | 3 | 6 | 1 | 4 | 5 | 1 | 7 | 9 | 8 | 4 | 0 | 0 |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Basal Cell Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Fibroma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lipoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Liposarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Schwannoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS FEMALE
20 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|-------------------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|-----|
| | 078 | 078 | 079 | 079 | 079 | 079 | 079 | 079 | 079 | 079 | 079 | 079 | 079 | 079 | 079 | 079 | 079 | 079 | 079 | 079 | | 079 |
| ANIMAL ID | 0033 | 0034 | 0031 | 0022 | 0022 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------------------|
| Adrenal Cortex
Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 |
| Adrenal Medulla
Pheochromocytoma Benign
Pheochromocytoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1
1 |
| Islets, Pancreatic
Adenoma
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1
1 |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pituitary Gland
Pars Distalis, Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
30 |
| Thyroid Gland
C-cell, Adenoma
C-cell, Carcinoma
Follicular Cell, Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47
5
1
2 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| Clitoral Gland
Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
7 |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS FEMALE
20 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|--|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|--|--|
| | 0728 | 0728 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | | | |
| ANIMAL ID | 0033 | 0034 | 0031 | 0022 | 0022 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | | |
| Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | X | 1 | | |
| Polyp Stromal | | | | | | | | | | | | | | | | | | | | | | | | | 3 | | |
| Polyp Stromal, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Sarcoma Stromal | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| HEMATOPOIETIC SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Deep Cervical, Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Lymph Node, Mandibular | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0 | | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Thymoma Benign | | | | | | | | | | | | | | | | | | | | | | | | X | 1 | | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Fibroadenoma | | | | | | | | | | | | | | | | | | | | | | | | | 19 | | |
| Fibroadenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | 7 | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS FEMALE
20 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|-------------------------------------|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------|--|
| | 0728 | 0728 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | | |
| ANIMAL ID | 003338 | 003334 | 003331 | 003322 | 003327 | 003322 | 003336 | 003307 | 003309 | 003311 | 003308 | 003318 | 003303 | 003306 | 003308 | 003308 | 003308 | 003308 | 003308 | 003308 | 003308 | 003308 | 003308 | 003308 | | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Basal Cell Carcinoma | | | | | | | | | | | | | | X | | | | | | | | | | 1 | | |
| Fibroma | | | | | X | | | | | | | | | | | | | | | | | | | 1 | | |
| Lipoma | | | | | | | | | | | | | | | | | | | | X | | | | 1 | | |
| Liposarcoma | | | | | | | | | | X | | | | | | | | | | | | | | 1 | | |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Schwannoma Malignant | | | | | | | | | | | | | | | | | | | | | | X | | 1 | | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine
 CAS Number: 99-97-8

Date Report Requested: 01/24/2011
 Time Report Requested: 10:59:00
 First Dose M/F: 10/20/04 / 10/21/04
 Lab: BAT

| DAY ON TEST | FISCHER 344 RATS FEMALE | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|-------------------------|-------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------|------|
| | 0728 | 0728 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | | 0729 |
| ANIMAL ID | 003338 | 003344 | 003312 | 003324 | 003372 | 003322 | 003336 | 003376 | 003397 | 003319 | 003381 | 003338 | 003367 | 003378 | 003384 | 003378 | 003384 | 003384 | 003384 | 003384 | 003384 | 003384 | 003384 | 003384 | 003384 | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Carcinoma | | | | | | | | | | | | | X | | | | | | | | | | | | 1 | |
| Lipoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Leukemia Mononuclear | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 N,N-Dimethyl-p-toluidine
 CAS Number: 99-97-8

Date Report Requested: 01/24/2011
 Time Report Requested: 10:59:00
 First Dose M/F: 10/20/04 / 10/21/04
 Lab: BAT

| FISCHER 344 RATS FEMALE
60 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | | | | |
|-------------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------|----------------------|------------------|------------------|-----------------------|----------------------|
| | 0
0
1
4 | 0
3
8
1 | 0
3
8
4 | 0
4
5
9 | 0
4
6
8 | 0
4
7
1 | 0
5
3
3 | 0
5
3
7 | 0
5
4
2 | 0
5
4
7 | 0
5
8
3 | 0
6
0
7 | 0
6
1
0 | 0
6
1
2 | 0
6
2
5 | 0
6
7
0 | 0
6
8
1 | 0
6
8
2 | 0
6
9
4 | 0
7
0
1 | | | 0
7
0
6 | 0
7
1
4 | 0
7
1
4 | 0
7
2
0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0
0
3
7
1 | females
(cont...) |

Squamous Cell Carcinoma
 Squamous Cell Papilloma

X

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex
Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + |
| Adrenal Medulla
Pheochromocytoma Benign | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland | + | M | M | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pituitary Gland
Pars Distalis, Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Thyroid Gland
C-cell, Adenoma | + | + | M | A | + | + | A | + | + | + | + | + | + | + | A | A | + | + | + | + | + | + | + | + |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS FEMALE
60 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) |
|-------------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 3 | 3 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | | |
| | 1 | 8 | 8 | 5 | 6 | 7 | 3 | 3 | 4 | 4 | 8 | 0 | 1 | 1 | 2 | 7 | 8 | 8 | 8 | 9 | 0 | 0 | 1 | 1 | 2 | | |
| | 4 | 1 | 4 | 9 | 8 | 1 | 3 | 7 | 2 | 7 | 3 | 7 | 0 | 2 | 5 | 0 | 1 | 2 | 5 | 4 | 1 | 6 | 4 | 4 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | 7 | 6 | 7 | 9 | 8 | 6 | 6 | 8 | 7 | 8 | 8 | 9 | 7 | 9 | 8 | 8 | 6 | 6 | 5 | 8 | 9 | 5 | 9 | 7 | 7 | | |
| | 1 | 8 | 7 | 6 | 1 | 9 | 6 | 9 | 2 | 7 | 2 | 5 | 9 | 8 | 6 | 8 | 2 | 1 | 0 | 9 | 5 | 9 | 1 | 3 | 5 | | |

Squamous Cell Papilloma

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Chordoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Osteosarcoma | | | | | X | | | | | | X | | | | | | | | | | | | X | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Oligodendroglioma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Neural Crest Tumor, Metastatic, Ear | | | | | | | | | | | | | | | | | | | | | | | | | |
| Osteosarcoma, Metastatic, Bone | | | | | X | | | | | | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + |
| Transitional Epithelium, Adenoma | | | | | | | | | | | | | | | X | | | | | | | | | X | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ear | | | | | | | | | | | | | | | | | | | | | | | | | |
| Neural Crest Tumor | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS FEMALE
60 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|-------------------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-------|
| | 070 | 071 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | | 078 |
| ANIMAL ID | 00397 | 00400 | 00505 | 00606 | 00703 | 00902 | 00904 | 00902 | 00903 | 00904 | 00907 | 00905 | 00907 | 00903 | 00904 | 00906 | 00900 | 00903 | 00904 | 00908 | 00904 | 00908 |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Hepatocellular Adenoma | | | | | | | X | | | | | | | | | | | X | | | | | 3 |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | X | | X | | | | X | | 3 |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | X | | | | | | | | | | | | | 1 |
| Mesentery | | | | | | | | | + | | | | | | + | | | | | | | + | 3 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Neural Crest Tumor, Metastatic, Ear | | | | X | | | | | | | | | | | | | | | | | | | 1 |
| Tongue | | | | | | | | | | | | | | | | | | | | | | + | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| DAY ON TEST | FISCHER 344 RATS FEMALE | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|-------------|-------------------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|----|---|
| | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | | 07 | |
| 20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| 21 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 1 | |
| 22 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 1 | |
| 23 | 0 | 1 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 1 | |
| ANIMAL ID | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 0 | |
| | 03 | 04 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 03 | 0 | |
| | 09 | 00 | 05 | 05 | 06 | 07 | 09 | 09 | 05 | 05 | 05 | 05 | 06 | 06 | 07 | 07 | 07 | 08 | 08 | 08 | 05 | 0 | |
| | 07 | 00 | 05 | 06 | 03 | 00 | 02 | 04 | 02 | 03 | 04 | 07 | 05 | 07 | 03 | 04 | 06 | 00 | 03 | 04 | 08 | 00 | 0 |
| | | | | | | | | | | | | | | | | | | | | | | | 1 |

Squamous Cell Carcinoma
 Squamous Cell Papilloma

X

1
1

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Adenoma | | | | | | | | | | | | | | X | | | | | | | | | 2 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Pheochromocytoma Benign | | | | | X | | | | | | | | | | | | | | | | | | 1 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Parathyroid Gland | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pars Distalis, Adenoma | | X | | | | X | | | | | | | X | X | X | | | X | | X | X | X | 20 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 45 |
| C-cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | 2 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 20107 - 03
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: RATS/F 344/N

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

N,N-Dimethyl-p-toluidine

CAS Number: 99-97-8

Date Report Requested: 01/24/2011

Time Report Requested: 10:59:00

First Dose M/F: 10/20/04 / 10/21/04

Lab: BAT

| FISCHER 344 RATS FEMALE
60 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|-------------------|
| | 070 | 072 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | 078 | | 078 | 078 |
| ANIMAL ID | 0097 | 0040 | 0055 | 0066 | 0033 | 0000 | 0002 | 0004 | 0002 | 0003 | 0004 | 0007 | 0005 | 0007 | 0003 | 0004 | 0006 | 0000 | 0003 | 0004 | 0008 | 0004 | |
| Adenoma | | | | | | | | | | X | | | | | | | | | | | | | 2 |
| Ovary
Granulosa Cell Tumor Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 |
| Uterus
Polyp Stromal | + | + | + | + | + | X | X | | | | X | | | | | | X | | | | | | 50
8 |
| HEMATOPOIETIC SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymph Node
Mediastinal, Neural Crest Tumor, Metastatic,
Ear | | | | + | X | | | | | | | | | | | | | | | | | | 1
1 |
| Lymph Node, Mandibular | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Thymus | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland
Fibroadenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
11 |
| Skin
Basal Cell Carcinoma
Keratoacanthoma
Sarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | | | X | | 50
1
1
1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

