Test Type: 14-DAY

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

NTP Study Number: C20303

Lock Date: 06/01/2005

Cage Range: ALL

Date Range: ALL

Reasons For Removal: ALL

Removal Date Range: ALL

Treatment Groups: Include ALL

Study Gender: Both

TDMSE Version: 3.0.2.3_002

PWG Approval Date: NONE

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Vinylidene Chloride CAS Number: 75-35-4

Date Report Requested: 09/19/2016 Time Report Requested: 10:38:38 First Dose M/F: 06/14/04 / 06/14/04

Lab: BNW

Test Type: 14-DAY

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Vinylidene Chloride CAS Number: 75-35-4

Date Report Requested: 09/19/2016 Time Report Requested: 10:38:38 First Dose M/F: 06/14/04 / 06/14/04

Lab: BNW

MALE MICE

| DOSE = CONTROL | | | |
|----------------------------|---------------------|-------------------|------------|
| TOTAL 5 | UNCENSORED DEATHS 0 | CENSORED DEATHS 0 | TERMINAL 5 |
| UNCENSORED DEATH DAYS None | | | |
| CENSORED DEATH DAYS None | | | |
| DOSE = 25 PPM | | | |
| TOTAL 5 | UNCENSORED DEATHS 0 | CENSORED DEATHS 0 | TERMINAL 5 |
| UNCENSORED DEATH DAYS | | | |
| None | | | |
| CENSORED DEATH DAYS | | | |
| None | | | |
| DOSE = 50 PPM | | | |
| TOTAL 5 | UNCENSORED DEATHS 1 | CENSORED DEATHS 0 | TERMINAL 4 |
| UNCENSORED DEATH DAYS | | | |
| 5 | | | |
| CENSORED DEATH DAYS | | | |
| None | | | |
| DOSE = 100 PPM | | | |
| TOTAL 5 | UNCENSORED DEATHS 5 | CENSORED DEATHS 0 | TERMINAL 0 |
| UNCENSORED DEATH DAYS | | | |
| 3 4 4 | 4 4 | | |
| CENSORED DEATH DAYS | | | |
| None | | | |

Test Type: 14-DAY

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Vinylidene Chloride CAS Number: 75-35-4

Date Report Requested: 09/19/2016 Time Report Requested: 10:38:38 First Dose M/F: 06/14/04 / 06/14/04

Lab: BNW

MALE MICE

| DOSE = 200 PPM | | | |
|-----------------------|---------------------|-------------------|------------|
| TOTAL 5 | UNCENSORED DEATHS 5 | CENSORED DEATHS 0 | TERMINAL 0 |
| UNCENSORED DEATH DAYS | | | |
| 1 1 1 | 1 1 | | |
| CENSORED DEATH DAYS | | | |
| None | | | |
| DOSE = 400 PPM | | | |
| TOTAL 5 | UNCENSORED DEATHS 5 | CENSORED DEATHS 0 | TERMINAL 0 |
| UNCENSORED DEATH DAYS | | | |
| 1 1 1 | 1 1 | | |
| CENSORED DEATH DAYS | | | |
| None | | | |

Test Type: 14-DAY

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Vinylidene Chloride **CAS Number:** 75-35-4 Date Report Requested: 09/19/2016 Time Report Requested: 10:38:38 First Dose M/F: 06/14/04 / 06/14/04

Lab: BNW

MALE MICE FIRST TERMINAL SACRIFICE AT 18 DAYS

| | | KAP | LAN-ME | IER SUR | VIVAL P | ROBABII | LITY EST | TIMATES | 6 (%) | |
|---------|-------|-------|--------|---------|---------|---------|----------|---------|-------|-------|
| DOSE | | | | | TIME (| DAYS) | | | | |
| | 2 | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18(A) | 18(A) |
| CONTROL | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 25 PPM | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 50 PPM | 100.0 | 100.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 |
| 100 PPM | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 200 PPM | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 400 PPM | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

⁽A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: 14-DAY

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Vinylidene Chloride **CAS Number:** 75-35-4 Date Report Requested: 09/19/2016 Time Report Requested: 10:38:38 First Dose M/F: 06/14/04 / 06/14/04

Lab: BNW

MALE MICE FIRST TERMINAL SACRIFICE AT 18 DAYS

| | SURVIVAL SU | JMMARY STATISTICS | | |
|---|---------------|-------------------|---------------|--------------|
| DOSE | CONTROL | 25 PPM | 50 PPM | 100 PPM |
| SURVIVAL AT END OF STUDY (KAPLAN-MEIER) | 100.0% | 100.0% | 80.0% | 0.0% |
| SIGNIFICANCE (B) (LIFE TABLE) | P<0.001 | | P=1.000 | P=0.017 |
| MEAN DAY OF NATURAL DEATHS (C) (STANDARD ERROR) | · (.) | · (.) | 5.0 (.) | 3.8 (0.2) |
| MEAN LIFE SPAN (D) (STANDARD ERROR) | 18.0 (0.0) | 18.0 (0.0) | 15.4 (2.6) | 3.8 (0.2) |

| DOSE | 200 PPM | 400 PPM |
|---|--------------|--------------|
| SURVIVAL AT END OF STUDY (KAPLAN-MEIER) | 0.0% | 0.0% |
| SIGNIFICANCE (B) (LIFE TABLE) | P=0.016 | P=0.016 |
| MEAN DAY OF NATURAL DEATHS (C) (STANDARD ERROR) | 1.0 (0.0) | 1.0 (0.0) |
| MEAN LIFE SPAN (D) (STANDARD ERROR) | 1.0 (0.0) | 1.0 (0.0) |

⁽A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: 14-DAY

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Vinylidene Chloride CAS Number: 75-35-4

Date Report Requested: 09/19/2016 Time Report Requested: 10:38:38 First Dose M/F: 06/14/04 / 06/14/04

Lab: BNW

FEMALE MICE

| DOSE = CONTROL | | | |
|-----------------------|---------------------|-------------------|------------|
| TOTAL 5 | UNCENSORED DEATHS 0 | CENSORED DEATHS 0 | TERMINAL 5 |
| UNCENSORED DEATH DAYS | | | |
| None | | | |
| CENSORED DEATH DAYS | | | |
| None POSE OF PRIM | | | |
| DOSE = 25 PPM | | | |
| TOTAL 5 | UNCENSORED DEATHS 0 | CENSORED DEATHS 0 | TERMINAL 5 |
| UNCENSORED DEATH DAYS | | | |
| None | | | |
| CENSORED DEATH DAYS | | | |
| None | | | |
| DOSE = 50 PPM | | | |
| TOTAL 5 | UNCENSORED DEATHS 0 | CENSORED DEATHS 0 | TERMINAL 5 |
| UNCENSORED DEATH DAYS | | | |
| None | | | |
| CENSORED DEATH DAYS | | | |
| None | | | |
| DOSE = 100 PPM | | | |
| TOTAL 5 | UNCENSORED DEATHS 1 | CENSORED DEATHS 0 | TERMINAL 4 |
| UNCENSORED DEATH DAYS | | | |
| 5 | | | |
| CENSORED DEATH DAYS | | | |
| None | | | |

Test Type: 14-DAY

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Vinylidene Chloride CAS Number: 75-35-4

Date Report Requested: 09/19/2016 Time Report Requested: 10:38:38 First Dose M/F: 06/14/04 / 06/14/04

Lab: BNW

FEMALE MICE

| DOSE = 200 PPM | | | |
|---------------------|---------------------|-------------------|------------|
| TOTAL 5 | UNCENSORED DEATHS 5 | CENSORED DEATHS 0 | TERMINAL 0 |
| UNCENSORED DEATH DA | AYS | | |
| 1 1 1 | 1 1 | | |
| CENSORED DEATH DAYS | 3 | | |
| None | | | |
| DOSE = 400 PPM | | | |
| TOTAL 5 | UNCENSORED DEATHS 5 | CENSORED DEATHS 0 | TERMINAL 0 |
| UNCENSORED DEATH DA | AYS | | |
| 1 1 1 | 1 1 | | |
| CENSORED DEATH DAYS | 3 | | |
| None | | | |

Test Type: 14-DAY

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Vinylidene Chloride **CAS Number:** 75-35-4 Date Report Requested: 09/19/2016 Time Report Requested: 10:38:38 First Dose M/F: 06/14/04 / 06/14/04

Lab: BNW

FEMALE MICE FIRST TERMINAL SACRIFICE AT 18 DAYS

| | | KAP | LAN-ME | IER SUR | VIVAL P | ROBABI | LITY EST | TIMATES | i (%) | |
|---------|-------|-------|--------|---------|---------|--------|----------|---------|-------|-------|
| DOSE | | | | | TIME (| DAYS) | | | | |
| | 2 | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18(A) | 18(A) |
| CONTROL | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 25 PPM | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 50 PPM | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 100 PPM | 100.0 | 100.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 |
| 200 PPM | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 400 PPM | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

⁽A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: 14-DAY

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Vinylidene Chloride **CAS Number:** 75-35-4 Date Report Requested: 09/19/2016 Time Report Requested: 10:38:38 First Dose M/F: 06/14/04 / 06/14/04

Lab: BNW

FEMALE MICE

FIRST TERMINAL SACRIFICE AT 18 DAYS

| | SURVIVAL SU | JMMARY STATISTICS | | |
|---|---------------|-------------------|---------------|---------------|
| DOSE | CONTROL | 25 PPM | 50 PPM | 100 PPM |
| SURVIVAL AT END OF STUDY (KAPLAN-MEIER) | 100.0% | 100.0% | 100.0% | 80.0% |
| SIGNIFICANCE (B) (LIFE TABLE) | P<0.001 | | | P=1.000 |
| MEAN DAY OF NATURAL DEATHS (C) (STANDARD ERROR) | · (.) | · (.) | (.) | 5.0 (.) |
| MEAN LIFE SPAN (D) (STANDARD ERROR) | 18.0 (0.0) | 18.0 (0.0) | 18.0 (0.0) | 15.4 (2.6) |

| DOSE | 200 PPM | 400 PPM |
|---|--------------|--------------|
| SURVIVAL AT END OF STUDY (KAPLAN-MEIER) | 0.0% | 0.0% |
| SIGNIFICANCE (B) (LIFE TABLE) | P=0.016 | P=0.016 |
| MEAN DAY OF NATURAL DEATHS (C) (STANDARD ERROR) | 1.0 (0.0) | 1.0 (0.0) |
| MEAN LIFE SPAN (D) (STANDARD ERROR) | 1.0 (0.0) | 1.0 (0.0) |

*** END OF REPORT ***

⁽A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)