

TDMS No. 20203 - 02
Test Type: 90-DAY
Route: GAVAGE
Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Green tea extract
CAS Number: GREENTEAEXTR

Date Report Requested: 04/15/2009
Time Report Requested: 08:55:24
First Dose M/F: 04/20/06 / 04/19/06
Lab: BAT

F_M3

C Number: C20203
Lock Date: 01/04/2007
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL
Study Gender: Both
TDMSE Version: 2.1.0

DAY ON TEST	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0
	9	9	9	9	9	9	9	9	9	9
	3	3	3	3	3	3	3	3	3	3
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0
	3	3	3	3	3	3	3	3	3	3
	0	0	0	0	0	0	0	0	0	1
	1	2	3	4	5	6	7	8	9	0
0 mg/kg										* TOTALS

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	10
Gallbladder	+	+	M	+	+	+	+	+	+	+	9
Intestine Large, Cecum	+	+	+	+	+	+	+	+	+	+	10
Intestine Large, Colon	+	+	+	+	+	+	+	+	+	+	10
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	10
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	+	10
Intestine Small, Ileum	+	+	+	+	+	+	+	+	+	+	10
Intestine Small, Jejunum	+	+	+	+	+	+	+	+	+	+	10
Liver	+	+	+	+	+	+	+	+	+	+	10
Depletion Glycogen	1								1		2 1.0
Infiltration Cellular, Mixed Cell	1			1	1	1	1	1	1		8 1.0
Pancreas	+	+	+	+	+	+	+	+	+	+	10
Salivary Glands	+	+	+	+	+	+	+	+	+	+	10

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

DAY ON TEST	0	0	0	0	0	0	0	0	0	0	* TOTALS
	0	0	0	0	0	0	0	0	0	0	
B6C3F1 MICE MALE 0 mg/kg	ANIMAL ID										* TOTALS
	0	0	0	0	0	0	0	0	0	0	
	3	3	3	3	3	3	3	3	3	3	
	0	0	0	0	0	0	0	0	0	0	
	1	2	3	4	5	6	7	8	9	0	
Stomach, Forestomach	+	+	+	+	+	+	+	+	+	+	10
Stomach, Glandular	+	+	+	+	+	+	+	+	+	+	10
CARDIOVASCULAR SYSTEM											
Blood Vessel	+	+	+	+	+	+	+	+	+	+	10
Heart	+	+	+	+	+	+	+	+	+	+	10
Cardiomyopathy	1										1 1.0
ENDOCRINE SYSTEM											
Adrenal Cortex	+	+	+	+	+	+	+	+	+	+	10
Subcapsular, Hyperplasia	1	1								1	3 1.0
Adrenal Medulla	+	+	+	+	+	+	+	+	+	+	10
Islets, Pancreatic	+	+	+	+	+	+	+	+	+	+	10
Parathyroid Gland	+	+	+	M	M	+	+	+	M	+	7
Pituitary Gland	+	+	+	+	+	+	+	+	+	+	10
Thyroid Gland	+	+	+	+	+	+	+	+	+	+	10

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 3

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	
		9	9	9	9	9	9	9	9	9	9	
		3	3	3	3	3	3	3	3	3	3	
B6C3F1 MICE MALE	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	
0 mg/kg		3	3	3	3	3	3	3	3	3	3	
		0	0	0	0	0	0	0	0	0	1	
		1	2	3	4	5	6	7	8	9	0	* TOTALS

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Epididymis	+	+	+	+	+	+	+	+	+	+	10
Preputial Gland	+	+	+	+	+	+	+	+	+	+	10
Prostate	+	+	+	+	+	+	+	+	+	+	10
Infiltration Cellular, Mononuclear Cell		1	1		2		1	1	1		6 1.2
Seminal Vesicle	+	+	+	+	+	+	+	+	+	+	10
Testes	+	+	+	+	+	+	+	+	+	+	10

HEMATOPOIETIC SYSTEM

Bone Marrow	+	+	+	+	+	+	+	+	+	+	10
Lymph Node, Mandibular	+	+	+	+	+	+	+	+	+	+	10
Atrophy		1									1 1.0
Hyperplasia, Lymphoid							2				1 2.0
Lymph Node, Mesenteric	+	+	+	+	+	+	+	+	+	+	10

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

DAY ON TEST	0	0	0	0	0	0	0	0	0	0	* TOTALS
	0	0	0	0	0	0	0	0	0	0	
ANIMAL ID	9	9	9	9	9	9	9	9	9	9	* TOTALS
	3	3	3	3	3	3	3	3	3	3	
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	
0 mg/kg	0	0	0	0	0	0	0	0	0	0	
	3	3	3	3	3	3	3	3	3	3	
	0	0	0	0	0	0	0	0	0	1	
	1	2	3	4	5	6	7	8	9	0	
Atrophy					1		1	1	1		4 1.0
Spleen	+	+	+	+	+	+	+	+	+	+	10
Lymphoid Follicle, Hyperplasia	1								2		2 1.5
Thymus	+	+	+	+	+	+	+	+	+	+	10
INTEGUMENTARY SYSTEM											
Mammary Gland	M	M	M	M	M	M	M	M	M	M	0
Skin	+	+	+	+	+	+	+	+	+	+	10
MUSCULOSKELETAL SYSTEM											
Bone	+	+	+	+	+	+	+	+	+	+	10
NERVOUS SYSTEM											
Brain	+	+	+	+	+	+	+	+	+	+	10
RESPIRATORY SYSTEM											
Lung	+	+	+	+	+	+	+	+	+	+	10

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

DAY ON TEST	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0
	9	9	9	9	9	9	9	9	9	9
	3	3	3	3	3	3	3	3	3	3
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0
	3	3	3	3	3	3	3	3	3	3
	0	0	0	0	0	0	0	0	0	1
	1	2	3	4	5	6	7	8	9	0
0 mg/kg										* TOTALS

Nose	+	+	+	+	+	+	+	+	+	+	10
Trachea	+	+	+	+	+	+	+	+	+	+	10

SPECIAL SENSES SYSTEM

Eye	+	+	+	+	+	+	+	+	+	+	10
Harderian Gland	+	+	+	+	+	+	+	+	+	+	10

URINARY SYSTEM

Kidney	+	+	+	+	+	+	+	+	+	+	10	
Nephropathy	1		1			1	1			1		5 1.0
Urinary Bladder	+	+	+	+	+	+	+	+	+	+	10	
Infiltration Cellular, Lymphocyte				1								1 1.0

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	
		9	9	9	9	9	9	9	9	9	9	
		3	3	3	3	3	3	3	3	3	3	
B6C3F1 MICE MALE	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	
62.5 mg/kg		3	3	3	3	3	3	3	3	3	3	
		1	1	1	1	1	1	1	1	1	2	
		1	2	3	4	5	6	7	8	9	0	* TOTALS

ALIMENTARY SYSTEM

Liver	+	+	+	+	+	+	+	+	+	+	10
Infiltration Cellular, Mixed Cell	1	1	1	1				1		1	6 1.0

CARDIOVASCULAR SYSTEM

Heart	+	+	+	+	+	+	+	+	+	+	10
-------	---	---	---	---	---	---	---	---	---	---	-----------

ENDOCRINE SYSTEM

NONE

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

NONE

HEMATOPOIETIC SYSTEM

Lymph Node, Mandibular	+	+	+	+	+	+	+	+	+	+	10
Hyperplasia, Lymphoid					2						1 2.0
Lymph Node, Mesenteric	+	+	+	+	+	+	+	+	+	+	10

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

DAY ON TEST	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0
	9	9	9	9	9	9	9	9	9	9
	3	3	3	3	3	3	3	3	3	3
B6C3F1 MICE MALE 62.5 mg/kg	ANIMAL ID	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0
		3	3	3	3	3	3	3	3	3
		1	1	1	1	1	1	1	1	2
		1	2	3	4	5	6	7	8	9

* TOTALS

Hyperplasia, Lymphoid	3				2			1		1	4 1.8
Spleen	+	+	+	+	+	+	+	+	+	+	10
Thymus	+	+	+	+	+	+	+	+	+	+	10

INTEGUMENTARY SYSTEM

NONE

MUSCULOSKELETAL SYSTEM

NONE

NERVOUS SYSTEM

NONE

RESPIRATORY SYSTEM

Nose	+	+	+	+	+	+	+	+	+	+	10
Olfactory Epithelium, Atrophy								1			1 1.0

SPECIAL SENSES SYSTEM

NONE

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 8

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20203 - 02

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Green tea extract

CAS Number: GREENTEAEXTR

Date Report Requested: 04/15/2009

Time Report Requested: 08:55:24

First Dose M/F: 04/20/06 / 04/19/06

Lab: BAT

	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	
		9	9	9	9	9	9	9	9	9	9	9	
		3	3	3	3	3	3	3	3	3	3	3	
.....													
B6C3F1 MICE MALE	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	
62.5 mg/kg		3	3	3	3	3	3	3	3	3	3	3	
		1	1	1	1	1	1	1	1	1	1	2	
		1	2	3	4	5	6	7	8	9	0		* TOTALS
.....													
NONE													

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Page 9

	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	
		9	9	9	9	9	9	9	9	9	9	
		3	3	3	3	3	3	3	3	3	3	
B6C3F1 MICE MALE	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	
125 mg/kg		3	3	3	3	3	3	3	3	3	3	
		2	2	2	2	2	2	2	2	2	3	
		1	2	3	4	5	6	7	8	9	0	
		* TOTALS										

ALIMENTARY SYSTEM

Liver	+	+	+	+	+	+	+	+	+	+	10
Depletion Glycogen			1							2	2 1.5
Infiltration Cellular, Mixed Cell		1	1	1	1	1	1		1	1	8 1.0
Centrilobular, Necrosis		1							1		2 1.0

CARDIOVASCULAR SYSTEM

Heart	+	+	+	+	+	+	+	+	+	+	10
-------	---	---	---	---	---	---	---	---	---	---	-----------

ENDOCRINE SYSTEM

NONE

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

NONE

HEMATOPOIETIC SYSTEM

Lymph Node, Mandibular	+	+	+	+	+	+	+	+	+	+	10
------------------------	---	---	---	---	---	---	---	---	---	---	-----------

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

DAY ON TEST	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0
	9	9	9	9	9	9	9	9	9	9
	3	3	3	3	3	3	3	3	3	3
B6C3F1 MICE MALE 125 mg/kg	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0
	3	3	3	3	3	3	3	3	3	3
	2	2	2	2	2	2	2	2	2	3
	1	2	3	4	5	6	7	8	9	0
										* TOTALS

Lymph Node, Mesenteric Hyperplasia, Lymphoid	+	+	+	+	+	+	+	+	+	+	10	3	1.7
Spleen Lymphoid Follicle, Hyperplasia	+	+	+	+	+	+	+	+	+	+	10	1	1.0
Thymus	+	+	+	+	+	+	+	+	+	+	10		

INTEGUMENTARY SYSTEM

NONE

MUSCULOSKELETAL SYSTEM

NONE

NERVOUS SYSTEM

NONE

RESPIRATORY SYSTEM

Nose	+	+	+	+	+	+	+	+	+	+	10		
Inflammation												3	1 3.0
Olfactory Epithelium, Necrosis												3	1 3.0

SPECIAL SENSES SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 11

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20203 - 02

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Green tea extract

CAS Number: GREENTEAEXTR

Date Report Requested: 04/15/2009

Time Report Requested: 08:55:24

First Dose M/F: 04/20/06 / 04/19/06

Lab: BAT

DAY ON TEST	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0
	9	9	9	9	9	9	9	9	9	9
	3	3	3	3	3	3	3	3	3	3

B6C3F1 MICE MALE

125 mg/kg

ANIMAL ID	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0
	3	3	3	3	3	3	3	3	3	3
	2	2	2	2	2	2	2	2	2	3
	1	2	3	4	5	6	7	8	9	0

* TOTALS

URINARY SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	
		9	9	9	9	9	9	9	9	9	9	
		3	3	3	3	3	3	3	3	3	3	
B6C3F1 MICE MALE	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	
250 mg/kg		3	3	3	3	3	3	3	3	3	3	
		3	3	3	3	3	3	3	3	3	4	
		1	2	3	4	5	6	7	8	9	0	* TOTALS

ALIMENTARY SYSTEM

Liver	+	+	+	+	+	+	+	+	+	+	10
Depletion Glycogen	1	2	1	1		3	2	1	1		8 1.5
Infiltration Cellular, Mixed Cell	1	1	1	1	1		1		1		7 1.0

CARDIOVASCULAR SYSTEM

Heart	+	+	+	+	+	+	+	+	+	+	10
-------	---	---	---	---	---	---	---	---	---	---	-----------

ENDOCRINE SYSTEM

NONE

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

NONE

HEMATOPOIETIC SYSTEM

Lymph Node, Mandibular	+	+	+	+	+	+	+	+	+	+	10
Lymph Node, Mesenteric	+	+	+	+	+	+	+	+	+	+	10

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	
		9	9	9	9	9	9	9	9	9	9	
		3	3	3	3	3	3	3	3	3	3	
B6C3F1 MICE MALE	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	
250 mg/kg		3	3	3	3	3	3	3	3	3	3	
		3	3	3	3	3	3	3	3	3	4	
		1	2	3	4	5	6	7	8	9	0	* TOTALS

Hyperplasia, Lymphoid												2	1 2.0
Spleen	+	+	+	+	+	+	+	+	+	+	+		10
Thymus	+	+	+	+	+	+	+	+	+	+	+		10

INTEGUMENTARY SYSTEM

NONE

MUSCULOSKELETAL SYSTEM

NONE

NERVOUS SYSTEM

NONE

RESPIRATORY SYSTEM

Nose	+	+	+	+	+	+	+	+	+	+		10
Nerve, Atrophy	1			1	1	2			1			5 1.2
Olfactory Epithelium, Atrophy				1	1	2			1			4 1.3
Olfactory Epithelium, Metaplasia	1			1	1	1			1			5 1.0

SPECIAL SENSES SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20203 - 02

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Green tea extract

CAS Number: GREENTEAEXTR

Date Report Requested: 04/15/2009

Time Report Requested: 08:55:24

First Dose M/F: 04/20/06 / 04/19/06

Lab: BAT

DAY ON TEST	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0
	9	9	9	9	9	9	9	9	9	9
	3	3	3	3	3	3	3	3	3	3

B6C3F1 MICE MALE

250 mg/kg

ANIMAL ID	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0
	3	3	3	3	3	3	3	3	3	3
	3	3	3	3	3	3	3	3	3	4
	1	2	3	4	5	6	7	8	9	0

* TOTALS

URINARY SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	
		9	9	9	9	9	9	9	9	9	9	
		3	3	3	3	3	3	3	3	3	3	
B6C3F1 MICE MALE	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	
		3	3	3	3	3	3	3	3	3	3	
500 mg/kg		4	4	4	4	4	4	4	4	4	5	
		1	2	3	4	5	6	7	8	9	0	* TOTALS

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	10
Gallbladder	+	+	+	+	+	+	+	+	+	+	10
Intestine Large, Cecum	+	+	+	+	+	+	+	+	+	+	10
Intestine Large, Colon	+	+	+	+	+	+	+	+	+	+	10
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	10
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	+	10
Intestine Small, Ileum	+	+	+	+	+	+	+	+	+	+	10
Intestine Small, Jejunum	+	+	+	+	+	+	+	+	+	+	10
Liver	+	+	+	+	+	+	+	+	+	+	10
Depletion Glycogen	2	1	2	2	1	1	2	2	1	3	10 1.7
Infiltration Cellular, Mixed Cell	1		1		1		1				4 1.0
Pancreas	+	+	+	+	+	+	+	+	+	+	10
Salivary Glands	+	+	+	+	+	+	+	+	+	+	10

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

DAY ON TEST	0	0	0	0	0	0	0	0	0	0	* TOTALS
	0	0	0	0	0	0	0	0	0	0	
B6C3F1 MICE MALE 500 mg/kg	ANIMAL ID										
	3	3	3	3	3	3	3	3	3	3	
	4	4	4	4	4	4	4	4	4	5	
	1	2	3	4	5	6	7	8	9	0	
Stomach, Forestomach	+	+	+	+	+	+	+	+	+	+	10
Stomach, Glandular	+	+	+	+	+	+	+	+	+	+	10
CARDIOVASCULAR SYSTEM											
Blood Vessel	+	+	+	+	+	+	+	+	+	+	10
Heart	+	+	+	+	+	+	+	+	+	+	10
ENDOCRINE SYSTEM											
Adrenal Cortex	+	+	+	+	+	+	+	+	+	+	10
Subcapsular, Hyperplasia		1	1	1			1	1			5 1.0
Adrenal Medulla	+	+	+	+	+	+	+	+	+	+	10
Islets, Pancreatic	+	+	+	+	+	+	+	+	+	+	10
Parathyroid Gland	+	+	+	+	+	+	+	M	+	+	9
Pituitary Gland	+	+	+	+	+	+	+	+	+	+	10
Thyroid Gland	+	+	+	+	+	+	+	+	+	+	10

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	
		9	9	9	9	9	9	9	9	9	9	
		3	3	3	3	3	3	3	3	3	3	
B6C3F1 MICE MALE	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	
500 mg/kg		3	3	3	3	3	3	3	3	3	3	
		4	4	4	4	4	4	4	4	4	5	
		1	2	3	4	5	6	7	8	9	0	* TOTALS

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Epididymis	+	+	+	+	+	+	+	+	+	+	10
Preputial Gland	+	+	+	+	+	+	+	+	+	+	10
Prostate	+	+	+	+	+	+	+	+	+	+	10
Infiltration Cellular, Mononuclear Cell	1		1	1	1		1		1		6 1.0
Seminal Vesicle	+	+	+	+	+	+	+	+	+	+	10
Testes	+	+	+	+	+	+	+	+	+	+	10

HEMATOPOIETIC SYSTEM

Bone Marrow	+	+	+	+	+	+	+	+	+	+	10
Lymph Node, Mandibular	+	+	+	+	+	+	+	+	+	+	10
Atrophy							1		1		2 1.0
Lymph Node, Mesenteric	+	+	+	+	+	+	+	+	+	+	10
Atrophy						1			1		2 1.0

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	
		9	9	9	9	9	9	9	9	9	9	
		3	3	3	3	3	3	3	3	3	3	
B6C3F1 MICE MALE	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	
		3	3	3	3	3	3	3	3	3	3	
500 mg/kg		4	4	4	4	4	4	4	4	4	5	
		1	2	3	4	5	6	7	8	9	0	* TOTALS

Spleen	+	+	+	+	+	+	+	+	+	+	10
Lymphoid Follicle, Hyperplasia				1							1 1.0
Thymus	+	+	+	+	+	+	+	+	+	+	10

INTEGUMENTARY SYSTEM

Mammary Gland	M	M	M	M	M	M	M	M	M	M	0
Skin	+	+	+	+	+	+	+	+	+	+	10

MUSCULOSKELETAL SYSTEM

Bone	+	+	+	+	+	+	+	+	+	+	10
------	---	---	---	---	---	---	---	---	---	---	-----------

NERVOUS SYSTEM

Brain	+	+	+	+	+	+	+	+	+	+	10
Hydrocephalus								1			1 1.0

RESPIRATORY SYSTEM

Lung	+	+	+	+	+	+	+	+	+	+	10
------	---	---	---	---	---	---	---	---	---	---	-----------

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

DAY ON TEST	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0
	9	9	9	9	9	9	9	9	9	9
	3	3	3	3	3	3	3	3	3	3
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0
	3	3	3	3	3	3	3	3	3	3
	4	4	4	4	4	4	4	4	4	5
	1	2	3	4	5	6	7	8	9	0
500 mg/kg										
										* TOTALS

Nose	+	+	+	+	+	+	+	+	+	+	10
Foreign Body										X	1
Inflammation										2	1 2.0
Nerve, Atrophy	1		1	2	1		1	1	1		7 1.1
Olfactory Epithelium, Atrophy	1			2	2		2				4 1.8
Olfactory Epithelium, Metaplasia	1		1	2			1	1			5 1.2
Olfactory Epithelium, Necrosis										3	1 3.0
Respiratory Epithelium, Hyaline Droplet	1										1 1.0
Respiratory Epithelium, Necrosis										4	1 4.0
Trachea	+	+	+	+	+	+	+	+	+	+	10

SPECIAL SENSES SYSTEM

Eye	+	+	+	+	+	+	+	+	+	+	10
Harderian Gland	+	+	+	+	+	+	+	+	+	+	10

URINARY SYSTEM

Kidney	+	+	+	+	+	+	+	+	+	+	10
Nephropathy			1	1	1		1				4 1.0
Urinary Bladder	+	+	+	+	+	+	+	+	+	+	10
Infiltration Cellular, Lymphocyte		1								1	2 1.0

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	
		9	9	0	9	0	5	0	0	9	0	
		3	3	5	3	3	4	5	3	3	3	
B6C3F1 MICE MALE	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	
		3	3	3	3	3	3	3	3	3	3	
1000 mg/kg		5	5	5	5	5	5	5	5	5	6	
		1	2	3	4	5	6	7	8	9	0	* TOTALS

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	10	
Gallbladder	+	+	+	+	+	+	+	+	+	+	10	
Intestine Large, Cecum	+	+	+	+	+	+	+	+	+	+	10	
Intestine Large, Colon Peyer's Patch, Atrophy	+	+	+	+	+	+	+	+	+	+	10	1 1.0
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	10	
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	+	10	
Intestine Small, Ileum Peyer's Patch, Atrophy	+	+	+	+	+	+	+	+	+	+	10	2 2.0
Intestine Small, Jejunum	+	+	+	+	+	+	+	+	+	+	10	
Liver	+	+	+	+	+	+	+	+	+	+	10	
Depletion Glycogen	3	3		3					1		4	2.5
Infiltration Cellular, Mixed Cell	1	1									2	1.0
Karyomegaly	1	1									2	1.0
Mitosis	2	1							1		3	1.3
Pigmentation		1							1		2	1.0
Centrilobular, Necrosis	1		4		4	4	3	4	1	4	8	3.1

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

DAY ON TEST	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0
	9	9	0	9	0	5	0	0	9	0
	3	3	5	3	3	4	5	3	3	3
B6C3F1 MICE MALE 1000 mg/kg	ANIMAL ID	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0
		3	3	3	3	3	3	3	3	3
		5	5	5	5	5	5	5	5	6
		1	2	3	4	5	6	7	8	9

* TOTALS

Pancreas	+	+	+	+	+	+	+	+	+	+	10
Salivary Glands	+	+	+	+	+	+	+	+	+	+	10
Stomach, Forestomach	+	+	+	+	+	+	+	+	+	+	10
Stomach, Glandular	+	+	+	+	+	+	+	+	+	+	10

CARDIOVASCULAR SYSTEM

Blood Vessel	+	+	+	+	+	+	+	+	+	+	10
Heart	+	+	+	+	+	+	+	+	+	+	10
Myocardium, Hemorrhage							1				1 1.0

ENDOCRINE SYSTEM

Adrenal Cortex	+	+	+	+	+	+	+	+	+	+	10
Subcapsular, Hyperplasia	1	1							1		3 1.0
Adrenal Medulla	+	+	+	+	+	+	+	+	+	+	10
Islets, Pancreatic	+	+	+	+	+	+	+	+	+	+	10

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

	DAY ON TEST										
	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	
	9	9	0	9	0	5	0	0	9	0	
	3	3	5	3	3	4	5	3	3	3	
B6C3F1 MICE MALE										
	ANIMAL ID										
	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	
	3	3	3	3	3	3	3	3	3	3	
	5	5	5	5	5	5	5	5	5	6	
	1	2	3	4	5	6	7	8	9	0	
											* TOTALS

Parathyroid Gland	+	+	M	M	+	+	+	+	+	+	8
Pituitary Gland	+	+	+	+	+	+	+	+	+	+	10
Thyroid Gland	+	+	+	+	+	+	+	+	+	+	10

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Epididymis	+	+	+	+	+	+	+	+	+	+	10
Preputial Gland	+	+	+	+	+	+	+	+	+	+	10
Prostate	+	+	+	+	+	+	+	+	+	+	10
Infiltration Cellular, Mononuclear Cell	1			1	1						3 1.0
Seminal Vesicle	+	+	+	+	+	+	+	+	+	+	10
Testes	+	+	+	+	+	+	+	+	+	+	10

HEMATOPOIETIC SYSTEM

Bone Marrow	+	+	+	+	+	+	+	+	+	+	10
-------------	---	---	---	---	---	---	---	---	---	---	-----------

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

DAY ON TEST	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0
	9	9	0	9	0	5	0	0	9	0
	3	3	5	3	3	4	5	3	3	3
.....										
B6C3F1 MICE MALE 1000 mg/kg ANIMAL ID	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0
	3	3	3	3	3	3	3	3	3	3
	5	5	5	5	5	5	5	5	5	6
	1	2	3	4	5	6	7	8	9	0
										* TOTALS

Lymph Node, Mandibular Atrophy	+	+	+	+	+	+	+	+	+	+	10	7	1.9	
			1	2	2	2	3	1		2				
Lymph Node, Mesenteric Atrophy	+	+	+	+	+	+	+	+	+	+	10	8	1.4	
			1	1		2	1	1	2	1	2			
Spleen Lymphoid Follicle, Hyperplasia	+	+	+	+	+	+	+	+	+	+	10	1	1.0	
	1													
Thymus Atrophy	+	+	+	+	+	+	+	+	+	+	10	6	3.3	
			3		4	3	4	3		3				

INTEGUMENTARY SYSTEM

Mammary Gland	M	M	M	M	M	M	M	M	M	M	0
Skin	+	+	+	+	+	+	+	+	+	+	10

MUSCULOSKELETAL SYSTEM

Bone	+	+	+	+	+	+	+	+	+	+	10
------	---	---	---	---	---	---	---	---	---	---	----

NERVOUS SYSTEM

--	--	--	--	--	--	--	--	--	--	--	--

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

DAY ON TEST	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0
	9	9	0	9	0	5	0	0	9	0
	3	3	5	3	3	4	5	3	3	3
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0
	3	3	3	3	3	3	3	3	3	3
	5	5	5	5	5	5	5	5	5	6
	1	2	3	4	5	6	7	8	9	0
1000 mg/kg										
										* TOTALS

Brain + + + + + + + + + + 10

RESPIRATORY SYSTEM

Lung + + + + + + + + + + 10

Nose + + + + + + + + + + 10

Inflammation			2								1	2.0
Glands, Olfactory Epithelium, Hyperplasia						1	2			1	3	1.3
Lamina Propria, Pigmentation, Histiocyte		1									1	1.0
Nerve, Atrophy	1	2		2		2			2		5	1.8
Olfactory Epithelium, Atrophy		1		1		2			1		4	1.3
Olfactory Epithelium, Hyperplasia, Basal Cell						1	3			3	3	2.3
Olfactory Epithelium, Metaplasia	1	2		3		2			3		5	2.2
Olfactory Epithelium, Necrosis			3			1	1				3	1.7
Olfactory Epithelium, Pigmentation		1									1	1.0
Respiratory Epithelium, Hyaline Droplet	1	1							1		3	1.0
Respiratory Epithelium, Hyperplasia			1		1	1					3	1.0
Respiratory Epithelium, Metaplasia, Squamous			2								1	2.0
Respiratory Epithelium, Necrosis			2								1	2.0

Trachea + + + + + + + + + + 10

SPECIAL SENSES SYSTEM

Eye + + + + + + + + + + 10

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	
		9	9	0	9	0	5	0	0	9	0	
		3	3	5	3	3	4	5	3	3	3	
B6C3F1 MICE MALE	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	
1000 mg/kg		3	3	3	3	3	3	3	3	3	3	
		5	5	5	5	5	5	5	5	5	6	
		1	2	3	4	5	6	7	8	9	0	
												* TOTALS

Harderian Gland	+	+	+	+	+	+	+	+	+	+	+	10
-----------------	---	---	---	---	---	---	---	---	---	---	---	-----------

URINARY SYSTEM

Kidney	+	+	+	+	+	+	+	+	+	+	10
Nephropathy	1	1		1					1		4 1.0
Urinary Bladder	+	+	+	+	+	+	+	+	+	+	10

*** END OF MALE DATA ***

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked
 Page 26

DAY ON TEST		0	0	0	0	0	0	0	0	0	0
DAY ON TEST		0	0	0	0	0	0	0	0	0	0
DAY ON TEST		9	9	9	9	9	9	9	9	9	9
DAY ON TEST		3	3	3	3	3	3	3	3	3	3
B6C3F1 MICE FEMALE		0	0	0	0	0	0	0	0	0	0
0 mg/kg		0	0	0	0	0	0	0	0	0	0
ANIMAL ID		3	3	3	3	3	3	3	3	3	3
ANIMAL ID		6	6	6	6	6	6	6	6	7	7
ANIMAL ID		1	2	3	4	5	6	7	8	9	0
* TOTALS											

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	10	
Muscularis, Degeneration										1		1 1.0
Gallbladder	+	+	+	+	+	+	+	+	+	+	10	
Intestine Large, Cecum	+	+	+	+	+	+	+	+	+	+	10	
Intestine Large, Colon	+	+	+	+	+	+	+	+	+	+	10	
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	10	
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	+	10	
Intestine Small, Ileum	+	+	+	+	+	+	+	+	+	+	10	
Intestine Small, Jejunum	+	+	+	+	+	+	+	+	+	+	10	
Liver	+	+	+	+	+	+	+	+	+	+	10	
Infiltration Cellular, Mixed Cell	1	1	1	1	1	1	1	1	1	1		10 1.0
Pancreas	+	+	+	+	+	+	+	+	+	+	10	
Salivary Glands	+	+	+	+	+	+	+	+	+	+	10	

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

DAY ON TEST		0	0	0	0	0	0	0	0	0	0	
ANIMAL ID		0	0	0	0	0	0	0	0	0	0	
B6C3F1 MICE FEMALE		3	3	3	3	3	3	3	3	3	3	
0 mg/kg		6	6	6	6	6	6	6	6	7	0	* TOTALS
		1	2	3	4	5	6	7	8	9	0	
Stomach, Forestomach		+	+	+	+	+	+	+	+	+	+	10
Stomach, Glandular		+	+	+	+	+	+	+	+	+	+	10
CARDIOVASCULAR SYSTEM												
Blood Vessel		+	+	+	+	+	+	+	+	+	+	10
Heart		+	+	+	+	+	+	+	+	+	+	10
ENDOCRINE SYSTEM												
Adrenal Cortex		+	+	+	+	+	+	+	+	+	+	10
Subcapsular, Hyperplasia		1	1	1	1	1	1	1	1	1	1	10 1.0
Adrenal Medulla		+	+	+	+	+	+	+	+	+	+	10
Islets, Pancreatic		+	+	+	+	+	+	+	+	+	+	10
Parathyroid Gland		+	+	+	+	M	+	+	+	+	+	9
Pituitary Gland		+	+	+	+	+	+	+	+	+	+	10
Thyroid Gland		+	+	+	+	+	+	+	+	+	+	10
Infiltration Cellular, Mononuclear Cell					2							1 2.0

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	
		9	9	9	9	9	9	9	9	9	9	
		3	3	3	3	3	3	3	3	3	3	
B6C3F1 MICE FEMALE	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	
0 mg/kg		3	3	3	3	3	3	3	3	3	3	
		6	6	6	6	6	6	6	6	6	7	
		1	2	3	4	5	6	7	8	9	0	* TOTALS

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Clitoral Gland

+ + + + + + + + + + **10**

Ovary

+ + + + + + + + + + **10**

Uterus

+ + + + + + + + + + **10**

HEMATOPOIETIC SYSTEM

Bone Marrow

+ + + + + + + + + + **10**

Lymph Node, Mandibular

+ + + + + + + + + + **10**

Lymph Node, Mesenteric Atrophy

+ + + + + + + + + + **10**
 1 1 **2 1.0**

Spleen

+ + + + + + + + + + **10**

Thymus

+ + + + + + + + + + **10**

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|--|---|---|---|---|---|---|---|---|---|---|
| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DAY ON TEST | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| DAY ON TEST | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B6C3F1 MICE FEMALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 mg/kg | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| ANIMAL ID | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 |
| ANIMAL ID | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| * TOTALS | | | | | | | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | 10 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | 10 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone | + | + | + | + | + | + | + | + | + | + | + | 10 |
|------|---|---|---|---|---|---|---|---|---|---|---|-----------|

NERVOUS SYSTEM

| | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Brain | + | + | + | + | + | + | + | + | + | + | + | 10 |
|-------|---|---|---|---|---|---|---|---|---|---|---|-----------|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | |
|---------|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Lung | + | + | + | + | + | + | + | + | + | + | + | 10 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | 10 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | 10 |

SPECIAL SENSES SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 30

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
|---------------------------|---------------------|---|---|---|---|---|---|---|---|---|--------------|-----------------|
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| B6C3F1 MICE FEMALE | 0 mg/kg | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| | | | | | | | | | | | | * TOTALS |
| Eye | + + + + + + + + + + | | | | | | | | | | 10 | |
| Harderian Gland | + + + + + + + + + + | | | | | | | | | | 10 | |
| URINARY SYSTEM | | | | | | | | | | | | |
| Kidney | + + + + + + + + + + | | | | | | | | | | 10 | |
| Nephropathy | | | | | | | | | | | 2 1.0 | |
| Urinary Bladder | + + + + + + + + + + | | | | | | | | | | 10 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|-----------------|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 62.5 mg/kg | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |

ALIMENTARY SYSTEM

| | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|--------------|
| Liver | + | + | + | + | + | + | + | + | + | + | 10 |
| Infiltration Cellular, Mixed Cell | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 9 1.0 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|-----------|
| Heart | + | + | + | + | + | + | + | + | + | + | 10 |
|-------|---|---|---|---|---|---|---|---|---|---|-----------|

ENDOCRINE SYSTEM

NONE

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

NONE

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|--------------|
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | 10 |
| Hemorrhage | | | | | | | | | | 1 | 1 1.0 |
| Hyperplasia, Lymphoid | | | | | | | | | 3 | | 1 3.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|---|---|---|---|---|---|---|---|---|-----------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| 62.5 mg/kg | | | | | | | | | | |
| | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | 10 |
| Spleen | + | + | + | + | + | + | + | + | + | + | 10 |
| Thymus | + | + | + | + | + | + | + | + | + | + | 10 |

INTEGUMENTARY SYSTEM

NONE

MUSCULOSKELETAL SYSTEM

NONE

NERVOUS SYSTEM

NONE

RESPIRATORY SYSTEM

| | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|--------------|
| Nose | + | + | + | + | + | + | + | + | + | + | 10 |
| Inflammation | | | | 2 | | | | | | | 1 2.0 |

SPECIAL SENSES SYSTEM

NONE

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 33

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20203 - 02

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Green tea extract

CAS Number: GREENTEAEXTR

Date Report Requested: 04/15/2009

Time Report Requested: 08:55:24

First Dose M/F: 04/20/06 / 04/19/06

Lab: BAT

| | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|-----------------|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 62.5 mg/kg | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | | | | | | | | | | * TOTALS |
| NONE | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|-----------------|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 125 mg/kg | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | | | | | | | | | | * TOTALS |

ALIMENTARY SYSTEM

| | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---------------|
| Liver | + | + | + | + | + | + | + | + | + | + | 10 |
| Infiltration Cellular, Mixed Cell | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 10 1.0 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|-----------|
| Heart | + | + | + | + | + | + | + | + | + | + | 10 |
|-------|---|---|---|---|---|---|---|---|---|---|-----------|

ENDOCRINE SYSTEM

NONE

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

NONE

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | 10 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | 10 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|---|---|---|---|---|---|---|---|---|-----------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| 125 mg/kg | | | | | | | | | | |
| | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | |
|--------|---|---|---|---|---|---|---|---|---|---|-----------|
| Spleen | + | + | + | + | + | + | + | + | + | + | 10 |
| Thymus | + | + | + | + | + | + | + | + | + | + | 10 |

INTEGUMENTARY SYSTEM

NONE

MUSCULOSKELETAL SYSTEM

NONE

NERVOUS SYSTEM

NONE

RESPIRATORY SYSTEM

| | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|--------------|
| Nose | + | + | + | + | + | + | + | + | + | + | 10 |
| Inflammation | | | 2 | | | | | | | | 1 2.0 |
| Nerve, Atrophy | | | | | | 1 | | | | | 1 1.0 |
| Olfactory Epithelium, Atrophy | | | | | | 2 | | | | | 1 2.0 |
| Olfactory Epithelium, Metaplasia | | | 1 | | | | | | | | 1 1.0 |

SPECIAL SENSES SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20203 - 02

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Green tea extract

CAS Number: GREENTEAEXTR

Date Report Requested: 04/15/2009

Time Report Requested: 08:55:24

First Dose M/F: 04/20/06 / 04/19/06

Lab: BAT

| | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |

B6C3F1 MICE FEMALE

125 mg/kg

ANIMAL ID

| | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

* TOTALS

URINARY SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|-----------------|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 250 mg/kg | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |

ALIMENTARY SYSTEM

| | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---------------|
| Liver | + | + | + | + | + | + | + | + | + | + | 10 |
| Depletion Glycogen | | | | | 1 | | | | | | 1 1.0 |
| Infiltration Cellular, Mixed Cell | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 10 1.0 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|-----------|
| Heart | + | + | + | + | + | + | + | + | + | + | 10 |
|-------|---|---|---|---|---|---|---|---|---|---|-----------|

ENDOCRINE SYSTEM

NONE

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

NONE

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|--------------|
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | 10 |
| Atrophy | 1 | | | | | | | | 1 | | 2 1.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|---|---|---|---|---|---|---|---|---|-----------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| 250 mg/kg | | | | | | | | | | |
| | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|--------------|
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | 10 |
| Spleen | + | + | + | + | + | + | + | + | + | + | 10 |
| Atrophy, Lymphoid | | | | | 1 | | | | | | 1 1.0 |
| Thymus | + | + | + | + | + | + | + | + | + | + | 10 |

INTEGUMENTARY SYSTEM

NONE

MUSCULOSKELETAL SYSTEM

NONE

NERVOUS SYSTEM

NONE

RESPIRATORY SYSTEM

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|--------------|
| Nose | + | + | + | + | + | + | + | + | + | + | 10 |
| Nerve, Atrophy | | | | | | | | | | 1 | 1 1.0 |
| Olfactory Epithelium, Metaplasia | | | | | | | | | | 1 | 1 1.0 |
| Respiratory Epithelium, Hyaline Droplet | | | | | | | | | | 2 | 1 2.0 |

SPECIAL SENSES SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20203 - 02

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Green tea extract

CAS Number: GREENTEAEXTR

Date Report Requested: 04/15/2009

Time Report Requested: 08:55:24

First Dose M/F: 04/20/06 / 04/19/06

Lab: BAT

| | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|
| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |

B6C3F1 MICE FEMALE

250 mg/kg

| | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

* TOTALS

URINARY SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|-----------------|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 500 mg/kg | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |

ALIMENTARY SYSTEM

| | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---------------|
| Liver | + | + | + | + | + | + | + | + | + | + | 10 |
| Depletion Glycogen | | | 1 | 2 | | 1 | | 2 | | | 4 1.5 |
| Infiltration Cellular, Mixed Cell | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 10 1.0 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|-----------|
| Heart | + | + | + | + | + | + | + | + | + | + | 10 |
|-------|---|---|---|---|---|---|---|---|---|---|-----------|

ENDOCRINE SYSTEM

NONE

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

NONE

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|--------------|
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | 10 |
| Atrophy | | 2 | 1 | | | | | | | | 2 1.5 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
|---|-----------|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| B6C3F1 MICE FEMALE
500 mg/kg | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | 10 |
| Atrophy | 1 | | | 2 | | | | | | | 2 1.5 |
| Hyperplasia, Lymphoid | | | 1 | | | | | | | | 1 1.0 |
| Spleen | + | + | + | + | + | + | + | + | + | + | 10 |
| Atrophy, Lymphoid | | | | 1 | 1 | | 1 | | | 1 | 4 1.0 |
| Lymphoid Follicle, Hyperplasia | | | 1 | | | | | | | | 1 1.0 |
| Thymus | + | + | + | + | + | + | + | + | + | + | 10 |

INTEGUMENTARY SYSTEM

NONE

MUSCULOSKELETAL SYSTEM

NONE

NERVOUS SYSTEM

NONE

RESPIRATORY SYSTEM

| | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|-------|
| Nose | + | + | + | + | + | + | + | + | + | + | 10 |
| Nerve, Atrophy | 1 | 2 | 1 | 1 | | 1 | | 2 | | 1 | 7 1.3 |
| Olfactory Epithelium, Atrophy | 1 | 1 | | | | 1 | | | 1 | | 4 1.0 |
| Olfactory Epithelium, Metaplasia | 1 | 2 | 1 | 1 | | 3 | | 2 | | 1 | 7 1.6 |
| Olfactory Epithelium, Necrosis | | | | | | | | | 1 | | 1 1.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
|---|--|---|---|---|---|---|---|---|---|---|-----------------|--------------|
| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| DAY ON TEST | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| DAY ON TEST | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 500 mg/kg | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| 500 mg/kg | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| 500 mg/kg | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| | | | | | | | | | | | * TOTALS | |
| Respiratory Epithelium, Hyaline Droplet | | 2 | | 1 | | 2 | | 2 | | | | 4 1.8 |

SPECIAL SENSES SYSTEM

NONE

URINARY SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|---|---|---|---|---|---|---|---|---|-----------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 9 | 9 | 9 | 7 | 0 | 9 | 9 | 6 | 0 |
| | 3 | 3 | 3 | 3 | 5 | 3 | 3 | 3 | 6 | 6 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| 1000 mg/kg | | | | | | | | | | |
| | | | | | | | | | | * TOTALS |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|----|-------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | 10 | |
| Muscularis, Degeneration | | | | | | | | | | 2 | | 1 2.0 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | 10 | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | 10 | |
| Peyer's Patch, Atrophy | | | | | | | | | | 1 | | 1 1.0 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | 10 | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | 10 | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | 10 | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | 10 | |
| Peyer's Patch, Atrophy | | | | | 2 | 3 | | | | | | 2 2.5 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | 10 | |
| Liver | + | + | + | + | + | + | + | + | + | + | 10 | |
| Depletion Glycogen | 1 | 2 | 2 | 2 | | | 2 | 2 | | 4 | | 7 2.1 |
| Fatty Change | | | | | | | | | | 2 | | 1 2.0 |
| Infiltration Cellular, Mixed Cell | | 1 | 1 | 1 | | | | | | | | 3 1.0 |
| Inflammation, Chronic | 1 | | | | | | | 1 | | 4 | | 3 2.0 |
| Karyomegaly | 1 | 1 | | 1 | | | 1 | 1 | | | | 5 1.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 9 | 9 | 9 | 7 | 0 | 9 | 9 | 6 | 0 |
| | 3 | 3 | 3 | 3 | 5 | 3 | 3 | 3 | 6 | 6 |
| B6C3F1 MICE FEMALE
1000 mg/kg | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

* TOTALS

| | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|----|-----|
| Mitosis | 1 | | | | | | | | | 3 | 2 | 2.0 |
| Pigmentation | | | | 1 | | | | 1 | | | 2 | 1.0 |
| Centrilobular, Necrosis | 1 | | | | 4 | 3 | 1 | 1 | 4 | 3 | 7 | 2.4 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | 10 | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | 10 | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | 10 | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | 10 | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|----|-----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | 10 | |
| Heart | + | + | + | + | + | + | + | + | + | + | 10 | |
| Myocardium, Hemorrhage | | | | | 1 | | | | | | 1 | 1.0 |
| Myocardium, Necrosis | | | | | 1 | | | | | | 1 | 1.0 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|----|-----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | 10 | |
| Subcapsular, Hyperplasia | 1 | 1 | 1 | 1 | 1 | | 1 | 1 | 1 | | 8 | 1.0 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | 10 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--|---|---|---|---|---|---|---|---|---|-----------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 9 | 9 | 9 | 7 | 0 | 9 | 9 | 6 | 0 |
| | 3 | 3 | 3 | 3 | 5 | 3 | 3 | 3 | 6 | 6 |
| B6C3F1 MICE FEMALE
1000 mg/kg | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | 10 |
| Parathyroid Gland | + | + | + | + | + | + | + | + | M | + | 9 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | 10 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | 10 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Clitoral Gland | + | + | + | + | M | + | + | + | + | + | 9 |
| Ovary | + | + | + | + | + | + | + | + | + | + | 10 |
| Uterus | + | + | + | + | + | + | + | + | + | + | 10 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | 10 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | 10 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 46

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 9 | 9 | 9 | 7 | 0 | 9 | 9 | 6 | 0 |
| | 3 | 3 | 3 | 3 | 5 | 3 | 3 | 3 | 6 | 6 |
| B6C3F1 MICE FEMALE
1000 mg/kg | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

* TOTALS

| | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|--------------|
| Atrophy | | | | | 2 | 1 | | | 2 | 3 | 4 2.0 |
| Lymph Node, Mesenteric Atrophy | + | + | + | + | + | + | + | + | + | 1 | 9 |
| | | | | | 2 | 3 | | | 2 | | 3 2.3 |
| Spleen Atrophy, Lymphoid | + | + | + | + | + | + | + | + | + | + | 10 |
| | | | | | 2 | 2 | | | 3 | 4 | 4 2.8 |
| Thymus Atrophy | + | + | + | + | + | + | + | + | + | + | 10 |
| Necrosis | | | | | 4 | 3 | | | 2 | 4 | 4 3.3 |
| | | | | | 4 | | | | 2 | | 2 3.0 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | 10 |
| Skin | + | + | + | + | + | + | + | + | + | + | 10 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone | + | + | + | + | + | + | + | + | + | + | 10 |
|------|---|---|---|---|---|---|---|---|---|---|-----------|

NERVOUS SYSTEM

| | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|-----------|
| Brain | + | + | + | + | + | + | + | + | + | + | 10 |
|-------|---|---|---|---|---|---|---|---|---|---|-----------|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 47

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|-----------------|
| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 9 | 9 | 9 | 9 | 7 | 0 | 9 | 9 | 6 | 0 | |
| | 3 | 3 | 3 | 3 | 5 | 3 | 3 | 3 | 6 | 6 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 1000 mg/kg | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |

RESPIRATORY SYSTEM

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|--------------|
| Lung | + | + | + | + | + | + | + | + | + | + | 10 |
| Nose | + | + | + | + | + | + | + | + | + | + | 10 |
| Inflammation | | | | | 1 | | | | | | 1 1.0 |
| Glands, Olfactory Epithelium, Hyperplasia | | | | | | 1 | | | | | 1 1.0 |
| Nasopharyngeal Duct, Degeneration | | | | | | 1 | | | | | 1 1.0 |
| Nerve, Atrophy | | 2 | | 2 | | | 1 | 1 | 1 | | 5 1.4 |
| Olfactory Epithelium, Atrophy | | 2 | | 2 | | | | 1 | 2 | | 4 1.8 |
| Olfactory Epithelium, Hyperplasia, Basal Cell | | | | | | 2 | | | | | 1 2.0 |
| Olfactory Epithelium, Metaplasia | | 2 | 1 | 2 | | | 1 | 1 | 1 | | 6 1.3 |
| Olfactory Epithelium, Necrosis | | | | | 1 | 1 | | | 2 | 2 | 4 1.5 |
| Respiratory Epithelium, Hyperplasia | | | | | | | | 3 | 1 | | 2 2.0 |
| Respiratory Epithelium, Metaplasia, Squamous | | | | | | | | | 1 | | 1 1.0 |
| Respiratory Epithelium, Necrosis | | | | | | | | | 3 | | 1 3.0 |
| Trachea | + | + | + | + | + | + | + | + | + | + | 10 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Eye | + | + | + | + | + | + | + | + | + | + | 10 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | 10 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|-----------------|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 9 | 9 | 9 | 9 | 7 | 0 | 9 | 9 | 6 | 0 | |
| | | 3 | 3 | 3 | 3 | 5 | 3 | 3 | 3 | 6 | 6 | |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 1000 mg/kg | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |

URINARY SYSTEM

| | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|--------------|
| Kidney | + | + | + | + | + | + | + | + | + | + | 10 |
| Nephropathy | | | | 2 | | | 1 | | | | 2 1.5 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | 10 |

*** END OF REPORT ***

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked