P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/22/2013 **AVERAGE SEVERITY GRADES[b]**

Time Report Requested: 09:26:56

Tetrabromobisphenol A **CAS Number:** 79-94-7

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

Species/Strain: MICE/B6C3F1

Test Type: CHRONIC

Route: GAVAGE

F1_M3

NTP Study Number: C20320

01/12/2010 Lock Date:

Cage Range: ALL

Date Range: ALL

Reasons For Removal: ALL

Removal Date Range: ALL

Include ALL **Treatment Groups:**

Study Gender: Both

TDMSE Version: 3.0.1.0_004

PWG Approval Date: NONE

Test Type: CHRONIC Route: GAVAGE

Species/Strain: MICE/B6C3F1

Experiment Number: 20320 - 04

Tetrabromobisphenol A CAS Number: 79-94-7

Time Report Requested: 09:26:56 First Dose M/F: 08/07/07 / 08/06/07

B6C3F1 MICE MALE	0 mg/kg	250 mg/kg	500 mg/kg	1000 mg/kg	
Disposition Summary					
Animals Initially In Study	50	50	50	50	
Early Deaths					
Dosing Accident				1	
Moribund Sacrifice	9	10	6	12	
Natural Death	8	14	5	25	
Survivors					
Moribund Sacrifice	1	1			
Terminal Sacrifice	32	25	39	12	
Animals Examined Microscopically	50	50	50	50	
ALIMENTARY SYSTEM					
	(50)	(50)	(50)	(50)	
Esophagus	(50)	(50)	(50)	(50)	
Inflammation	(40)	(40)	(50)	1 [3.0]	
Gallbladder	(49)	(46)	(50)	(49)	
Pigmentation, Hematoidin	1 [3.0]	(4.4)	(47)	(00)	
Intestine Large, Cecum	(47)	(44)	(47)	(38)	
Intestine Large, Colon	(47)	(46)	(50)	(40)	
Diverticulum			1 [4.0]		
Inflammation, Chronic Active		1 [1.0]	4	4	
Intestine Large, Rectum	(47)	(46)	(50)	(41)	
Intestine Small, Duodenum	(47)	(41)	(48)	(31)	
Intestine Small, Ileum	(47)	(43)	(50)	(40)	
Hyperplasia	1 [2.0]				
Intestine Small, Jejunum	(47)	(44)	(49)	(38)	
Diverticulum		1 [2.0]			
Peyer's Patch, Hyperplasia, Lymphoid			1 [2.0]	1 [2.0]	
Liver	(50)	(50)	(50)	(50)	
Amyloid Deposition	1 [1.0]			1 [3.0]	
Angiectasis			2 [1.0]	1 [1.0]	
Basophilic Focus	9	9	6	9	
Clear Cell Focus	11	10	25	8	
Eosinophilic Focus	20	33	40	14	
Fatty Change	1 [1.0]	2 [2.5]	1 [1.0]		

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC Route: GAVAGE

Species/Strain: MICE/B6C3F1

Experiment Number: 20320 - 04

Tetrabromobisphenol A CAS Number: 79-94-7

Time Report Requested: 09:26:56 First Dose M/F: 08/07/07 / 08/06/07

B6C3F1 MICE MALE	0 mg/kg	250 mg/kg	500 mg/kg	1000 mg/kg	
Fatty Change, Focal		1 [1.0]	2 [1.5]	1 [1.0]	
Fibrosis		1 [1.0]			
Hemorrhage, Chronic			1 [4.0]		
Inflammation	1 [1.0]				
Inflammation, Granulomatous				1 [2.0]	
Mixed Cell Focus	7	8	12	6	
Necrosis	1 [2.0]	1 [2.0]		6 [2.5]	
Pigmentation	1 [2.0]				
Tension Lipidosis	3 [1.0]		3 [2.0]	2 [1.0]	
Bile Duct, Cyst			3	4	
Bile Duct, Cyst, Multiple				1	
Hepatocyte, Atrophy		1 [2.0]			
Hepatocyte, Hypertrophy	2 [1.5]				
Hepatocyte, Necrosis		2 [1.0]	1 [2.0]		
Kupffer Cell, Pigmentation			2 [1.5]		
Oval Cell, Hyperplasia			1 [1.0]		
Periportal, Vacuolization Cytoplasmic			1 [3.0]	2 [2.0]	
Serosa, Inflammation			1 [2.0]		
Mesentery	(3)	(3)	(4)	(2)	
Hemorrhage			1 [4.0]		
Fat, Necrosis	2 [4.0]	2 [4.0]	2 [4.0]	1 [4.0]	
Pancreas	(50)	(50)	(50)	(50)	
Basophilic Focus			1		
Acinus, Atrophy		1 [2.0]	1 [2.0]		
Arteriole, Fibrosis		1 [2.0]			
Salivary Glands	(50)	(50)	(50)	(50)	
Stomach, Forestomach	(50)	(49)	(50)	(49)	
Hyperkeratosis			1 [1.0]	1 [4.0]	
Infiltration Cellular, Mononuclear Cell	5 [1.6]	8 [1.8]	21 [2.1]	27 [2.3]	
Inflammation	9 [1.3]	10 [1.7]	20 [2.2]	26 [2.3]	
Ulcer	9 [1.8]	9 [2.4]	19 [2.2]	28 [2.4]	
Epithelium, Hyperplasia	10 [1.7]	13 [2.2]	27 [2.8]	28 [2.7]	
Stomach, Glandular	(50)	(50)	(50)	(50)	
Cyst	1 [1.0]	. ,		, .	
Hyperplasia	1 [1.0]		2 [1.0]	1 [1.0]	
Hyperplasia, Focal			1 [2.0]		

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC Tetrabromobisphenol A Route: GAVAGE CAS Number: 79-94-7

Experiment Number: 20320 - 04

Species/Strain: MICE/B6C3F1

Time Report Requested: 09:26:56 First Dose M/F: 08/07/07 / 08/06/07

B6C3F1 MICE MALE	0 mg/kg	250 mg/kg	500 mg/kg	1000 mg/kg
Tooth	(14)	(9)	(9)	(2)
Dysplasia	11 [2.7]	8 [2.0]	9 [1.3]	2 [1.0]
Inflammation	1 [3.0]	1 [3.0]	1 [2.0]	
CARDIOVASCULAR SYSTEM				
Blood Vessel	(50)	(50)	(50)	(50)
Inflammation	1 [2.0]			2 [2.0]
Heart	(50)	(50)	(50)	(50)
Cardiomyopathy	24 [1.0]	20 [1.1]	18 [1.2]	8 [1.0]
Inflammation				1 [2.0]
Mineralization		2 [1.0]		1 [1.0]
Necrosis	1 [1.0]			
Atrium, Thrombosis		1 [4.0]	1 [4.0]	
Myocardium, Necrosis	1 [2.0]			
Pericardium, Fibrosis	1 [2.0]			
Valve, Degeneration			1 [1.0]	
Valve, Inflammation	2 [4.0]	2 [4.0]		
ENDOCRINE SYSTEM				
Adrenal Cortex	(50)	(50)	(50)	(50)
Amyloid Deposition	1 [2.0]			1 [1.0]
Hyperplasia	3 [2.3]	2 [3.5]	1 [1.0]	1 [2.0]
Hypertrophy	2 [1.5]			
Vacuolization Cytoplasmic		1 [1.0]		
Adrenal Medulla	(50)	(50)	(50)	(50)
Hyperplasia	1 [2.0]	1 [4.0]	2 [1.5]	1 [4.0]
Islets, Pancreatic	(50)	(50)	(50)	(50)
Angiectasis	1 [2.0]			
Hyperplasia	1 [1.0]	2 [2.5]		
Parathyroid Gland	(45)	(43)	(48)	(42)
Pituitary Gland	(50)	(48)	(48)	(50)
Thyroid Gland	(50)	(50)	(50)	(50)
Fibrosis				1 [2.0]

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/22/2013 AVERAGE SEVERITY GRADES[b]

Test Type: CHRONIC Route: GAVAGE

Species/Strain: MICE/B6C3F1

Tetrabromobisphenol A CAS Number: 79-94-7

Time Report Requested: 09:26:56

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

B6C3F1 MICE MALE	0 mg/kg	250 mg/kg	500 mg/kg	1000 mg/kg	
Inflammation Follicle, Cyst	1 [1.0]	1	1		
GENERAL BODY SYSTEM					
Peritoneum Inflammation, Suppurative	(0)	(2) 1 [3.0]	(0)	(0)	
GENITAL SYSTEM					
Coagulating Gland Inflammation	(3)	(4)	(1) 1 [4.0]	(0)	
Inflammation, Chronic Active		1 [4.0]			
Epididymis	(50)	(50)	(50)	(50)	
Degeneration	1 [1.0]		4.50.03		
Granuloma Sperm		4 [0 0]	1 [2.0]		
Inflammation, Chronic Active Preputial Gland	(50)	1 [2.0]	(50)	(50)	
Atrophy	(50)	(50)	(50) 1 [3.0]	(50)	
Ectasia	2 [3.0]	2 [3.5]	1 [4.0]	5 [3.2]	
Inflammation	3 [3.0]	2 [3.0]	3 [3.0]	4 [2.5]	
Prostate	(50)	(50)	(50)	(50)	
Hyperplasia	1 [2.0]	(00)	1 [1.0]	(55)	
Inflammation	. [~]	2 [2.5]	1 [3.0]	1 [3.0]	
Inflammation, Chronic Active		1 [4.0]	. []	. []	
Epithelium, Hyperplasia	1 [1.0]				
Seminal Vesicle	(50)	(50)	(50)	(50)	
Inflammation	• •		. ,	1 [3.0]	
Testes	(50)	(50)	(50)	(50)	
Germinal Epithelium, Degeneration	5 [1.4]	3 [2.7]	5 [1.8]	3 [1.7]	
Interstitial Cell, Hyperplasia		1 [4.0]			

HEMATOPOIETIC SYSTEM

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC Route: GAVAGE

Species/Strain: MICE/B6C3F1

Experiment Number: 20320 - 04

Tetrabromobisphenol A **CAS Number**: 79-94-7

Time Report Requested: 09:26:56

First Dose M/F: 08/07/07 / 08/06/07

B6C3F1 MICE MALE	0 mg/kg	250 mg/kg	500 mg/kg	1000 mg/kg	
Bone Marrow	(50)	(50)	(50)	(50)	
Atrophy			1 [1.0]	1 [2.0]	
Hyperplasia	1 [3.0]	1 [4.0]	1 [1.0]	2 [2.0]	
Lymph Node	(3)	(0)	(2)	(0)	
Lymph Node, Mandibular	(50)	(50)	(50)	(49)	
Hyperplasia, Lymphoid	1 [3.0]				
Lymph Node, Mesenteric	(50)	(49)	(50)	(49)	
Atrophy				1 [3.0]	
Hemorrhage	1 [2.0]	1 [4.0]			
Hyperplasia, Lymphoid	1 [3.0]	1 [3.0]	4 [2.5]	2 [2.5]	
Infiltration Cellular, Histiocyte			2 [1.5]		
Inflammation		1 [3.0]		2 [2.5]	
Necrosis		1 [4.0]			
Necrosis, Lymphoid				1 [2.0]	
Spleen	(50)	(48)	(50)	(49)	
Amyloid Deposition	1 [2.0]			1 [4.0]	
Angiectasis				1 [2.0]	
Fibrosis				1 [2.0]	
Hematopoietic Cell Proliferation	1 [2.0]	3 [3.0]		5 [2.4]	
Hyperplasia, Lymphoid		1 [3.0]		2 [2.5]	
Pigmentation, Hemosiderin		2 [3.5]			
Lymphoid Follicle, Atrophy	3 [2.7]	2 [2.0]	1 [3.0]	6 [2.0]	
Thymus	(47)	(45)	(41)	(48)	
Atrophy	41 [2.9]	42 [3.1]	40 [3.2]	40 [3.1]	
Cyst	1 [2.0]				
Hyperplasia, Lymphoid	1 [1.0]				
Thrombosis		1 [2.0]			
Epithelial Cell, Hyperplasia		1 [3.0]			
INTEGUMENTARY SYSTEM					
Skin	(50)	(50)	(50)	(50)	
Inflammation			1 [4.0]		
Ulcer	2 [3.5]	4 [4.0]	3 [4.0]	4 [3.0]	
Subcutaneous Tissue, Necrosis		1 [4.0]			

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Species/Strain: MICE/B6C3F1

Test Type: CHRONIC

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/22/2013 AVERAGE SEVERITY GRADES[b]

Tetrabromobisphenol A **CAS Number:** 79-94-7

Time Report Requested: 09:26:56 First Dose M/F: 08/07/07 / 08/06/07

B6C3F1 MICE MALE	0 mg/kg	250 mg/kg	500 mg/kg	1000 mg/kg
MUSCULOSKELETAL SYSTEM				
Bone	(50)	(50)	(50)	(50)
Fibro-Osseous Lesion	1			1
Fibrosis				1 [1.0]
Fibrous Osteodystrophy	1 [2.0]			
Femur, Callus		2 [1.5]		
Joint, Degeneration				4 [2.0]
Vertebra, Fracture	(0)	(4)	1	(0)
Skeletal Muscle	(0)	(1)	(1)	(0)
NERVOUS SYSTEM				
Brain	(50)	(50)	(50)	(50)
Inflammation, Suppurative	,	1 [1.0]	,	,
Peripheral Nerve	(0)	(0)	(0)	(2)
Axon, Sciatic, Degeneration				1 [3.0]
Spinal Cord	(0)	(0)	(0)	(2)
Axon, Degeneration				2 [2.5]
RESPIRATORY SYSTEM				
Lung	(50)	(50)	(50)	(50)
Hemorrhage	1 [3.0]			
Infiltration Cellular, Histiocyte	1 [4.0]		1 [3.0]	
Inflammation	1 [2.0]			2 [3.5]
Pigmentation, Hemosiderin			1 [1.0]	
Thrombosis	1 [2.0]			
Alveolar Epithelium, Hyperplasia	5 [2.8]	1 [4.0]	6 [2.8]	2 [4.0]
Alveolar Epithelium, Hypertrophy	2 [1.0]		1 [2.0]	1 [2.0]
Arteriole, Thrombosis			1 [1.0]	
Bronchiole, Hyperplasia		1 [2.0]		
Interstitium, Fibrosis		1 [1.0]		

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC Route: GAVAGE

Species/Strain: MICE/B6C3F1

Experiment Number: 20320 - 04

Tetrabromobisphenol A **CAS Number:** 79-94-7

Time Report Requested: 09:26:56

First Dose M/F: 08/07/07 / 08/06/07

B6C3F1 MICE MALE	0 mg/kg	250 mg/kg	500 mg/kg	1000 mg/kg	
Nose	(50)	(50)	(50)	(50)	
Inflammation	5 [2.2]	2 [1.5]	3 [1.0]	2 [1.0]	
Polyp, Inflammatory		1 [3.0]			
Respiratory Epithelium, Hyperplasia	27 [1.5]	25 [1.1]	20 [1.3]	12 [1.1]	
Respiratory Epithelium, Necrosis			1 [1.0]		
Trachea	(50)	(50)	(50)	(50)	
SPECIAL SENSES SYSTEM					
Eye	(50)	(50)	(50)	(50)	
Atrophy	, ,	1 [4.0]	1 [4.0]	, ,	
Cataract	2 [1.5]		1 [1.0]	1 [2.0]	
Inflammation	1 [4.0]			1 [3.0]	
Cornea, Inflammation	1 [1.0]	1 [2.0]	1 [3.0]		
Harderian Gland	(50)	(50)	(50)	(50)	
Fibrosis	1 [1.0]				
Hyperplasia	1 [2.0]	1 [4.0]		1 [4.0]	
URINARY SYSTEM					
Kidney	(50)	(50)	(50)	(48)	
Cyst	1 [1.0]				
Hydronephrosis		3 [3.3]		1 [2.0]	
Infarct		1 [1.0]		-	
Infiltration Cellular, Lymphocyte		1 [3.0]	2 [3.5]		
Nephropathy	41 [1.3]	30 [1.9]	32 [1.3]	42 [1.9]	
Glomerulus, Amyloid Deposition	1 [4.0]			1 [2.0]	
Papilla, Mineralization			1 [1.0]		
Papilla, Necrosis	3 [1.3]	1 [1.0]			
Pelvis, Inflammation			1 [3.0]	1 [2.0]	
Renal Tubule, Cyst	6	2	5	6	
Renal Tubule, Cyst, Multiple				1	
Renal Tubule, Cytoplasmic Alteration		20 [1.9]	47 [2.4]	46 [2.6]	
Renal Tubule, Inflammation				4 [1.3]	
Renal Tubule, Mineralization	1 [3.0]		1 [1.0]	2 [1.0]	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/22/2013 AVERAGE SEVERITY GRADES[b]

CAS Number: 79-94-7

Tetrabromobisphenol A

Time Report Requested: 09:26:56 First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

Test Type: CHRONIC Route: GAVAGE

Species/Strain: MICE/B6C3F1

B6C3F1 MICE MALE	0 mg/kg	250 mg/kg	500 mg/kg	1000 mg/kg	
Renal Tubule, Necrosis				4 [1.8]	
Renal Tubule, Pigmentation		5 [2.6]	1 [3.0]	2 [3.0]	
Urinary Bladder	(50)	(50)	(50)	(50)	
Inflammation				1 [2.0]	
Transitional Epithelium, Hyperplasia	1 [1.0]	1 [3.0]		1 [4.0]	

*** END OF MALE ***

Test Type: CHRONIC Route: GAVAGE

Species/Strain: MICE/B6C3F1

Experiment Number: 20320 - 04

Tetrabromobisphenol A CAS Number: 79-94-7

Time Report Requested: 09:26:56 First Dose M/F: 08/07/07 / 08/06/07

B6C3F1 MICE FEMALE	0 mg/kg	250 mg/kg	500 mg/kg	1000 mg/kg	
Disposition Summary					
Animals Initially In Study	50	50	50	50	
Early Deaths					
Dosing Accident				1	
Moribund Sacrifice	6	8	3	7	
Natural Death	4	11	11	38	
Survivors					
Terminal Sacrifice	40	31	36	4	
Animals Examined Microscopically	50	50	50	50	
ALIMENTARY SYSTEM					
Esophagus	(50)	(50)	(50)	(50)	
Inflammation	, ,	, ,	, ,	1 [1.0]	
Periesophageal Tissue, Inflammation				1 [2.0]	
Gallbladder	(47)	(49)	(50)	(50)	
Inflammation	, ,	,	1 [3.0]	, ,	
Intestine Large, Cecum	(48)	(46)	(45)	(21)	
Lymphoid Tissue, Hyperplasia			1 [3.0]	1 [2.0]	
Intestine Large, Colon	(50)	(48)	(50)	(43)	
Serosa, Inflammation	1 [1.0]				
Intestine Large, Rectum	(50)	(50)	(50)	(41)	
Intestine Small, Duodenum	(47)	(46)	(42)	(18)	
Perforation				1	
Epithelium, Vacuolization Cytoplasmic	1 [4.0]				
Intestine Small, Ileum	(48)	(46)	(45)	(19)	
Ulcer	1 [4.0]		1 [3.0]		
Intestine Small, Jejunum	(48)	(47)	(43)	(18)	
Diverticulum	1 [3.0]				
Epithelium, Vacuolization Cytoplasmic	1 [4.0]				
Peyer's Patch, Hyperplasia	2 [4.0]				
Liver	(50)	(50)	(49)	(49)	
Angiectasis	•	1 [2.0]	3 [2.0]	. ,	
Basophilic Focus	8	3	3	1	
Clear Cell Focus	3	4	3	2	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC Tetrabromo
Route: GAVAGE CAS Numb

Experiment Number: 20320 - 04

Species/Strain: MICE/B6C3F1

Tetrabromobisphenol A CAS Number: 79-94-7

Time Report Requested: 09:26:56 First Dose M/F: 08/07/07 / 08/06/07

B6C3F1 MICE FEMALE	0 mg/kg	250 mg/kg	500 mg/kg	1000 mg/kg	
Eosinophilic Focus	11	16	11	1	
Fatty Change	6 [1.3]	1 [4.0]	1 [4.0]	2 [2.0]	
Fatty Change, Focal		1 [2.0]	3 [1.0]		
Fibrosis				1 [1.0]	
Hematopoietic Cell Proliferation		2 [2.0]	1 [3.0]		
Infiltration Cellular, Lymphocyte	1 [1.0]				
Infiltration Cellular, Polymorphonuclear		1 [2.0]			
Inflammation, Chronic Active		5 [1.2]	1 [1.0]		
Mineralization			1 [1.0]		
Mixed Cell Focus	4	3	3		
Tension Lipidosis	4 [1.0]	3 [1.0]	4 [1.3]	2 [1.5]	
Hepatocyte, Atrophy		1 [2.0]			
Hepatocyte, Hypertrophy			1 [1.0]		
Hepatocyte, Necrosis	3 [1.3]	1 [1.0]	1 [2.0]		
Mesentery	(3)	(8)	(7)	(0)	
Degeneration, Cystic	1 [4.0]	. ,		,	
Inflammation, Focal		1 [4.0]			
Fat, Inflammation	1 [3.0]				
Fat, Necrosis	2 [4.0]	6 [4.0]	7 [4.0]		
Oral Mucosa	(1)	(0)	(0)	(0)	
Pancreas	(50)	(49)	(50)	(50)	
Basophilic Focus		, ,	1	, ,	
Infiltration Cellular, Lymphocyte			1 [2.0]		
Inflammation	1 [2.0]				
Acinus, Atrophy				2 [1.0]	
Salivary Glands	(50)	(48)	(50)	(50)	
Atrophy			1 [2.0]		
Stomach, Forestomach	(50)	(50)	(50)	(48)	
Foreign Body				1	
Hyperkeratosis	2 [1.5]	2 [2.0]	1 [2.0]	1 [4.0]	
Infiltration Cellular, Mononuclear Cell	2 [3.0]	13 [2.2]	33 [2.4]	28 [1.8]	
Inflammation	2 [3.0]	14 [1.4]	41 [2.0]	37 [2.2]	
Ulcer	2 [2.0]	15 [2.0]	40 [2.2]	38 [2.1]	
Epithelium, Dysplasia			2 [1.5]		
Epithelium, Hyperplasia	4 [2.5]	16 [2.6]	39 [3.0]	39 [2.3]	
Epithelium, Metaplasia, Glandular			2 [3.0]		

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC **Route:** GAVAGE

Species/Strain: MICE/B6C3F1

Experiment Number: 20320 - 04

Tetrabromobisphenol A **CAS Number**: 79-94-7

Time Report Requested: 09:26:56 First Dose M/F: 08/07/07 / 08/06/07

B6C3F1 MICE FEMALE	0 mg/kg	250 mg/kg	500 mg/kg	1000 mg/kg	
Stomach, Glandular	(50)	(50)	(50)	(50)	
Infiltration Cellular, Mononuclear Cell		1 [3.0]			
Mineralization	1 [1.0]			1 [2.0]	
Epithelium, Dysplasia			1 [1.0]		
Serosa, Infiltration Cellular, Lymphocyte	1 [4.0]				
Tongue	(1)	(0)	(0)	(0)	
Tooth	(1)	(1)	(1)	(0)	
Dysplasia	1 [1.0]	1 [1.0]	1 [1.0]		
CARDIOVASCULAR SYSTEM					
Blood Vessel	(50)	(50)	(49)	(50)	
Heart	(50)	(50)	(50)	(50)	
Cardiomyopathy	2 [1.0]	5 [1.0]	5 [1.4]	, ,	
Mineralization		2 [1.5]	1 [3.0]		
Epicardium, Inflammation	2 [2.5]				
Valve, Inflammation	1 [2.0]	1 [4.0]	1 [4.0]		
Valve, Pigmentation, Hemosiderin	1 [1.0]				
ENDOCRINE SYSTEM					
Adrenal Cortex	(50)	(50)	(49)	(50)	
Atrophy	()	1 [2.0]	(- /	()	
Degeneration, Cystic	1 [2.0]	,			
Hematopoietic Cell Proliferation	1	1 [2.0]			
Hyperplasia	1 [1.0]	,			
Hypertrophy	1 [2.0]				
Adrenal Medulla	(50)	(50)	(49)	(50)	
Hyperplasia	1 [1.0]	ν/	1 [4.0]	· /	
Islets, Pancreatic	(50)	(49)	(50)	(50)	
Hyperplasia	1 [1.0]	(/	(/	1 [1.0]	
Parathyroid Gland	(34)	(41)	(42)	(43)	
Hyperplasia, Focal	(/	(· · /	1 [2.0]	(/	
Pituitary Gland	(50)	(50)	(50)	(49)	
Pigmentation, Hemosiderin	1 [1.0]	()	(/	V -/	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC Route: GAVAGE

Species/Strain: MICE/B6C3F1

Experiment Number: 20320 - 04

Tetrabromobisphenol A **CAS Number**: 79-94-7

Time Report Requested: 09:26:56 First Dose M/F: 08/07/07 / 08/06/07

B6C3F1 MICE FEMALE	0 mg/kg	250 mg/kg	500 mg/kg	1000 mg/kg
Pars Distalis, Hyperplasia		1 [1.0]		1 [2.0]
Thyroid Gland	(50)	(50)	(50)	(50)
Infiltration Cellular, Lymphocyte			1 [4.0]	
C-cell, Hyperplasia		1 [1.0]		
Follicle, Cyst		1 [2.0]		
Follicular Cell, Hyperplasia	1 [3.0]			
GENERAL BODY SYSTEM				,
Peritoneum	(0)	(1)	(0)	(0)
Inflammation, Suppurative	(-7	1 [2.0]	(-/	(-7
GENITAL SYSTEM				
Clitoral Gland	(50)	(50)	(49)	(48)
Ovary	(50)	(50)	(50)	(47)
Angiectasis		3 [2.3]	1 [2.0]	1 [3.0]
Cyst			2 [3.0]	
Hemorrhage	2 [4.0]			
Inflammation		2 [4.0]	2 [2.5]	
Thrombosis		1 [4.0]	1 [4.0]	
Bursa, Cyst	2		1	1
Follicle, Cyst	7	6	4	1
Periovarian Tissue, Necrosis	1 [2.0]			
Oviduct	(1)	(0)	(1)	(0)
Inflammation	1 [3.0]		1 [1.0]	
Uterus	(50)	(50)	(50)	(50)
Dilatation			1 [4.0]	
Inflammation	2 [4.0]	1 [2.0]		
Thrombosis	1 [3.0]		1 [4.0]	
Cervix, Inflammation		1 [4.0]		
Endometrium, Hyperplasia, Cystic	35 [2.5]	35 [2.2]	29 [2.5]	22 [2.0]
Vagina	(0)	(1)	(0)	(0)
Epithelium, Necrosis		1 [3.0]		

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC Route: GAVAGE

Species/Strain: MICE/B6C3F1

Experiment Number: 20320 - 04

Tetrabromobisphenol A **CAS Number**: 79-94-7

Time Report Requested: 09:26:56 First Dose M/F: 08/07/07 / 08/06/07

B6C3F1 MICE FEMALE	0 mg/kg	250 mg/kg	500 mg/kg	1000 mg/kg	
HEMATOPOIETIC SYSTEM					
Bone Marrow	(50)	(50)	(50)	(50)	
Hyperplasia	4 [2.8]	3 [3.3]	2 [2.5]		
Myeloid Cell, Hyperplasia		3 [3.0]			
Lymph Node	(1)	(5)	(3)	(1)	
Mediastinal, Hyperplasia, Lymphoid	1 [4.0]	1 [1.0]			
Mediastinal, Inflammation				1 [2.0]	
Mediastinal, Necrosis, Lymphoid				1 [2.0]	
Renal, Ectasia			1 [4.0]		
Renal, Hemorrhage			1 [4.0]		
Lymph Node, Mandibular	(50)	(48)	(48)	(46)	
Atrophy				1 [3.0]	
Infiltration Cellular, Plasma Cell	1 [3.0]				
Lymph Node, Mesenteric	(50)	(50)	(50)	(47)	
Atrophy			1 [3.0]		
Ectasia			1 [3.0]		
Hyperplasia, Lymphoid	1 [2.0]		1 [2.0]		
Spleen	(50)	(50)	(50)	(50)	
Thymus	(50)	(50)	(48)	(50)	
INTEGUMENTARY SYSTEM					
Mammary Gland	(50)	(50)	(50)	(50)	
Inflammation	()	()	1 [1.0]	(==)	
Skin	(50)	(50)	(50)	(50)	
Ulcer	1 [2.0]	()	()	()	
MUSCULOSKELETAL SYSTEM					
Bone	(50)	(50)	(50)	(50)	
Fibro-Osseous Lesion	31	19	10	6	
Osteopetrosis	1 [1.0]				

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC Route: GAVAGE

Species/Strain: MICE/B6C3F1

Experiment Number: 20320 - 04

Tetrabromobisphenol A **CAS Number:** 79-94-7

Time Report Requested: 09:26:56 First Dose M/F: 08/07/07 / 08/06/07

B6C3F1 MICE FEMALE	0 mg/kg	250 mg/kg	500 mg/kg	1000 mg/kg	
Osteosclerosis			1 [2.0]		
Joint, Degeneration	3 [2.7]	1 [2.0]	1 [2.0]		
NERVOUS SYSTEM					
Brain	(50)	(50)	(50)	(50)	
Infiltration Cellular, Mononuclear Cell			1 [1.0]		
Cerebrum, Neuron, Necrosis Meninges, Infiltration Cellular, Lymphocyte		1 [3.0]	1 [1.0]		
RESPIRATORY SYSTEM					
	(50)	(FO)	(50)	(50)	
Lung Foreign Body	(50) 1	(50)	(50)	(50)	
Hyperplasia, Lymphoid	ı	1 [1.0]			
Infiltration Cellular, Histiocyte	2 [2.0]	1 [1.0]			
Infiltration Cellular, Lymphocyte	2 [2.0] 1 [3.0]		1 [2.0]		
Inflammation	1 [3.0] 1 [2.0]	1 [2.0]	1 [2.0] 1 [2.0]		
Pigmentation, Hemosiderin	۱ زد.۰۱	1 [4.0]	ا رکان		
Alveolar Epithelium, Hyperplasia	1 [1.0]	ו ניס.דן	2 [4.0]	1 [2.0]	
Interstitium, Fibrosis	. [1.0]	1 [2.0]	۱۰۰۰ - ۲۰۰۰	. [2.0]	
Serosa, Hyperplasia		. [=:0]	1 [1.0]		
Serosa, Inflammation	1 [3.0]		. []	1 [1.0]	
Nose	(50)	(50)	(50)	(50)	
Inflammation	1 [2.0]	3 [1.3]	2 [1.5]	. ,	
Respiratory Epithelium, Hyperplasia	8 [1.3]	3 [1.0]	1 [1.0]		
Trachea	(50)	(50)	(50)	(50)	
SPECIAL SENSES SYSTEM					
Eye	(50)	(50)	(50)	(50)	
Atrophy	\ - <i>1</i>	V - 7	1 [4.0]	,	
Cataract			1 [4.0]		
Hemorrhage		1 [3.0]			

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Species/Strain: MICE/B6C3F1

Test Type: CHRONIC

Route: GAVAGE

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 01/22/2013 AVERAGE SEVERITY GRADES[b]

Tetrabromobisphenol A **CAS Number:** 79-94-7

Time Report Requested: 09:26:56 First Dose M/F: 08/07/07 / 08/06/07

B6C3F1 MICE FEMALE	0 mg/kg	250 mg/kg	500 mg/kg	1000 mg/kg
Synechia			1 [2.0]	
Cornea, Inflammation		2 [3.0]	2 [2.5]	
Harderian Gland	(50)	(49)	(50)	(50)
Hyperplasia	, ,	1 [2.0]	1 [2.0]	, ,
Epithelium, Hyperplasia	1 [2.0]			
URINARY SYSTEM				
Kidney	(50)	(50)	(50)	(47)
Angiectasis			1 [2.0]	
Infarct	1 [1.0]			
Infiltration Cellular, Lymphocyte	2 [2.5]		1 [2.0]	
Metaplasia, Osseous	1 [1.0]			
Nephropathy	18 [1.7]	11 [1.5]	23 [1.1]	26 [1.3]
Papilla, Mineralization	1 [1.0]		1 [2.0]	
Papilla, Necrosis	2 [1.0]			
Renal Tubule, Cyst			2	2
Renal Tubule, Mineralization		3 [1.3]	1 [2.0]	1 [1.0]
Urinary Bladder	(50)	(50)	(50)	(50)

^{***} END OF REPORT ***

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)