Experiment Number: **A76999**
Test Type: **Genetic Toxicology - Micronucleus**
Route: **Intraperitoneal Injection**
Species/Strain: **Rat/Fischer 344**

G04: In Vivo Micronucleus Summary Data
Test Compound: **Diisopropylcarbodiimide**
CAS Number: **693-13-0**

Date Report Requested: **09/21/2018**
Time Report Requested: **04:33:22**

NTP Study Number:	A76999
Study Duration:	72 Hours
Study Methodology:	Slide Scoring
Male Study Result:	Negative

Experiment Number: **A76999**
Test Type: **Genetic Toxicology - Micronucleus**
Route: **Intraperitoneal Injection**
Species/Strain: **Rat/Fischer 344**

G04: In Vivo Micronucleus Summary Data
Test Compound: **Diisopropylcarbodiimide**
CAS Number: **693-13-0**

Date Report Requested: **09/21/2018**
Time Report Requested: **04:33:22**

Tissue: Bone marrow; Sex: Male; Number of Treatments: 3; Time interval between final treatment and cell sampling: 24 h

		MN PCE/1000		% PCE
Dose (mg/kg)	**N**	**Mean ± SEM**	**p-Value**	**Mean ± SEM**
Vehicle Control[1]	5	0.40 ± 0.19		52.10 ± 1.10
3.75	5	0.20 ± 0.20	0.7929	40.80 ± 3.28
7.5	5	0.20 ± 0.20	0.7929	40.90 ± 2.81
11.25	3	1.00 ± 0.29	0.0708	37.00 ± 1.32
15.0	2	0.50 ± 0.50	0.3981	37.50 ± 0.50
Trend p-Value		0.1060		
Positive Control[2]	5	16.01 ± 1.51	< 0.001 *	2.30 ± 0.41

Trial Summary: Negative

LEGEND

MN = micronucleated, PCE = polychromatic erythrocyte, NCE = normochromatic erythrocyte
CAS Number = Chemical Abstracts Service registry number
N = Number of subjects
Values given as Mean or Mean ± Standard Error Mean
Results were tabulated as the mean of the pooled results from all animals within a treatment group, plus or minus the standard error of the mean
Pairwise comparison to the concurrent control, dosed groups significant at p = 0.025/number of treatment groups; positive control value is significant at p = 0.05
Cochran-Armitage trend test, significant at p = 0.025
* Statistically significant pairwise or trend test
1: Vehicle Control: Corn Oil
2: 25.0 mg/kg Cyclophosphamide

** END OF REPORT **